

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION IX

75 Hawthorne Street San Francisco, Ca. 94105

OCT 1 5 1992

In Reply Refer To: H-2-1

Site: NAV 009

Certified Mail: P 878 533 591

John Cekala
The Navajo Nation Air Transportation
P.O.Box 706
Window Rock, AZ 86515

Dear Mr. Cekala:

The Environmental Protection Agency (EPA) has received the report submitted by WT Environmental Consultants dated March 16, 1992. This report contains the results of the last of the required quarterly sampling at the Window Rock Airport in Window Rock, Arizona, located on the Navajo Reservation. Analysis of soil samples, taken from beneath an underground storage tank (UST) removed on May 4, 1990, had levels of benzene at 22 μ g/L. Due to elevated levels of benzene in the water sample taken in October, 1991, from monitoring well number two, quarterly sampling was required to follow the levels of contamination. The benzene level was 12 μ g/L in May, 1991, and less than 1.0 μ g/L in August, 1991. The benzene level remained below levels of concern for the third and fourth quarterly sampling taken in November, 1991, and February, 1992.

The information submitted above has assisted EPA in assessing the status of this site. This site does not appear to currently pose a threat to human health and the environment. EPA is not requiring any further action at this time. If there are any questions regarding this site, please contact me at (415) 744-2078.

Sincerely

Matthew Small, Hydrogeologist

Office of Underground Storage Tanks

cc: Norma Cady, Navajo EPA
Chuck Dowell, OEH, IHS
Leonard Robbins, US Department of Interior, BIA
Jim Duck, EPA Region VI
H-2-1 Reading File
Site File

Attachment: List of Contacts

Norma Cady Navajo EPA P.O. Box 308 Window Rock AZ 86515

Chuck Dowell
OEH, IHS
Box G
Window Rock AZ 86515

Leonard Robbins
US Department of Interior, BIA
Environmental Quality Services - Box 1060
Gallup NM 87301

Jim Duck Office of Underground Storage Tanks Region VI, Environmental Protection Agency 1445 Ross Avenue, 12th Floor Suite 1200 Dallas, TX 75202-2733