

Properties

DateCreated:	4/1/2014 6:58:17 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
HideNewField:	False	LastUpdated:	4/1/2014 6:59:26 PM
NameMap:	Long binary data	OrderByOn:	True
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	73	SubDataSheetName:	[Auto]
TotalsRow:	False	Updatable:	True

Columns

Name	Type	Size
ActionTypeID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1320	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	internal Action Type identifier	
DisplayControl:	Text Box	
OrdinalPosition:	0	
Required:	False	
SourceField:	ActionTypeID	
SourceTable:	Action Types	
TextAlign:	General	
FedState	Short Text	255
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	975	
DataUpdatable:	False	
Description:	Federal or State?	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	FedState	
SourceTable:	Action Types	
TextAlign:	General	
UnicodeCompression:	False	

Position2		Short Text	255
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	945	
	DataUpdatable:	False	
	Description:	the type of action, formal, informal or other.	
	DisplayControl:	Text Box	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	2	
	Required:	False	
	SourceField:	Position2	
	SourceTable:	Action Types	
	TextAlign:	General	
	UnicodeCompression:	False	
MainActionType		Short Text	255
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	The Main Action Type.	
	DisplayControl:	Text Box	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	3	
	Required:	False	
	SourceField:	MainActionType	
	SourceTable:	Action Types	
	TextAlign:	General	
	UnicodeCompression:	False	
ActionDesc		Short Text	255
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	5445	
	DataUpdatable:	False	
	Description:	Describes the action.	
	DisplayControl:	Text Box	
	IMEMode:	0	

IMESentenceMode:	3		
OrdinalPosition:	4		
Required:	False		
SourceField:	ActionDesc		
SourceTable:	Action Types		
TextAlign:	General		
UnicodeCompression:	False		
FedCode		Short Text	255
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	540		
DataUpdatable:	False		
Description:	ODS action code if action taken by EPA Region or HQ		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	5		
Required:	False		
SourceField:	FedCode		
SourceTable:	Action Types		
TextAlign:	General		
UnicodeCompression:	False		
StateCode		Short Text	255
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	510		
DataUpdatable:	False		
Description:	ODS action code if action taken by State or other primacy agency		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	6		
Required:	False		
SourceField:	StateCode		
SourceTable:	Action Types		
TextAlign:	General		
UnicodeCompression:	False		
AddressesSNC?		Yes/No	1
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		

CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1980
 DataUpdatable: False
 Description: Is completion of this action defined as "addressed" by Federal rule?
 DisplayControl: 106
 Format: Yes/No
 OrdinalPosition: 7
 Required: False
 SourceField: AddressesSNC?
 SourceTable: Action Types
 TextAlign: General

AssocAction Yes/No 1

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Is this action of the type that Violations are to be associated with as time passes?
 DisplayControl: 106
 Format: Yes/No
 OrdinalPosition: 8
 Required: False
 SourceField: AssocAction
 SourceTable: Action Types
 TextAlign: General

ICISType Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1476
 DataUpdatable: False
 Description: Translation of our activity types (more detailed) into ICIS (more generalized) activity types
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 9
 Required: False
 SourceField: ICISType
 SourceTable: Action Types
 TextAlign: General
 UnicodeCompression: True

ICISpurpose	Short Text	50
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	630	
DataUpdatable:	False	
Description:	Translation of our activity types (more detailed) into ICIS (more generalized) Additional Purpose of Activity	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	10	
Required:	False	
SourceField:	ICISpurpose	
SourceTable:	Action Types	
TextAlign:	General	
UnicodeCompression:	True	
ICISPIdescription	Long Text	-
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	525	
DataUpdatable:	False	
Description:	Project/Initiative Description for ICIS, generalized for the whole range of activities classified under this type	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	11	
Required:	False	
SourceField:	ICISPIdescription	
SourceTable:	Action Types	
TextAlign:	General	
TextFormat:	Plain Text	
UnicodeCompression:	True	
ODSVisitReasonCode	Short Text	4
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2064	
DataUpdatable:	False	

Description: ODS visit reason code
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 12
 Required: False
 SourceField: ODSVisitReasonCode
 SourceTable: Action Types
 TextAlign: General
 UnicodeCompression: True

ODSVisitReason Short Text 255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 3336
 DataUpdatable: False
 Description: ODS visit reason
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 13
 Required: False
 SourceField: ODSVisitReason
 SourceTable: Action Types
 TextAlign: General
 UnicodeCompression: True

priorder Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 930
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: a field which allows for control of order of items in the list. Lower numbers in this field will be listed first.
 DisplayControl: Text Box
 OrdinalPosition: 14
 Required: False
 SourceField: priorder
 SourceTable: Action Types
 TextAlign: General

sortingonActions Long Integer 4

AggregateType: -1
 AllowZeroLength: False

AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	a field which allows for control of order of items in the list. Lower numbers in this field will be listed first.
DisplayControl:	Text Box
OrdinalPosition:	15
Required:	False
SourceField:	sortingonActions
SourceTable:	Action Types
TextAlign:	General

Table Indexes

Name	Number of Fields
Action TypesActionDesc	1
Clustered:	False
DistinctCount:	73
Foreign:	False
IgnoreNulls:	False
Name:	Action TypesActionDesc
Primary:	False
Required:	False
Unique:	False
Fields:	
ActionDesc	Ascending
Action TypesMainActionType	1
Clustered:	False
DistinctCount:	5
Foreign:	False
IgnoreNulls:	False
Name:	Action TypesMainActionType
Primary:	False
Required:	False
Unique:	False
Fields:	
MainActionType	Ascending
ActionTypeID	1
Clustered:	False
DistinctCount:	73
Foreign:	False
IgnoreNulls:	False
Name:	ActionTypeID
Primary:	False
Required:	False
Unique:	False
Fields:	
ActionTypeID	Ascending
FedCode	1

Clustered:	False
DistinctCount:	38
Foreign:	False
IgnoreNulls:	False
Name:	FedCode
Primary:	False
Required:	False
Unique:	False
Fields:	
FedCode	Ascending
ODSVisitReasonCode	1
Clustered:	False
DistinctCount:	8
Foreign:	False
IgnoreNulls:	False
Name:	ODSVisitReasonCode
Primary:	False
Required:	False
Unique:	False
Fields:	
ODSVisitReasonCode	Ascending
StateCode	1
Clustered:	False
DistinctCount:	39
Foreign:	False
IgnoreNulls:	False
Name:	StateCode
Primary:	False
Required:	False
Unique:	False
Fields:	
StateCode	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	

Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated: 7/23/2007 12:57:00 PM DefaultView: 2
 GUID: {guid {53048A78-76C6-4637-AD6B-1028251A16DA}} LastUpdated: 7/23/2007 12:57:08 PM
 NameMap: Long binary data OrderByOn: False
 Orientation: Left-to-Right RecordCount: 5
 Updatable: True

Columns

Name	Type	Size
AgencyID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
Caption:	No.	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	705	
DataUpdatable:	False	
Description:	internal DIME identifier for Agencies	
GUID:	{guid {EADA6517-DC94-4325-853C-1560AD7CDEFD}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	AgencyID	
SourceTable:	Agencies	
Agency	Short Text	100
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1305	
DataUpdatable:	False	
Description:	Agency, generalized categorization for a contact	
DisplayControl:	Text Box	
GUID:	{guid {34EE7684-492C-4AB5-BFD8-9080635C0996}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	Agency	
SourceTable:	Agencies	
UnicodeCompression:	True	

Table Indexes

Name	Number of Fields
------	------------------

PrimaryKey	1
Clustered:	False
DistinctCount:	5
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
AgencyID	Ascending

User Permissions

- admin
- aizaz
- andrew
- bessie
- chris
- corine
- daria
- designer
- dschmidt
- Emmanuelle
- everett
- guest
- helen
- hillary
- jack
- jamelya
- Jason
- jelani
- jennifer
- jimh
- judy
- karl
- karl
- Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,
 Write Definition, Read Data, Insert Data, Update Data, Delete Data
- kirk
- lawonda
- linda
- max
- michael
- myrt
- navajo
- raymond
- roberto
- roger
- sara
- test

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	5/8/2013 5:59:47 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {48F3C981-8D29-4B21-AF48-0C76B5C39EFF}}	HideNewField:	False
LastUpdated:	5/8/2013 6:09:49 PM	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	324	TotalsRow:	False
Updatable:	True		

Columns

Name	Type	Size
FACID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
OrdinalPosition:	0	
Required:	False	
SourceField:	FACID	
SourceTable:	AnnotatedETT	
TextAlign:	General	
PWSID	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	PWSID	
SourceTable:	AnnotatedETT	
TextAlign:	General	
UnicodeCompression:	False	
PWS Name	Short Text	50
AggregateType:	-1	
AllowZeroLength:	True	

AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: PWS Name
 SourceTable: AnnotatedETT
 TextAlign: General
 UnicodeCompression: True

OWNER_TYPE_CODE Short Text 50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: OWNER_TYPE_CODE
 SourceTable: AnnotatedETT
 TextAlign: General
 UnicodeCompression: True

Class Short Text 50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False
 SourceField: Class
 SourceTable: AnnotatedETT
 TextAlign: General

UnicodeCompression:	True		
Population		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
OrdinalPosition:	5		
Required:	False		
SourceField:	Population		
SourceTable:	AnnotatedETT		
TextAlign:	General		
RealtimeETT		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	6		
Required:	False		
SourceField:	RealtimeETT		
SourceTable:	AnnotatedETT		
TextAlign:	General		
UnicodeCompression:	False		
CurrentETT		Double	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
OrdinalPosition:	7		
Required:	False		
SourceField:	CurrentETT		

SourceTable:	AnnotatedETT		
TextAlign:	General		
FirstPreviousETT		Double	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
OrdinalPosition:	8		
Required:	False		
SourceField:	FirstPreviousETT		
SourceTable:	AnnotatedETT		
TextAlign:	General		
SecondPreviousETT		Double	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
OrdinalPosition:	9		
Required:	False		
SourceField:	SecondPreviousETT		
SourceTable:	AnnotatedETT		
TextAlign:	General		
ThirdPreviousETT		Double	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
OrdinalPosition:	10		
Required:	False		
SourceField:	ThirdPreviousETT		
SourceTable:	AnnotatedETT		

Field Name	TextAlign	General	Field Type	Length
Spacer1			Short Text	255
AggregateType:		-1		
AllowZeroLength:		True		
AppendOnly:		False		
Attributes:		Variable Length		
CollatingOrder:		General		
ColumnHidden:		False		
ColumnOrder:		Default		
ColumnWidth:		Default		
DataUpdatable:		False		
DisplayControl:		Text Box		
IMEMode:		0		
IMESentenceMode:		3		
OrdinalPosition:		11		
Required:		False		
SourceField:		Spacer1		
SourceTable:		AnnotatedETT		
TextAlign:		General		
UnicodeCompression:		False		
Total Coliform Rule Acute MCL			Short Text	255
AggregateType:		-1		
AllowZeroLength:		True		
AppendOnly:		False		
Attributes:		Variable Length		
CollatingOrder:		General		
ColumnHidden:		False		
ColumnOrder:		Default		
ColumnWidth:		Default		
DataUpdatable:		False		
DisplayControl:		Text Box		
IMEMode:		0		
IMESentenceMode:		3		
OrdinalPosition:		12		
Required:		False		
SourceField:		Total Coliform Rule Acute MCL		
SourceTable:		AnnotatedETT		
TextAlign:		General		
UnicodeCompression:		False		
Nitrate/Nitrite MCL			Short Text	255
AggregateType:		-1		
AllowZeroLength:		True		
AppendOnly:		False		
Attributes:		Variable Length		
CollatingOrder:		General		
ColumnHidden:		False		
ColumnOrder:		Default		
ColumnWidth:		Default		
DataUpdatable:		False		
DisplayControl:		Text Box		
IMEMode:		0		
IMESentenceMode:		3		

OrdinalPosition:	13		
Required:	False		
SourceField:	Nitrate/Nitrite MCL		
SourceTable:	AnnotatedETT		
TextAlign:	General		
UnicodeCompression:	False		
Inorganics MCL		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	14		
Required:	False		
SourceField:	Inorganics MCL		
SourceTable:	AnnotatedETT		
TextAlign:	General		
UnicodeCompression:	False		
Radionuclides MCL		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	15		
Required:	False		
SourceField:	Radionuclides MCL		
SourceTable:	AnnotatedETT		
TextAlign:	General		
UnicodeCompression:	False		
SOCs MCL		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		

ColumnWidth: Default
DataUpdatable: False
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 16
Required: False
SourceField: SOCs MCL
SourceTable: AnnotatedETT
TextAlign: General
UnicodeCompression: False

VOCs MCL Short Text 255

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 17
Required: False
SourceField: VOCs MCL
SourceTable: AnnotatedETT
TextAlign: General
UnicodeCompression: False

Asbestos MCL Short Text 255

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 18
Required: False
SourceField: Asbestos MCL
SourceTable: AnnotatedETT
TextAlign: General
UnicodeCompression: False

Stage 1 Disinfection By Products Rule MCL Short Text 255

AggregateType: -1
AllowZeroLength: True

AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 19
Required: False
SourceField: Stage 1 Disinfection By Products Rule MCL
SourceTable: AnnotatedETT
TextAlign: General
UnicodeCompression: False

Lead and Copper Rule TT Short Text 255

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 20
Required: False
SourceField: Lead and Copper Rule TT
SourceTable: AnnotatedETT
TextAlign: General
UnicodeCompression: False

Surface Water Treatment Rule TT Short Text 255

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 21
Required: False
SourceField: Surface Water Treatment Rule TT
SourceTable: AnnotatedETT
TextAlign: General

UnicodeCompression:	False		
Surface Water Treatment Rule M/R		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	22		
Required:	False		
SourceField:	Surface Water Treatment Rule M/R		
SourceTable:	AnnotatedETT		
TextAlign:	General		
UnicodeCompression:	False		
Total Coliform Rule MCL		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	23		
Required:	False		
SourceField:	Total Coliform Rule MCL		
SourceTable:	AnnotatedETT		
TextAlign:	General		
UnicodeCompression:	False		
Total Coliform Rule M/R		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		

OrdinalPosition:	24		
Required:	False		
SourceField:	Total Coliform Rule M/R		
SourceTable:	AnnotatedETT		
TextAlign:	General		
UnicodeCompression:	False		
Ground Water Rule Compliance Monitoring M/R		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	25		
Required:	False		
SourceField:	Ground Water Rule Compliance Monitoring M/R		
SourceTable:	AnnotatedETT		
TextAlign:	General		
UnicodeCompression:	False		
Nitrate/Nitrite M/R		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	26		
Required:	False		
SourceField:	Nitrate/Nitrite M/R		
SourceTable:	AnnotatedETT		
TextAlign:	General		
UnicodeCompression:	False		
Inorganics M/R		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		

ColumnWidth: Default
DataUpdatable: False
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 27
Required: False
SourceField: Inorganics M/R
SourceTable: AnnotatedETT
TextAlign: General
UnicodeCompression: False

Radionuclides M/R Short Text 255

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 28
Required: False
SourceField: Radionuclides M/R
SourceTable: AnnotatedETT
TextAlign: General
UnicodeCompression: False

SOCs M/R Short Text 255

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 29
Required: False
SourceField: SOCs M/R
SourceTable: AnnotatedETT
TextAlign: General
UnicodeCompression: False

VOCs M/R Short Text 255

AggregateType: -1
AllowZeroLength: True

AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 30
Required: False
SourceField: VOCs M/R
SourceTable: AnnotatedETT
TextAlign: General
UnicodeCompression: False

Asbestos M/R Short Text 255

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 31
Required: False
SourceField: Asbestos M/R
SourceTable: AnnotatedETT
TextAlign: General
UnicodeCompression: False

Stage 1 Disinfection By Products Rule M/R Short Text 255

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 32
Required: False
SourceField: Stage 1 Disinfection By Products Rule M/R
SourceTable: AnnotatedETT
TextAlign: General

UnicodeCompression:	False		
Lead and Copper Rule M/R		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	33		
Required:	False		
SourceField:	Lead and Copper Rule M/R		
SourceTable:	AnnotatedETT		
TextAlign:	General		
UnicodeCompression:	False		
Public Notice Rule PN		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	34		
Required:	False		
SourceField:	Public Notice Rule PN		
SourceTable:	AnnotatedETT		
TextAlign:	General		
UnicodeCompression:	False		
CCR Distribution and Reporting		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		

	OrdinalPosition:	35		
	Required:	False		
	SourceField:	CCR Distribution and Reporting		
	SourceTable:	AnnotatedETT		
	TextAlign:	General		
	UnicodeCompression:	False		
Spacer2			Short Text	255
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	36		
	Required:	False		
	SourceField:	Spacer2		
	SourceTable:	AnnotatedETT		
	TextAlign:	General		
	UnicodeCompression:	False		
Tier1			Short Text	255
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	37		
	Required:	False		
	SourceField:	Tier1		
	SourceTable:	AnnotatedETT		
	TextAlign:	General		
	UnicodeCompression:	False		
DateFirstOnList			Date With Time	8
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		

ColumnWidth: Default
 DataUpdatable: False
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 38
 Required: False
 ShowDatePicker: For dates
 SourceField: DateFirstOnList
 SourceTable: AnnotatedETT
 TextAlign: General

LatestTargetRTCdate Short Text 255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 39
 Required: False
 SourceField: LatestTargetRTCdate
 SourceTable: AnnotatedETT
 TextAlign: General
 UnicodeCompression: False

OnPath Short Text 255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 40
 Required: False
 SourceField: OnPath
 SourceTable: AnnotatedETT
 TextAlign: General
 UnicodeCompression: False

TypeofComplianceProblem Short Text 255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False

Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 41
Required: False
SourceField: TypeofComplianceProblem
SourceTable: AnnotatedETT
TextAlign: General
UnicodeCompression: False

ComplianceStatusUpdate Long Text -

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 42
Required: False
SourceField: ComplianceStatusUpdate
SourceTable: AnnotatedETT
TextAlign: General
TextFormat: Plain Text
UnicodeCompression: False

EnforcementActionStatus Long Text -

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 43
Required: False
SourceField: EnforcementActionStatus
SourceTable: AnnotatedETT
TextAlign: General
TextFormat: Plain Text
UnicodeCompression: False

CompliancePlanStatus		Long Text	-
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	44		
Required:	False		
SourceField:	CompliancePlanStatus		
SourceTable:	AnnotatedETT		
TextAlign:	General		
TextFormat:	Plain Text		
UnicodeCompression:	False		
FundingProjectEntity		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	45		
Required:	False		
SourceField:	FundingProjectEntity		
SourceTable:	AnnotatedETT		
TextAlign:	General		
UnicodeCompression:	False		
ProjectDesignResponsibility		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	46		
Required:	False		

SourceField: ProjectDesignResponsibility
SourceTable: AnnotatedETT
TextAlign: General
UnicodeCompression: False

ServicePlanUpdate Long Text -

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 47
Required: False
SourceField: ServicePlanUpdate
SourceTable: AnnotatedETT
TextAlign: General
TextFormat: Plain Text
UnicodeCompression: False

InternalComment Long Text -

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 48
Required: False
SourceField: InternalComment
SourceTable: AnnotatedETT
TextAlign: General
TextFormat: Plain Text
UnicodeCompression: False

POcontactID Short Text 50

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False

DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 49
Required: False
SourceField: POcontactID
SourceTable: AnnotatedETT
TextAlign: General
UnicodeCompression: False

ServiceAreaName Short Text 255

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 50
Required: False
SourceField: ServiceAreaName
SourceTable: AnnotatedETT
TextAlign: General
UnicodeCompression: False

ServiceArea Short Text 255

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 51
Required: False
SourceField: ServiceArea
SourceTable: AnnotatedETT
TextAlign: General
UnicodeCompression: True

User Permissions

admin
aizaz

andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated: 7/23/2007 12:57:00 PM DefaultView: 2
 GUID: {guid {60662FED-CDC0-4873-9B0D-EDE74302B4C1}} LastUpdated: 7/23/2007 12:57:08 PM
 NameMap: Long binary data OrderByOn: False
 Orientation: Left-to-Right RecordCount: 8
 Updatable: True

Columns

Name	Type	Size
ID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal aquifer geology type identifier	
GUID:	{guid {2E6E9F09-0F93-4CB0-B04D-B53CCE2B89CD}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	ID	
SourceTable:	Aquifer geology	
AquiferType	Short Text	50
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1590	
DataUpdatable:	False	
Description:	Aquifer geology type	
DisplayControl:	Text Box	
GUID:	{guid {732F32A3-633C-40AB-841B-1D0822136700}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	AquiferType	
SourceTable:	Aquifer geology	
UnicodeCompression:	True	

Table Indexes

Name	Number of Fields
PrimaryKey	1

Clustered:	False
DistinctCount:	8
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
ID	Ascending

User Permissions

- admin
- aizaz
- andrew
- bessie
- chris
- corine
- daria
- designer
- dschmidt
- Emmanuelle
- everett
- guest
- helen
- hillary
- jack
- jamelya
- Jason
- jelani
- jennifer
- jimh
- judy
- karl

- kirk
- lawonda
- linda
- max
- michael
- myrt
- navajo
- raymond
- roberto
- roger
- sara
- test

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\ Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:50 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {844DDD55-E5DB- 4C0E-80CF-F9193A4547E9}}	HideNewField:	False
LastUpdated:	11/5/2014 6:19:50 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	AreaContact_Assoc	TotalsRow:	False
Updatable:	False		

Columns

Name	Type	Size
AreaConAssocID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal DIME Organization / Contact Association identifier	
OrdinalPosition:	0	
Required:	False	
SourceField:	AreaConAssocID	
SourceTable:	AreaContact_Assoc	
TextAlign:	General	
AreaID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	internal DIME Organization identifier, lookup in table ServiceAreas	
DisplayControl:	Text Box	
OrdinalPosition:	1	
Required:	True	
SourceField:	AreaID	
SourceTable:	AreaContact_Assoc	
TextAlign:	General	

ContactID		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	internal DIME Contact identifier, lookup in table Contacts		
DisplayControl:	Text Box		
OrdinalPosition:	2		
Required:	True		
SourceField:	ContactID		
SourceTable:	AreaContact_Assoc		
TextAlign:	General		
RoleID		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	internal DIME Role identifier, lookup in table OrgRoles		
DisplayControl:	Text Box		
OrdinalPosition:	3		
Required:	False		
SourceField:	RoleID		
SourceTable:	AreaContact_Assoc		
TextAlign:	General		
Lastupdate		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Date of Last Update		
Format:	General Date		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	4		
Required:	False		
ShowDatePicker:	For dates		

SourceField:	Lastupdate		
SourceTable:	AreaContact_Assoc		
TextAlign:	General		
CurrentUpdateUser		Short Text	50
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Current User At Time of Update		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	5		
Required:	False		
SourceField:	CurrentUpdateUser		
SourceTable:	AreaContact_Assoc		
TextAlign:	General		
UnicodeCompression:	True		
DateCreated		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Date that record was created.		
Format:	General Date		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	6		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	DateCreated		
SourceTable:	AreaContact_Assoc		
TextAlign:	General		
CreatedBy		Short Text	50
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		

DataUpdatable: False
 Description: Created by when the record is created
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 7
 Required: False
 SourceField: CreatedBy
 SourceTable: AreaContact_Assoc
 TextAlign: General
 UnicodeCompression: True

Table Indexes

Name	Number of Fields
ContactID	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	ContactID
Primary:	False
Required:	False
Unique:	False
Fields:	
ContactID	Ascending
OrganizationID	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	OrganizationID
Primary:	False
Required:	False
Unique:	False
Fields:	
AreaID	Ascending
OrgConAssocID	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	OrgConAssocID
Primary:	False
Required:	False
Unique:	True
Fields:	
AreaConAssocID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False

Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
AreaConAssocID	Ascending
RoleID	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	RoleID
Primary:	False
Required:	False
Unique:	False
Fields:	
RoleID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	

roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:50 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	Filter:	([Bacteriological Repeat].[SAMPLE_DATE]=#11/20/2008#)
FilterOnLoad:	False	GUID:	{guid {2AE23898-9DB7-4E68-A19B-F2D1D32A8A62}}
HideNewField:	False	LastUpdated:	11/5/2014 6:19:50 PM
NameMap:	Long binary data	OrderBy:	[Bacteriological Repeat].[EntryDate] DESC, [Bacteriological Repeat].[SAMPLE_DATE] DESC
OrderByOn:	True	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	Bacteriological Repeat	SubDataSheetName:	[Auto]
TotalsRow:	False	Updatable:	False

Columns

Name	Type	Size
ID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal bacteriological repeat table ID#	
GUID:	{guid {C0829147-8DB6-4A8E-A21C-C21837B4ECA8}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	ID	
SourceTable:	Bacteriological Repeat	
TextAlign:	General	
ORG_SAMPLE_ID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
Caption:	ORG_SAMPLE_ID	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1725	
DataUpdatable:	False	
DecimalPlaces:	Auto	

Description: Automatically populated based on original sample to which this repeat sample is linked
 DisplayControl: Text Box
 GUID: {guid {BAC6D25B-AFD5-4B03-B587-30BAE5AB9BB4}}
 OrdinalPosition: 1
 Required: False
 SourceField: ORG_SAMPLE_ID
 SourceTable: Bacteriological Repeat
 TextAlign: General

Astrk Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 615
 DataUpdatable: False
 Description: Astrisk is repeat sample indicator for Bacteriological Summary Reports
 DisplayControl: Text Box
 GUID: {guid {64B78666-69B2-4929-885A-F3FEE1BF0612}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: Astrk
 SourceTable: Bacteriological Repeat
 TextAlign: General
 UnicodeCompression: True

Repeat Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Repeat is repeat sample type indicator for Bacteriological Summary Reports
 DisplayControl: Text Box
 GUID: {guid {A71C917E-76A8-4D8C-87CD-DE491327C82E}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: Repeat
 SourceTable: Bacteriological Repeat
 TextAlign: General
 UnicodeCompression: True

SAMPLE_ID	Short Text	60
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Sample ID#	
DisplayControl:	Text Box	
GUID:	{guid {6A4E13A7-CEAA-4AAD-90F8-CDA4BDDDB072B}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	4	
Required:	True	
SourceField:	SAMPLE_ID	
SourceTable:	Bacteriological Repeat	
TextAlign:	General	
UnicodeCompression:	True	

SAMPLE_DATE	Date With Time	8
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Sample Date	
Format:	mm/dd/yyyy	
GUID:	{guid {319B6B22-CE7E-4E60-AE32-4812ABC67A88}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	5	
Required:	True	
ShowDatePicker:	For dates	
SourceField:	SAMPLE_DATE	
SourceTable:	Bacteriological Repeat	
TextAlign:	General	

Collector	Short Text	50
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Name of Sample Collector	

DisplayControl: Text Box
 GUID: {guid {0CCE3BD9-D429-4061-9E40-154CC9EEF20E}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 6
 Required: False
 SourceField: Collector
 SourceTable: Bacteriological Repeat
 TextAlign: General
 UnicodeCompression: True

SampleLoc Short Text 100

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 4875
 DataUpdatable: False
 Description: Specific Sample Location
 DisplayControl: Text Box
 GUID: {guid {21E41AB1-B091-4922-AACB-3A12089997D8}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 7
 Required: False
 SourceField: SampleLoc
 SourceTable: Bacteriological Repeat
 TextAlign: General
 UnicodeCompression: True

SiteNumber Short Text 60

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Site Sampling Plan number
 DisplayControl: Text Box
 GUID: {guid {40F2726D-B8AC-4B14-92B1-B5CC5253F5A3}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 8
 Required: False
 SourceField: SiteNumber
 SourceTable: Bacteriological Repeat
 TextAlign: General
 UnicodeCompression: True

LOCATION_CODE		Long Integer	4
AggregateType:	-1		
AllowValueListEdits:	False		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
BoundColumn:	1		
Caption:	LOCATION_CODE		
CollatingOrder:	General		
ColumnCount:	2		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1800		
ColumnWidths:	0;1440		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	General Location Code		
DisplayControl:	Combo Box		
GUID:	{guid {89FAB1D1-9BEA-4E86-A10B-248B8EB193E5}}		
LimitToList:	True		
ListRows:	8		
ListWidth:	1440twip		
OrdinalPosition:	9		
Required:	False		
RowSource:	SELECT bactgenlocations.ID, bactgenlocations.Genbactlocation FROM bactgenlocations;		
RowSourceType:	Table/Query		
ShowOnlyRowSourceValues:	False		
SourceField:	LOCATION_CODE		
SourceTable:	Bacteriological Repeat		
TextAlign:	General		

TC		Long Integer	4
AggregateType:	-1		
AllowValueListEdits:	False		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
BoundColumn:	1		
Caption:	TC		
CollatingOrder:	General		
ColumnCount:	2		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	495		
ColumnWidths:	0;1440		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Total Coliform Result		
DisplayControl:	Combo Box		
GUID:	{guid {73949F5D-DE1E-45D5-B7C6-130233C5B2D2}}		
LimitToList:	True		
ListRows:	8		

ListWidth: 750twip
 OrdinalPosition: 10
 Required: False
 RowSource: SELECT DISTINCTROW ResultCodes.ID,
 ResultCodes.ResultDescription FROM ResultCodes;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: TC
 SourceTable: Bacteriological Repeat
 TextAlign: General

TC_COUNT Double 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1185
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Total Coliform Count
 DisplayControl: Text Box
 GUID: {guid {6942B8EE-4494-44F1-A3CD-B36C70ECC269}}
 OrdinalPosition: 11
 Required: False
 SourceField: TC_COUNT
 SourceTable: Bacteriological Repeat
 TextAlign: General

TC_CNT_Sign Short Text 2

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Store sign <, > or blank
 DisplayControl: Text Box
 GUID: {guid {ED07CF94-F035-49C4-A733-2C99DEAC4734}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 12
 Required: False
 SourceField: TC_CNT_Sign
 SourceTable: Bacteriological Repeat
 TextAlign: General
 UnicodeCompression: True

TC_METHOD Long Integer 4

AggregateType: -1

AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 Caption: TC_METHOD
 CollatingOrder: General
 ColumnCount: 2
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1335
 ColumnWidths: 0;1605
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Total Coliform method
 DisplayControl: Combo Box
 GUID: {guid {34DB2AAA-A8D4-4B12-B69E-2567715E2AE0}}
 LimitToList: True
 ListRows: 8
 ListWidth: 1605twip
 OrdinalPosition: 13
 Required: False
 RowSource: SELECT DISTINCTROW bactmethods.ID,
 bactmethods.bactmethodtypes FROM bactmethods;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: TC_METHOD
 SourceTable: Bacteriological Repeat
 TextAlign: General

TC_INVALID

Long Integer

4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 Caption: TC_INVALID
 CollatingOrder: General
 ColumnCount: 2
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1290
 ColumnWidths: 0;1800
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Total Coliform invalidation code
 DisplayControl: Combo Box
 GUID: {guid {933F732F-CC85-49E1-9AEF-9CD0F672B74E}}
 LimitToList: True
 ListRows: 8
 ListWidth: 1800twip
 OrdinalPosition: 14

Required: False
 RowSource: SELECT DISTINCTROW bactinvalidcodes.ID,
 bactinvalidcodes.bactinvalidcode FROM bactinvalidcodes;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: TC_INVALID
 SourceTable: Bacteriological Repeat
 TextAlign: General

FC_EC Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 Caption: FC_EC
 CollatingOrder: General
 ColumnCount: 2
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 765
 ColumnWidths: 0;810
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Fecal Coliform Result
 DisplayControl: Combo Box
 GUID: {guid {C03DC79C-C99A-4B15-9CA7-6CEA13297FB1}}
 LimitToList: True
 ListRows: 8
 ListWidth: 810twip
 OrdinalPosition: 15
 Required: False
 RowSource: SELECT DISTINCTROW ResultCodes.ID,
 ResultCodes.ResultDescription FROM ResultCodes;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: FC_EC
 SourceTable: Bacteriological Repeat
 TextAlign: General

FC_EC_COUNT Double 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Fecal Coliform Count

DisplayControl: Text Box
 GUID: {guid {52992B1F-1934-4A26-B8D1-98A2CC354AA8}}
 OrdinalPosition: 16
 Required: False
 SourceField: FC_EC_COUNT
 SourceTable: Bacteriological Repeat
 TextAlign: General

FC_CNT_Sign Short Text 2

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Store sign <, > or blank
 DisplayControl: Text Box
 GUID: {guid {46324F34-D46E-4E6E-85E1-0673D636BDFA}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 17
 Required: False
 SourceField: FC_CNT_Sign
 SourceTable: Bacteriological Repeat
 TextAlign: General
 UnicodeCompression: True

FC_EC_METHOD Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 Caption: FC_EC_METHOD
 CollatingOrder: General
 ColumnCount: 2
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 ColumnWidths: 0;1605
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Fecal Coliform method
 DisplayControl: Combo Box
 GUID: {guid {3F79EA93-FA13-449F-8902-A3F178BDDFE5}}
 LimitToList: True
 ListRows: 8
 ListWidth: 1605twip
 OrdinalPosition: 18
 Required: False

RowSource: SELECT DISTINCTROW bactmethods.ID,
bactmethods.bactmethodtypes FROM bactmethods;
RowSourceType: Table/Query
ShowOnlyRowSourceValues: False
SourceField: FC_EC_METHOD
SourceTable: Bacteriological Repeat
TextAlign: General

FC_EC_INVALID Long Integer 4

AggregateType: -1
AllowValueListEdits: False
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
BoundColumn: 1
Caption: FC_EC_INVALID
CollatingOrder: General
ColumnCount: 2
ColumnHeads: False
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
ColumnWidths: 0;1800
DataUpdatable: False
DecimalPlaces: Auto
Description: Fecal Coliform invalidation code
DisplayControl: Combo Box
GUID: {guid {84BEDD7B-9AC8-4CC0-BEB7-769596EDBECF}}
LimitToList: True
ListRows: 8
ListWidth: 1800twip
OrdinalPosition: 19
Required: False
RowSource: SELECT DISTINCTROW bactinvalidcodes.ID,
bactinvalidcodes.bactinvalidcode FROM bactinvalidcodes;
RowSourceType: Table/Query
ShowOnlyRowSourceValues: False
SourceField: FC_EC_INVALID
SourceTable: Bacteriological Repeat
TextAlign: General

FecalIndicator Long Integer 4

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
Description: internal DIME fecal indicator ID, lookup in table FecalIndicators
DisplayControl: Text Box

GUID: {guid {A6DE7126-E951-4AB9-BE2F-91746BCA20B4}}
 OrdinalPosition: 20
 Required: False
 SourceField: FecalIndicator
 SourceTable: Bacteriological Repeat
 TextAlign: General

COMMENTS Short Text 255

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2790
 DataUpdatable: False
 Description: Really the specific location
 DisplayControl: Text Box
 GUID: {guid {0C2930A9-FD01-47C6-AD40-4DFD4FF5CA6E}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 21
 Required: False
 SourceField: COMMENTS
 SourceTable: Bacteriological Repeat
 TextAlign: General
 UnicodeCompression: True

Chlorine Single 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Chlorine in ppm (total or free)
 DisplayControl: Text Box
 GUID: {guid {89603CF3-1D79-4355-9B5E-F945250B6886}}
 OrdinalPosition: 22
 Required: False
 SourceField: Chlorine
 SourceTable: Bacteriological Repeat
 TextAlign: General

TYPECLID Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size

BoundColumn: 1
 Caption: ChlorineResultType
 CollatingOrder: General
 ColumnCount: 2
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2010
 ColumnWidths: 0;1440
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Type of Chlorine Residual result
 DisplayControl: Combo Box
 GUID: {guid {BAA9185D-14D3-48A7-800C-BA18DE405841}}
 LimitToList: True
 ListRows: 8
 ListWidth: 1440twip
 OrdinalPosition: 23
 Required: False
 RowSource: SELECT DISTINCTROW TypeofChlorineResult.TYPECLID, TypeofChlorineResult.TypeofResult FROM TypeofChlorineResult;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: TYPECLID
 SourceTable: Bacteriological Repeat
 TextAlign: General

Fluoride Single 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Fluoride in ppm
 DisplayControl: Text Box
 GUID: {guid {5E59FFF4-CCB4-4E96-B113-0B82D95FF1B9}}
 OrdinalPosition: 24
 Required: False
 SourceField: Fluoride
 SourceTable: Bacteriological Repeat
 TextAlign: General

pH Single 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default

ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: 1
 Description: pH 0-14
 DisplayControl: Text Box
 GUID: {guid {2F07C7B9-CF76-47E9-9FE5-12D683F7D008}}
 OrdinalPosition: 25
 Required: False
 SourceField: pH
 SourceTable: Bacteriological Repeat
 TextAlign: General
 ValidationRule: Between 0 And 14

colordetect Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: detect flag for color, lookup in table Detectflags
 DisplayControl: Text Box
 GUID: {guid {CC9B0BAA-73DE-472F-9CB7-5602A27C94AC}}
 OrdinalPosition: 26
 Required: False
 SourceField: colordetect
 SourceTable: Bacteriological Repeat
 TextAlign: General

color Single 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: color units
 DisplayControl: Text Box
 GUID: {guid {91AE4433-8232-4F17-A73E-C5837003D10A}}
 OrdinalPosition: 27
 Required: False
 SourceField: color
 SourceTable: Bacteriological Repeat
 TextAlign: General

odordetect Long Integer 4

AggregateType: -1

	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	Description:	detect flag for odor, lookup in table Detectflags		
	DisplayControl:	Text Box		
	GUID:	{guid {DB021BFB-E876-4B46-A729-6A71BFB4077D}}		
	OrdinalPosition:	28		
	Required:	False		
	SourceField:	odordetect		
	SourceTable:	Bacteriological Repeat		
	TextAlign:	General		
odor			Single	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	Description:	Threshold Odor Number (TON)		
	DisplayControl:	Text Box		
	GUID:	{C2680C61-8393-41A2-A80E-234B66101291}}		
	OrdinalPosition:	29		
	Required:	False		
	SourceField:	odor		
	SourceTable:	Bacteriological Repeat		
	TextAlign:	General		
turbiditydetect			Long Integer	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	Description:	detect flag for turbidity, lookup in table Detectflags		
	DisplayControl:	Text Box		
	GUID:	{guid {6C8C6D9E-C2CD-4F82-8BB3-245F9F396239}}		
	OrdinalPosition:	30		
	Required:	False		
	SourceField:	turbiditydetect		

	SourceTable:	Bacteriological Repeat	
	TextAlign:	General	
turbidity			Single 4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	nephelometric turbidity unit (NTU)	
	DisplayControl:	Text Box	
	GUID:	{guid {1BFB2CCB-2BCB-458C-A5D7-782ABC218589}}	
	OrdinalPosition:	31	
	Required:	False	
	SourceField:	turbidity	
	SourceTable:	Bacteriological Repeat	
	TextAlign:	General	
LabID			Long Integer 4
	AggregateType:	-1	
	AllowValueListEdits:	False	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	Caption:	LabID	
	CollatingOrder:	General	
	ColumnCount:	4	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	ColumnWidths:	0;3390;870;735	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	internal Laboratory ID	
	DisplayControl:	Combo Box	
	GUID:	{guid {54DAC5F3-212C-4106-8657-6DEA52710511}}	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	4994twip	
	OrdinalPosition:	32	
	Required:	False	
	RowSource:	SELECT Laboratories.ID, Laboratories.Full_Laboratory_Name, Laboratories.LAB_ID, Laboratories.Lab_Alias FROM Laboratories;	
	RowSourceType:	Table/Query	
	ShowOnlyRowSourceValues:	False	
	SourceField:	LabID	
	SourceTable:	Bacteriological Repeat	
	TextAlign:	General	

Field Name	Field Type	Field Length
DistSystemContOnly	Yes/No	1
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Distribution System contamination only	
DisplayControl:	106	
Format:	Yes/No	
GUID:	{guid {87E46929-4875-4617-AF61-BEC9F701110C}}	
OrdinalPosition:	33	
Required:	False	
SourceField:	DistSystemContOnly	
SourceTable:	Bacteriological Repeat	
TextAlign:	General	
Certification	Short Text	150
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	PO certification	
DisplayControl:	Text Box	
GUID:	{F33B8CF6-02E5-4BE3-A934-8BDE249DEBA1}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	34	
Required:	False	
SourceField:	Certification	
SourceTable:	Bacteriological Repeat	
TextAlign:	General	
UnicodeCompression:	True	
AnalysisDate	Date With Time	8
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	date of analysis	
Format:	Short Date	
GUID:	{guid {B4BDD0C7-DC50-4B58-9B8E-9B40B0C5AD63}}	

IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 35
 Required: False
 ShowDatePicker: For dates
 SourceField: AnalysisDate
 SourceTable: Bacteriological Repeat
 TextAlign: General

Analyst Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Lab Analyst
 DisplayControl: Text Box
 GUID: {guid {1307C2E0-0D31-4A8B-88ED-2E5BC7AD237D}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 36
 Required: False
 SourceField: Analyst
 SourceTable: Bacteriological Repeat
 TextAlign: General
 UnicodeCompression: True

Reviewer Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Lab Reviewer
 DisplayControl: Text Box
 GUID: {guid {E32F2C24-50A8-4D67-AE6A-91EB40201058}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 37
 Required: False
 SourceField: Reviewer
 SourceTable: Bacteriological Repeat
 TextAlign: General
 UnicodeCompression: True

Lastupdate Date With Time 8

AggregateType: -1

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date of Last Update
 Format: General Date
 GUID: {guid {6F66BD6F-2CB0-11D8-822E-00B0D0531229}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 38
 Required: False
 ShowDatePicker: For dates
 SourceField: Lastupdate
 SourceTable: Bacteriological Repeat
 TextAlign: General

CurrentUpdateUser Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Current User At Time of Update
 DisplayControl: Text Box
 GUID: {guid {6F66BD70-2CB0-11D8-822E-00B0D0531229}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 39
 Required: False
 SourceField: CurrentUpdateUser
 SourceTable: Bacteriological Repeat
 TextAlign: General
 UnicodeCompression: True

DATE_RECEIVED Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DefaultValue: =Date()
 Description: date lab report received by EPA
 Format: Short Date

GUID: {guid {C795A31F-CDB4-4BB8-8A41-31E1F681ECF0}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 40
 Required: False
 ShowDatePicker: For dates
 SourceField: DATE_RECEIVED
 SourceTable: Bacteriological Repeat
 TextAlign: General

ReceivedBy Short Text 50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: QA
 DisplayControl: Text Box
 GUID: {guid {32D01B3B-44A4-4C41-BA18-E9853FF6236F}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 41
 Required: False
 SourceField: ReceivedBy
 SourceTable: Bacteriological Repeat
 TextAlign: General
 UnicodeCompression: True

EntryDate Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2445
 DataUpdatable: False
 DefaultValue: =Now()
 Description: Entry Date
 GUID: {guid {A0DA39FC-021F-4DD0-91D4-C20977B5B1A4}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 42
 Required: False
 ShowDatePicker: For dates
 SourceField: EntryDate
 SourceTable: Bacteriological Repeat
 TextAlign: General

CreatedBy Short Text 50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 GUID: {guid {76A6016D-BD87-4068-83EB-A4D63FB105F2}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 43
 Required: False
 SourceField: CreatedBy
 SourceTable: Bacteriological Repeat
 TextAlign: General
 UnicodeCompression: True

DateQA Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Format: General Date
 GUID: {guid {42CB7F9E-2BB2-4180-AB4D-29B477E6BB74}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 44
 Required: False
 ShowDatePicker: For dates
 SourceField: DateQA
 SourceTable: Bacteriological Repeat
 TextAlign: General

QAUser Short Text 50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 GUID: {guid {7BF20FE2-1A1A-410A-ABF3-4BEA7B12B802}}
 IMEMode: 0
 IMESentenceMode: 3

	OrdinalPosition:	45		
	Required:	False		
	SourceField:	QAUser		
	SourceTable:	Bacteriological Repeat		
	TextAlign:	General		
	UnicodeCompression:	True		
DateView			Date With Time	8
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Format:	General Date		
	GUID:	{guid {0D70B786-9C23-4CEF-9A57-8CCD1C5B87BA}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	46		
	Required:	False		
	ShowDatePicker:	For dates		
	SourceField:	DateView		
	SourceTable:	Bacteriological Repeat		
	TextAlign:	General		
ViewUser			Short Text	50
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	GUID:	{guid {4F8479AA-2964-48AB-8FF2-5E210F355394}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	47		
	Required:	False		
	SourceField:	ViewUser		
	SourceTable:	Bacteriological Repeat		
	TextAlign:	General		
	UnicodeCompression:	True		
StatusID			Long Integer	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		

ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME Status identifier, lookup in table QAStatus
 DisplayControl: Text Box
 GUID: {guid {7CB158D5-ADFA-40B9-86A5-D83A87BCF3F9}}
 OrdinalPosition: 48
 Required: False
 SourceField: StatusID
 SourceTable: Bacteriological Repeat
 TextAlign: General

Old_ORG_SAMPLE_ID Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 Caption: ORG_SAMPLE_ID
 CollatingOrder: General
 ColumnCount: 3
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1890
 ColumnWidths: 0;1440;1440
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Automatically populated based on original sample to which this repeat sample is linked
 DisplayControl: Text Box
 GUID: {guid {D69546A1-4A39-44E6-A396-9D7E8BFE861B}}
 LimitToList: True
 ListRows: 8
 ListWidth: 2880twip
 OrdinalPosition: 49
 Required: False
 RowSource: SELECT [Bacteriological Routine].[ID], [Bacteriological Routine].[SAMP_ID], [Bacteriological Routine].[SAMP_DATE] FROM [Bacteriological Routine];
 RowSourceType: Table/Query
 SourceField: Old_ORG_SAMPLE_ID
 SourceTable: Bacteriological Repeat
 TextAlign: General

Table Indexes

Name	Number of Fields
ID	1
Clustered:	False
DistinctCount:	11808
Foreign:	False
IgnoreNulls:	False

Name:	ID
Primary:	False
Required:	False
Unique:	True
Fields:	
ID	Ascending
ORG_SAMPLE_ID	1
Clustered:	False
DistinctCount:	1913
Foreign:	False
IgnoreNulls:	False
Name:	ORG_SAMPLE_ID
Primary:	False
Required:	False
Unique:	False
Fields:	
Old_ORG_SAMPLE_ID	Ascending
ORG_SAMPLE_ID1	1
Clustered:	False
DistinctCount:	2581
Foreign:	False
IgnoreNulls:	False
Name:	ORG_SAMPLE_ID1
Primary:	False
Required:	False
Unique:	False
Fields:	
ORG_SAMPLE_ID	Ascending
PrimaryKey	5
Clustered:	False
DistinctCount:	11808
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
ORG_SAMPLE_ID	Ascending
SAMPLE_ID	Ascending
SAMPLE_DATE	Ascending
SampleLoc	Ascending
LOCATION_CODE	Ascending
StatusID	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	StatusID
Primary:	False
Required:	False
Unique:	False

Fields:
StatusID Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

AlternateBackShade:	100	AlternateBackThemeColorIn	-1
AlternateBackTint:	100	Attributes:	Linked
BackShade:	100	BackTint:	100
Connect:	;DATABASE=C:\Users\kbanks\Dime_Local\DIME_be.mdb		DatasheetForeThemeColorIn -1
DatasheetGridlinesThemeCol	-1	DateCreated:	11/5/2014 6:19:50 PM
DefaultView:	2	DisplayViewsOnSharePointSi	1
Filter:	([Lookup_FACID].[ALTERNATE_FILTER].[ST_NUM]="0106001")		FilterOnLoad: False
GUID:	{guid {31FACBCA-169C-4A5D-AA2E-6CA8FE3A24FC}}		HideNewField: False
LastUpdated:	11/5/2014 6:19:50 PM	NameMap:	Long binary data
OrderBy:	[Bacteriological Routine].[SAMP_DATE] DESC, [Bacteriological Routine].[EntryDate] DESC, [Bacteriological Routine].Comment DESC		OrderByOn: True
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	-1	RowHeight:	240
SourceTableName:	Bacteriological Routine	SubDataSheetName:	[Auto]
ThemeFontIndex:	-1	TotalsRow:	False
Updatable:	False		

Columns

Name	Type	Size
ID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
GUID:	{guid {951015C7-28A4-4411-BAF2-CE4A87BB76B3}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	ID	
SourceTable:	Bacteriological Routine	
TextAlign:	General	
FACID	Long Integer	4
AggregateType:	-1	
AllowValueListEdits:	False	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
BoundColumn:	1	

Caption: PWS ID#
 CollatingOrder: General
 ColumnCount: 3
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1455
 ColumnWidths: 0;1440;1440
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Facility Information ID #
 DisplayControl: Combo Box
 GUID: {guid {AEC2600A-B8CA-4508-A255-AAC8ABF6CB7A}}
 LimitToList: True
 ListRows: 8
 ListWidth: 2880twip
 OrdinalPosition: 1
 Required: True
 RowSource: SELECT [Facility Information].FACID, [Facility Information].ALTERNATE_ST_NUM, [Facility Information].PWSSNAME FROM [Facility Information];
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: FACID
 SourceTable: Bacteriological Routine
 TextAlign: General

SAMP_ID Short Text 60

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Sample ID #
 DisplayControl: Text Box
 GUID: {guid {34914B83-6526-443B-8B45-6596D69D4CAE}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: True
 SourceField: SAMP_ID
 SourceTable: Bacteriological Routine
 TextAlign: General
 UnicodeCompression: True

SAMP_DATE Date With Time 8

AggregateType: -1
 AllowZeroLength: False

AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2220
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Sampling date
 Format: mmddyyyy
 GUID: {guid {2D7DEDB4-BDA6-4C99-A075-BE4411487067}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: True
 ShowDatePicker: For dates
 SourceField: SAMP_DATE
 SourceTable: Bacteriological Routine
 TextAlign: General

Collector Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Name of Sample Collector
 DisplayControl: Text Box
 GUID: {guid {43897711-CC16-4F76-AD3E-D0A83DE424E6}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False
 SourceField: Collector
 SourceTable: Bacteriological Routine
 TextAlign: General
 UnicodeCompression: True

Samp_Mo Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 Caption: Compliance Month
 CollatingOrder: General
 ColumnCount: 2
 ColumnHeads: False
 ColumnHidden: True

ColumnOrder: Default
 ColumnWidth: 0
 ColumnWidths: 0;765
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: defaults automatically to month of sample date, PO may override
 DisplayControl: Combo Box
 GUID: {guid {612D50EC-178E-4FB8-9366-FD17B77039BD}}
 LimitToList: True
 ListRows: 8
 ListWidth: 765twip
 OrdinalPosition: 5
 Required: False
 RowSource: SELECT DISTINCTROW Months.ID, Months.Month FROM Months;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: Samp_Mo
 SourceTable: Bacteriological Routine
 TextAlign: General

Samp_Yr Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 Caption: Year
 CollatingOrder: General
 ColumnCount: 2
 ColumnHeads: False
 ColumnHidden: True
 ColumnOrder: Default
 ColumnWidth: 0
 ColumnWidths: 0;540
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: defaults automatically to year of sample date, PO may override
 DisplayControl: Combo Box
 GUID: {guid {56FD1B13-991D-40F4-B12F-814C5AC27119}}
 LimitToList: True
 ListRows: 8
 ListWidth: 540twip
 OrdinalPosition: 6
 Required: False
 RowSource: SELECT Years.ID, Years.Year FROM Years;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: Samp_Yr
 SourceTable: Bacteriological Routine
 TextAlign: General

SAMP_TYPE Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 Caption: Sample Type
 CollatingOrder: General
 ColumnCount: 2
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1440
 ColumnWidths: 0;1440
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: lookup in table sampletypes
 DisplayControl: Combo Box
 GUID: {guid {5B273A1A-7592-4F82-A253-91EDFDC829B7}}
 LimitToList: True
 ListRows: 8
 ListWidth: 1440twip
 OrdinalPosition: 7
 Required: False
 RowSource: SELECT DISTINCTROW sampletypes.ID, sampletypes.sampletype
 FROM sampletypes;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: SAMP_TYPE
 SourceTable: Bacteriological Routine
 TextAlign: General

General Sample Location Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 Caption: General Sample Location
 CollatingOrder: General
 ColumnCount: 2
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1440
 ColumnWidths: 0;1440
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: lookup in table bactgenlocations
 DisplayControl: Combo Box
 GUID: {guid {D98E1133-0E9D-467B-8080-5947EC2AF51D}}
 LimitToList: True

ListRows: 8
 ListWidth: 1440twip
 OrdinalPosition: 8
 Required: False
 RowSource: SELECT bactgenlocations.ID, bactgenlocations.Genbactlocation FROM bactgenlocations;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: General Sample Location
 SourceTable: Bacteriological Routine
 TextAlign: General

SpecLocation Short Text 60

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 3045
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Specific sampling location description
 DisplayControl: Text Box
 GUID: {guid {65158A5A-F30D-4D15-9E84-55D529DAE466}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 9
 Required: False
 SourceField: SpecLocation
 SourceTable: Bacteriological Routine
 TextAlign: General
 UnicodeCompression: True

SiteNumber Short Text 60

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 705
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Site Sampling Plan number
 DisplayControl: Text Box
 GUID: {guid {0E40EE6C-2CC8-4571-A9CE-61B09786756E}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 10
 Required: False
 SourceField: SiteNumber
 SourceTable: Bacteriological Routine

	TextAlign:	General	
	UnicodeCompression:	True	
TC_Result		Long Integer	4
	AggregateType:	-1	
	AllowValueListEdits:	False	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	Caption:	TC_Result	
	CollatingOrder:	General	
	ColumnCount:	2	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	570	
	ColumnWidths:	0;1440	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	lookup in table ResultCodes	
	DisplayControl:	Combo Box	
	GUID:	{guid {48011C37-E839-4DF5-956F-1AD6C6D78A78}}	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	1440twip	
	OrdinalPosition:	11	
	Required:	False	
	RowSource:	SELECT DISTINCTROW ResultCodes.ID, ResultCodes.ResultDescription FROM ResultCodes;	
	RowSourceType:	Table/Query	
	ShowOnlyRowSourceValues:	False	
	SourceField:	TC_Result	
	SourceTable:	Bacteriological Routine	
	TextAlign:	General	
TC_CNT		Long Integer	4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	420	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	Total Coliform count (if applicable)	
	DisplayControl:	Text Box	
	GUID:	{guid {AE1576CD-CE86-454E-B856-478669C52361}}	
	OrdinalPosition:	12	
	Required:	False	
	SourceField:	TC_CNT	

SourceTable:	Bacteriological Routine		
TextAlign:	General		
TC_CNT_Sign		Short Text	2
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
Description:	Store sign <, > or blank		
DisplayControl:	Text Box		
GUID:	{guid {07AB8A9A-51F7-457C-A142-0F6372F9ADB8}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	13		
Required:	False		
SourceField:	TC_CNT_Sign		
SourceTable:	Bacteriological Routine		
TextAlign:	General		
UnicodeCompression:	True		
TC Method Code		Long Integer	4
AggregateType:	-1		
AllowValueListEdits:	False		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
BoundColumn:	1		
Caption:	TC Method Code		
CollatingOrder:	General		
ColumnCount:	2		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	975		
ColumnWidths:	0;1605		
CurrencyLCID:	0		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	lookup in table bactmethods		
DisplayControl:	Combo Box		
GUID:	{guid {73BFCB4A-00B1-43B3-A5F1-C8B79FB4DF74}}		
LimitToList:	True		
ListRows:	8		
ListWidth:	1605twip		
OrdinalPosition:	14		
Required:	False		
RowSource:	SELECT DISTINCTROW bactmethods.ID, bactmethods.bactmethodtypes FROM bactmethods;		
RowSourceType:	Table/Query		
ShowOnlyRowSourceValues:	False		

SourceField:	TC Method Code		
SourceTable:	Bacteriological Routine		
TextAlign:	General		
TC Invalid Code		Long Integer	4
AggregateType:	-1		
AllowValueListEdits:	False		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
BoundColumn:	1		
Caption:	TC Invalid Code		
CollatingOrder:	General		
ColumnCount:	2		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	360		
ColumnWidths:	0;1800		
CurrencyLCID:	0		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	lookup in table bactinvalidcodes		
DisplayControl:	Combo Box		
GUID:	{guid {0D11C6EC-4A18-4938-B7B3-1BF940604675}}		
LimitToList:	True		
ListRows:	8		
ListWidth:	1800twip		
OrdinalPosition:	15		
Required:	False		
RowSource:	SELECT DISTINCTROW bactinvalidcodes.ID, bactinvalidcodes.bactinvalidcode FROM bactinvalidcodes;		
RowSourceType:	Table/Query		
ShowOnlyRowSourceValues:	False		
SourceField:	TC Invalid Code		
SourceTable:	Bacteriological Routine		
TextAlign:	General		
FC_Result		Long Integer	4
AggregateType:	-1		
AllowValueListEdits:	False		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
BoundColumn:	1		
Caption:	FC_Result		
CollatingOrder:	General		
ColumnCount:	2		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	600		
ColumnWidths:	0;1440		
CurrencyLCID:	0		
DataUpdatable:	False		

DecimalPlaces: Auto
 Description: lookup in table ResultCodes
 DisplayControl: Combo Box
 GUID: {guid {8FA17BC1-2A2D-40E1-9DB1-51371B5ED734}}
 LimitToList: True
 ListRows: 8
 ListWidth: 1440twip
 OrdinalPosition: 16
 Required: False
 RowSource: SELECT DISTINCTROW ResultCodes.ID,
 ResultCodes.ResultDescription FROM ResultCodes;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: FC_Result
 SourceTable: Bacteriological Routine
 TextAlign: General

FC_CNT Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 540
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Fecal Coliform count (if applicable)
 DisplayControl: Text Box
 GUID: {guid {4AF5ED41-4D85-44E5-8F22-A38B1205A222}}
 OrdinalPosition: 17
 Required: False
 SourceField: FC_CNT
 SourceTable: Bacteriological Routine
 TextAlign: General

FC_CNT_Sign Short Text 2

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Store sign <, > or blank
 DisplayControl: Text Box
 GUID: {guid {8106D099-483A-4258-9686-568840BAF6E5}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 18

Required: False
 SourceField: FC_CNT_Sign
 SourceTable: Bacteriological Routine
 TextAlign: General
 UnicodeCompression: True

FC Method Code Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 Caption: FC Method Code
 CollatingOrder: General
 ColumnCount: 2
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 315
 ColumnWidths: 0;1605
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: lookup in table bactmethods
 DisplayControl: Combo Box
 GUID: {guid {D2AC7AEF-222F-48A4-A709-DAD22D675A32}}
 LimitToList: True
 ListRows: 8
 ListWidth: 1605twip
 OrdinalPosition: 19
 Required: False
 RowSource: SELECT DISTINCTROW bactmethods.ID,
 bactmethods.bactmethodtypes FROM bactmethods;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: FC Method Code
 SourceTable: Bacteriological Routine
 TextAlign: General

FC Invalid Code Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 Caption: FC Invalid Code
 CollatingOrder: General
 ColumnCount: 2
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 330
 ColumnWidths: 0;1800

CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: lookup in table bactinvalidcodes
 DisplayControl: Combo Box
 GUID: {guid {6D896529-1820-4EBA-9D51-D7812A961D3A}}
 LimitToList: True
 ListRows: 8
 ListWidth: 1800twip
 OrdinalPosition: 20
 Required: False
 RowSource: SELECT DISTINCTROW bactinvalidcodes.ID,
 bactinvalidcodes.bactinvalidcode FROM bactinvalidcodes;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: FC Invalid Code
 SourceTable: Bacteriological Routine
 TextAlign: General

HPC Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 420
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Heterotropic Plate Count
 DisplayControl: Text Box
 GUID: {guid {B44E8C30-9DB3-49C6-AF2D-30FB83DF300B}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 21
 Required: False
 SourceField: HPC
 SourceTable: Bacteriological Routine
 TextAlign: General
 UnicodeCompression: True

DistributionSystem Short Text 5

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Distribution system name or null which means all
 DisplayControl: Text Box

GUID: {guid {F4A902C7-933B-4A45-BEBF-58206102F4E9}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 22
 Required: False
 SourceField: DistributionSystem
 SourceTable: Bacteriological Routine
 TextAlign: General
 UnicodeCompression: True

FecalIndicator Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME fecal indicator ID, lookup in table FecalIndicators
 DisplayControl: Text Box
 GUID: {guid {EEC85595-0C94-4EBD-A280-E60286C56613}}
 OrdinalPosition: 23
 Required: False
 SourceField: FecalIndicator
 SourceTable: Bacteriological Routine
 TextAlign: General

Comment Short Text 255

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1020
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Comment
 DisplayControl: Text Box
 GUID: {guid {E86755DD-1452-4402-9337-3E2FAC7CA001}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 24
 Required: False
 SourceField: Comment
 SourceTable: Bacteriological Routine
 TextAlign: General
 UnicodeCompression: True

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 780
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Chlorine in ppm (total or free)
 DisplayControl: Text Box
 GUID: {guid {0A3C1800-6EF7-443B-9F35-05B01D549BC7}}
 OrdinalPosition: 25
 Required: False
 SourceField: Chlorine
 SourceTable: Bacteriological Routine
 TextAlign: General

TYPECLID Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 Caption: ChlorineResultType
 CollatingOrder: General
 ColumnCount: 2
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 855
 ColumnWidths: 0;1440
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Type of Chlorine Residual result
 DisplayControl: Combo Box
 GUID: {guid {B8A6A10E-185F-452C-B40A-A5087771B1D5}}
 LimitToList: True
 ListRows: 8
 ListWidth: 1440twip
 OrdinalPosition: 26
 Required: False
 RowSource: SELECT DISTINCTROW TypeofChlorineResult.TYPECLID,
 TypeofChlorineResult.TypeofResult FROM TypeofChlorineResult;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: TYPECLID
 SourceTable: Bacteriological Routine
 TextAlign: General

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 915
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Fluoride in ppm
 DisplayControl: Text Box
 GUID: {guid {7E5FB035-7E8C-498F-963E-92F8CAADEBFB}}
 OrdinalPosition: 27
 Required: False
 SourceField: Fluoride
 SourceTable: Bacteriological Routine
 TextAlign: General

pH

Single

4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: 1
 Description: pH 0-14
 DisplayControl: Text Box
 GUID: {guid {1ECBC4F8-84B9-4F27-8D3C-8424E04B84A5}}
 OrdinalPosition: 28
 Required: False
 SourceField: pH
 SourceTable: Bacteriological Routine
 TextAlign: General
 ValidationRule: Between 0 And 14

colordetect

Long Integer

4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: detect flag for color, lookup in table Detectflags

	DisplayControl:	Text Box	
	GUID:	{guid {6D8B8863-9647-4F14-BE30-999D70D15C77}}	
	OrdinalPosition:	29	
	Required:	False	
	SourceField:	colordetect	
	SourceTable:	Bacteriological Routine	
	TextAlign:	General	
color			Single 4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	color units	
	DisplayControl:	Text Box	
	GUID:	{guid {B54CEFBC-9A9E-458A-9BA5-7C14FD0CA858}}	
	OrdinalPosition:	30	
	Required:	False	
	SourceField:	color	
	SourceTable:	Bacteriological Routine	
	TextAlign:	General	
odordetect			Long Integer 4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	detect flag for odor, lookup in table Detectflags	
	DisplayControl:	Text Box	
	GUID:	{guid {AAC1F71E-303D-4C77-B281-EE163BD14AF1}}	
	OrdinalPosition:	31	
	Required:	False	
	SourceField:	odordetect	
	SourceTable:	Bacteriological Routine	
	TextAlign:	General	
odor			Single 4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	

CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Threshold Odor Number (TON)
 DisplayControl: Text Box
 GUID: {guid {9C48BF79-E0B8-4215-B77C-6FF1CF4CCFF5}}
 OrdinalPosition: 32
 Required: False
 SourceField: odor
 SourceTable: Bacteriological Routine
 TextAlign: General

turbiditydetect Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: detect flag for turbidity, lookup in table Detectflags
 DisplayControl: Text Box
 GUID: {guid {8630BFE0-F3A8-4B32-8F49-F3104441888C}}
 OrdinalPosition: 33
 Required: False
 SourceField: turbiditydetect
 SourceTable: Bacteriological Routine
 TextAlign: General

turbidity Single 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: nephelometric turbidity unit (NTU)
 DisplayControl: Text Box
 GUID: {guid {64E1AF58-A401-44A6-B22D-9F2FACB86F64}}
 OrdinalPosition: 34
 Required: False
 SourceField: turbidity

	SourceTable:	Bacteriological Routine	
	TextAlign:	General	
LabID		Long Integer	4
	AggregateType:	-1	
	AllowValueListEdits:	False	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	Caption:	LabID	
	CollatingOrder:	General	
	ColumnCount:	4	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	ColumnWidths:	0;3390;870;735	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	internal Laboratory ID	
	DisplayControl:	Combo Box	
	GUID:	{guid {6E5D4DA0-EC22-4BB5-BA5D-EE5FE5BBEE}}	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	4994twip	
	OrdinalPosition:	35	
	Required:	False	
	RowSource:	SELECT Laboratories.ID, Laboratories.Full_Laboratory_Name, Laboratories.LAB_ID, Laboratories.Lab_Alias FROM Laboratories;	
	RowSourceType:	Table/Query	
	ShowOnlyRowSourceValues:	False	
	SourceField:	LabID	
	SourceTable:	Bacteriological Routine	
	TextAlign:	General	
LT2Sample		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	LT 2 Sample	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {2ACEA8D9-7F91-4AD7-89F6-222D67B7CED6}}	
	OrdinalPosition:	36	
	Required:	False	
	SourceField:	LT2Sample	

SourceTable:	Bacteriological Routine		
TextAlign:	General		
DistSystemContOnly		Yes/No	1
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
Description:	Distribution System contamination only		
DisplayControl:	106		
Format:	Yes/No		
GUID:	{guid {A6DCDA9E-BF35-480D-9710-4AF16135819B}}		
OrdinalPosition:	37		
Required:	False		
SourceField:	DistSystemContOnly		
SourceTable:	Bacteriological Routine		
TextAlign:	General		
Certification		Short Text	150
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
Description:	PO certification		
DisplayControl:	Text Box		
GUID:	{guid {F2DCAF62-5EED-4342-B788-583803C421EE}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	38		
Required:	False		
SourceField:	Certification		
SourceTable:	Bacteriological Routine		
TextAlign:	General		
UnicodeCompression:	True		
AnalysisDate		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		

ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: date of analysis
 Format: Short Date
 GUID: {guid {046390B7-EE72-4F68-A787-2D851AE6910E}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 39
 Required: False
 ShowDatePicker: For dates
 SourceField: AnalysisDate
 SourceTable: Bacteriological Routine
 TextAlign: General

Analyst Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Lab Analyst
 DisplayControl: Text Box
 GUID: {guid {A55A1975-0F8D-4210-96F9-5E8A09F59AB7}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 40
 Required: False
 SourceField: Analyst
 SourceTable: Bacteriological Routine
 TextAlign: General
 UnicodeCompression: True

Reviewer Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Lab Reviewer
 DisplayControl: Text Box
 GUID: {guid {2AF8935C-0130-4319-92E4-59C9D584612F}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 41

Required: False
SourceField: Reviewer
SourceTable: Bacteriological Routine
TextAlign: General
UnicodeCompression: True

Lastupdate Date With Time 8

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 2355
CurrencyLCID: 0
DataUpdatable: False
Description: Date of Last Update
Format: General Date
GUID: {guid {7E1693F9-9FC4-4C00-A351-B534B5A67AB6}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 42
Required: False
ShowDatePicker: For dates
SourceField: Lastupdate
SourceTable: Bacteriological Routine
TextAlign: General

CurrentUpdateUser Short Text 50

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
CurrencyLCID: 0
DataUpdatable: False
Description: Current User At Time of Update
DisplayControl: Text Box
GUID: {guid {A5C19741-6B1C-4593-97C2-A7065CCA63DF}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 43
Required: False
SourceField: CurrentUpdateUser
SourceTable: Bacteriological Routine
TextAlign: General
UnicodeCompression: True

DATE_RECEIVED Date With Time 8

AggregateType: -1
AllowZeroLength: False

AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2250
 CurrencyLCID: 0
 DataUpdatable: False
 DefaultValue: =Date()
 Description: date lab report received by EPA
 Format: Short Date
 GUID: {guid {FEB4DACF-10BE-4995-B9DB-25D7A82BEB5}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 44
 Required: False
 ShowDatePicker: For dates
 SourceField: DATE_RECEIVED
 SourceTable: Bacteriological Routine
 TextAlign: General

ReceivedBy Short Text 50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1200
 CurrencyLCID: 0
 DataUpdatable: False
 Description: QA
 DisplayControl: Text Box
 GUID: {guid {486617A8-7958-4974-8C65-8DF115F90163}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 45
 Required: False
 SourceField: ReceivedBy
 SourceTable: Bacteriological Routine
 TextAlign: General
 UnicodeCompression: True

EntryDate Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2205
 CurrencyLCID: 0
 DataUpdatable: False

DefaultValue: =Now()
 Description: automatically entered on update of record- should be changed to DateCreated
 Format: General Date
 GUID: {guid {0D47C6B1-98D7-4B59-9D06-4E520ADE5013}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 46
 Required: False
 ShowDatePicker: For dates
 SourceField: EntryDate
 SourceTable: Bacteriological Routine
 TextAlign: General

CreatedBy Short Text 50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 DisplayControl: Text Box
 GUID: {guid {B429AE9A-83FC-4C19-A865-7B76AB4B6C61}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 47
 Required: False
 SourceField: CreatedBy
 SourceTable: Bacteriological Routine
 TextAlign: General
 UnicodeCompression: True

DateQA Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2145
 CurrencyLCID: 0
 DataUpdatable: False
 Description: date of qa
 Format: General Date
 GUID: {guid {2BB41FB4-63AE-4C64-BE7B-F28145300AF0}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 48
 Required: False
 ShowDatePicker: For dates

	SourceField:	DateQA		
	SourceTable:	Bacteriological Routine		
	TextAlign:	General		
QAUser			Short Text	50
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	CurrencyLCID:	0		
	DataUpdatable:	False		
	Description:	qa user		
	DisplayControl:	Text Box		
	GUID:	{guid {4D8F44C7-3518-46CC-81A9-0047F81715F1}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	49		
	Required:	False		
	SourceField:	QAUser		
	SourceTable:	Bacteriological Routine		
	TextAlign:	General		
	UnicodeCompression:	True		
DateView			Date With Time	8
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	2145		
	CurrencyLCID:	0		
	DataUpdatable:	False		
	Description:	date of view		
	Format:	General Date		
	GUID:	{guid {3378E4E1-DF6D-4220-8F24-1ADDAD5A7429}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	50		
	Required:	False		
	ShowDatePicker:	For dates		
	SourceField:	DateView		
	SourceTable:	Bacteriological Routine		
	TextAlign:	General		
ViewUser			Short Text	50
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		

CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Last Viewed by
 DisplayControl: Text Box
 GUID: {guid {75836D40-55CE-4786-A44A-CDD5940B6FB6}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 51
 Required: False
 SourceField: ViewUser
 SourceTable: Bacteriological Routine
 TextAlign: General
 UnicodeCompression: True

StatusID Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME Status identifier, lookup in table QASstatus
 DisplayControl: Text Box
 GUID: {49AD949D-9882-467B-BFAE-2D494231299A}}
 OrdinalPosition: 52
 Required: False
 SourceField: StatusID
 SourceTable: Bacteriological Routine
 TextAlign: General


OldID Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1425
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Unique internal identification number
 DisplayControl: Text Box
 GUID: {guid {FFE6E0FD-8054-4028-8A7D-3670C5E3A9C6}}
 OrdinalPosition: 53
 Required: False
 SourceField: OldID

SourceTable: Bacteriological Routine
 TextAlign: General

Relationships

Facility InformationBacteriological Routine



Attributes: Not Enforced, Inherited
 RelationshipType: One-To-Many (External)

Table Indexes

Name	Number of Fields
FACID	1
Clustered:	False
DistinctCount:	442
Foreign:	False
IgnoreNulls:	False
Name:	FACID
Primary:	False
Required:	False
Unique:	False
Fields:	
FACID	Ascending
ID	1
Clustered:	False
DistinctCount:	88433
Foreign:	False
IgnoreNulls:	False
Name:	ID
Primary:	False
Required:	False
Unique:	False
Fields:	
OldID	Ascending
NewID	1
Clustered:	False
DistinctCount:	141145
Foreign:	False
IgnoreNulls:	False
Name:	NewID
Primary:	False
Required:	False
Unique:	True
Fields:	
ID	Ascending
PrimaryKey	4
Clustered:	False

DistinctCount:	141076
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
FACID	Ascending
SAMP_ID	Ascending
SAMP_DATE	Ascending
SpecLocation	Ascending
StatusID	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	StatusID
Primary:	False
Required:	False
Unique:	False
Fields:	
StatusID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	

max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	7/23/2007 12:57:00 PM	DefaultView:	2
GUID:	{guid {F5D69FAC-9DE5-4696-9EA8-9BDEB1CAE48F}}	LastUpdated:	7/23/2007 12:57:09 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	6
SubDataSheetName:	[Auto]	Updatable:	True

Columns

Name	Type	Size
ID	Long Integer	4
AllowZeroLength: False AppendOnly: False Attributes: Fixed Size, Auto-Increment CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False Description: internal DIME general bacteriological location identifier GUID: {guid {24592EBC-00D5-4AA1-93C3-B067BCF0CB77}} OrdinalPosition: 0 Required: False SourceField: ID SourceTable: bactgenlocations		
Genbactlocation	Short Text	50
AllowZeroLength: False AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False Description: general bacteriological location description DisplayControl: Text Box GUID: {04F9B1C6-4E21-4DC6-9AC5-1B9621C25165}} IMEMode: 0 IMESentenceMode: 3 OrdinalPosition: 1 Required: False SourceField: Genbactlocation SourceTable: bactgenlocations UnicodeCompression: True		
AAgenCode	Short Text	50
AllowZeroLength: False AppendOnly: False Attributes: Variable Length CollatingOrder: General		

ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Coded value for general bacteriological location
DisplayControl:	Text Box
GUID:	{guid {49E7AA28-084E-407B-AEE2-F7617310CFD3}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	2
Required:	False
SourceField:	AAgenCode
SourceTable:	bactgenlocations
UnicodeCompression:	True

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
AAgenCode	1
Clustered:	False
DistinctCount:	4
Foreign:	False
IgnoreNulls:	False
Name:	AAgenCode
Primary:	False
Required:	False
Unique:	False
Fields:	
AAgenCode	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	6
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
ID	Ascending

User Permissions

admin
aizaz
andrew
bessie
chris
corine
daria
designer
dschmidt

Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	7/23/2007 12:57:01 PM	DefaultView:	2
GUID:	{guid {77EE281A-F684-42D8-B83E-BE504C1AA719}}	LastUpdated:	7/23/2007 12:57:09 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	12
SubDataSheetName:	[Auto]	Updatable:	True

Columns

Name	Type	Size
ID	Long Integer	4
AllowZeroLength: False AppendOnly: False Attributes: Fixed Size, Auto-Increment CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False Description: internal DIME identifier for bacteriological invalid result codes GUID: {guid {9B7F42FD-4328-4940-9AC0-DCFCB0A1AF27}} OrdinalPosition: 0 Required: False SourceField: ID SourceTable: bactinvalidcodes		
bactinvalidcode	Short Text	50
AllowZeroLength: False AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: 2145 DataUpdatable: False Description: bacteriological invalid result description DisplayControl: Text Box GUID: {7DA4266B-B08B-4A44-BD1D-349BF0EC0256} IMEMode: 0 IMESentenceMode: 3 OrdinalPosition: 1 Required: False SourceField: bactinvalidcode SourceTable: bactinvalidcodes UnicodeCompression: True		
AAInvCode	Short Text	50
AllowZeroLength: False AppendOnly: False Attributes: Variable Length CollatingOrder: General		

ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	bacteriological invalid result code
DisplayControl:	Text Box
GUID:	{guid {2C22CA93-14E6-4A3E-9BCF-433BD0CB8CFD}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	2
Required:	False
SourceField:	AAInvCode
SourceTable:	bactinvalidcodes
UnicodeCompression:	True

Table Indexes

Name	Number of Fields
AAInvCode	1
Clustered:	False
DistinctCount:	6
Foreign:	False
IgnoreNulls:	False
Name:	AAInvCode
Primary:	False
Required:	False
Unique:	False
Fields:	
AAInvCode	Ascending
bactinvalidcode	1
Clustered:	False
DistinctCount:	12
Foreign:	False
IgnoreNulls:	False
Name:	bactinvalidcode
Primary:	False
Required:	False
Unique:	False
Fields:	
bactinvalidcode	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	12
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
ID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	7/23/2007 12:57:01 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {91D32B93-DD73-486A-A039-64F76378438C}}	HideNewField:	False
LastUpdated:	12/3/2013 2:22:44 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	9
SubDataSheetName:	[Auto]	TotalsRow:	False
Updatable:	True		

Columns

Name	Type	Size
ID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal DIME identifier for bacteriological test method	
GUID:	{guid {0A9F16DF-9EFF-4980-97AD-631B583A3EA4}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	ID	
SourceTable:	bactmethods	
TextAlign:	General	
bactmethodtypes	Short Text	50
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2955	
DataUpdatable:	False	
Description:	bacteriological test method	
DisplayControl:	Text Box	
GUID:	{guid {C038E6B3-896A-4ED0-A793-B51699B7BFBA}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	bactmethodtypes	
SourceTable:	bactmethods	
TextAlign:	General	

UnicodeCompression:	True		
bactmethodcode		Short Text	50
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2775		
DataUpdatable:	False		
Description:	bacteriological test method code		
DisplayControl:	Text Box		
GUID:	{guid {1B3912B1-4768-4CEF-8D8B-8FA34EFEE37C}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	2		
Required:	False		
SourceField:	bactmethodcode		
SourceTable:	bactmethods		
TextAlign:	General		
UnicodeCompression:	True		
bactmethodStatecode		Short Text	50
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	3510		
DataUpdatable:	False		
Description:	bacteriological test method state code		
DisplayControl:	Text Box		
GUID:	{guid {BBFE3F89-3615-4817-AA9D-78F50CC43F2B}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	3		
Required:	False		
SourceField:	bactmethodStatecode		
SourceTable:	bactmethods		
TextAlign:	General		
UnicodeCompression:	True		
AAmethCode		Short Text	50
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2415		

DataUpdatable: False
 Description: bacteriological test method agua azul code
 DisplayControl: Text Box
 GUID: {guid {9C969C00-2FC3-4D9E-9378-B0C9155AAE84}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False
 SourceField: AAmethCode
 SourceTable: bactmethods
 TextAlign: General
 UnicodeCompression: True

Table Indexes

Name	Number of Fields
AAmethCode	1
Clustered:	False
DistinctCount:	5
Foreign:	False
IgnoreNulls:	False
Name:	AAmethCode
Primary:	False
Required:	False
Unique:	False
Fields:	
AAmethCode	Ascending
bactmethodcode	1
Clustered:	False
DistinctCount:	6
Foreign:	False
IgnoreNulls:	False
Name:	bactmethodcode
Primary:	False
Required:	False
Unique:	False
Fields:	
bactmethodcode	Ascending
bactmethodStatecode	1
Clustered:	False
DistinctCount:	5
Foreign:	False
IgnoreNulls:	False
Name:	bactmethodStatecode
Primary:	False
Required:	False
Unique:	False
Fields:	
bactmethodStatecode	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	9
Foreign:	False

IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
ID	Ascending

User Permissions

- admin
- aizaz
- andrew
- bessie
- chris
- corine
- daria
- designer
- dschmidt
- Emmanuelle
- everett
- guest
- helen
- hillary
- jack
- jamelya
- Jason
- jelani
- jennifer
- jimh
- judy
- karl
Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,
Write Definition, Read Data, Insert Data, Update Data, Delete Data
- kirk
- lawonda
- linda
- max
- michael
- myrt
- navajo
- raymond
- roberto
- roger
- sara
- test

Group Permissions

- Admins
Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,
Write Definition, Read Data, Insert Data, Update Data, Delete Data
- DataManagers

Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	7/23/2007 12:57:01 PM	DefaultView:	2
GUID:	{guid {E63DCD30-FA5A-4B5D-95DA-D7CBD5B834B0}}	LastUpdated:	7/23/2007 12:57:10 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	35
SubDataSheetName:	[Auto]	Updatable:	True

Columns

Name	Type	Size
ID	Long Integer	4
AllowZeroLength: False AppendOnly: False Attributes: Fixed Size, Auto-Increment CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False Description: internal DIME identifier for population-based bacteriological monitoring requirements GUID: {guid {3E4A68DF-B3A2-415F-B688-05BAD11B7865}} OrdinalPosition: 0 Required: False SourceField: ID SourceTable: bactreqmnts		
min_pop	Long Integer	4
AllowZeroLength: False AppendOnly: False Attributes: Fixed Size CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: 1215 DataUpdatable: False DecimalPlaces: Auto Description: lower range of population DisplayControl: Text Box GUID: {guid {F487D828-B2F7-4152-9A9C-9B77946379EF}} OrdinalPosition: 1 Required: False SourceField: min_pop SourceTable: bactreqmnts		
max_pop	Long Integer	4
AllowZeroLength: False AppendOnly: False Attributes: Fixed Size CollatingOrder: General		

ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 780
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: upper range of population
 DisplayControl: Text Box
 GUID: {guid {3354C59C-E2B0-4A7C-93E3-01EB631F3099}}
 OrdinalPosition: 2
 Required: False
 SourceField: max_pop
 SourceTable: bactreqmnts

bactsamples Long Integer 4
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: number of samples required based upon population range
 DisplayControl: Text Box
 GUID: {guid {A53476CD-67B6-4A78-BF4F-8EE6AB6C428F}}
 OrdinalPosition: 3
 Required: False
 SourceField: bactsamples
 SourceTable: bactreqmnts

Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	35
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
ID	Ascending

User Permissions

admin
 aizaz
 andrew
 bessie

chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\ Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:51 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {43270713-2E9E-46E7- B579-7AA6ED825422}}	HideNewField:	False
LastUpdated:	11/5/2014 6:19:51 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	BoundToSwitcher	SubDataSheetName:	[Auto]
TotalsRow:	False	Updatable:	False

Columns

Name	Type	Size
PACode	Short Text	2
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	two character primacy agency code, e.g. "09" or "NN" or "AS" or "01"	
DisplayControl:	Text Box	
GUID:	{guid {A3EDB5DC-0BB2-4B34-B33E-57250CF1B562}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	0	
Required:	False	
SourceField:	PACode	
SourceTable:	BoundToSwitcher	
TextAlign:	General	
UnicodeCompression:	True	
PAType	Short Text	1
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	State, S, or Region, R	
DisplayControl:	Text Box	
GUID:	{guid {5FACAFF4-5836-4D32-8021-0AE1C6C709AB}}	
IMEMode:	0	

	IMESentenceMode:	3		
	OrdinalPosition:	1		
	Required:	False		
	SourceField:	PAType		
	SourceTable:	BoundToSwitcher		
	TextAlign:	General		
	UnicodeCompression:	True		
AgencyCode			Short Text	2
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Agency Code		
	DisplayControl:	Text Box		
	GUID:	{guid {69DAB3F8-C416-492B-81D8-180D7337994A}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	2		
	Required:	False		
	SourceField:	AgencyCode		
	SourceTable:	BoundToSwitcher		
	TextAlign:	General		
	UnicodeCompression:	True		
TAID			Long Integer	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	Description:	Technical Assistance Provider ID		
	DisplayControl:	Text Box		
	GUID:	{guid {FE757E6C-4A3E-4B34-B8C9-85A095D925CB}}		
	OrdinalPosition:	3		
	Required:	False		
	SourceField:	TAID		
	SourceTable:	BoundToSwitcher		
	TextAlign:	General		
IdentityKey			Long Integer	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		

CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: use for the synchronization process
 DisplayControl: Text Box
 GUID: {guid {E6C46670-BF69-4D58-9202-8719CB57D7A3}}
 OrdinalPosition: 4
 Required: False
 SourceField: IdentityKey
 SourceTable: BoundToSwitcher
 TextAlign: General

ReadOnlyStatus Yes/No 1

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Yes, if back end is in Read-Only status during update process
 DisplayControl: 106
 Format: Yes/No
 GUID: {guid {87285619-52A7-41B5-B0CB-7DB2491EB0AA}}
 OrdinalPosition: 5
 Required: False
 SourceField: ReadOnlyStatus
 SourceTable: BoundToSwitcher
 TextAlign: General

BackendUpdate Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date that the backend was updated
 Format: General Date
 GUID: {guid {C833C76D-163C-4362-A54B-690EE333D84D}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 6
 Required: False
 ShowDatePicker: For dates
 SourceField: BackendUpdate
 SourceTable: BoundToSwitcher

TextAlign:	General		
GWRrulePREF		Short Text	30
AggregateType:	-1		
AllowValueListEdits:	True		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
BoundColumn:	1		
CollatingOrder:	General		
ColumnCount:	1		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Primacy Agency preference for GWR Triggered monitoring		
DisplayControl:	Combo Box		
GUID:	{guid {23C1C0E7-1450-4D26-A454-86B402F4E870}}		
IMEMode:	0		
IMESentenceMode:	3		
LimitToList:	False		
ListRows:	16		
ListWidth:	0twip		
OrdinalPosition:	7		
Required:	False		
RowSource:	"Automatic";"Manual";"Off"		
RowSourceType:	Value List		
ShowOnlyRowSourceValues:	False		
SourceField:	GWRrulePREF		
SourceTable:	BoundToSwitcher		
TextAlign:	General		
UnicodeCompression:	True		
Territorial		Yes/No	1
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Yes = Primacy Agency divides PWS by territory with different POcontactID; No = Primacy Agency staff share all PWS		
DisplayControl:	106		
Format:	Yes/No		
GUID:	{guid {06E45591-7A96-4556-A9CF-08156D86C1FC}}		
OrdinalPosition:	8		
Required:	False		
SourceField:	Territorial		
SourceTable:	BoundToSwitcher		
TextAlign:	General		

FullPrimacyAgencyName		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1920		
DataUpdatable:	False		
Description:	Full name of the Primacy agency like EPA Region 9		
DisplayControl:	Text Box		
GUID:	{guid {DAA0F332-584F-4FAB-BDB1-4588D7605C32}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	9		
Required:	False		
SourceField:	FullPrimacyAgencyName		
SourceTable:	BoundToSwitcher		
TextAlign:	General		
UnicodeCompression:	True		

AbbrPrimacyAgencyName		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	like EPA		
DisplayControl:	Text Box		
GUID:	{guid {86C012E3-DCF5-4649-B412-2468D63C744D}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	10		
Required:	False		
SourceField:	AbbrPrimacyAgencyName		
SourceTable:	BoundToSwitcher		
TextAlign:	General		
UnicodeCompression:	True		

ManagerName		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1965		
DataUpdatable:	False		
Description:	Information goes on the Report Letter		

DisplayControl: Text Box
GUID: {guid {17CBBEF8-4CE1-44FA-AED0-DD798E215231}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 11
Required: False
SourceField: ManagerName
SourceTable: BoundToSwitcher
TextAlign: General
UnicodeCompression: True

ManagerTitle Short Text 255

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 1980
DataUpdatable: False
Description: Information goes on the Report Letter
DisplayControl: Text Box
GUID: {guid {562461F0-561E-480D-8A46-0C925F197E27}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 12
Required: False
SourceField: ManagerTitle
SourceTable: BoundToSwitcher
TextAlign: General
UnicodeCompression: True

ManagerOffice Short Text 255

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 3150
DataUpdatable: False
Description: Information goes on the Report Letter
DisplayControl: Text Box
GUID: {guid {172C287A-37E7-4BE2-ABEB-1D55A9E76088}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 13
Required: False
SourceField: ManagerOffice
SourceTable: BoundToSwitcher
TextAlign: General
UnicodeCompression: True

LatNorth		Double	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
GUID:	{guid {905F5ECC-673B-4AEF-90AB-51A7C930776F}}		
OrdinalPosition:	14		
Required:	False		
SourceField:	LatNorth		
SourceTable:	BoundToSwitcher		
TextAlign:	General		
LatSouth		Double	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
GUID:	{guid {B67EF011-F699-4DB3-BF6F-D01D1C26A25C}}		
OrdinalPosition:	15		
Required:	False		
SourceField:	LatSouth		
SourceTable:	BoundToSwitcher		
TextAlign:	General		
LngEast		Double	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
GUID:	{guid {4C99E9FF-83F4-47AE-97B2-1AEF5B7ED8D5}}		
OrdinalPosition:	16		
Required:	False		
SourceField:	LngEast		
SourceTable:	BoundToSwitcher		

TextAlign:	General		
LngWst		Double	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
GUID:	{guid {CE7364FC-E970-4A07-BC2C-7A62BD23E420}}		
OrdinalPosition:	17		
Required:	False		
SourceField:	LngWst		
SourceTable:	BoundToSwitcher		
TextAlign:	General		
HasElectronicFilingAvailable		Yes/No	1
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	106		
Format:	Yes/No		
OrdinalPosition:	18		
Required:	False		
SourceField:	HasElectronicFilingAvailable		
SourceTable:	BoundToSwitcher		
TextAlign:	General		

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
AgencyCode	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	AgencyCode
Primary:	False
Required:	False
Unique:	False
Fields:	
AgencyCode	Ascending
IdentityKey	1

	Clustered:	False
	DistinctCount:	0
	Foreign:	False
	IgnoreNulls:	False
	Name:	IdentityKey
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	IdentityKey	Ascending
PACode		1
	Clustered:	False
	DistinctCount:	1
	Foreign:	False
	IgnoreNulls:	False
	Name:	PACode
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	PACode	Ascending
TAID		1
	Clustered:	False
	DistinctCount:	1
	Foreign:	False
	IgnoreNulls:	False
	Name:	TAID
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	TAID	Ascending

User Permissions

- admin
- aizaz
- andrew
- bessie
- chris
- corine
- daria
- designer
- dschmidt
- Emmanuelle
- everett
- guest
- helen
- hillary
- jack
- jamelya
- Jason

jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\ Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:51 PM	DefaultView:	2
GUID:	{guid {1A8A143C-840B-4898- A38C-CEE78251A112}}	LastUpdated:	11/5/2014 6:19:51 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	CertificationApplications	Updatable:	False

Columns

Name	Type	Size
ApplicationID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Internal DIME Application Identifier	
OrdinalPosition:	0	
Required:	False	
SourceField:	ApplicationID	
SourceTable:	CertificationApplications	
certID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	internal DIME Certification identifier	
DisplayControl:	Text Box	
OrdinalPosition:	1	
Required:	False	
SourceField:	certID	
SourceTable:	CertificationApplications	
ApplicationDate	Date With Time	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	

ColumnWidth: Default
 DataUpdatable: False
 Description: Date of application
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: ApplicationDate
 SourceTable: CertificationApplications

ApplicationType Short Text 50

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 1
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 ColumnWidths: 1440
 DataUpdatable: False
 Description: Type of certification application, text lookup: Exam, Renewal or Reciprocity
 DisplayControl: Combo Box
 IMEMode: 0
 IMESentenceMode: 3
 LimitToList: False
 ListRows: 8
 ListWidth: 1440twip
 OrdinalPosition: 3
 Required: False
 RowSource: "Exam";"Renewal";"Reciprocity"
 RowSourceType: Value List
 SourceField: ApplicationType
 SourceTable: CertificationApplications
 UnicodeCompression: True

PaymentAmount Currency 8

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Amount paid for application
 Format: \$#,##0.00;(\$#,##0.00)
 OrdinalPosition: 4
 Required: False
 SourceField: PaymentAmount
 SourceTable: CertificationApplications

PaymentDate		Date With Time	8
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Date the fee was paid in full		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	5		
Required:	False		
SourceField:	PaymentDate		
SourceTable:	CertificationApplications		
ReceiptNumber		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	receipt number for accounting tracking		
DisplayControl:	Text Box		
OrdinalPosition:	6		
Required:	False		
SourceField:	ReceiptNumber		
SourceTable:	CertificationApplications		
ExamDate		Date With Time	8
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Date the exam was taken		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	7		
Required:	False		
SourceField:	ExamDate		
SourceTable:	CertificationApplications		
DateIssued		Date With Time	8
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		

CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Date the certification was issued
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 8
Required: False
SourceField: DateIssued
SourceTable: CertificationApplications

ExpirationDate Date With Time 8

AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Date the certification will expire.
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 9
Required: False
SourceField: ExpirationDate
SourceTable: CertificationApplications

Grade Long Integer 4

AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
Description: Exam score, percent out of 100
DisplayControl: Text Box
OrdinalPosition: 10
Required: False
SourceField: Grade
SourceTable: CertificationApplications

Lastupdate Date With Time 8

AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default

DataUpdatable: False
 Description: Date of Last Update
 Format: General Date
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 11
 Required: False
 SourceField: Lastupdate
 SourceTable: CertificationApplications

CurrentUpdateUser Short Text 50

AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Current User At Time of Update
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 12
 Required: False
 SourceField: CurrentUpdateUser
 SourceTable: CertificationApplications
 UnicodeCompression: True

DateCreated Date With Time 8

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DefaultValue: =Now()
 Description: automatically entered on update of record- should be changed to DateCreated
 Format: General Date
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 13
 Required: False
 SourceField: DateCreated
 SourceTable: CertificationApplications


CreatedBy Short Text 50

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False

ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 14
 Required: False
 SourceField: CreatedBy
 SourceTable: CertificationApplications
 UnicodeCompression: True

Relationships

CertificationsCertificationApplications



Attributes: Not Enforced, Inherited
 RelationshipType: One-To-Many (External)

Table Indexes

Name	Number of Fields
ApplicationID	1
Clustering:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	ApplicationID
Primary:	False
Required:	False
Unique:	False
Fields:	
ApplicationID	Ascending
certID	1
Clustering:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	certID
Primary:	False
Required:	False
Unique:	False
Fields:	
certID	Ascending
PrimaryKey	1
Clustering:	False
DistinctCount:	0
Foreign:	False

IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
ApplicationID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
--------	----------------------------------------------------------------------------------------------------------------------------------------------

DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:51 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {C0EA4F3F-18E6-4772-A8BD-26C1E355410A}}	HideNewField:	False
LastUpdated:	11/5/2014 6:19:51 PM	NameMap:	Long binary data
OrderBy:	[Certifications].[certID] DESC	OrderByOn:	True
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	-1	SourceTableName:	Certifications
TotalsRow:	False	Updatable:	False

Columns

Name	Type	Size
certID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal DIME certification ID	
GUID:	{guid {29DA359E-EE0E-4214-B2B4-39A212AC1E08}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	certID	
SourceTable:	Certifications	
TextAlign:	General	
RegistrationID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Registration ID.	
DisplayControl:	Text Box	
GUID:	{guid {EE3B2E6D-5573-4592-8559-E3A3DC268394}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	RegistrationID	
SourceTable:	Certifications	

TextAlign:	General		
OperatorID		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	0		
Description:	internal DIME contact ID for Operator holding certification		
DisplayControl:	Text Box		
GUID:	{guid {A0AD6388-6551-450D-B61C-0B2B506F6228}}		
OrdinalPosition:	2		
Required:	False		
SourceField:	OperatorID		
SourceTable:	Certifications		
TextAlign:	General		
CertificationID		Short Text	50
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1770		
DataUpdatable:	False		
Description:	Certification ID.		
DisplayControl:	Text Box		
GUID:	{guid {BADFE726-9123-4D85-B470-4AB4B67E8BA2}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	3		
Required:	False		
SourceField:	CertificationID		
SourceTable:	Certifications		
TextAlign:	General		
UnicodeCompression:	True		
Authority		Long Integer	4
AggregateType:	-1		
AllowValueListEdits:	False		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
BoundColumn:	1		
CollatingOrder:	General		
ColumnCount:	4		
ColumnHeads:	False		
ColumnHidden:	False		

ColumnOrder: Default
 ColumnWidth: Default
 ColumnWidths: 0;3228;672;984
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Authority that issued the Certification.
 DisplayControl: Combo Box
 GUID: {guid {11037433-4B57-49D6-A330-64CEA78D772E}}
 LimitToList: True
 ListRows: 8
 ListWidth: 4884twip
 OrdinalPosition: 4
 Required: False
 RowSource: SELECT [Certifying Authorities].CertID, [Certifying Authorities].CertAuthority, [Certifying Authorities].CertAcronym, [Certifying Authorities].EPAApprovalDate FROM [Certifying Authorities] ORDER BY [CertAuthority];
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: Authority
 SourceTable: Certifications
 TextAlign: General

TLID Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME Type and Level identifier, lookup in table CerTypeLevels
 DisplayControl: Text Box
 GUID: {guid {F884B41A-DD98-4F32-B31A-FD5AA3B4A54E}}
 OrdinalPosition: 5
 Required: False
 SourceField: TLID
 SourceTable: Certifications
 TextAlign: General

State Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 3
 ColumnHeads: False

ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 ColumnWidths: 0;299;1050
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal ID for state, lookup in table States, State where the Certification is valid.
 DisplayControl: Combo Box
 GUID: {guid {2311E7B5-4D52-475B-B50F-CC0A4CA0E7AC}}
 LimitToList: True
 ListRows: 8
 ListWidth: 1350twip
 OrdinalPosition: 6
 Required: False
 RowSource: SELECT States.ID, States.StateAbbrev, States.StateName FROM States;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: State
 SourceTable: Certifications
 TextAlign: General

DateIssue Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date when the Certification was issued.
 GUID: {guid {480A57CB-6A3F-410F-AF5D-6BFE164CAB59}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 7
 Required: False
 SourceField: DateIssue
 SourceTable: Certifications
 TextAlign: General

DateExpire Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date when the Certification expires.
 GUID: {guid {367220A3-AB23-4C5D-8EB9-4CD1DD27E210}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 7
 Required: False
 SourceField: DateExpire
 SourceTable: Certifications
 TextAlign: General

IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 8
 Required: False
 SourceField: DateExpire
 SourceTable: Certifications
 TextAlign: General

FeeType Short Text 3

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Type of registration fee: 'Operator Certification' or 'Reciprocity'.
 DisplayControl: Text Box
 GUID: {guid {8C906E4C-C64C-4193-BB88-6527C931FD81}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 9
 Required: False
 SourceField: FeeType
 SourceTable: Certifications
 TextAlign: General
 UnicodeCompression: True

Fee Currency 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: 2
 Description: Required fee for registration.
 Format: \$#,##0.00;(\$#,##0.00)
 GUID: {guid {6B879E9C-6F66-453D-949C-86BF4C9F648F}}
 OrdinalPosition: 10
 Required: False
 SourceField: Fee
 SourceTable: Certifications
 TextAlign: General

Payment Currency 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size

CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: 2
 Description: Amount of the registration fee received for this certification.
 Format: \$#,##0.00;(\$#,##0.00)
 GUID: {guid {240E21E1-701B-413D-A99D-8B56898F2702}}
 OrdinalPosition: 11
 Required: False
 SourceField: Payment
 SourceTable: Certifications
 TextAlign: General

PaymentDate Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date when the PA received the registration fee payment.
 GUID: {guid {4CC2447D-0D9F-4958-90B7-C839C3974C95}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 12
 Required: False
 SourceField: PaymentDate
 SourceTable: Certifications
 TextAlign: General

Balance Currency 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: 2
 Description: Balance amount for the registration fee.
 Format: \$#,##0.00;(\$#,##0.00)
 GUID: {guid {89B19018-E90B-466D-A220-6B0B6363BB1E}}
 OrdinalPosition: 13
 Required: False
 SourceField: Balance
 SourceTable: Certifications
 TextAlign: General

CEUrequired		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	0		
Description:	Number of CEUs (Continuing Education Units) required to maintain this certification.		
DisplayControl:	Text Box		
GUID:	{guid {DF067CA7-C226-47A4-B8CB-5AAE34D087BC}}		
OrdinalPosition:	14		
Required:	False		
SourceField:	CEUrequired		
SourceTable:	Certifications		
TextAlign:	General		

CEUpertime		Short Text	50
AggregateType:	-1		
AllowValueListEdits:	False		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
BoundColumn:	1		
CollatingOrder:	General		
ColumnCount:	1		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
ColumnWidths:	1967		
DataUpdatable:	False		
Description:	time period for which number of CEUs must be completed or special case		
DisplayControl:	Combo Box		
GUID:	{guid {09034371-3FDE-4ACE-916F-0EEFF12B9F9E}}		
IMEMode:	0		
IMESentenceMode:	3		
LimitToList:	True		
ListRows:	8		
ListWidth:	1967twip		
OrdinalPosition:	15		
Required:	False		
RowSource:	"per year";"per month";"per quarter";"per 2 years";"per 3 years";"per 4 years";"in order to recertify";"before certification expires"		
RowSourceType:	Value List		
ShowOnlyRowSourceValues:	False		
SourceField:	CEUpertime		
SourceTable:	Certifications		
TextAlign:	General		
UnicodeCompression:	True		

PDHrequired AggregateType: -1 AllowZeroLength: False AppendOnly: False Attributes: Fixed Size CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False DecimalPlaces: Auto Description: Number of PDHs (Professional Development Hours) required to maintain this certification. DisplayControl: Text Box GUID: {guid {F5291F90-8724-46D5-86EE-16B3E7239BD5}} OrdinalPosition: 16 Required: False SourceField: PDHrequired SourceTable: Certifications TextAlign: General	Long Integer 4
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------

PDHpertime AggregateType: -1 AllowValueListEdits: False AllowZeroLength: True AppendOnly: False Attributes: Variable Length BoundColumn: 1 CollatingOrder: General ColumnCount: 1 ColumnHeads: False ColumnHidden: False ColumnOrder: Default ColumnWidth: Default ColumnWidths: 1966 DataUpdatable: False Description: time period for which number of PDHs must be completed or special case DisplayControl: Combo Box GUID: {guid {36619854-D9B9-465C-98F1-2E2F79EAFE28}} IMEMode: 0 IMESentenceMode: 3 LimitToList: True ListRows: 8 ListWidth: 1966twip OrdinalPosition: 17 Required: False RowSource: "per year";"per month";"per quarter";"per 2 years";"per 3 years";"per 4 years";"in order to recertify";"before certification expires" RowSourceType: Value List ShowOnlyRowSourceValues: False SourceField: PDHpertime SourceTable: Certifications TextAlign: General UnicodeCompression: True	Short Text 50
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------

SuspensionReason AggregateType: -1 AllowZeroLength: True AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False Description: Reason for certification suspension DisplayControl: Text Box GUID: {guid {D77F685B-77A3-4DB1-A0D1-E159D1948A56}} IMEMode: 0 IMESentenceMode: 3 OrdinalPosition: 18 Required: False SourceField: SuspensionReason SourceTable: Certifications TextAlign: General UnicodeCompression: True	Short Text	255
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------	-----

SuspensionDate AggregateType: -1 AllowZeroLength: False AppendOnly: False Attributes: Fixed Size CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False Description: Date of suspension GUID: {guid {72181602-527A-4C5C-80E9-91C07CF1007A}} IMEMode: 0 IMESentenceMode: 3 OrdinalPosition: 19 Required: False SourceField: SuspensionDate SourceTable: Certifications TextAlign: General	Date With Time	8
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------	---

Outcome AggregateType: -1 AllowZeroLength: True AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False Description: Outcome from suspension DisplayControl: Text Box GUID: {guid {0D65919B-6BFE-4AB9-8A0C-72FCD6F08F78}}	Short Text	50
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------	----

IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 20
 Required: False
 SourceField: Outcome
 SourceTable: Certifications
 TextAlign: General
 UnicodeCompression: True

RevocationReason Short Text 50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Revocation Reason
 DisplayControl: Text Box
 GUID: {guid {4E77E8DA-2D43-4F7E-B154-76FD03A96725}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 21
 Required: False
 SourceField: RevocationReason
 SourceTable: Certifications
 TextAlign: General
 UnicodeCompression: True

RevocationDate Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Revocation Date
 GUID: {guid {0096FDE7-9941-445B-9755-C237D885941D}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 22
 Required: False
 SourceField: RevocationDate
 SourceTable: Certifications
 TextAlign: General

RevocationNotes Short Text 50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False

Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Revocation Notes
 DisplayControl: Text Box
 GUID: {guid {4692B59E-C9C9-4497-B2F1-4C3A6B1060FA}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 23
 Required: False
 SourceField: RevocationNotes
 SourceTable: Certifications
 TextAlign: General
 UnicodeCompression: True

ReinstatementDate Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Reinstatement Date
 GUID: {guid {73471D74-6C87-4D33-896C-A3B8BA0EF03A}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 24
 Required: False
 SourceField: ReinstatementDate
 SourceTable: Certifications
 TextAlign: General

Comments Long Text -

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Comments.
 GUID: {guid {9549EBB4-A9EC-43F9-8EE9-4C9E0B5876EA}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 25
 Required: False
 SourceField: Comments

SourceTable:	Certifications		
TextAlign:	General		
UnicodeCompression:	True		
Lastupdate		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Date of Last Update		
Format:	General Date		
GUID:	{guid {25BB3A1F-CDB0-40E4-9BE8-C8D9F8B5F5B3}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	26		
Required:	False		
SourceField:	Lastupdate		
SourceTable:	Certifications		
TextAlign:	General		
CurrentUpdateUser		Short Text	50
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Current User At Time of Update		
DisplayControl:	Text Box		
GUID:	{guid {748149E8-9632-4064-B4DA-78DD0A0243F6}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	27		
Required:	False		
SourceField:	CurrentUpdateUser		
SourceTable:	Certifications		
TextAlign:	General		
UnicodeCompression:	True		
DateCreated		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		

ColumnWidth: Default
 DataUpdatable: False
 DefaultValue: =Now()
 Description: automatically entered on update of record- should be changed to DateCreated
 Format: General Date
 GUID: {guid {5A197B4B-D42B-4706-9852-EC3BEDE89A0D}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 28
 Required: False
 SourceField: DateCreated
 SourceTable: Certifications
 TextAlign: General

CreatedBy Short Text 50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 GUID: {guid {072417BA-F247-43CD-BB9B-BEB5C4EE87B3}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 29
 Required: False
 SourceField: CreatedBy
 SourceTable: Certifications
 TextAlign: General
 UnicodeCompression: True


DateView Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: date of view
 Format: General Date
 GUID: {guid {E9779100-A961-478E-AAAD-B3B3E702C79A}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 30
 Required: False
 SourceField: DateView
 SourceTable: Certifications

TextAlign:	General		
ViewUser		Short Text	50
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Last Viewed by		
DisplayControl:	Text Box		
GUID:	{guid {8440A4BF-CF09-4464-AB6F-B5ED5B2ED73C}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	31		
Required:	False		
SourceField:	ViewUser		
SourceTable:	Certifications		
TextAlign:	General		
UnicodeCompression:	True		
StatusID		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	internal DIME Status identifier, lookup in table QAStatus		
DisplayControl:	Text Box		
GUID:	{guid {D296DDEB-1861-4458-A456-37B76527A7B6}}		
OrdinalPosition:	32		
Required:	False		
SourceField:	StatusID		
SourceTable:	Certifications		


Relationships

CertificationsCertificationApplications




Attributes: Not Enforced, Inherited
 RelationshipType: One-To-Many (External)

CertificationsCertificationTrainingAssignments




Attributes: Not Enforced, Inherited
 RelationshipType: One-To-Many (External)

Certifying AuthoritiesCertifications



Attributes: Not Enforced, Inherited
 RelationshipType: One-To-Many (External)

ContactsCertifications



Attributes: Not Enforced, Inherited
 RelationshipType: One-To-Many (External)

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
certID	1
Clustered:	False
DistinctCount:	552
Foreign:	False
IgnoreNulls:	False
Name:	certID
Primary:	False
Required:	False
Unique:	False
Fields:	
certID	Ascending
OperatorIDpwssp	1
Clustered:	False
DistinctCount:	277
Foreign:	False
IgnoreNulls:	False
Name:	OperatorIDpwssp
Primary:	False
Required:	False
Unique:	False

Fields:	
OperatorID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	552
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
certID	Ascending
StatusID	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	StatusID
Primary:	False
Required:	False
Unique:	False
Fields:	
StatusID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	

linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:51 PM	DefaultView:	2
GUID:	{guid {D4E67610-EE43-4A3B-9A27-8C7F9745B643}}	LastUpdated:	11/5/2014 6:19:51 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	CertificationTraining	Updatable:	False

Columns

Name	Type	Size
TrainingID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal DIME CEU/PDH identifier	
OrdinalPosition:	0	
Required:	False	
SourceField:	TrainingID	
SourceTable:	CertificationTraining	
contactID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	internal DIME contact identifier, lookup in table Contacts	
DisplayControl:	Text Box	
OrdinalPosition:	1	
Required:	False	
SourceField:	contactID	
SourceTable:	CertificationTraining	
TrainingProvider	Short Text	150
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	

ColumnWidth: Default
 DataUpdatable: False
 Description: Name of Training/CEU/PDH provider
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: TrainingProvider
 SourceTable: CertificationTraining
 UnicodeCompression: True

TrainingDate Date With Time 8
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date training began
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: TrainingDate
 SourceTable: CertificationTraining

CEUs Single 4
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Number of Continuing Education Units earned (1 CEU = 10 PDH)
 DisplayControl: Text Box
 OrdinalPosition: 4
 Required: False
 SourceField: CEUs
 SourceTable: CertificationTraining

PDHs Single 4
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False

DecimalPlaces: Auto
 Description: Number of Professional Development Hours earned (1 CEU = 10 PDH)
 DisplayControl: Text Box
 OrdinalPosition: 5
 Required: False
 SourceField: PDHs
 SourceTable: CertificationTraining

TrainingDescription Long Text -

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Description of Training
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 6
 Required: False
 SourceField: TrainingDescription
 SourceTable: CertificationTraining
 UnicodeCompression: True

Lastupdate Date With Time 8

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date of Last Update
 Format: General Date
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 7
 Required: False
 SourceField: Lastupdate
 SourceTable: CertificationTraining

CurrentUpdateUser Short Text 50

AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Current User At Time of Update

DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 8
Required: False
SourceField: CurrentUpdateUser
SourceTable: CertificationTraining
UnicodeCompression: True

DateCreated Date With Time 8


AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DefaultValue: =Now()
Description: automatically entered on update of record- should be changed to DateCreated
Format: General Date
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 9
Required: False
SourceField: DateCreated
SourceTable: CertificationTraining

CreatedBy Short Text 50

AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 10
Required: False
SourceField: CreatedBy
SourceTable: CertificationTraining
UnicodeCompression: True

Relationships

CertificationTrainingCertificationTrainingAssignments



Attributes: Not Enforced, Inherited
 RelationshipType: One-To-Many (External)

Table Indexes

Name	Number of Fields
contactID	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	contactID
Primary:	False
Required:	False
Unique:	False
Fields:	
contactID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	2
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
TrainingID	Ascending
TrainingID	1
Clustered:	False
DistinctCount:	2
Foreign:	False
IgnoreNulls:	False
Name:	TrainingID
Primary:	False
Required:	False
Unique:	False
Fields:	
TrainingID	Ascending

User Permissions

admin
 aizaz

andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:51 PM	DefaultView:	2
GUID:	{guid {B75F2E2E-085C-4F5A-80EB-7E93D57C4589}}	LastUpdated:	11/5/2014 6:19:51 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	CertificationTrainingAssignments	Updatable:	False

Columns

Name	Type	Size
TrainingCertID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal DIME training/certification pair identifier	
OrdinalPosition:	0	
Required:	False	
SourceField:	TrainingCertID	
SourceTable:	CertificationTrainingAssignments	
TrainingID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	internal DIME training identifier, lookup in table Training	
DisplayControl:	Text Box	
OrdinalPosition:	1	
Required:	False	
SourceField:	TrainingID	
SourceTable:	CertificationTrainingAssignments	
certID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	

ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME Certification identifier, lookup in table Certifications
 DisplayControl: Text Box
 OrdinalPosition: 2
 Required: False
 SourceField: certID
 SourceTable: CertificationTrainingAssignments

DateCreated Date With Time 8


AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DefaultValue: =Now()
 Description: automatically entered on update of record- should be changed to DateCreated
 Format: General Date
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: DateCreated
 SourceTable: CertificationTrainingAssignments

CreatedBy Short Text 50

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False
 SourceField: CreatedBy
 SourceTable: CertificationTrainingAssignments
 UnicodeCompression: True


Relationships

CertificationsCertificationTrainingAssignments



Attributes: Not Enforced, Inherited
 RelationshipType: One-To-Many (External)

CertificationTrainingCertificationTrainingAssignments



Attributes: Not Enforced, Inherited
 RelationshipType: One-To-Many (External)

Table Indexes

Name	Number of Fields
certID	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	certID
Primary:	False
Required:	False
Unique:	False
Fields:	
certID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
TrainingCertID	Ascending
TrainingCertID	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	TrainingCertID
Primary:	False
Required:	False

Unique:	False
Fields:	
TrainingCertID	Ascending
TrainingID	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	TrainingID
Primary:	False
Required:	False
Unique:	False
Fields:	
TrainingID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\ Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:51 PM	DefaultView:	2
GUID:	{guid {8088095A-7A0C-4844- A616-FDCCBCBF6744}}	LastUpdated:	11/5/2014 6:19:51 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	Certifying Authorities	SubDataSheetName:	[Auto]
Updatable:	False		

Columns

Name	Type	Size
CertID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal DIME identifier for certifying authorities (Operator Certification)	
GUID:	{guid {522F8591-2267-4D42-A05D-F3C3DCBD6E43}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	CertID	
SourceTable:	Certifying Authorities	
CertAuthority	Short Text	100
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	4065	
DataUpdatable:	False	
Description:	Name of Certifying Authority	
DisplayControl:	Text Box	
GUID:	{guid {08C6F2D5-C062-49A9-B019-12D2BB7F6775}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	CertAuthority	
SourceTable:	Certifying Authorities	
UnicodeCompression:	True	
CertAcronym	Short Text	50

AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Acronym
 DisplayControl: Text Box
 GUID: {guid {4A130CAD-8A4A-455F-A2FD-E9DF6AE64708}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: CertAcronym
 SourceTable: Certifying Authorities
 UnicodeCompression: True

EPAApprovalDate Date With Time 8

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1995
 DataUpdatable: False
 Description: Date program was approved by EPA to certify and license Certified Drinking Water Operators
 GUID: {guid {279C8417-7F2D-4864-A29C-4FB584AAA67D}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: EPAApprovalDate
 SourceTable: Certifying Authorities

ContactID Long Integer 4

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME identifier for contact associated with Certifying Authority, lookup in table Contacts
 DisplayControl: Text Box
 GUID: {guid {75387241-6A3E-48EB-A3F8-637C56755FD2}}
 OrdinalPosition: 4
 Required: False
 SourceField: ContactID

SourceTable:	Column Name	Data Type	Length
	Lastupdate	Date With Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Date of Last Update	
	Format:	General Date	
	GUID:	{guid {744E41EE-37F1-4750-8A40-E2A466C811D8}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	5	
	Required:	False	
	SourceField:	Lastupdate	
	SourceTable:	Certifying Authorities	
	CurrentUpdateUser	Short Text	50
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Current User At Time of Update	
	DisplayControl:	Text Box	
	GUID:	{A13809D4-0724-4A12-83F4-AF442925B913}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	6	
	Required:	False	
	SourceField:	CurrentUpdateUser	
	SourceTable:	Certifying Authorities	
	UnicodeCompression:	True	
	DateCreated	Date With Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DefaultValue:	=Now()	
	Description:	automatically entered on update of record- should be changed to DateCreated	
	Format:	General Date	
	GUID:	{guid {580F2C64-2510-4630-9A82-684F84A132FE}}	
	IMEMode:	0	

IMESentenceMode: 3
 OrdinalPosition: 7
 Required: False
 SourceField: DateCreated
 SourceTable: Certifying Authorities

CreatedBy Short Text 50


AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Created By User
 DisplayControl: Text Box
 GUID: {guid {9EE9BBB5-9F7D-4ACB-8084-615D341C28BB}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 8
 Required: False
 SourceField: CreatedBy
 SourceTable: Certifying Authorities
 UnicodeCompression: True

StatusID Long Integer 4

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME Status identifier, lookup in table QAStatus
 DisplayControl: Text Box
 GUID: {guid {9E87475E-A522-46CC-89DA-6D137156D4E7}}
 OrdinalPosition: 9
 Required: False
 SourceField: StatusID
 SourceTable: Certifying Authorities

Relationships

Certifying AuthoritiesCertifications



Attributes: Not Enforced, Inherited
 RelationshipType: One-To-Many (External)

Table Indexes

Name	Number of Fields
CertID	1
Clustered:	False
DistinctCount:	10
Foreign:	False
IgnoreNulls:	False
Name:	CertID
Primary:	False
Required:	False
Unique:	False
Fields:	
CertID	Ascending
ContactID	1
Clustered:	False
DistinctCount:	2
Foreign:	False
IgnoreNulls:	False
Name:	ContactID
Primary:	False
Required:	False
Unique:	False
Fields:	
ContactID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	10
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
CertID	Ascending
StatusID	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	StatusID
Primary:	False
Required:	False
Unique:	False
Fields:	
StatusID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	7/23/2007 12:57:01 PM	DefaultView:	2
GUID:	{guid {11DD98C4-A1E7-49BA-832C-8D68BAF61CC5}}	LastUpdated:	7/23/2007 12:57:11 PM
NameMap:	Long binary data	OrderByOn:	True
Orientation:	Left-to-Right	RecordCount:	13
SubDataSheetName:	[Auto]	Updatable:	True

Columns

Name	Type	Size
CertLevelID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal DIME certification level ID	
GUID:	{guid {0AAE9F24-3C2A-4F17-9C6E-FC37EC62FE02}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	CertLevelID	
SourceTable:	CertLevels	
Level	Short Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1248	
DataUpdatable:	False	
Description:	certification level	
DisplayControl:	Text Box	
GUID:	{guid {E9EF8808-C2A7-40EF-AD0C-14D705DF8641}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	Level	
SourceTable:	CertLevels	
UnicodeCompression:	True	

Table Indexes

Name	Number of Fields
CertLevelID	1

Clustered:	False
DistinctCount:	13
Foreign:	False
IgnoreNulls:	False
Name:	CertLevelID
Primary:	False
Required:	False
Unique:	False
Fields:	
CertLevelID	Ascending
Level_Description	1
Clustered:	False
DistinctCount:	13
Foreign:	False
IgnoreNulls:	False
Name:	Level_Description
Primary:	False
Required:	False
Unique:	False
Fields:	
Level	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	

myrt
navajo
raymond
roberto
roger
sara
test

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	7/23/2007 12:57:01 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {2E8BC622-4964-4C2B-8C07-E33C911E051F}}	HideNewField:	False
LastUpdated:	6/9/2013 11:38:13 AM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	28
TotalsRow:	False	Updatable:	True

Columns

Name	Type	Size
TLID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal DIME Type and Level identifier	
GUID:	{guid {7288F2EA-83EE-435D-AEF2-C7E3C138D642}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	TLID	
SourceTable:	CerTypeLevels	
TextAlign:	General	
TLCat	Long Integer	4
AggregateType:	-1	
AllowValueListEdits:	False	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
BoundColumn:	1	
CollatingOrder:	General	
ColumnCount:	2	
ColumnHeads:	False	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2772	
ColumnWidths:	0;1980	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Category of Certifications for sorting, lookup in table Certypes	
DisplayControl:	Combo Box	
GUID:	{guid {1F930605-4EBF-4A8A-B9A8-E98A0547C400}}	
LimitToList:	True	
ListRows:	8	

ListWidth: 1980twip
OrdinalPosition: 1
Required: False
RowSource: SELECT Certypes.certypeID, Certypes.CertificationType FROM Certypes ORDER BY [certypeID];
RowSourceType: Table/Query
ShowOnlyRowSourceValues: False
SourceField: TLCat
SourceTable: CerTypeLevels
TextAlign: General

TypeLevel Long Integer 4

AggregateType: -1
AllowValueListEdits: False
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
BoundColumn: 1
CollatingOrder: General
ColumnCount: 2
ColumnHeads: False
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 1236
ColumnWidths: 0;756
DataUpdatable: False
DecimalPlaces: Auto
Description: Level of Certification
DisplayControl: Combo Box
GUID: {guid {404DBAE0-7E0A-43DD-876C-E4B34D816DF7}}
LimitToList: True
ListRows: 8
ListWidth: 756twip
OrdinalPosition: 2
Required: False
RowSource: SELECT CertLevels.CertLevelID, CertLevels.Level FROM CertLevels ORDER BY [CertLevelID];
RowSourceType: Table/Query
ShowOnlyRowSourceValues: False
SourceField: TypeLevel
SourceTable: CerTypeLevels
TextAlign: General


LevelNumeral Long Integer 4

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto

Description: Numeric Level Equivalent
 DisplayControl: Text Box
 OrdinalPosition: 3
 Required: False
 SourceField: LevelNumeral
 SourceTable: CerTypeLevels
 TextAlign: General

Relationships

CertypesCerTypeLevels



Attributes: Not Enforced
 RelationshipType: One-To-Many

Table Indexes

Name	Number of Fields
certLTid	1
Clustered:	False
DistinctCount:	28
Foreign:	False
IgnoreNulls:	False
Name:	certLTid
Primary:	False
Required:	False
Unique:	False
Fields:	
TLID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	28
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
TLID	Ascending

User Permissions

admin
 aizaz
 andrew

bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties


DateCreated: 7/23/2007 12:57:01 PM DefaultView: 2
 GUID: {guid {E496E71A-007C-414C-B805-EDEAF6950A77}} LastUpdated: 5/15/2008 9:58:55 AM
 NameMap: Long binary data OrderByOn: False
 Orientation: Left-to-Right RecordCount: 15
 Updatable: True

Columns

Name	Type	Size
certypeID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal DIME Certification Type identifier	
GUID:	{guid {62CCEBEA-4706-44A8-ACFB-E97891F145D9}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	certypeID	
SourceTable:	Certypes	
CertificationType	Short Text	50
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2808	
DataUpdatable:	False	
Description:	Type of Certification Type of Certification	
DisplayControl:	Text Box	
GUID:	{guid {097A1373-A431-484A-8964-05DF9E0C5598}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	CertificationType	
SourceTable:	Certypes	
UnicodeCompression:	True	

Relationships

CertypesCerTypeLevels



Attributes: Not Enforced
 RelationshipType: One-To-Many

Table Indexes

Name	Number of Fields
certypeID	1
Clustered:	False
DistinctCount:	15
Foreign:	False
IgnoreNulls:	False
Name:	certypeID
Primary:	False
Required:	False
Unique:	False
Fields:	
certypeID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	15
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
certypeID	Ascending

User Permissions

- admin
- aizaz
- andrew
- bessie
- chris
- corine
- daria
- designer
- dschmidt
- Emmanuelle
- everett
- guest
- helen

hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

AlternateBackShade:	100	AlternateBackThemeColorIn	-1
AlternateBackTint:	100	Attributes:	Linked
BackShade:	100	BackTint:	100
Connect:	;DATABASE=C:\Users\kbanks\Dime_Local\DIME_be.mdb	DatasheetForeThemeColorIn	-1
DatasheetGridlinesThemeCol	-1	DateCreated:	11/5/2014 6:19:51 PM
DefaultView:	2	DisplayViewsOnSharePointSi	1
Filter:	([Chemicals].[FACID]=114)	FilterOnLoad:	False
GUID:	{guid {7B11BD85-F881-43E2-82AC-85F06FC89D3C}}	HideNewField:	False
LastUpdated:	11/5/2014 6:19:51 PM	NameMap:	Long binary data
OrderBy:	[Chemicals].[SPECIAL], [Chemicals].[EventID] DESC, [Chemicals].[DATE_RECEIVED], [Chemicals].[Lastupdate] DESC, [Chemicals].[SAMP_DATE]	OrderByOn:	True
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	-1	SourceTableName:	Chemicals
SubDataSheetName:	[Auto]	ThemeFontIndex:	-1
TotalsRow:	False	Updatable:	False

Columns

Name	Type	Size
ChemrecordID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	internal DIME identifier for Chemical contaminant sample result	
GUID:	{guid {E7A85459-7EAC-49C2-A405-E0A24CBF10FC}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	ChemrecordID	
SourceTable:	Chemicals	
TextAlign:	General	
DATE_RECEIVED	Date With Time	8
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	

ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: date the lab report was received by primacy agency.
 GUID: {guid {2BD49FB8-18F7-4E46-88D7-B746916A211F}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 1
 Required: False
 ShowDatePicker: For dates
 SourceField: DATE_RECEIVED
 SourceTable: Chemicals
 TextAlign: General

ENTRY_DATE Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2655
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Date the lab results were entered into DIME
 Format: General Date
 GUID: {guid {5711EB0D-8038-4D62-BD12-0CFE8AF17F1F}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 ShowDatePicker: For dates
 SourceField: ENTRY_DATE
 SourceTable: Chemicals
 TextAlign: General

FACID Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME identifier for PWS, lookup in table Facility Information.
 DisplayControl: Text Box
 GUID: {guid {8AEE53FE-8BC2-43C2-92FB-2488B06736F3}}
 OrdinalPosition: 3
 Required: False
 SourceField: FACID

SourceTable:	Chemicals		
TextAlign:	General		
EventID		Short Text	175
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	4200		
CurrencyLCID:	0		
DataUpdatable:	False		
Description:	Text-based ID created using a set of uniquely identifying values which tie a sampling event together. FACID + CPTYPEID + UnivUniqueID + Date + Lab ID		
DisplayControl:	Text Box		
GUID:	{E04D42D6-0196-4B81-9FB4-4AF8BAA2C789}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	4		
Required:	False		
SourceField:	EventID		
SourceTable:	Chemicals		
TextAlign:	General		
UnicodeCompression:	True		

EventDesc		Short Text	200
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2475		
CurrencyLCID:	0		
DataUpdatable:	False		
Description:	Text-based ID created using a set of uniquely identifying values which tie a sampling event together. PWSID + Contaminant Group + UnivUniqueID + Date (*With this combination, an event can tie together multiple samples if same dates and contaminant group)		
DisplayControl:	Text Box		
GUID:	{7B0CF838-5D39-41DA-8197-7F5775B395F1}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	5		
Required:	False		
SourceField:	EventDesc		
SourceTable:	Chemicals		
TextAlign:	General		
UnicodeCompression:	True		

LabID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
BoundColumn:	1	
Caption:	LabID	
CollatingOrder:	General	
ColumnCount:	3	
ColumnHeads:	False	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2745	
ColumnWidths:	0;3390;795	
CurrencyLCID:	0	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	internal DIME identifier for Analytical laboratory. Lookup in table Laboratories.	
DisplayControl:	Text Box	
GUID:	{guid {BD862065-2EEE-4F5E-9C9C-FBB2F430F23D}}	
LimitToList:	True	
ListRows:	8	
ListWidth:	4184twip	
OrdinalPosition:	6	
Required:	False	
RowSource:	SELECT Laboratories.ID, Laboratories.Full_Laboratory_Name, Laboratories.LAB_ID FROM Laboratories;	
RowSourceType:	Table/Query	
SourceField:	LabID	
SourceTable:	Chemicals	
TextAlign:	General	
LabReceiptDate	Date With Time	8
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	date lab received sample	
Format:	Short Date	
GUID:	{guid {EB7DF830-F028-4DBD-9FC6-7B436FFDEBEF}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	7	
Required:	False	
ShowDatePicker:	For dates	
SourceField:	LabReceiptDate	
SourceTable:	Chemicals	
TextAlign:	General	

LabReceiptTime		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
Description:	optional time lab received sample		
Format:	Short Time		
GUID:	{guid {EB509EAA-71AB-40B4-84A5-E2FDCA14A79E}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	8		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	LabReceiptTime		
SourceTable:	Chemicals		
TextAlign:	General		

LabSampleID		Short Text	50
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
Description:	Sample ID as created by lab		
DisplayControl:	Text Box		
GUID:	{guid {55451A39-AE4A-4B35-ADA0-2031F48B8210}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	9		
Required:	False		
SourceField:	LabSampleID		
SourceTable:	Chemicals		
TextAlign:	General		
UnicodeCompression:	True		

AnalysisDate		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		

CurrencyLCID: 0
DataUpdatable: False
Description: date of analysis
Format: Short Date
GUID: {guid {10EA6F65-883E-4A32-BB0F-E7F0CF94C182}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 10
Required: False
ShowDatePicker: For dates
SourceField: AnalysisDate
SourceTable: Chemicals
TextAlign: General

Analyst Short Text 50

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
CurrencyLCID: 0
DataUpdatable: False
Description: Lab Analyst
DisplayControl: Text Box
GUID: {guid {137B3B48-165C-4130-B246-26CBFF1E2E29}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 11
Required: False
SourceField: Analyst
SourceTable: Chemicals
TextAlign: General
UnicodeCompression: True

Reviewer Short Text 50

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
CurrencyLCID: 0
DataUpdatable: False
Description: Lab Reviewer
DisplayControl: Text Box
GUID: {guid {E23F9774-7704-4B30-B279-192B5074790B}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 12
Required: False

SourceField: Reviewer
 SourceTable: Chemicals
 TextAlign: General
 UnicodeCompression: True

Collector Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Name of sample collector
 DisplayControl: Text Box
 GUID: {guid {DE7EA2AC-F633-4A89-B0E9-2F014F04D333}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 13
 Required: False
 SourceField: Collector
 SourceTable: Chemicals
 TextAlign: General
 UnicodeCompression: True

SAMP_DATE Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: date sample was taken in the field.
 GUID: {guid {4132DD6E-E803-485C-B366-C506C8055DE0}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 14
 Required: False
 ShowDatePicker: For dates
 SourceField: SAMP_DATE
 SourceTable: Chemicals
 TextAlign: General

SAMP_TIME Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size

CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: optional time of sample collection
 Format: Short Time
 GUID: {guid {FC45683B-FBE5-47F4-AC91-392A615BAD82}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 15
 Required: False
 ShowDatePicker: For dates
 SourceField: SAMP_TIME
 SourceTable: Chemicals
 TextAlign: General

SAMP_LOC Short Text 100

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Description of sampling location
 DisplayControl: Text Box
 GUID: {9C23A9E7-2B49-43E3-8D25-D0820F327D85}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 16
 Required: False
 SourceField: SAMP_LOC
 SourceTable: Chemicals
 TextAlign: General
 UnicodeCompression: True

UnivUniqueID Short Text 5

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: universally unique foreign key linking sample result to subfacility
 DisplayControl: Text Box
 GUID: {guid {C4E6DBE1-DF0B-4FE0-879E-ED4946747BB1}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 17
 Required: False
 SourceField: SAMP_RESULT
 SourceTable: Chemicals
 TextAlign: General
 UnicodeCompression: True

IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 17
Required: False
SourceField: UnivUniqueID
SourceTable: Chemicals
TextAlign: General
UnicodeCompression: True

CompliancePointID Long Integer 4

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
CurrencyLCID: 0
DataUpdatable: False
DecimalPlaces: Auto
Description: internal DIME Compliance Point identifier, lookup in table Compliance Points
DisplayControl: Text Box
GUID: {guid {A91553B4-6B38-4852-B837-E5F248C57990}}
OrdinalPosition: 18
Required: False
SourceField: CompliancePointID
SourceTable: Chemicals
TextAlign: General

CPTTypeId Long Integer 4

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
CurrencyLCID: 0
DataUpdatable: False
DecimalPlaces: Auto
Description: internal DIME Compliance Point Type identifier, lookup in table Compliance Point Types
DisplayControl: Text Box
GUID: {guid {A5FB0090-51EF-4B34-8196-855C5F4F5C56}}
OrdinalPosition: 19
Required: False
SourceField: CPTTypeId
SourceTable: Chemicals
TextAlign: General

contID Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME identifier for chemical contaminant, lookup in table MCL
 DisplayControl: Text Box
 GUID: {guid {1046A0B0-05CA-4323-9499-8ECF6378D18A}}
 OrdinalPosition: 20
 Required: False
 SourceField: contID
 SourceTable: Chemicals
 TextAlign: General

DETECT_Flag Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 3
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 ColumnWidths: 0;345;6585
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME identifier for detection flag, calculated based upon sample result value, MCL, Detection limit. lookup in table DetectFlags
 DisplayControl: Combo Box
 GUID: {guid {1D0E53A1-872E-46E8-ACA0-A8EF111C61F6}}
 LimitToList: True
 ListRows: 8
 ListWidth: 6930twip
 OrdinalPosition: 21
 Required: False
 RowSource: SELECT DetectFlags.DetectID, DetectFlags.DetectFlag, DetectFlags.DetectFlagDescription FROM DetectFlags;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: DETECT_Flag
 SourceTable: Chemicals
 TextAlign: General

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: intermim field for detection flag, used to transition to DETECT_flag
 (see description for field DETECT_flag)
 DisplayControl: Text Box
 GUID: {guid {FDEAA519-4B51-4ECD-B5A1-56415CE891FF}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 22
 Required: False
 SourceField: DETECT_Flag_text
 SourceTable: Chemicals
 TextAlign: General
 UnicodeCompression: False

ProxyRecord Yes/No 1

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Is this record a proxy record?
 DisplayControl: 106
 Format: Yes/No
 GUID: {guid {37943ACB-A784-41AF-9768-5C32699BC41E}}
 OrdinalPosition: 23
 Required: False
 SourceField: ProxyRecord
 SourceTable: Chemicals
 TextAlign: General

SAMP_RESULT Double 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1605
 CurrencyLCID: 0
 DataUpdatable: False

DecimalPlaces: Description: DisplayControl: GUID: OrdinalPosition: Required: SourceField: SourceTable: TextAlign:	Auto numerical sample result value Text Box {guid {72113909-5155-4717-9E22-EE779FCE95EF}} 24 False SAMP_RESULT Chemicals General		
SAMP_RESULT_ERROR		Double	8
AggregateType: AllowZeroLength: AppendOnly: Attributes: CollatingOrder: ColumnHidden: ColumnOrder: ColumnWidth: CurrencyLCID: DataUpdatable: DecimalPlaces: Description: DisplayControl: GUID: OrdinalPosition: Required: SourceField: SourceTable: TextAlign:	-1 False False Fixed Size General False Default Default 0 False Auto numerical sample result error value (absolute), used mainly for radionuclides. N/A for other contaminant types. Text Box {guid {6D0F3BDF-60B7-4B1F-A9FB-46F65966DD60}} 25 False SAMP_RESULT_ERROR Chemicals General		
NumUnitID		Long Integer	4
AggregateType: AllowZeroLength: AppendOnly: Attributes: CollatingOrder: ColumnHidden: ColumnOrder: ColumnWidth: CurrencyLCID: DataUpdatable: DecimalPlaces: Description: DisplayControl: GUID: OrdinalPosition: Required: SourceField: SourceTable: TextAlign:	-1 False False Fixed Size General False Default Default 0 False Auto internal DIME identifier for numerical unit, lookup in table Units Text Box {guid {E04E69EB-966A-4002-9610-14A7D8D32D5D}} 26 False NumUnitID Chemicals General		
DETECT_LIMIT		Double	8
AggregateType:	-1		

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: detection limit as reported by laboratory for the method employed.
 Defaulted from table DetectionLimits, may also feed back into table
 DetectionLimits on user command.
 DisplayControl: Text Box
 GUID: {guid {D0A862DD-EF60-4286-BE08-F6A760419348}}
 OrdinalPosition: 27
 Required: False
 SourceField: DETECT_LIMIT
 SourceTable: Chemicals
 TextAlign: General

COMMENT Short Text 255

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Comment field for chemical result.
 DisplayControl: Text Box
 GUID: {guid {F87819BD-00FB-460B-BDD3-2F86F1B6301C}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 28
 Required: False
 SourceField: COMMENT
 SourceTable: Chemicals
 TextAlign: General
 UnicodeCompression: False

METHOD_ID Short Text 255

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0

DataUpdatable: False
 Description: internal DIME identifier for Analysis Method. Approved analytical method employed to obtain result, lookup in table AnalyticalMethods
 DisplayControl: Text Box
 GUID: {guid {7ADE218D-200B-477C-8AAE-D3C5508447A8}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 29
 Required: False
 SourceField: METHOD_ID
 SourceTable: Chemicals
 TextAlign: General
 UnicodeCompression: False

REPEAT Yes/No 1

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Is this sample a repeat or confirmation sample?
 DisplayControl: Text Box
 GUID: {guid {62947E86-FC08-4FD6-B6B7-AB2C52E6F681}}
 OrdinalPosition: 30
 Required: False
 SourceField: REPEAT
 SourceTable: Chemicals
 TextAlign: General

COMPOSITE Yes/No 1

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Is this result part of a composite sample?
 DisplayControl: Text Box
 GUID: {guid {288934E8-5C9E-4703-A543-C8C07BD0248E}}
 OrdinalPosition: 31
 Required: False
 SourceField: COMPOSITE
 SourceTable: Chemicals
 TextAlign: General

numbercomposite Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: if COMPOSITE is Yes, the number of samples in the composite.
 DisplayControl: Text Box
 GUID: {guid {36FE3004-3934-4500-AA4A-41858B0486E7}}
 OrdinalPosition: 32
 Required: False
 SourceField: numbercomposite
 SourceTable: Chemicals
 TextAlign: General

SPECIAL

Yes/No

1

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Is this result from a "Special" (non-compliance) sampling event?
 DisplayControl: Text Box
 GUID: {guid {E2D6A87C-1364-47F9-9211-0C5451002242}}
 OrdinalPosition: 33
 Required: False
 SourceField: SPECIAL
 SourceTable: Chemicals
 TextAlign: General

InvalidID

Long Integer

4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME Chemical Invalid Code identifier, lookup in table cheminvalidcodes, null value indicates valid result
 DisplayControl: Text Box
 GUID: {guid {3A2262E8-1FF1-422D-8A35-1B5067BCB851}}

OrdinalPosition:	34		
Required:	False		
SourceField:	InvalidID		
SourceTable:	Chemicals		
TextAlign:	General		
PBCUSortOrder		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	long integer for the sort order for Lead and Copper		
DisplayControl:	Text Box		
GUID:	{guid {DC2026CD-C5B4-4B87-A57D-09574C432CE7}}		
OrdinalPosition:	35		
Required:	False		
SourceField:	PBCUSortOrder		
SourceTable:	Chemicals		
TextAlign:	General		
LabUpdate		Yes/No	1
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
Description:	Check for changes to MCL Value		
DisplayControl:	106		
Format:	Yes/No		
GUID:	{guid {3EEC0AEA-BF5F-4773-9937-D314422B04A0}}		
OrdinalPosition:	36		
Required:	False		
SourceField:	LabUpdate		
SourceTable:	Chemicals		
TextAlign:	General		
Lastupdate		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		

ColumnOrder: Default
ColumnWidth: 2340
CurrencyLCID: 0
DataUpdatable: False
Description: Date of Last Update
GUID: {guid {FCB29F50-A93A-4E01-9DDA-2C89931CCC11}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 37
Required: False
ShowDatePicker: For dates
SourceField: Lastupdate
SourceTable: Chemicals
TextAlign: General

CurrentUpdateUser Short Text 50

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 2220
CurrencyLCID: 0
DataUpdatable: False
Description: Current User At Time of Update
DisplayControl: Text Box
GUID: {guid {E3FB5CE9-B51B-43EA-9BAF-7277C4F6C158}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 38
Required: False
SourceField: CurrentUpdateUser
SourceTable: Chemicals
TextAlign: General
UnicodeCompression: True

ReceivedBy Short Text 50

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 1500
CurrencyLCID: 0
DataUpdatable: False
Description: Received by the user
DisplayControl: Text Box
GUID: {guid {33F7D0B5-AB71-45FC-9902-02106C0BF3B0}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 39

Required: False
SourceField: ReceivedBy
SourceTable: Chemicals
TextAlign: General
UnicodeCompression: True

DateCreated Date With Time 8

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 2505
CurrencyLCID: 0
DataUpdatable: False
Description: Date that record was created.
Format: General Date
GUID: {guid {AF158AE3-8387-4936-BD23-9DF91BD434B3}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 40
Required: False
ShowDatePicker: For dates
SourceField: DateCreated
SourceTable: Chemicals
TextAlign: General

CreatedBy Short Text 50

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 1380
CurrencyLCID: 0
DataUpdatable: False
Description: user who created record
DisplayControl: Text Box
GUID: {guid {C7F14D56-0B08-4738-B170-FF39B340308D}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 41
Required: False
SourceField: CreatedBy
SourceTable: Chemicals
TextAlign: General
UnicodeCompression: True

DateQA Date With Time 8

AggregateType: -1
AllowZeroLength: False

AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1140
 CurrencyLCID: 0
 DataUpdatable: False
 Description: date of qa
 Format: General Date
 GUID: {guid {8B7313B5-65BC-489C-B25E-9C078FB6233E}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 42
 Required: False
 ShowDatePicker: For dates
 SourceField: DateQA
 SourceTable: Chemicals
 TextAlign: General

QAUser Short Text 50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1125
 CurrencyLCID: 0
 DataUpdatable: False
 Description: qa user
 DisplayControl: Text Box
 GUID: {guid {D7ED3BD6-5E3B-4F33-85BB-8A44255BB330}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 43
 Required: False
 SourceField: QAUser
 SourceTable: Chemicals
 TextAlign: General
 UnicodeCompression: True

DateView Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2550
 CurrencyLCID: 0
 DataUpdatable: False
 Description: date of view

Format: General Date
 GUID: {guid {65AC5966-8C64-4D9E-9239-71B59E54DFA6}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 44
 Required: False
 ShowDatePicker: For dates
 SourceField: DateView
 SourceTable: Chemicals
 TextAlign: General

ViewUser Short Text 50


AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Last Viewed by
 DisplayControl: Text Box
 GUID: {guid {3346DD9A-7E85-4B85-9329-33CC83EAECA0}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 45
 Required: False
 SourceField: ViewUser
 SourceTable: Chemicals
 TextAlign: General
 UnicodeCompression: True

StatusID Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME Status identifier, lookup in table QAStatus
 DisplayControl: Text Box
 GUID: {guid {9C56FE2A-BDAC-4DE4-BB58-5B8627829DFC}}
 OrdinalPosition: 46
 Required: False
 SourceField: StatusID
 SourceTable: Chemicals
 TextAlign: General


Relationships

ChemicalsLaboratories




Attributes: Not Enforced, Inherited
 RelationshipType: Indeterminate (External)

EventscheduleactivityChemicals



Attributes: Not Enforced, Inherited
 RelationshipType: Indeterminate (External)

Facility InformationChemicals



Attributes: Not Enforced, Inherited
 RelationshipType: One-To-Many (External)

Table Indexes

Name	Number of Fields
EventID	1
Clustered:	False
DistinctCount:	35388
Foreign:	False
IgnoreNulls:	False
Name:	EventID
Primary:	False
Required:	False
Unique:	False
Fields:	
EventID	Ascending
FACID	1
Clustered:	False
DistinctCount:	416
Foreign:	False
IgnoreNulls:	False
Name:	FACID
Primary:	False

Required:	False
Unique:	False
Fields:	
FACID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	334956
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
ChemrecordID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	

test

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated: 11/2/2007 1:33:55 PM DefaultView: 2
 GUID: {guid {57C78CF9-03A8-4065-A046-0D066B83B6AA}} LastUpdated: 3/10/2009 11:26:07 AM
 NameMap: Long binary data OrderByOn: False
 Orientation: Left-to-Right RecordCount: 8
 Updatable: True

Columns

Name	Type	Size
InvalidID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal DIME Chemical Invalid Code identifier	
GUID:	{guid {AA1888C6-A855-4FD5-AC92-54B194EE93B3}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	InvalidID	
SourceTable:	cheminvalidcodes	
ChemInvalidReason	Short Text	50
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	3000	
DataUpdatable:	False	
Description:	Chemical Invalid Reason	
DisplayControl:	Text Box	
GUID:	{guid {A20A7DCA-6410-40EB-9066-32AEA1E6B9C9}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	ChemInvalidReason	
SourceTable:	cheminvalidcodes	
UnicodeCompression:	True	
Lastupdate	Date With Time	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	

ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Date of Last Update
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 2
Required: False
SourceField: Lastupdate
SourceTable: cheminvalidcodes

CurrentUpdateUser Short Text 50

AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Current User At Time of Update
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 3
Required: False
SourceField: CurrentUpdateUser
SourceTable: cheminvalidcodes
UnicodeCompression: True

DateCreated Date With Time 8

AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Date that record was created.
Format: General Date
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 4
Required: False
SourceField: DateCreated
SourceTable: cheminvalidcodes

CreatedBy Short Text 50

AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False

ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: user who created record
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 5
 Required: False
 SourceField: CreatedBy
 SourceTable: cheminvalidcodes
 UnicodeCompression: True

Table Indexes

Name	Number of Fields
InvalidID	1
Clustered:	False
DistinctCount:	8
Foreign:	False
IgnoreNulls:	False
Name:	InvalidID
Primary:	False
Required:	False
Unique:	False
Fields:	
InvalidID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	8
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
InvalidID	Ascending

User Permissions

admin
 aizaz
 andrew
 bessie
 chris
 corine
 daria
 designer
 dschmidt
 Emmanuelle
 everett

guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	3/16/2010 10:56:35 AM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {22669957-70EA-4370-8A24-0300D69C58B8}}	HideNewField:	False
LastUpdated:	1/6/2014 4:58:09 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	0
TotalsRow:	False	Updatable:	True

Columns

Name	Type	Size
ChemrecordID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	0	
Required:	False	
SourceField:	ChemrecordID	
SourceTable:	ChemTemp	
TextAlign:	General	
DATE_RECEIVED	Date With Time	8
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1785	
DataUpdatable:	False	
Description:	date the lab report was received by primacy agency.	
Format:	Short Date	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
ShowDatePicker:	For dates	
SourceField:	DATE_RECEIVED	
SourceTable:	ChemTemp	
TextAlign:	General	

<p>ENTRY_DATE</p> <p>AggregateType: -1 AllowZeroLength: False AppendOnly: False Attributes: Fixed Size CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: 2100 DataUpdatable: False Description: Date the lab results were entered into DIME IMEMode: 0 IMESentenceMode: 3 OrdinalPosition: 2 Required: False ShowDatePicker: For dates SourceField: ENTRY_DATE SourceTable: ChemTemp TextAlign: General</p>	<p>Date With Time</p>	<p>8</p>
<p>UnivUniqueID</p> <p>AggregateType: -1 AllowZeroLength: True AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False Description: universally unique number for sources, treatment plants, entry points, storage, or distribution systems DisplayControl: Text Box IMEMode: 0 IMESentenceMode: 3 OrdinalPosition: 3 Required: False SourceField: UnivUniqueID SourceTable: ChemTemp TextAlign: General UnicodeCompression: False</p>	<p>Short Text</p>	<p>5</p>
<p>FACID</p> <p>AggregateType: -1 AllowZeroLength: False AppendOnly: False Attributes: Fixed Size CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: 1230 DataUpdatable: False DecimalPlaces: Auto Description: internal DIME identifier for PWS, lookup in table Facility Information. DisplayControl: Text Box</p>	<p>Long Integer</p>	<p>4</p>

OrdinalPosition: 4
Required: False
SourceField: FACID
SourceTable: ChemTemp
TextAlign: General

EventDesc Short Text 255

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 3960
DataUpdatable: False
Description: Text-based Desc created using a set of uniquely identifying values which tie a sampling event together. PWSID + Contaminant Group + CompliancePeriod (*With this combination, an event can tie together multiple samples if same dates and contaminant group)
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 5
Required: False
SourceField: EventDesc
SourceTable: ChemTemp
TextAlign: General
UnicodeCompression: False

EventID Short Text 100

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 4335
DataUpdatable: False
Description: Text-based ID created using a set of uniquely identifying values which tie a sampling event together. PWSID + Contaminant Group + CompliancePeriod (*With this combination, an event can tie together multiple samples if same dates and contaminant group)
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 6
Required: False
SourceField: EventID
SourceTable: ChemTemp
TextAlign: General
UnicodeCompression: False

LAB_ID	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	interim field for laboratory information, used to transition to LabID with lookup (see description of field LabID)	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	7	
Required:	False	
SourceField:	LAB_ID	
SourceTable:	ChemTemp	
TextAlign:	General	
UnicodeCompression:	True	

LabID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
BoundColumn:	1	
Caption:	LabID	
CollatingOrder:	General	
ColumnCount:	3	
ColumnHeads:	False	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2730	
ColumnWidths:	0;3390;795	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	internal DIME identifier for Analytical laboratory. Lookup in table Laboratories.	
DisplayControl:	Text Box	
LimitToList:	True	
ListRows:	8	
ListWidth:	4184twip	
OrdinalPosition:	8	
Required:	False	
RowSource:	SELECT Laboratories.ID, Laboratories.Full_Laboratory_Name, Laboratories.LAB_ID FROM Laboratories;	
RowSourceType:	Table/Query	
SourceField:	LabID	
SourceTable:	ChemTemp	
TextAlign:	General	

LabReceiptDate	Date With Time	8
----------------	----------------	---

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: date lab received sample
 Format: Short Date
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 9
 Required: False
 ShowDatePicker: For dates
 SourceField: LabReceiptDate
 SourceTable: ChemTemp
 TextAlign: General

LabReceiptTime Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: optional time lab received sample
 Format: Short Time
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 10
 Required: False
 ShowDatePicker: For dates
 SourceField: LabReceiptTime
 SourceTable: ChemTemp
 TextAlign: General

LabSampleID Short Text 50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Sample ID as created by lab
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3

OrdinalPosition: 11
Required: False
SourceField: LabSampleID
SourceTable: ChemTemp
TextAlign: General
UnicodeCompression: True

AnalysisDate Date With Time 8

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: date of analysis
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 12
Required: False
ShowDatePicker: For dates
SourceField: AnalysisDate
SourceTable: ChemTemp
TextAlign: General

Analyst Short Text 50

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Lab Analyst
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 13
Required: False
SourceField: Analyst
SourceTable: ChemTemp
TextAlign: General
UnicodeCompression: True

Reviewer Short Text 50

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False

ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Lab Reviewer
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 14
 Required: False
 SourceField: Reviewer
 SourceTable: ChemTemp
 TextAlign: General
 UnicodeCompression: True

Collector Short Text 50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Name of sample collector
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 15
 Required: False
 SourceField: Collector
 SourceTable: ChemTemp
 TextAlign: General
 UnicodeCompression: True

SAMP_DATE Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: date sample was taken in the field.
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 16
 Required: False
 ShowDatePicker: For dates
 SourceField: SAMP_DATE
 SourceTable: ChemTemp
 TextAlign: General

<p>SAMP_TIME</p> <p>AggregateType: -1 AllowZeroLength: False AppendOnly: False Attributes: Fixed Size CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False Description: optional time of sample collection Format: Short Time IMEMode: 0 IMESentenceMode: 3 OrdinalPosition: 17 Required: False ShowDatePicker: For dates SourceField: SAMP_TIME SourceTable: ChemTemp TextAlign: General</p>	<p>Date With Time</p>	<p>8</p>
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------	----------

<p>SAMP_LOC</p> <p>AggregateType: -1 AllowZeroLength: True AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False Description: Description of sampling location DisplayControl: Text Box IMEMode: 0 IMESentenceMode: 3 OrdinalPosition: 18 Required: False SourceField: SAMP_LOC SourceTable: ChemTemp TextAlign: General UnicodeCompression: True</p>	<p>Short Text</p>	<p>255</p>
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------	------------

<p>CompliancePoint</p> <p>AggregateType: -1 AllowZeroLength: True AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: 3525 DataUpdatable: False Description: universally unique foreign key linking sample result to compliance point, which is assigned to a sub-facility corresponding to the FACID, lookup in qryCompliancePointsSelectFACID DisplayControl: Text Box</p>	<p>Short Text</p>	<p>50</p>
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------	-----------

	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	19		
	Required:	False		
	SourceField:	CompliancePoint		
	SourceTable:	ChemTemp		
	TextAlign:	General		
	UnicodeCompression:	True		
CPTYPE			Long Integer	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	Description:	internal DIME Compliance Point Type identifier, lookup in table Compliance Point Types, name is different from Chemicals		
	DisplayControl:	Text Box		
	OrdinalPosition:	20		
	Required:	False		
	SourceField:	CPTYPE		
	SourceTable:	ChemTemp		
	TextAlign:	General		
contID			Long Integer	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	2220		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	Description:	internal DIME identifier for chemical contaminant, lookup in table MCL		
	DisplayControl:	Text Box		
	OrdinalPosition:	21		
	Required:	False		
	SourceField:	contID		
	SourceTable:	ChemTemp		
	TextAlign:	General		
InvalidID			Long Integer	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		

ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME Chemical Invalid Code identifier, lookup in table cheminvalidcodes, null value indicates valid result
 DisplayControl: Text Box
 OrdinalPosition: 22
 Required: False
 SourceField: InvalidID
 SourceTable: ChemTemp
 TextAlign: General

DETECT_Flag Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 3
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 ColumnWidths: 0;345;6585
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME identifier for detection flag, calculated based upon sample result value, MCL, Detection limit. lookup in table DetectFlags
 DisplayControl: Combo Box
 LimitToList: True
 ListRows: 8
 ListWidth: 6930twip
 OrdinalPosition: 23
 Required: False
 RowSource: SELECT DetectFlags.DetectID, DetectFlags.DetectFlag, DetectFlags.DetectFlagDescription FROM DetectFlags;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: DETECT_Flag
 SourceTable: ChemTemp
 TextAlign: General

DETECT_Flag_text Short Text 255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1845

DataUpdatable: False
 Description: intermim field for detection flag, used to transition to DETECT_flag (see description for field DETECT_flag)
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 24
 Required: False
 SourceField: DETECT_Flag_text
 SourceTable: ChemTemp
 TextAlign: General
 UnicodeCompression: True

SAMP_RESULT Double 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: numerical sample result value
 DisplayControl: Text Box
 OrdinalPosition: 25
 Required: False
 SourceField: SAMP_RESULT
 SourceTable: ChemTemp
 TextAlign: General

SAMP_RESULT_ERROR Double 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: numerical sample result error value (absolute), used mainly for radionuclides. N/A for other contaminant types.
 DisplayControl: Text Box
 OrdinalPosition: 26
 Required: False
 SourceField: SAMP_RESULT_ERROR
 SourceTable: ChemTemp
 TextAlign: General

NumUnitID Long Integer 4

AggregateType: -1

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME identifier for numerical unit, lookup in table Units
 DisplayControl: Text Box
 OrdinalPosition: 27
 Required: False
 SourceField: NumUnitID
 SourceTable: ChemTemp
 TextAlign: General

DETECT_LIMIT Double 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: detection limit as reported by laboratory for the method employed. Defaulted from table DetectionLimits, may also feed back into table DetectionLimits on user command.
 DisplayControl: Text Box
 OrdinalPosition: 28
 Required: False
 SourceField: DETECT_LIMIT
 SourceTable: ChemTemp
 TextAlign: General

COMMENT Short Text 255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Comment field for chemical result.
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 29
 Required: False

SourceField: COMMENT
 SourceTable: ChemTemp
 TextAlign: General
 UnicodeCompression: True

ProxyRecord Yes/No 1

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Is this record a proxy record?
 DisplayControl: 106
 Format: Yes/No
 OrdinalPosition: 30
 Required: False
 SourceField: ProxyRecord
 SourceTable: ChemTemp
 TextAlign: General

METHOD_ID Short Text 255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: internal DIME identifier for Analysis Method. Approved analytical method employed to obtain result, lookup in table AnalyticalMethods
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 31
 Required: False
 SourceField: METHOD_ID
 SourceTable: ChemTemp
 TextAlign: General
 UnicodeCompression: True

REPEAT Yes/No 1

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default

DataUpdatable: False
 Description: Is this sample a repeat or confirmation sample?
 DisplayControl: Text Box
 OrdinalPosition: 32
 Required: False
 SourceField: REPEAT
 SourceTable: ChemTemp
 TextAlign: General

COMPOSITE Yes/No 1

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Is this result part of a composite sample?
 DisplayControl: Text Box
 OrdinalPosition: 33
 Required: False
 SourceField: COMPOSITE
 SourceTable: ChemTemp
 TextAlign: General

numbercomposite Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: if COMPOSITE is Yes, the number of samples in the composite.
 DisplayControl: Text Box
 OrdinalPosition: 34
 Required: False
 SourceField: numbercomposite
 SourceTable: ChemTemp
 TextAlign: General

SPECIAL Yes/No 1

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default

DataUpdatable: False
 Description: Is this result from a "Special" (non-compliance) sampling event?
 DisplayControl: Text Box
 OrdinalPosition: 35
 Required: False
 SourceField: SPECIAL
 SourceTable: ChemTemp
 TextAlign: General

PBCUSortOrder Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: long integer for the sort order for Lead and Copper
 DisplayControl: Text Box
 OrdinalPosition: 36
 Required: False
 SourceField: PBCUSortOrder
 SourceTable: ChemTemp
 TextAlign: General

Lastupdate Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date of Last Update
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 37
 Required: False
 ShowDatePicker: For dates
 SourceField: Lastupdate
 SourceTable: ChemTemp
 TextAlign: General

CurrentUpdateUser Short Text 50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False

ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Current User At Time of Update
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 38
 Required: False
 SourceField: CurrentUpdateUser
 SourceTable: ChemTemp
 TextAlign: General
 UnicodeCompression: True

LabUpdate Yes/No 1

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: 106
 Format: Yes/No
 OrdinalPosition: 39
 Required: False
 SourceField: LabUpdate
 SourceTable: ChemTemp
 TextAlign: General

CreatedBy Short Text 50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Created by user name
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 40
 Required: False
 SourceField: CreatedBy
 SourceTable: ChemTemp
 TextAlign: General
 UnicodeCompression: True

NewId Long Integer 4

AggregateType: -1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	New id only used for admin substitution;
DisplayControl:	Text Box
OrdinalPosition:	41
Required:	False
SourceField:	NewId
SourceTable:	ChemTemp
TextAlign:	General

DontCalcFlag		Yes/No	1
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	if this one is checked then do not calculate the flag		
DisplayControl:	106		
Format:	Yes/No		
OrdinalPosition:	42		
Required:	False		
SourceField:	DontCalcFlag		
SourceTable:	ChemTemp		
TextAlign:	General		

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	

jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\ Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:51 PM	DefaultView:	2
GUID:	{guid {53AB051F-829C-4B79- 8CE2-5BB4D72A576D}}	LastUpdated:	11/5/2014 6:19:51 PM
NameMap:	Long binary data	OrderByOn:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	CommonComments	Updatable:	False

Columns

Name	Type	Size
commentID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal DIME comment identifier	
GUID:	{guid {985AF36B-02B8-4572-A68C-BBF801C6922E}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	commentID	
SourceTable:	CommonComments	
 formname	 Short Text	 50
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	name of form from which comment applies	
DisplayControl:	Text Box	
GUID:	{guid {A29400C9-D679-454F-AB1A-B916DCEFFA95}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	formname	
SourceTable:	CommonComments	
UnicodeCompression:	True	
 objectname	 Short Text	 50
AllowZeroLength:	True	
AppendOnly:	False	

Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: object name of comment control on form
 DisplayControl: Text Box
 GUID: {guid {DD1490A4-1FDF-4F54-BB89-D97016605E95}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: objectname
 SourceTable: CommonComments
 UnicodeCompression: True

tablename Short Text 50

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: table for which comment applies
 DisplayControl: Text Box
 GUID: {guid {29C07392-E47C-4231-B6A4-E6F55A3940E9}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: tablename
 SourceTable: CommonComments
 UnicodeCompression: True

comment Long Text -

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 6636
 DataUpdatable: False
 Description: comment in memo format
 GUID: {guid {DB9243D4-C7D1-400C-BBFF-0AD396EB4A81}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False
 SourceField: comment
 SourceTable: CommonComments
 UnicodeCompression: True

fieldname	datatype	length
fieldsize	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	number of characters limit, if text. If null, then it is a memo field	
DisplayControl:	Text Box	
GUID:	{guid {D917C47B-C715-4634-96A3-3AD85A82EF6B}}	
OrdinalPosition:	5	
Required:	False	
SourceField:	fieldsize	
SourceTable:	CommonComments	
rank	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	larger number means it is more commonly used, sorting order	
DisplayControl:	Text Box	
GUID:	{guid {36E20701-D721-4D05-BF67-A2D231F8503C}}	
OrdinalPosition:	6	
Required:	False	
SourceField:	rank	
SourceTable:	CommonComments	
Lastupdate	Date With Time	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Date of Last Update	
Format:	General Date	
GUID:	{guid {6D5B4DFB-0B7A-4585-90B7-41640EE57D1D}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	7	
Required:	False	
SourceField:	Lastupdate	
SourceTable:	CommonComments	

CurrentUpdateUser		Short Text	50
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Current User At Time of Update		
DisplayControl:	Text Box		
GUID:	{guid {CD5BB50B-55BD-47F9-B625-68EB7E82A00F}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	8		
Required:	False		
SourceField:	CurrentUpdateUser		
SourceTable:	CommonComments		
UnicodeCompression:	True		

DateCreated		Date With Time	8
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DefaultValue:	=Now()		
Description:	automatically entered on update of record- should be changed to DateCreated		
Format:	General Date		
GUID:	{guid {FD07B84B-38D4-4B0F-A8CE-10EF2B607F74}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	9		
Required:	False		
SourceField:	DateCreated		
SourceTable:	CommonComments		

CreatedBy		Short Text	50
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	created by user		
DisplayControl:	Text Box		
GUID:	{guid {CD3D524A-0A50-45B0-960A-6D6BDA28EA7C}}		
IMEMode:	0		
IMESentenceMode:	3		

OrdinalPosition: 10
 Required: False
 SourceField: CreatedBy
 SourceTable: CommonComments
 UnicodeCompression: True

Table Indexes

Name	Number of Fields
commentID	1
Clustered:	False
DistinctCount:	90
Foreign:	False
IgnoreNulls:	False
Name:	commentID
Primary:	False
Required:	False
Unique:	False
Fields:	
commentID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	90
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
commentID	Ascending

User Permissions

- admin
- aizaz
- andrew
- bessie
- chris
- corine
- daria
- designer
- dschmidt
- Emmanuelle
- everett
- guest
- helen
- hillary
- jack
- jamelya
- Jason
- jelani

jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

AlternateBackShade:	100	AlternateBackThemeColorIn	-1
AlternateBackTint:	100	Attributes:	Linked
BackShade:	100	BackTint:	100
Connect:	;DATABASE=C:\Users\kbanks\Dime_Local\DIME_be.mdb		DatasheetForeThemeColorIn -1
DatasheetGridlinesThemeCol	-1	DateCreated:	11/5/2014 6:19:51 PM
DefaultView:	2	DisplayViewsOnSharePointSi	1
Filter:	([CompliancePoints].[CptypeID]=3)		FilterOnLoad: False
GUID:	{guid {51A36F71-5180-44D4-8898-7E5B2CEB8013}}	HideNewField:	False
LastUpdated:	11/5/2014 6:19:51 PM	NameMap:	Long binary data
OrderBy:	[CompliancePoints].[CompliancePointID]	OrderByOn:	True
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	-1	SourceTableName:	CompliancePoints
SubDataSheetName:	[Auto]	ThemeFontIndex:	-1
TotalsRow:	False	Updatable:	False

Columns

Name	Type	Size
CompliancePointID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2355	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	internal compliance point identifier	
GUID:	{guid {7FC72408-7685-44CA-BA9A-38C94B117FF3}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	CompliancePointID	
SourceTable:	CompliancePoints	
TextAlign:	General	
FACID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	

DecimalPlaces: Auto
 Description: internal PWS identifier, lookup in table Facility Information
 DisplayControl: Text Box
 GUID: {guid {80115C89-120D-42B1-942E-30E2F53290D1}}
 OrdinalPosition: 1
 Required: False
 SourceField: FACID
 SourceTable: CompliancePoints
 TextAlign: General

UnivUniqueID Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: universally unique identifier from union of sources, entry points, treatment plants, storage, or distribution system
 DisplayControl: Text Box
 GUID: {guid {830D03C9-1416-442A-8FB7-3981CCB55CA6}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: UnivUniqueID
 SourceTable: CompliancePoints
 TextAlign: General
 UnicodeCompression: True

CPname Short Text 75

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 4515
 CurrencyLCID: 0
 DataUpdatable: False
 Description: commonly known name or locational identifier, inserted by DIME from query Sources
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: CPname
 SourceTable: CompliancePoints
 TextAlign: General

UnicodeCompression:	True		
CTypeID		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
BoundColumn:	1		
Caption:	CType		
CollatingOrder:	General		
ColumnCount:	2		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1005		
ColumnWidths:	432;2880		
CurrencyLCID:	0		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	internal Compliance Point Type identifier, lookup in table CompliancePointTypes		
DisplayControl:	Text Box		
GUID:	{guid {D40DABD6-17C4-4BCE-9760-2B673F8AA4F5}}		
LimitToList:	True		
ListRows:	25		
ListWidth:	3024twip		
OrdinalPosition:	4		
Required:	False		
RowSource:	SELECT CompliancePointTypes.CTypeID, CompliancePointTypes.CType FROM CompliancePointTypes;		
RowSourceType:	Table/Query		
SourceField:	CTypeID		
SourceTable:	CompliancePoints		
TextAlign:	General		
contID		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
BoundColumn:	1		
CollatingOrder:	General		
ColumnCount:	6		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2415		
ColumnWidths:	0;1872;1872;0;504;792		
CurrencyLCID:	0		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	internal Contaminant identifier, lookup in table MCL		
DisplayControl:	Text Box		
GUID:	{guid {C2BDCBAC-5868-43C6-A717-44914B4123C2}}		
LimitToList:	True		

ListRows: 25
ListWidth: 5040twip
OrdinalPosition: 5
Required: False
RowSource: SELECT MCL.contID, MCL.chem_name,
CompliancePointTypes.chem_group_name, MCL.SortOrder,
MCL.chem_code, MCL.MCL_value FROM MCL LEFT JOIN
CompliancePointTypes ON
MCL.CPtypeID=CompliancePointTypes.CPtypeID;
RowSourceType: Table/Query
SourceField: contID
SourceTable: CompliancePoints
TextAlign: General

MonitoringStatusID Long Integer 4
AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
BoundColumn: 1
Caption: ReqdMonitoringFreq
CollatingOrder: General
ColumnCount: 4
ColumnHeads: False
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
ColumnWidths: 0;2520;1440;0
CurrencyLCID: 0
DataUpdatable: False
DecimalPlaces: Auto
Description: internal monitoring status option, lookup in table
MonitoringStatusLookup
DisplayControl: Text Box
GUID: {guid {6C631231-FB19-443F-B0BD-AFE6142F8432}}
IMEMode: 0
IMESentenceMode: 3
LimitToList: True
ListRows: 8
ListWidth: 3960twip
OrdinalPosition: 6
Required: False
RowSource: SELECT MonitoringStatus.monitoringstatusID,
MonitoringStatus.monitoringstatus,
MonitoringStatus.monitoringfrequency, MonitoringStatus.CPtypeID
FROM MonitoringStatus;
RowSourceType: Table/Query
SourceField: MonitoringStatusID
SourceTable: CompliancePoints
TextAlign: General
UnicodeCompression: False

EffectiveDate		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
Description:	date/time when current MonitoringStatusID becomes effective, default is first day of next quarter		
GUID:	{guid {8B349971-BC25-4444-8F00-824E4F450FCA}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	7		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	EffectiveDate		
SourceTable:	CompliancePoints		
TextAlign:	General		

WaiverRenewDate		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
Description:	Date by which Waiver must be recertified by PWS Responsible Party		
Format:	Short Date		
GUID:	{guid {158AC0B1-93CD-49A7-83A2-28F24FE5CB37}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	8		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	WaiverRenewDate		
SourceTable:	CompliancePoints		
TextAlign:	General		

NextDueOverride		Single	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		

CurrencyLCID: 0
DataUpdatable: False
DecimalPlaces: Auto
Description: Override of next due date to correct for an EPA-approved anomaly not corrected with the default intervals available
DisplayControl: Text Box
GUID: {guid {B5848832-069E-4751-A0C4-219FBA8B1E86}}
OrdinalPosition: 9
Required: False
SourceField: NextDueOverride
SourceTable: CompliancePoints
TextAlign: General

FollowingDueOverride Single 4

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
CurrencyLCID: 0
DataUpdatable: False
DecimalPlaces: Auto
Description: Override of following due date to correct for an EPA-approved anomaly not corrected with the default intervals available
DisplayControl: Text Box
GUID: {guid {53F57CA7-DF10-4A72-9047-A49E724549C5}}
OrdinalPosition: 10
Required: False
SourceField: FollowingDueOverride
SourceTable: CompliancePoints
TextAlign: General

PreviousMSI Long Integer 4

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
CurrencyLCID: 0
DataUpdatable: False
DecimalPlaces: Auto
Description: PREVIOUS internal monitoring status option, lookup in table MonitoringStatusLookup
DisplayControl: Text Box
GUID: {guid {DDA5458E-5FDA-45FC-87F4-E5E5DE2B2E73}}
OrdinalPosition: 11
Required: False
SourceField: PreviousMSI

SourceTable:	CompliancePoints		
TextAlign:	General		
PeakMonth		Integer	2
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Peak Month for Stage 2 DBPR sampling		
DisplayControl:	Text Box		
OrdinalPosition:	12		
Required:	False		
SourceField:	PeakMonth		
SourceTable:	CompliancePoints		
TextAlign:	General		
Comments		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
Description:	Comments for each Contaminants controlled by the group		
DisplayControl:	Text Box		
GUID:	{guid {B36BCCEC-0004-498F-99F6-1BEA4FC85480}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	14		
Required:	False		
SourceField:	Comments		
SourceTable:	CompliancePoints		
TextAlign:	General		
UnicodeCompression:	True		
Lastupdate		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	4320		

CurrencyLCID: 0
DataUpdatable: False
Description: Date of Last Update
Format: General Date
GUID: {guid {9DAC9BCB-FD01-4580-8997-C707CC444390}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 15
Required: False
ShowDatePicker: For dates
SourceField: Lastupdate
SourceTable: CompliancePoints
TextAlign: General

CurrentUpdateUser Short Text 50

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
CurrencyLCID: 0
DataUpdatable: False
Description: Current User At Time of Update
DisplayControl: Text Box
GUID: {guid {D7C485D0-7444-46DF-8910-F2074CA21BFB}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 16
Required: False
SourceField: CurrentUpdateUser
SourceTable: CompliancePoints
TextAlign: General
UnicodeCompression: True


DateCreated Date With Time 8

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
CurrencyLCID: 0
DataUpdatable: False
Format: General Date
GUID: {guid {9EC0976A-043F-4BE1-8988-52B71276FE99}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 17
Required: False
ShowDatePicker: For dates

SourceField:	DateCreated		
SourceTable:	CompliancePoints		
TextAlign:	General		
CreatedBy		Short Text	50
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {0AB3D587-DFE3-41C8-89BA-756B8AAEC91F}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	18		
Required:	False		
SourceField:	CreatedBy		
SourceTable:	CompliancePoints		
TextAlign:	General		
UnicodeCompression:	True		
OldCompliancePointID		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1830		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Old internal compliance point identifier		
DisplayControl:	Text Box		
GUID:	{guid {788FA313-E7AB-4D98-A3CD-842C9F37C6D9}}		
OrdinalPosition:	19		
Required:	False		
SourceField:	OldCompliancePointID		
SourceTable:	CompliancePoints		
TextAlign:	General		

Relationships

Facility InformationCompliancePoints



Attributes: Not Enforced, Inherited
 RelationshipType: One-To-Many (External)

Table Indexes

Name	Number of Fields
CompliancePointID	1
Clustered:	False
DistinctCount:	38736
Foreign:	False
IgnoreNulls:	False
Name:	CompliancePointID
Primary:	False
Required:	False
Unique:	True
Fields:	
CompliancePointID	Ascending
PrimaryKey	5
Clustered:	False
DistinctCount:	38703
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
FACID	Ascending
UnivUniqueID	Ascending
CPname	Ascending
CTypeID	Ascending
contID	Ascending

User Permissions

- admin
- aizaz
- andrew
- bessie
- chris
- corine
- daria
- designer
- dschmidt

Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	9/25/2007 5:30:05 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	Filter:	([CompliancePointsCreationSpecs].[CTypeID]=31 Or [CompliancePointsCreationSpecs].[CTypeID]=32)
FilterOnLoad:	False	GUID:	{guid {3EC4CFAE-AD00-4541-9857-B906D061A5CB}}
HideNewField:	False	LastUpdated:	2/3/2014 4:37:01 PM
NameMap:	Long binary data	OrderBy:	[CompliancePointsCreationSpecs].[TypicalSampleLocation], [CompliancePointsCreationSpecs].[CTypeID], [CompliancePointsCreationSpecs].[contID]
OrderByOn:	True	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	691
SubDataSheetName:	[Auto]	TotalsRow:	False
Updatable:	True		

Columns

Name	Type	Size
contID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	1500	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	internal DIME contaminant identifier, autonumber	
DisplayControl:	Text Box	
OrdinalPosition:	0	
Required:	False	
SourceField:	contID	
SourceTable:	CompliancePointsCreationSpecs	
TextAlign:	General	
CTypeID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	2	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	

Description: internal DIME Compliance Point Type identifier, lookup in table CompliancePointTypes
 DisplayControl: Text Box
 OrdinalPosition: 1
 Required: False
 SourceField: CTypeID
 SourceTable: CompliancePointsCreationSpecs
 TextAlign: General

BaselineStatus Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: 3
 ColumnWidth: 1500
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME monitoring status identifier, lookup in table MonitoringStatus
 DisplayControl: Text Box
 GUID: {guid {F88432CD-74C8-4A3B-A3D1-65953682180F}}
 OrdinalPosition: 2
 Required: False
 SourceField: BaselineStatus
 SourceTable: CompliancePointsCreationSpecs
 TextAlign: General

ReducedStatus Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: 4
 ColumnWidth: 1515
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME monitoring status identifier, lookup in table MonitoringStatus
 DisplayControl: Text Box
 GUID: {guid {E522A564-FBB9-4047-B0EB-968C09A6EB9B}}
 OrdinalPosition: 3
 Required: False
 SourceField: ReducedStatus
 SourceTable: CompliancePointsCreationSpecs
 TextAlign: General

TypicalSampleLocation Short Text 2

AggregateType: -1

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: 5
 ColumnWidth: Default
 DataUpdatable: False
 Description: first two letters of Universally Unique ID expected for this
 contaminant sampling location requirements
 DisplayControl: Text Box
 GUID: {guid {7FAB304C-9262-4312-8EA0-0061C17DBBD2}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False
 SourceField: TypicalSampleLocation
 SourceTable: CompliancePointsCreationSpecs
 TextAlign: General
 UnicodeCompression: True

Community Yes/No 1

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: 6
 ColumnWidth: Default
 DataUpdatable: False
 Description: boolean indicating whether this contaminant is typically required for
 Community PWS
 DisplayControl: 106
 Format: Yes/No
 GUID: {guid {C5308B7A-2156-483D-BB49-C84B126B3B6C}}
 OrdinalPosition: 5
 Required: False
 SourceField: Community
 SourceTable: CompliancePointsCreationSpecs
 TextAlign: General

NTNC Yes/No 1

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: 7
 ColumnWidth: Default
 DataUpdatable: False
 Description: boolean indicating whether this contaminant is typically required for
 NTNC PWS

DisplayControl: 106
 Format: Yes/No
 GUID: {guid {2DA97048-DC5A-4B43-8A67-CD5B3EB51A3E}}
 OrdinalPosition: 6
 Required: False
 SourceField: NTNC
 SourceTable: CompliancePointsCreationSpecs
 TextAlign: General

Transient Yes/No 1

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: 8
 ColumnWidth: Default
 DataUpdatable: False
 Description: boolean indicating whether this contaminant is typically required for Transient PWS
 DisplayControl: 106
 Format: Yes/No
 GUID: {guid {A89A7C50-3D0B-4C38-8EBC-3601C33F8B3A}}
 OrdinalPosition: 7
 Required: False
 SourceField: Transient
 SourceTable: CompliancePointsCreationSpecs
 TextAlign: General

Lastupdate Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: 9
 ColumnWidth: 1215
 DataUpdatable: False
 Description: Date of Last Update
 Format: General Date
 GUID: {guid {B49F0799-F928-4B19-BD75-3D32381772CC}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 8
 Required: False
 ShowDatePicker: For dates
 SourceField: Lastupdate
 SourceTable: CompliancePointsCreationSpecs
 TextAlign: General

CurrentUpdateUser Short Text 50

AggregateType: -1
 AllowZeroLength: False

AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	10
ColumnWidth:	1965
DataUpdatable:	False
Description:	Current User At Time of Update
DisplayControl:	Text Box
GUID:	{guid {B59D92CA-9167-485B-9DC6-8D984EE393DC}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	9
Required:	False
SourceField:	CurrentUpdateUser
SourceTable:	CompliancePointsCreationSpecs
TextAlign:	General
UnicodeCompression:	True

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
CTypeID	1
Clustered:	False
DistinctCount:	28
Foreign:	False
IgnoreNulls:	False
Name:	CTypeID
Primary:	False
Required:	False
Unique:	False
Fields:	
CTypeID	Ascending
PrimaryKey	2
Clustered:	False
DistinctCount:	691
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
contID	Ascending
CTypeID	Ascending

User Permissions

admin
aizaz
andrew
bessie

chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

AlternateBackShade:	100	AlternateBackThemeColorIn	-1
AlternateBackTint:	100	BackShade:	100
BackTint:	100	DatasheetForeThemeColorIn	-1
DatasheetGridlinesThemeCol	-1	DateCreated:	10/9/2012 3:04:53 PM
DefaultView:	2	DisplayViewsOnSharePointSi	1
FilterOnLoad:	False	GUID:	{guid {1C64979A-6EE0-4C9E-97AE-66F534E02096}}
HideNewField:	False	LastUpdated:	10/23/2014 2:31:56 PM
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	32	ThemeFontIndex:	-1
TotalsRow:	False	Updatable:	True

Columns

Name	Type	Size
CTypeID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	internal DIME identifier for Compliance Point Type	
OrdinalPosition:	0	
Required:	False	
SourceField:	CTypeID	
SourceTable:	CompliancePointTypes	
TextAlign:	General	
CType	Short Text	50
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	6435	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	Compliance Point type description	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	

SourceField:	CPtrype		
SourceTable:	CompliancePointTypes		
TextAlign:	General		
UnicodeCompression:	True		
chem_group		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1095		
CurrencyLCID:	0		
DataUpdatable:	False		
Description:	Chemical Group designation		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	2		
Required:	False		
SourceField:	chem_group		
SourceTable:	CompliancePointTypes		
TextAlign:	General		
UnicodeCompression:	False		
chem_group_name		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	5085		
CurrencyLCID:	0		
DataUpdatable:	False		
Description:	Chemical Group name		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	3		
Required:	False		
SourceField:	chem_group_name		
SourceTable:	CompliancePointTypes		
TextAlign:	General		
UnicodeCompression:	False		
CPtrypeSort		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		

ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Sort Order for this table
 DisplayControl: Text Box
 OrdinalPosition: 4
 Required: False
 SourceField: CPTTypeSort
 SourceTable: CompliancePointTypes
 TextAlign: General

AnnualDueDate Short Text 255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1875
 CurrencyLCID: 0
 DataUpdatable: False
 Description: "mm/dd"
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 5
 Required: False
 SourceField: AnnualDueDate
 SourceTable: CompliancePointTypes
 TextAlign: General
 UnicodeCompression: True

CCR_chemGrpname Short Text 255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 3630
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Chemical Group Name for CCR report
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 6
 Required: False
 SourceField: CCR_chemGrpname
 SourceTable: CompliancePointTypes

TextAlign:	General		
UnicodeCompression:	True		
Regulated		Yes/No	1
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
Description:	Regulated is yes and no is unregulated		
DisplayControl:	106		
Format:	Yes/No		
OrdinalPosition:	7		
Required:	False		
SourceField:	Regulated		
SourceTable:	CompliancePointTypes		
TextAlign:	General		

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
CptypeID	1
Clustered:	False
DistinctCount:	32
Foreign:	False
IgnoreNulls:	False
Name:	CptypeID
Primary:	False
Required:	False
Unique:	False
Fields:	
CptypeID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	32
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
CptypeID	Ascending

User Permissions

admin

aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

AlternateBackShade:	100	AlternateBackThemeColorIn	-1
AlternateBackTint:	100	Attributes:	Linked
BackShade:	100	BackTint:	100
Connect:	;DATABASE=C:\Users\kbanks\Dime_Local\DIME_be.mdb		DatasheetForeThemeColorIn -1
DatasheetGridlinesThemeCol	-1	DateCreated:	11/5/2014 6:19:51 PM
DefaultView:	2	DisplayViewsOnSharePointSi	1
Filter:	([Contacts].[OrganizationId]=991177823)	FilterOnLoad:	False
GUID:	{guid {4695644B-D50F-49EA-A620-2E056A4B1873}}	HideNewField:	False
LastUpdated:	11/5/2014 6:19:51 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	Contacts	SubDataSheetName:	[Auto]
ThemeFontIndex:	-1	TotalsRow:	False
Updatable:	False		

Columns

Name	Type	Size
ContactID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	internal DIME contact ID, autonumber	
GUID:	{guid {A1F07FDA-29C1-468F-B664-94F009D64393}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	ContactID	
SourceTable:	Contacts	
TextAlign:	General	
AgencyID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
BoundColumn:	1	
CollatingOrder:	General	
ColumnCount:	2	
ColumnHeads:	False	
ColumnHidden:	False	
ColumnOrder:	Default	

ColumnWidth: Default
 ColumnWidths: 0;2484
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME Agency ID, lookup in table Agencies
 DisplayControl: Text Box
 GUID: {guid {66860B27-44AE-4858-B93C-A7E62976194C}}
 LimitToList: True
 ListRows: 8
 ListWidth: 2484twip
 OrdinalPosition: 1
 Required: False
 RowSource: SELECT Agencies.AgencyID, Agencies.Agency FROM Agencies ORDER BY [Agency];
 RowSourceType: Table/Query
 SourceField: AgencyID
 SourceTable: Contacts
 TextAlign: General

POcontactID Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: first name of project officer associated with this contact. set value to 'designer' for group access.
 DisplayControl: Text Box
 GUID: {guid {0236B29E-6C1B-48D2-812B-D779F00F795F}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: POcontactID
 SourceTable: Contacts
 TextAlign: General
 UnicodeCompression: True

SALUTATION_CODE Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0

DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal ID for salutation, lookup in table Titles
 DisplayControl: Text Box
 GUID: {guid {E1A2F9E2-E960-4183-90E0-55F15945D75A}}
 OrdinalPosition: 3
 Required: False
 SourceField: SALUTATION_CODE
 SourceTable: Contacts
 TextAlign: General

FIRST_NAME_TEXT Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: first name
 DisplayControl: Text Box
 GUID: {guid {C9C8A21F-23EF-477A-A455-DAB3DF2D03D3}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False
 SourceField: FIRST_NAME_TEXT
 SourceTable: Contacts
 TextAlign: General
 UnicodeCompression: True

LAST_NAME Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: last name
 DisplayControl: Text Box
 GUID: {guid {BEB8E7F7-5A57-43C3-B4AD-F0CD3FD48B58}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 5
 Required: True
 SourceField: LAST_NAME
 SourceTable: Contacts
 TextAlign: General

UnicodeCompression:	True		
PROF_QUAL_TXT		Short Text	50
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
Description:	professional qualifications		
DisplayControl:	Text Box		
GUID:	{guid {602BBB8A-2845-4464-AED9-0FF2CE38FDC2}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	6		
Required:	False		
SourceField:	PROF_QUAL_TXT		
SourceTable:	Contacts		
TextAlign:	General		
UnicodeCompression:	True		
JOB_TITLE_TEXT		Short Text	50
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
Description:	job title		
DisplayControl:	Text Box		
GUID:	{guid {290D3FE0-BF60-4C8D-81A2-D79956672BE7}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	7		
Required:	False		
SourceField:	JOB_TITLE_TEXT		
SourceTable:	Contacts		
TextAlign:	General		
UnicodeCompression:	True		
OrganizationID		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		

ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME Organization identifier, lookup in table Organization
 DisplayControl: Text Box
 GUID: {guid {1BA07704-C0C5-404F-8C7D-1841E821CC5F}}
 OrdinalPosition: 9
 Required: False
 SourceField: OrganizationID
 SourceTable: Contacts
 TextAlign: General

FAX_NUMBER Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Fax
 DisplayControl: Text Box
 GUID: {guid {B8023DFC-350F-4407-B0E8-74EB372E5722}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 10
 Required: False
 SourceField: FAX_NUMBER
 SourceTable: Contacts
 TextAlign: General
 UnicodeCompression: True

FAX_NUMBER_Label Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: fax number label
 DisplayControl: Text Box
 GUID: {guid {D0CEE595-88E2-4A34-B9A4-02023A11AE25}}
 OrdinalPosition: 11
 Required: False
 SourceField: FAX_NUMBER_Label

SourceTable:	Contacts		
TextAlign:	General		
BUS_PHONE_NUM		Short Text	50
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
Description:	Business phone		
DisplayControl:	Text Box		
GUID:	{guid {1A207352-FD56-4D0C-9A53-2844501E9FBD}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	12		
Required:	False		
SourceField:	BUS_PHONE_NUM		
SourceTable:	Contacts		
TextAlign:	General		
UnicodeCompression:	True		
BUS_PHONE_NUM_EXT		Short Text	50
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
Description:	Business phone extension		
DisplayControl:	Text Box		
GUID:	{guid {FA64B5CA-E1E7-40D6-B33C-10D9D48DA084}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	13		
Required:	False		
SourceField:	BUS_PHONE_NUM_EXT		
SourceTable:	Contacts		
TextAlign:	General		
UnicodeCompression:	True		
BUS_PHONE_NUM_Label		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		

ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Business phone label
 DisplayControl: Text Box
 GUID: {guid {2919A8D0-54CB-4A73-8789-D41F041F3267}}
 OrdinalPosition: 14
 Required: False
 SourceField: BUS_PHONE_NUM_Label
 SourceTable: Contacts
 TextAlign: General

EMERG_PHONE_NUM Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Alternate phone number for emergency
 DisplayControl: Text Box
 GUID: {guid {FA8D86EF-9BDA-430B-8E41-D67783ADA5AA}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 15
 Required: False
 SourceField: EMERG_PHONE_NUM
 SourceTable: Contacts
 TextAlign: General
 UnicodeCompression: True

EMERG_PHONE_NUM_label Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: emergency phone number label
 DisplayControl: Text Box
 GUID: {guid {98F6D1D7-3810-4BB7-8AD4-A95BD9648626}}
 OrdinalPosition: 16
 Required: False

SourceField:	EMERG_PHONE_NUM_label		
SourceTable:	Contacts		
TextAlign:	General		
ALT_PHONE_1		Short Text	50
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
Description:	alternate phone 1		
DisplayControl:	Text Box		
GUID:	{guid {AEC75433-7C05-4E0F-B6D1-310D85DABD1B}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	17		
Required:	False		
SourceField:	ALT_PHONE_1		
SourceTable:	Contacts		
TextAlign:	General		
UnicodeCompression:	True		
ALT_PHONE_1_Label		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	alternate phone 1 label		
DisplayControl:	Text Box		
GUID:	{guid {93D1946C-0F44-4D6B-903E-10C2253DF5E4}}		
OrdinalPosition:	18		
Required:	False		
SourceField:	ALT_PHONE_1_Label		
SourceTable:	Contacts		
TextAlign:	General		
ALT_PHONE_2		Short Text	50
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		

ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: alternate phone 2
 DisplayControl: Text Box
 GUID: {guid {48067150-7402-4A43-96AE-248D30F2F876}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 19
 Required: False
 SourceField: ALT_PHONE_2
 SourceTable: Contacts
 TextAlign: General
 UnicodeCompression: True

ALT_PHONE_2_Label Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: alternate phone 2 label
 DisplayControl: Text Box
 GUID: {51450825-3343-43FA-9CCF-17FFC5C47873}
 OrdinalPosition: 20
 Required: False
 SourceField: ALT_PHONE_2_Label
 SourceTable: Contacts
 TextAlign: General

ALT_PHONE_3 Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: alternate phone 3
 DisplayControl: Text Box
 GUID: {3238F648-A27A-4E95-BA03-4F0DA03B3A55}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 21
 Required: False

SourceField:	ALT_PHONE_3		
SourceTable:	Contacts		
TextAlign:	General		
UnicodeCompression:	True		
ALT_PHONE_3_Label		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	alternate phone 3 label		
DisplayControl:	Text Box		
GUID:	{guid {E6882DA8-8BA9-4C7E-9ED3-87D0DBB12353}}		
OrdinalPosition:	22		
Required:	False		
SourceField:	ALT_PHONE_3_Label		
SourceTable:	Contacts		
TextAlign:	General		
ADDR_LINE_ONE_TXT		Short Text	50
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
Description:	address line one		
DisplayControl:	Text Box		
GUID:	{guid {8FBC47AC-8190-419C-BC68-0B07D81DD802}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	23		
Required:	False		
SourceField:	ADDR_LINE_ONE_TXT		
SourceTable:	Contacts		
TextAlign:	General		
UnicodeCompression:	True		
ADDR_LINE_TWO_TXT		Short Text	50
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		

ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: address line two
 DisplayControl: Text Box
 GUID: {guid {31C466C9-C932-422C-97D3-0CC1F2269F20}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 24
 Required: False
 SourceField: ADDR_LINE_TWO_TXT
 SourceTable: Contacts
 TextAlign: General
 UnicodeCompression: True

ADDRESS_CITY_NAME Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: City
 DisplayControl: Text Box
 GUID: {DFD36E57-9CAF-4AE1-975B-18EA39C48F92}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 25
 Required: False
 SourceField: ADDRESS_CITY_NAME
 SourceTable: Contacts
 TextAlign: General
 UnicodeCompression: True

ADDRESS_STATE_CODE Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 3
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 ColumnWidths: 0;300;1050
 CurrencyLCID: 0

DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal ID for state, lookup in table States
 DisplayControl: Combo Box
 GUID: {guid {C1716A41-EAC4-46C3-AF4E-A6799BDAA5B0}}
 LimitToList: True
 ListRows: 8
 ListWidth: 1350twip
 OrdinalPosition: 26
 Required: False
 RowSource: SELECT States.ID, States.StateAbbrev, States.StateName FROM States;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: ADDRESS_STATE_CODE
 SourceTable: Contacts
 TextAlign: General

ADDRESS_ZIP_CODE Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Zip Code
 DisplayControl: Text Box
 GUID: {guid {14795919-FB5C-4482-80D7-597452A6CCBE}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 27
 Required: False
 SourceField: ADDRESS_ZIP_CODE
 SourceTable: Contacts
 TextAlign: General
 UnicodeCompression: True

MAIL_STOP_TEXT Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Mail stop
 DisplayControl: Text Box
 GUID: {guid {7FB8C251-081D-468E-A760-A4D54DA6914E}}
 UnicodeCompression: True

IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 28
 Required: False
 SourceField: MAIL_STOP_TEXT
 SourceTable: Contacts
 TextAlign: General
 UnicodeCompression: True

Email Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Email address
 DisplayControl: Text Box
 GUID: {guid {DACDBB37-80D4-48BE-A8DE-0CC98B0F61BE}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 29
 Required: False
 SourceField: Email
 SourceTable: Contacts
 TextAlign: General
 UnicodeCompression: True

WebsiteURL Short Text 255

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: website URL
 DisplayControl: Text Box
 GUID: {guid {42CFFCD0-B66C-497F-AFDD-0B9D1BDCC1E0}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 30
 Required: False
 SourceField: WebsiteURL
 SourceTable: Contacts
 TextAlign: General
 UnicodeCompression: True

<p>pADDR_LINE_ONE_TXT</p> <p>AggregateType: -1</p> <p>AllowZeroLength: False</p> <p>AppendOnly: False</p> <p>Attributes: Variable Length</p> <p>CollatingOrder: General</p> <p>ColumnHidden: False</p> <p>ColumnOrder: Default</p> <p>ColumnWidth: Default</p> <p>CurrencyLCID: 0</p> <p>DataUpdatable: False</p> <p>Description: personal address line one</p> <p>DisplayControl: Text Box</p> <p>GUID: {guid {ABF4A4A3-7BF6-4028-BD44-91FE32EE6976}}</p> <p>IMEMode: 0</p> <p>IMESentenceMode: 3</p> <p>OrdinalPosition: 31</p> <p>Required: False</p> <p>SourceField: pADDR_LINE_ONE_TXT</p> <p>SourceTable: Contacts</p> <p>TextAlign: General</p> <p>UnicodeCompression: True</p>	<p>Short Text</p> <p>50</p>
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------

<p>pADDR_LINE_TWO_TXT</p> <p>AggregateType: -1</p> <p>AllowZeroLength: False</p> <p>AppendOnly: False</p> <p>Attributes: Variable Length</p> <p>CollatingOrder: General</p> <p>ColumnHidden: False</p> <p>ColumnOrder: Default</p> <p>ColumnWidth: Default</p> <p>CurrencyLCID: 0</p> <p>DataUpdatable: False</p> <p>Description: address line two</p> <p>DisplayControl: Text Box</p> <p>GUID: {guid {4B3A34F1-F8E2-4E9D-A02B-5DDF313F6CB4}}</p> <p>IMEMode: 0</p> <p>IMESentenceMode: 3</p> <p>OrdinalPosition: 32</p> <p>Required: False</p> <p>SourceField: pADDR_LINE_TWO_TXT</p> <p>SourceTable: Contacts</p> <p>TextAlign: General</p> <p>UnicodeCompression: True</p>	<p>Short Text</p> <p>50</p>
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------

<p>pADDRESS_CITY_NAME</p> <p>AggregateType: -1</p> <p>AllowZeroLength: False</p> <p>AppendOnly: False</p> <p>Attributes: Variable Length</p> <p>CollatingOrder: General</p> <p>ColumnHidden: False</p> <p>ColumnOrder: Default</p> <p>ColumnWidth: Default</p>	<p>Short Text</p> <p>50</p>
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------

CurrencyLCID: 0
 DataUpdatable: False
 Description: City
 DisplayControl: Text Box
 GUID: {guid {D6BCAD57-371F-4B1A-8DE4-B5851E06A01E}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 33
 Required: False
 SourceField: pADDRESS_CITY_NAME
 SourceTable: Contacts
 TextAlign: General
 UnicodeCompression: True

pADDRESS_STATE_CODE Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 3
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 ColumnWidths: 0;299;1050
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal ID for state, lookup in table States
 DisplayControl: Combo Box
 GUID: {guid {84B74E8E-38A2-4148-B1C3-98DA3FF91270}}
 LimitToList: True
 ListRows: 8
 ListWidth: 1350twip
 OrdinalPosition: 34
 Required: False
 RowSource: SELECT States.ID, States.StateAbbrev, States.StateName FROM States;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: pADDRESS_STATE_CODE
 SourceTable: Contacts
 TextAlign: General

pADDRESS_ZIP_CODE Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default

ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Zip Code
 DisplayControl: Text Box
 GUID: {guid {9D354D59-9B16-4F22-BF0D-E1F38C62F855}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 35
 Required: False
 SourceField: pADDRESS_ZIP_CODE
 SourceTable: Contacts
 TextAlign: General
 UnicodeCompression: True

AreaAssignment Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Service Area Contact Assignment
 DisplayControl: Text Box
 GUID: {guid {EC5790C6-E46B-4B54-B892-23969E083243}}
 OrdinalPosition: 36
 Required: False
 SourceField: AreaAssignment
 SourceTable: Contacts
 TextAlign: General

Memo Long Text -

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Notes about contact
 GUID: {guid {C2428A86-A5E4-411B-BB6F-209C009F06B9}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 37
 Required: False
 SourceField: Memo
 SourceTable: Contacts

	TextAlign:	General		
	TextFormat:	Plain Text		
	UnicodeCompression:	True		
contactflag			Yes/No	1
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	CurrencyLCID:	0		
	DataUpdatable:	False		
	Description:	contact flag		
	DisplayControl:	Text Box		
	GUID:	{guid {91A6EFAA-560B-4136-B373-C3C5823D9C7A}}		
	OrdinalPosition:	38		
	Required:	False		
	SourceField:	contactflag		
	SourceTable:	Contacts		
	TextAlign:	General		
flag			Yes/No	1
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	CurrencyLCID:	0		
	DataUpdatable:	False		
	Description:	Flagged for Action		
	DisplayControl:	Text Box		
	GUID:	{guid {F8BE559B-564F-43A1-BD8E-2FE9CB1AA295}}		
	OrdinalPosition:	39		
	Required:	False		
	SourceField:	flag		
	SourceTable:	Contacts		
	TextAlign:	General		
GrantFlag			Yes/No	1
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	CurrencyLCID:	0		
	DataUpdatable:	False		

Description: When flag is selected, Contact will be included in Grant mailout
 DisplayControl: Text Box
 GUID: {guid {52D2D779-6B61-4E5F-BCF3-A9351BE5F7EF}}
 OrdinalPosition: 40
 Required: False
 SourceField: GrantFlag
 SourceTable: Contacts
 TextAlign: General

DataManagementContactFlag Yes/No 1

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: contact flag used by data manager, independent of user flag
 DisplayControl: Text Box
 GUID: {guid {A8B8C66B-62DC-45BE-99C7-226AB91482C9}}
 OrdinalPosition: 41
 Required: False
 SourceField: DataManagementContactFlag
 SourceTable: Contacts
 TextAlign: General

SensitiveMailExclusion Yes/No 1

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: If this is set to Yes (or is checked) then this contact will only be available for non-sensitive purposes, excluding this contact when a mailing is enforcement-related or otherwise sensitive
 DisplayControl: 106
 Format: Yes/No
 GUID: {guid {D7E64FC7-A7A1-44B7-9CA6-4CE13231EA3D}}
 OrdinalPosition: 42
 Required: False
 SourceField: SensitiveMailExclusion
 SourceTable: Contacts
 TextAlign: General

HistoricalContact Yes/No 1

AggregateType: -1

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: If this is set to Yes (or is checked) then this contact will only be available for some purposes, such as historical sanitary survey records. Historical contacts will not show up in standard contact drop-downs.
 DisplayControl: 106
 Format: Yes/No
 GUID: {guid {B0C56CD2-7532-4425-84F9-563E2619167B}}
 OrdinalPosition: 43
 Required: False
 SourceField: HistoricalContact
 SourceTable: Contacts
 TextAlign: General

Lastupdate Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2880
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Date of Last Update
 Format: General Date
 GUID: {guid {AEDEC246-D4E3-42B3-AFC1-F77C7C0B53F4}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 44
 Required: False
 ShowDatePicker: For dates
 SourceField: Lastupdate
 SourceTable: Contacts
 TextAlign: General

CurrentUpdateUser Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default

ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Current User At Time of Update
 DisplayControl: Text Box
 GUID: {guid {BC089957-C1C5-4BBC-B43D-249466BCD1FF}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 45
 Required: False
 SourceField: CurrentUpdateUser
 SourceTable: Contacts
 TextAlign: General
 UnicodeCompression: True

DateCreated Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Date record was created
 Format: General Date
 GUID: {guid {61D7A3B6-6A29-493C-A03D-E24A78297F2F}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 46
 Required: False
 ShowDatePicker: For dates
 SourceField: DateCreated
 SourceTable: Contacts
 TextAlign: General

CreatedBy Short Text 50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Created by user
 DisplayControl: Text Box
 GUID: {guid {C70296D0-5BB6-4E1B-AB3D-49E3E881A5C6}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 47

Required: False
SourceField: CreatedBy
SourceTable: Contacts
TextAlign: General
UnicodeCompression: True

DateView Date With Time 8

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
CurrencyLCID: 0
DataUpdatable: False
Description: Date of last view
Format: General Date
GUID: {guid {975323CF-6A12-421F-8B07-54E75089862A}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 48
Required: False
ShowDatePicker: For dates
SourceField: DateView
SourceTable: Contacts
TextAlign: General

ViewUser Short Text 50

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
CurrencyLCID: 0
DataUpdatable: False
Description: Last user viewed
DisplayControl: Text Box
GUID: {guid {69718DD1-F4BB-4143-820B-B3752FA6E5D7}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 49
Required: False
SourceField: ViewUser
SourceTable: Contacts
TextAlign: General
UnicodeCompression: True


StatusID Long Integer 4

AggregateType: -1
AllowZeroLength: False

AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	internal DIME Status identifier, lookup in table QAStatus
DisplayControl:	Text Box
GUID:	{guid {D4A8F2D0-8E49-423E-A91E-4149ACD9ED2A}}
OrdinalPosition:	50
Required:	False
SourceField:	StatusID
SourceTable:	Contacts
TextAlign:	General


Relationships

ContactsCertifications




Attributes: Not Enforced, Inherited
RelationshipType: One-To-Many (External)

ContactsPoliticalEntities




Attributes: Not Enforced, Inherited
RelationshipType: One-To-Many (External)

Facility InformationContacts




Attributes: Not Enforced, Inherited
 RelationshipType: Indeterminate (External)

OrganizationContacts



Attributes: Not Enforced, Inherited
 RelationshipType: One-To-Many (External)

UsersContacts



Attributes: Not Enforced, Inherited
 RelationshipType: Indeterminate (External)

Table Indexes

Name	Number of Fields
pADDRESS_STATE_CODE	1

Clustered:	False
DistinctCount:	3
Foreign:	False
IgnoreNulls:	False
Name:	pADDRESS_STATE_CODE
Primary:	False
Required:	False
Unique:	False
Fields:	
pADDRESS_STATE_CODE	Ascending
pADDRESS_ZIP_CODE	1
Clustered:	False
DistinctCount:	3
Foreign:	False
IgnoreNulls:	False
Name:	pADDRESS_ZIP_CODE
Primary:	False
Required:	False
Unique:	False
Fields:	
pADDRESS_ZIP_CODE	Ascending
POcontactID	1
Clustered:	False
DistinctCount:	8
Foreign:	False
IgnoreNulls:	False
Name:	POcontactID
Primary:	False
Required:	False
Unique:	False
Fields:	
POcontactID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	1676
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
ContactID	Ascending

User Permissions

- admin
- aizaz
- andrew
- bessie
- chris
- corine

daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated: 7/23/2007 12:57:01 PM DefaultView: 2
 GUID: {guid {DDE316E7-DF9C-4EAA-BFA6-87AD974DCE1F}} LastUpdated: 3/10/2009 12:24:14 PM
 NameMap: Long binary data OrderByOn: False
 Orientation: Left-to-Right RecordCount: 3146
 Updatable: True

Columns

Name	Type	Size
countyID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal DIME county ID, autonumber	
GUID:	{guid {6CC4C3B6-DDB8-4C1A-B7FF-2C3E95C0CA25}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	countyID	
SourceTable:	Counties	
StateID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	internal DIME state ID, lookup in table States	
DisplayControl:	Text Box	
GUID:	{guid {623F6B4E-EC80-46D2-AB9C-6EF362598394}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	StateID	
SourceTable:	Counties	
CountyName	Short Text	50
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	

ColumnWidth: 1740
 DataUpdatable: False
 Description: Name of County
 DisplayControl: Text Box
 GUID: {guid {5618B32E-0139-4E41-A60E-A9939E66F77E}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: CountyName
 SourceTable: Counties
 UnicodeCompression: True

FIPSCountyCode Short Text 50

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: three-digit FIPS county code (not valid without preceeding two-digit State code)
 DisplayControl: Text Box
 GUID: {guid {FD2F8BED-9AFB-43ED-9171-EDE21F495274}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: FIPSCountyCode
 SourceTable: Counties
 UnicodeCompression: True

DateCreated Date With Time 8

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Format: General Date
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False
 SourceField: DateCreated
 SourceTable: Counties

CreatedBy Short Text 50

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length

CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 5
 Required: False
 SourceField: CreatedBy
 SourceTable: Counties
 UnicodeCompression: True

Table Indexes

Name	Number of Fields
countyID	1
Clustered:	False
DistinctCount:	3146
Foreign:	False
IgnoreNulls:	False
Name:	countyID
Primary:	False
Required:	False
Unique:	False
Fields:	
countyID	Ascending
FIPSCountyCode	1
Clustered:	False
DistinctCount:	327
Foreign:	False
IgnoreNulls:	False
Name:	FIPSCountyCode
Primary:	False
Required:	False
Unique:	False
Fields:	
FIPSCountyCode	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	3146
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
countyID	Ascending
StateID	1
Clustered:	False
DistinctCount:	52

Foreign:	False
IgnoreNulls:	False
Name:	StateID
Primary:	False
Required:	False
Unique:	False
Fields:	
StateID	Ascending

User Permissions

- admin
- aizaz
- andrew
- bessie
- chris
- corine
- daria
- designer
- dschmidt
- Emmanuelle
- everett
- guest
- helen
- hillary
- jack
- jamelya
- Jason
- jelani
- jennifer
- jimh
- judy
- karl
Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,
Write Definition, Read Data, Insert Data, Update Data, Delete Data
- kirk
- lawonda
- linda
- max
- michael
- myrt
- navajo
- raymond
- roberto
- roger
- sara
- test

Group Permissions

- Admins
Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,
Write Definition, Read Data, Insert Data, Update Data, Delete Data

DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\ Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:51 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {D93E7EDD-013E-4F69- AC6B-41DEF8848535}}	HideNewField:	False
LastUpdated:	11/5/2014 6:19:51 PM	NameMap:	Long binary data
OrderBy:	Deficiencies.DateDue DESC	OrderByOn:	True
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	-1	SourceTableName:	Deficiencies
SubDataSheetName:	[Auto]	TotalsRow:	False
Updatable:	False		

Columns

Name	Type	Size
deficiencyID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal ID, key field of table Deficiencies	
GUID:	{guid {3AC4153F-E22C-4305-BE2F-656D59B58D85}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	deficiencyID	
SourceTable:	Deficiencies	
TextAlign:	General	
SanitarySurveyID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	internal ID, key field of table tblSanitarySurvey	
DisplayControl:	Text Box	
GUID:	{guid {E66D9EE6-CC3A-47CB-BC41-2FF57DF5D39F}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	SanitarySurveyID	

SourceTable:	Deficiencies	
TextAlign:	General	
HealthpriorityID	Long Integer	4
AggregateType:	-1	
AllowValueListEdits:	False	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
BoundColumn:	1	
Caption:	HealthEffectPriority	
CollatingOrder:	General	
ColumnCount:	3	
ColumnHeads:	False	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
ColumnWidths:	0;480;6570	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	user-defined deficiency criticality measure. One is highest priority.	
DisplayControl:	Combo Box	
GUID:	{guid {CA189AD6-C6B9-4E2C-94C2-5CB8E702FB45}}	
LimitToList:	True	
ListRows:	8	
ListWidth:	7050twip	
OrdinalPosition:	2	
Required:	False	
RowSource:	SELECT Healthpriorities.HealthpriorityID, Healthpriorities.Healthprioritylevel, Healthpriorities.Healthprioritydesc FROM Healthpriorities;	
RowSourceType:	Table/Query	
ShowOnlyRowSourceValues:	False	
SourceField:	HealthpriorityID	
SourceTable:	Deficiencies	
TextAlign:	General	
deficiencyTypeID	Long Integer	4
AggregateType:	-1	
AllowValueListEdits:	False	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
BoundColumn:	1	
Caption:	DeficiencyType	
CollatingOrder:	General	
ColumnCount:	3	
ColumnHeads:	False	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	3060	
ColumnWidths:	0;2880;7200	
DataUpdatable:	False	
DecimalPlaces:	Auto	

Description: Lookup Table
 DisplayControl: Text Box
 GUID: {guid {1E39329B-D91E-4D08-B9A7-F118363C1934}}
 LimitToList: True
 ListRows: 50
 ListWidth: 10080twip
 OrdinalPosition: 3
 Required: False
 RowSource: SELECT DeficiencyTypes.deficiencyTypeID,
 DeficiencyCategories.DeficiencyCategory,
 DeficiencyTypes.deficiencytype FROM DeficiencyTypes INNER JOIN
 DeficiencyCategories ON
 DeficiencyTypes.DefCatID=DeficiencyCategories.DefCatID;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: deficiencyTypeID
 SourceTable: Deficiencies
 TextAlign: General

DateCorrected Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date correction was completed
 Format: Short Date
 GUID: {guid {FFE43E13-D320-4E88-BD69-6BA2104A887C}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False
 ShowDatePicker: For dates
 SourceField: DateCorrected
 SourceTable: Deficiencies
 TextAlign: General

DateDue Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date Correction is Due
 Format: General Date

GUID: {guid {D59859B5-3324-406B-BA1F-BAC4FCE1BF49}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 5
 Required: False
 ShowDatePicker: For dates
 SourceField: DateDue
 SourceTable: Deficiencies
 TextAlign: General

Significant Yes/No 1

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Significant Deficiency
 DisplayControl: 106
 Format: Yes/No
 GUID: {guid {67E08AC8-A5C9-4ACD-B001-FA05C3EF2841}}
 OrdinalPosition: 6
 Required: False
 SourceField: Significant
 SourceTable: Deficiencies
 TextAlign: General

POVerification Short Text 50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: PO Verification text box contains the name and date of the PO officer
 DisplayControl: Text Box
 GUID: {guid {93F37CD9-7E5A-4AA2-8B4A-D86DF7FFCF90}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 7
 Required: False
 SourceField: POVerification
 SourceTable: Deficiencies
 TextAlign: General
 UnicodeCompression: False

UnivUniqId Short Text 5

AggregateType: -1
 AllowZeroLength: True

AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Sub facility name like EP001
 DisplayControl: Text Box
 GUID: {guid {CA8BC40E-89DE-4F27-B254-A68ED2CE7C44}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 8
 Required: False
 SourceField: UnivUniqId
 SourceTable: Deficiencies
 TextAlign: General
 UnicodeCompression: True

Notes

Long Text

-

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: notes about deficiency
 GUID: {22FA3F3C-3564-4414-A37B-3FB5EB70EE59}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 9
 Required: False
 SourceField: Notes
 SourceTable: Deficiencies
 TextAlign: General
 TextFormat: Plain Text
 UnicodeCompression: True

DeficiencyChemCode

Short Text

100

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Deficiency Chem code for violation 45
 DisplayControl: Text Box
 GUID: {guid {863B66CF-D3EC-4997-AE2A-27E256CFB1A7}}
 IMEMode: 0

IMESentenceMode: 3
 OrdinalPosition: 10
 Required: False
 SourceField: DeficiencyChemCode
 SourceTable: Deficiencies
 TextAlign: General
 UnicodeCompression: True

CorrectiveActionNotes Long Text -

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: notes about deficiency corrective actions (from utility)
 GUID: {guid {5B8D84D5-C490-48EE-B139-7AD1CA33D66C}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 11
 Required: False
 SourceField: CorrectiveActionNotes
 SourceTable: Deficiencies
 TextAlign: General
 TextFormat: Plain Text
 UnicodeCompression: True

Lastupdate Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2130
 DataUpdatable: False
 Description: Date of Last Update
 Format: General Date
 GUID: {guid {AC4F7928-DB3B-4AF1-892C-CACF83F92395}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 12
 Required: False
 ShowDatePicker: For dates
 SourceField: Lastupdate
 SourceTable: Deficiencies
 TextAlign: General

CurrentUpdateUser Short Text 50

AggregateType: -1
 AllowZeroLength: False

AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Current User At Time of Update
 DisplayControl: Text Box
 GUID: {guid {27A55EB1-814D-45E5-B06C-F1F8EC8D0EE1}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 13
 Required: False
 SourceField: CurrentUpdateUser
 SourceTable: Deficiencies
 TextAlign: General
 UnicodeCompression: True

DateCreated Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2130
 DataUpdatable: False
 Description: Date that record was created.
 Format: General Date
 GUID: {guid {649906B4-8C0B-4044-9627-2F017BCFA6FA}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 14
 Required: False
 ShowDatePicker: For dates
 SourceField: DateCreated
 SourceTable: Deficiencies
 TextAlign: General

CreatedBy Short Text 50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Created by user
 DisplayControl: Text Box
 GUID: {guid {66803741-38A1-4C00-8C7B-C3D6D397AD0B}}
 IMEMode: 0

IMESentenceMode: 3
 OrdinalPosition: 15
 Required: False
 SourceField: CreatedBy
 SourceTable: Deficiencies
 TextAlign: General
 UnicodeCompression: True

StatusID Long Integer 4
 AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME Status identifier, lookup in table QAStatus
 DisplayControl: Text Box
 GUID: {guid {C8C02B58-C036-4FFB-8B86-B862C6DA6FD5}}
 OrdinalPosition: 16
 Required: False
 SourceField: StatusID
 SourceTable: Deficiencies
 TextAlign: General

Table Indexes

Name	Number of Fields
DeficienciesdeficiencyTypeID	1
Clustered:	False
DistinctCount:	36
Foreign:	False
IgnoreNulls:	False
Name:	DeficienciesdeficiencyTypeID
Primary:	False
Required:	False
Unique:	False
Fields:	
deficiencyTypeID	Ascending
DeficiencyChemCode	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	DeficiencyChemCode
Primary:	False
Required:	False
Unique:	False
Fields:	
DeficiencyChemCode	Ascending
deficiencyID	1

	Clustering:	False
	DistinctCount:	7611
	Foreign:	False
	IgnoreNulls:	False
	Name:	deficiencyID
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	deficiencyID	Ascending
HealthpriorityID		1
	Clustering:	False
	DistinctCount:	7
	Foreign:	False
	IgnoreNulls:	False
	Name:	HealthpriorityID
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	HealthpriorityID	Ascending
PrimaryKey		1
	Clustering:	False
	DistinctCount:	7611
	Foreign:	False
	IgnoreNulls:	False
	Name:	PrimaryKey
	Primary:	True
	Required:	True
	Unique:	True
	Fields:	
	deficiencyID	Ascending
SanitarySurveyID		1
	Clustering:	False
	DistinctCount:	982
	Foreign:	False
	IgnoreNulls:	False
	Name:	SanitarySurveyID
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	SanitarySurveyID	Ascending
StatusID		1
	Clustering:	False
	DistinctCount:	1
	Foreign:	False
	IgnoreNulls:	False
	Name:	StatusID
	Primary:	False
	Required:	False
	Unique:	False

Fields:	
StatusID	Ascending
UnivUniqId	1
Clustered:	False
DistinctCount:	16
Foreign:	False
IgnoreNulls:	False
Name:	UnivUniqId
Primary:	False
Required:	False
Unique:	False
Fields:	
UnivUniqId	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:51 PM	DefaultView:	2
GUID:	{guid {64B5B6E2-5613-4B8F-8E9F-837FC9C81593}}	LastUpdated:	11/5/2014 6:19:51 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	DeficiencyCategories	Updatable:	False

Columns

Name	Type	Size
DefCatID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal DIME deficiency category identifier	
GUID:	{guid {458FA5E7-5032-428A-992F-8E6EF8248F53}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	DefCatID	
SourceTable:	DeficiencyCategories	
DeficiencyCategory	Short Text	50
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2556	
DataUpdatable:	False	
Description:	General Sanitary Deficiency Category	
DisplayControl:	Text Box	
GUID:	{guid {8910C08B-E907-43E3-A469-E8AC7280D43E}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	DeficiencyCategory	
SourceTable:	DeficiencyCategories	
UnicodeCompression:	True	
DateCreated	Date With Time	8
AllowZeroLength:	False	
AppendOnly:	False	

Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date that record was created.
 Format: General Date
 GUID: {guid {65E90320-7772-43BC-9254-E630A6578706}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: DateCreated
 SourceTable: DeficiencyCategories

CreatedBy Short Text 50

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 GUID: {guid {E8A2D4DB-0D55-4E46-BC81-1F6DDD78BE75}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: CreatedBy
 SourceTable: DeficiencyCategories
 UnicodeCompression: True

Lastupdate Date With Time 8

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date of Last Update
 Format: General Date
 GUID: {guid {BF107286-05B4-4DEA-8F05-2B2A273DA2A1}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False
 SourceField: Lastupdate
 SourceTable: DeficiencyCategories

CurrentUpdateUser Short Text 50

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Current User At Time of Update
DisplayControl:	Text Box
GUID:	{guid {3D231BB6-6DEA-4034-A2FF-13DF25DDD502}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	5
Required:	False
SourceField:	CurrentUpdateUser
SourceTable:	DeficiencyCategories
UnicodeCompression:	True

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
DefCatID	1
Clustered:	False
DistinctCount:	8
Foreign:	False
IgnoreNulls:	False
Name:	DefCatID
Primary:	False
Required:	False
Unique:	False
Fields:	
DefCatID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	8
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
DefCatID	Ascending

User Permissions

- admin
- aizaz
- andrew
- bessie
- chris

corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\ Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:51 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {3F9FDC71-DAA6-4EA3- 9578-4C80CA8DA7CA}}	HideNewField:	False
LastUpdated:	11/5/2014 6:19:51 PM	NameMap:	Long binary data
OrderBy:	[DeficiencyTypes].[deficiencyt ypeID], DeficiencyTypes.DateCreated	OrderByOn:	True
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	-1	SourceTableName:	DeficiencyTypes
TotalsRow:	False	Updatable:	False

Columns

Name	Type	Size
deficiencyTypeID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	1995	
DataUpdatable:	False	
Description:	internal DIME Deficiency Type identifier	
GUID:	{guid {63944B60-38F9-4160-8243-DC72A1492E85}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	deficiencyTypeID	
SourceTable:	DeficiencyTypes	
TextAlign:	General	
DefCatID	Long Integer	4
AggregateType:	-1	
AllowValueListEdits:	False	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
BoundColumn:	1	
CollatingOrder:	General	
ColumnCount:	2	
ColumnHeads:	False	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	900	
ColumnWidths:	0;1992	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	internal DIME Sanitary Deficiency Category identifier, lookup in table	

DeficiencyCategories
 DisplayControl: Text Box
 GUID: {guid {234E2945-EF11-49DF-A5A5-F0E23108D282}}
 LimitToList: True
 ListRows: 8
 ListWidth: 1992twip
 OrdinalPosition: 1
 Required: False
 RowSource: SELECT DeficiencyCategories.DefCatID,
 DeficiencyCategories.DeficiencyCategory FROM DeficiencyCategories
 ORDER BY [DeficiencyCategory];
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: DefCatID
 SourceTable: DeficiencyTypes
 TextAlign: General

DeficiencyCode Short Text 5

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1875
 DataUpdatable: False
 Description: DIME Deficiency Code
 DisplayControl: Text Box
 GUID: {guid {A6EB59B4-FFDE-4124-9763-306F4714560F}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: DeficiencyCode
 SourceTable: DeficiencyTypes
 TextAlign: General
 UnicodeCompression: True

deficiencytype Short Text 255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 9435
 DataUpdatable: False
 Description: Deficiency Type
 DisplayControl: Text Box
 GUID: {guid {35C2E394-1B25-4468-B026-E16E7C279D51}}
 IMEMode: 0
 IMESentenceMode: 3

OrdinalPosition: 3
 Required: False
 SourceField: deficiencytype
 SourceTable: DeficiencyTypes
 TextAlign: General
 UnicodeCompression: False

SDWISCategory Short Text 255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1845
 DataUpdatable: False
 Description: SDWIS Category for Site Visit record
 DisplayControl: Text Box
 GUID: {guid {6E3A646A-FA98-4DE9-8C25-3AC18D079592}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False
 SourceField: SDWISCategory
 SourceTable: DeficiencyTypes
 TextAlign: General
 UnicodeCompression: True

DateCreated Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2250
 DataUpdatable: False
 Description: Date that record was created.
 Format: General Date
 GUID: {guid {547B3302-7599-49B7-B522-2ABB7E4CBDA7}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 5
 Required: False
 ShowDatePicker: For dates
 SourceField: DateCreated
 SourceTable: DeficiencyTypes
 TextAlign: General

CreatedBy Short Text 50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False

Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: user who created record
 DisplayControl: Text Box
 GUID: {guid {F567A3D1-B243-42F2-90C3-7646AD010B19}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 6
 Required: False
 SourceField: CreatedBy
 SourceTable: DeficiencyTypes
 TextAlign: General
 UnicodeCompression: True

Lastupdate Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2250
 DataUpdatable: False
 Description: Date of Last Update
 Format: General Date
 GUID: {guid {BADD6F86-0C5B-4692-A3B3-1E2E8339D4FC}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 7
 Required: False
 ShowDatePicker: For dates
 SourceField: Lastupdate
 SourceTable: DeficiencyTypes
 TextAlign: General

CurrentUpdateUser Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Current User At Time of Update
 DisplayControl: Text Box
 GUID: {guid {1E0F6A99-16FF-4BD0-9206-04AC61476FD4}}
 IMEMode: 0
 IMESentenceMode: 3

OrdinalPosition: 8
 Required: False
 SourceField: CurrentUpdateUser
 SourceTable: DeficiencyTypes
 TextAlign: General
 UnicodeCompression: True

Table Indexes

Name	Number of Fields
DefCatID	1
Clustered:	False
DistinctCount:	8
Foreign:	False
IgnoreNulls:	False
Name:	DefCatID
Primary:	False
Required:	False
Unique:	False
Fields:	
DefCatID	Ascending
DeficiencyCode	1
Clustered:	False
DistinctCount:	31
Foreign:	False
IgnoreNulls:	False
Name:	DeficiencyCode
Primary:	False
Required:	False
Unique:	False
Fields:	
DeficiencyCode	Ascending
idtemp	1
Clustered:	False
DistinctCount:	31
Foreign:	False
IgnoreNulls:	False
Name:	idtemp
Primary:	False
Required:	False
Unique:	True
Fields:	
deficiencyTypeID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	31
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True

Fields:
deficiencyTypeID Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:51 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {EA7F17B4-ED0D-4BF8-B3DC-4CCE8C12C695}}	HideNewField:	False
LastUpdated:	11/5/2014 6:19:51 PM	NameMap:	Long binary data
OrderBy:	[DeficiencyTypesStandard].[stdDefCatID]	OrderByOn:	True
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	-1	SourceTableName:	DeficiencyTypesStandard
TotalsRow:	False	Updatable:	False

Columns

Name	Type	Size
stddeficiencytypeID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	450	
DataUpdatable:	False	
Description:	standard deficiencytypeID	
OrdinalPosition:	0	
Required:	False	
SourceField:	stddeficiencytypeID	
SourceTable:	DeficiencyTypesStandard	
TextAlign:	General	
stdDefCatID	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2730	
DataUpdatable:	False	
Description:	standard deficiency category ID	
DisplayControl:	Text Box	
Format:	@	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	stdDefCatID	

SourceTable:	DeficiencyTypesStandard		
TextAlign:	General		
UnicodeCompression:	False		
stddeficiencytype		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	8745		
DataUpdatable:	False		
Description:	standard deficiency Type		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	2		
Required:	False		
SourceField:	stddeficiencytype		
SourceTable:	DeficiencyTypesStandard		
TextAlign:	General		
UnicodeCompression:	False		
stddeficiencydescription		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	4110		
DataUpdatable:	False		
Description:	standard deficiency description		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	3		
Required:	False		
SourceField:	stddeficiencydescription		
SourceTable:	DeficiencyTypesStandard		
TextAlign:	General		
UnicodeCompression:	False		
deficiencytypeID		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	345		

DataUpdatable: False
 DecimalPlaces: Auto
 Description: Deficiency Type ID, lookup in table DeficiencyTypes
 DisplayControl: Text Box
 OrdinalPosition: 4
 Required: False
 SourceField: deficiencyTypeID
 SourceTable: DeficiencyTypesStandard
 TextAlign: General

defaultHRPID Long Integer 4
 AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: default Health Risk Priority identifier, lookup in table HealthRiskPriorities
 DisplayControl: Text Box
 OrdinalPosition: 5
 Required: False
 SourceField: defaultHRPID
 SourceTable: DeficiencyTypesStandard
 TextAlign: General

Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	300
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
stddeficiencyTypeID	Ascending
stddeficiencyTypeID	1
Clustered:	False
DistinctCount:	300
Foreign:	False
IgnoreNulls:	False
Name:	stddeficiencyTypeID
Primary:	False
Required:	False
Unique:	True

Fields:
 stddeficiencyTypeID Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	6/19/2013 5:57:25 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {C37D1770-29E9-4943-B708-F91A3932EA06}}	HideNewField:	False
LastUpdated:	9/30/2013 4:26:18 PM	OrderByOn:	True
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	67	TotalsRow:	False
Updatable:	True		

Columns

Name	Type	Size
prefID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal DIME default preference identifier	
OrdinalPosition:	0	
Required:	False	
SourceField:	prefID	
SourceTable:	Delete_lkpDefaultPreferences	
TextAlign:	General	
CodeID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	3225	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Type of Preference identifier, lookup in table lkpGlobalCodes	
DisplayControl:	Text Box	
OrdinalPosition:	1	
Required:	False	
SourceField:	CodeID	
SourceTable:	Delete_lkpDefaultPreferences	
TextAlign:	General	
Role	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	

AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 3225
 DataUpdatable: False
 Description: Text Code for Roles, lookup in in table IkpUserRoles
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: Role
 SourceTable: Delete_IkpDefaultPreferences
 TextAlign: General
 UnicodeCompression: True

DefaultValue Short Text 255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 3225
 DataUpdatable: False
 Description: Default Value for the Preference
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: DefaultValue
 SourceTable: Delete_IkpDefaultPreferences
 TextAlign: General
 UnicodeCompression: True


DateCreated Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Format: Short Date
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False
 ShowDatePicker: For dates

SourceField: DateCreated
 SourceTable: Delete_IkpDefaultPreferences
 TextAlign: General


Relationships

IkpGlobalCodeDelete_IkpDefaultPreferences



Attributes: Not Enforced
 RelationshipType: Indeterminate

tblUserRolesDelete_IkpDefaultPreferences



Attributes: Not Enforced
 RelationshipType: Indeterminate

Table Indexes

Name	Number of Fields
CodeID	1
Clustered:	False
DistinctCount:	20
Foreign:	False
IgnoreNulls:	False
Name:	CodeID
Primary:	False
Required:	False
Unique:	False
Fields:	
CodeID	Ascending
PrimaryKey	2
Clustered:	False
DistinctCount:	67
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
CodeID	Ascending
Role	Ascending
RoleID	1

Clustered:	False
DistinctCount:	7
Foreign:	False
IgnoreNulls:	False
Name:	RoleID
Primary:	False
Required:	False
Unique:	False
Fields:	
Role	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	7/23/2007 12:57:02 PM	DefaultView:	2
GUID:	{guid {A646840B-3ECF-4E30-B324-54B2C36BC5AE}}	LastUpdated:	3/10/2009 1:25:20 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	8
Updatable:	True		

Columns

Name	Type	Size
DetectID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1005	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	internal Detect Flag identifier	
DisplayControl:	Text Box	
GUID:	{guid {C52B32E4-FB89-4089-9ED0-7A829CFA39DF}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	DetectID	
SourceTable:	DetectFlags	
DetectFlag	Short Text	50
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1185	
DataUpdatable:	False	
Description:	Detect Flag as used in ancestral DIME spreadsheets	
DisplayControl:	Text Box	
GUID:	{guid {DFC81408-31D1-4101-9351-DB76838E74DB}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	DetectFlag	
SourceTable:	DetectFlags	
UnicodeCompression:	True	
DetectFlagDescription	Short Text	255
AllowZeroLength:	True	
AppendOnly:	False	

Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 9135
 DataUpdatable: False
 Description: Description of Detect Flag
 DisplayControl: Text Box
 GUID: {guid {30763D1C-4760-4734-80D2-41A162CE7895}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: DetectFlagDescription
 SourceTable: DetectFlags
 UnicodeCompression: True

DateCreated Date With Time 8

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date that record was created.
 Format: General Date
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: DateCreated
 SourceTable: DetectFlags

CreatedBy Short Text 50

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False
 SourceField: CreatedBy
 SourceTable: DetectFlags
 UnicodeCompression: True

Lastupdate Date With Time 8

AllowZeroLength: False

AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date of Last Update
 Format: General Date
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 5
 Required: False
 SourceField: Lastupdate
 SourceTable: DetectFlags

CurrentUpdateUser Short Text 50

AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Current User At Time of Update
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 6
 Required: False
 SourceField: CurrentUpdateUser
 SourceTable: DetectFlags
 UnicodeCompression: True

Table Indexes

Name	Number of Fields
DetectID	1
Clustered:	False
DistinctCount:	8
Foreign:	False
IgnoreNulls:	False
Name:	DetectID
Primary:	False
Required:	False
Unique:	False
Fields:	
DetectID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	8
Foreign:	False
IgnoreNulls:	False

Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
DetectID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data

Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated: 10/11/2011 2:03:30 PM LastUpdated: 10/11/2011 2:03:30 PM
 RecordCount: 464 Updatable: True

Columns

Name	Type	Size
FACID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
DataUpdatable:	False	
OrdinalPosition:	1	
Required:	False	
SourceField:	FACID	
SourceTable:	DetermineDistClass_temp	
ALTERNATE_ST_NUM	Short Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
DataUpdatable:	False	
OrdinalPosition:	2	
Required:	False	
SourceField:	ALTERNATE_ST_NUM	
SourceTable:	DetermineDistClass_temp	
PWSSNAME	Short Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
DataUpdatable:	False	
OrdinalPosition:	3	
Required:	False	
SourceField:	PWSSNAME	
SourceTable:	DetermineDistClass_temp	
Population	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
DataUpdatable:	False	
OrdinalPosition:	4	
Required:	False	
SourceField:	Population	
SourceTable:	DetermineDistClass_temp	
POcontactID	Short Text	50

AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	5		
Required:	False		
SourceField:	POcontactID		
SourceTable:	DetermineDistClass_temp		
PrimaryOperator		Short Text	255
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	6		
Required:	False		
SourceField:	PrimaryOperator		
SourceTable:	DetermineDistClass_temp		
PrimaryDistCert		Short Text	255
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	7		
Required:	False		
SourceField:	PrimaryDistCert		
SourceTable:	DetermineDistClass_temp		
PrimaryCertAuth		Short Text	100
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	8		
Required:	False		
SourceField:	PrimaryCertAuth		
SourceTable:	DetermineDistClass_temp		
SecondaryOperator		Short Text	255
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	9		
Required:	False		
SourceField:	SecondaryOperator		
SourceTable:	DetermineDistClass_temp		
SecondaryDistCert		Short Text	255

AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	10		
Required:	False		
SourceField:	SecondaryDistCert		
SourceTable:	DetermineDistClass_temp		
SecondCertAuth		Short Text	100
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	11		
Required:	False		
SourceField:	SecondCertAuth		
SourceTable:	DetermineDistClass_temp		
PopClass		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	12		
Required:	False		
SourceField:	PopClass		
SourceTable:	DetermineDistClass_temp		
DisinfectClass		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	13		
Required:	False		
SourceField:	DisinfectClass		
SourceTable:	DetermineDistClass_temp		
PressureZoneClass		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	14		
Required:	False		
SourceField:	PressureZoneClass		
SourceTable:	DetermineDistClass_temp		

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\ Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:51 PM	DefaultView:	2
LastUpdated:	11/5/2014 6:19:51 PM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	-1	SourceTableName:	DeterminePWSDistributionClas sification
Updatable:	False		

Columns

Name	Type	Size
FACID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	internal DIME PWS identifier, lookup in table Facility Information	
DisplayControl:	Text Box	
OrdinalPosition:	0	
Required:	False	
SourceField:	FACID	
SourceTable:	DeterminePWSDistributionClassification	
ALTERNATE_ST_NUM	Short Text	50
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	PWS ID# (7-digit)	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	ALTERNATE_ST_NUM	
SourceTable:	DeterminePWSDistributionClassification	
UnicodeCompression:	True	
PWSSNAME	Short Text	50
AllowZeroLength:	True	
AppendOnly:	False	

Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: PWS Name
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: PWSSNAME
 SourceTable: DeterminePWSDistributionClassification
 UnicodeCompression: True

Population Long Integer 4

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Population Served
 DisplayControl: Text Box
 OrdinalPosition: 3
 Required: False
 SourceField: Population
 SourceTable: DeterminePWSDistributionClassification

POcontactID Short Text 50

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Program Manager
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False
 SourceField: POcontactID
 SourceTable: DeterminePWSDistributionClassification
 UnicodeCompression: False

PrimaryOperator Short Text 255

AllowZeroLength: True
 AppendOnly: False

Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Name of Primary Operator
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 5
 Required: False
 SourceField: PrimaryOperator
 SourceTable: DeterminePWSDistributionClassification
 UnicodeCompression: False

PrimaryDistCert Short Text 255

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Primary Operator's distribution certification (if exists)
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 6
 Required: False
 SourceField: PrimaryDistCert
 SourceTable: DeterminePWSDistributionClassification
 UnicodeCompression: False

PrimaryCertAuth Short Text 100

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Primary Operator's distribution certification provider (if exists)
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 7
 Required: False
 SourceField: PrimaryCertAuth
 SourceTable: DeterminePWSDistributionClassification
 UnicodeCompression: True

SecondaryOperator Short Text 255

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Name of Secondary Operator
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 8
 Required: False
 SourceField: SecondaryOperator
 SourceTable: DeterminePWSDistributionClassification
 UnicodeCompression: False

SecondaryDistCert Short Text 255

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Secondary Operator's distribution certification (if exists)
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 9
 Required: False
 SourceField: SecondaryDistCert
 SourceTable: DeterminePWSDistributionClassification
 UnicodeCompression: False

SecondCertAuth Short Text 100

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Secondary Operator's distribution certification provider (if exists)
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 10
 Required: False
 SourceField: SecondCertAuth
 SourceTable: DeterminePWSDistributionClassification
 UnicodeCompression: True

PopClass		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Maximum population or part of a system served, at peak day: Level 1 is 3300 or less, Level 2 is 3301-10000, Level 3 is 10001 and up		
DisplayControl:	Text Box		
OrdinalPosition:	11		
Required:	False		
SourceField:	PopClass		
SourceTable:	DeterminePWSDistributionClassification		
DisinfectClass		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	If there is a Hypochlorination, Gaseous or Other Chlorine Disinfectant, Level 2, otherwise, Level 1		
DisplayControl:	Text Box		
OrdinalPosition:	12		
Required:	False		
SourceField:	DisinfectClass		
SourceTable:	DeterminePWSDistributionClassification		
PressureZoneClass		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	If there are Pressure Zones greater than 5, Level 2, otherwise, Level 1		
DisplayControl:	Text Box		
OrdinalPosition:	13		
Required:	False		
SourceField:	PressureZoneClass		
SourceTable:	DeterminePWSDistributionClassification		
RecycledClass		Long Integer	4

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: If there is Recycled Water Distribution, Level 2, otherwise, Level 1
 DisplayControl: Text Box
 OrdinalPosition: 14
 Required: False
 SourceField: RecycledClass
 SourceTable: DeterminePWSDistributionClassification

BlendingClass Long Integer 4

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: If the System is Blending Sources to meet MCL, Level 2, otherwise Level 1
 DisplayControl: Text Box
 OrdinalPosition: 15
 Required: False
 SourceField: BlendingClass
 SourceTable: DeterminePWSDistributionClassification

ComplexityClass Long Integer 4

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Levels 2-4: pressure zones, booster stations, storage tanks, fire protection, chlorination, non-residential consumers, cross connection potential, demand variations, size of pipes, total distance of pipes and/or total geographic area
 DisplayControl: Text Box
 OrdinalPosition: 16
 Required: False
 SourceField: ComplexityClass
 SourceTable: DeterminePWSDistributionClassification

MaxClass		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Maximum classification from PopClass, DisinfectClass, PressureZoneClass, RecycledClass, BlendingClass, ComplexityClass		
DisplayControl:	Text Box		
OrdinalPosition:	17		
Required:	False		
SourceField:	MaxClass		
SourceTable:	DeterminePWSDistributionClassification		
Lastupdate		Date With Time	8
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Date of Last Update		
Format:	General Date		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	18		
Required:	False		
SourceField:	Lastupdate		
SourceTable:	DeterminePWSDistributionClassification		
CurrentUpdateUser		Short Text	50
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Current User At Time of Update		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	19		
Required:	False		
SourceField:	CurrentUpdateUser		
SourceTable:	DeterminePWSDistributionClassification		
UnicodeCompression:	True		

DateCreated	Date With Time	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Format:	General Date	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	20	
Required:	False	
SourceField:	DateCreated	
SourceTable:	DeterminePWSDistributionClassification	

CreatedBy	Short Text	50
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Created by user name	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	21	
Required:	False	
SourceField:	CreatedBy	
SourceTable:	DeterminePWSDistributionClassification	
UnicodeCompression:	True	

Table Indexes

Name	Number of Fields
FACID	1
Clustered:	False
DistinctCount:	470
Foreign:	False
IgnoreNulls:	False
Name:	FACID
Primary:	False
Required:	False
Unique:	False
Fields:	
FACID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:51 PM	DefaultView:	2
LastUpdated:	11/5/2014 6:19:51 PM	NameMap:	Long binary data
OrderByOn:	True	Orientation:	Left-to-Right
RecordCount:	-1	SourceTableName:	DeterminePWSTreatmentClassification
Updatable:	False		

Columns

Name	Type	Size
FACID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	internal DIME PWS identifier, lookup in table Facility Information	
DisplayControl:	Text Box	
OrdinalPosition:	0	
Required:	False	
SourceField:	FACID	
SourceTable:	DeterminePWSTreatmentClassification	
ALTERNATE_ST_NUM	Short Text	50
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	PWS ID# (7-digit)	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	ALTERNATE_ST_NUM	
SourceTable:	DeterminePWSTreatmentClassification	
UnicodeCompression:	True	
PWSSNAME	Short Text	50
AllowZeroLength:	True	
AppendOnly:	False	

Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: PWS Name
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: PWSSNAME
 SourceTable: DeterminePWSTreatmentClassification
 UnicodeCompression: True

Population Long Integer 4

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Population Served
 DisplayControl: Text Box
 OrdinalPosition: 3
 Required: False
 SourceField: Population
 SourceTable: DeterminePWSTreatmentClassification

POcontactID Short Text 50

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Program Manager
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False
 SourceField: POcontactID
 SourceTable: DeterminePWSTreatmentClassification
 UnicodeCompression: False

PrimaryOperator Short Text 255

AllowZeroLength: True
 AppendOnly: False

Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Name of Primary Operator
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 5
 Required: False
 SourceField: PrimaryOperator
 SourceTable: DeterminePWSTreatmentClassification
 UnicodeCompression: False

PrimaryTREATCert Short Text 255

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Primary Operator's treatment certification (if exists)
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 6
 Required: False
 SourceField: PrimaryTREATCert
 SourceTable: DeterminePWSTreatmentClassification
 UnicodeCompression: False

PrimaryCertAuth Short Text 100

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Primary Operator's treatment certification provider (if exists)
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 7
 Required: False
 SourceField: PrimaryCertAuth
 SourceTable: DeterminePWSTreatmentClassification
 UnicodeCompression: True

SecondaryOperator Short Text 255

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Name of Secondary Operator
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 8
 Required: False
 SourceField: SecondaryOperator
 SourceTable: DeterminePWSTreatmentClassification
 UnicodeCompression: False

SecondaryTREATCert Short Text 255

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Secondary Operator's treatment certification (if exists)
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 9
 Required: False
 SourceField: SecondaryTREATCert
 SourceTable: DeterminePWSTreatmentClassification
 UnicodeCompression: False

SecondCertAuth Short Text 100

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Secondary Operator's treatment certification provider (if exists)
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 10
 Required: False
 SourceField: SecondCertAuth
 SourceTable: DeterminePWSTreatmentClassification
 UnicodeCompression: True

Field Name	Field Type	Field Length
PopClass	Double	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Maximum population or part of a system served, at peak day: 1 point per 2500 served	
DisplayControl:	Text Box	
OrdinalPosition:	11	
Required:	False	
SourceField:	PopClass	
SourceTable:	DeterminePWSTreatmentClassification	
DesignFlow	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Design flow average day or peak month's part flow average day, whichever is larger. 1 point per 0.5 MGD	
DisplayControl:	Text Box	
OrdinalPosition:	12	
Required:	False	
SourceField:	DesignFlow	
SourceTable:	DeterminePWSTreatmentClassification	
Groundwaterwcoliform	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Groundwater source with coliform (total, fecal or e. coli) presence (3 pts)	
DisplayControl:	Text Box	
OrdinalPosition:	13	
Required:	False	
SourceField:	Groundwaterwcoliform	
SourceTable:	DeterminePWSTreatmentClassification	

SourceWaterScore		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Groundwater, 2 or GUDISW, 8 or Surface Water, 10		
DisplayControl:	Text Box		
OrdinalPosition:	14		
Required:	False		
SourceField:	SourceWaterScore		
SourceTable:	DeterminePWSTreatmentClassification		

SWQualityScore		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Little or no variation=0, Minor variation=2, Moderate variation monthly=3 weekly=4 daily=5, Significant variation=6, Severe=7, Ag or Muni waste discharges=8, Industrial=10		
DisplayControl:	Text Box		
OrdinalPosition:	15		
Required:	False		
SourceField:	SWQualityScore		
SourceTable:	DeterminePWSTreatmentClassification		

AlgaeScore		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Algal growths for which treatment process adjustments are routinely made (3 pts)		
DisplayControl:	Text Box		
OrdinalPosition:	16		
Required:	False		
SourceField:	AlgaeScore		
SourceTable:	DeterminePWSTreatmentClassification		

TasteOdorScore		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Taste and/or odor for which treatment process adjustments are routinely made (2 pts)		
DisplayControl:	Text Box		
OrdinalPosition:	17		
Required:	False		
SourceField:	TasteOdorScore		
SourceTable:	DeterminePWSTreatmentClassification		

ColorScore		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Color levels >NSDWR (3 pts)		
DisplayControl:	Text Box		
OrdinalPosition:	18		
Required:	False		
SourceField:	ColorScore		
SourceTable:	DeterminePWSTreatmentClassification		

FeMnScore		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Iron and/or manganese levels >NSDWR (2 pts)		
DisplayControl:	Text Box		
OrdinalPosition:	19		
Required:	False		
SourceField:	FeMnScore		
SourceTable:	DeterminePWSTreatmentClassification		

FluorScore		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		

Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Fluoridation (5 pts)
 DisplayControl: Text Box
 OrdinalPosition: 20
 Required: False
 SourceField: FluorScore
 SourceTable: DeterminePWSTreatmentClassification

HypoScore Long Integer 4

AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Hypochlorination (powdered or liquid) (5 pts)
 DisplayControl: Text Box
 OrdinalPosition: 21
 Required: False
 SourceField: HypoScore
 SourceTable: DeterminePWSTreatmentClassification

GenOnsiteScore Long Integer 4

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: If hypochlorination is generated on site add 1 point
 DisplayControl: Text Box
 OrdinalPosition: 22
 Required: False
 SourceField: GenOnsiteScore
 SourceTable: DeterminePWSTreatmentClassification

GasClScore Long Integer 4

AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default

ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
Description: Gaseous chlorine (8 pts)
DisplayControl: Text Box
OrdinalPosition: 23
Required: False
SourceField: GasClScore
SourceTable: DeterminePWSTreatmentClassification

ChloramineScore Long Integer 4

AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
Description: Chloramination (10 pts)
DisplayControl: Text Box
OrdinalPosition: 24
Required: False
SourceField: ChloramineScore
SourceTable: DeterminePWSTreatmentClassification

ChlorineDioxideScore Long Integer 4

AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
Description: Chlorine dioxide (10 pts)
DisplayControl: Text Box
OrdinalPosition: 25
Required: False
SourceField: ChlorineDioxideScore
SourceTable: DeterminePWSTreatmentClassification

OzoneScore Long Integer 4

AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
Description: Ozonation (10 pts)

DisplayControl: Text Box
 OrdinalPosition: 26
 Required: False
 SourceField: OzoneScore
 SourceTable: DeterminePWSTreatmentClassification

UVScore Long Integer 4

AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: UV irradiation (2 pts)
 DisplayControl: Text Box
 OrdinalPosition: 27
 Required: False
 SourceField: UVScore
 SourceTable: DeterminePWSTreatmentClassification

PotPermScore Long Integer 4

AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Potassium Permanganate (4 pts)
 DisplayControl: Text Box
 OrdinalPosition: 28
 Required: False
 SourceField: PotPermScore
 SourceTable: DeterminePWSTreatmentClassification

pHScore Long Integer 4

AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: pH adjustment (Calcium carbonate, carbon dioxide, hydrochloric acid, calcium oxide, calcium hydroxide, sodium hydroxide, sulfuric acid, other) (4 pts)
 DisplayControl: Text Box
 OrdinalPosition: 29
 Required: False

SourceField:	pHScore		
SourceTable:	DeterminePWSTreatmentClassification		
CorrosionScore		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Stability or Corrosion Control (calcium oxide, calcium hydroxide, sodium carbonate, sodium hexametaphosphate, other) (10 pts)		
DisplayControl:	Text Box		
OrdinalPosition:	30		
Required:	False		
SourceField:	CorrosionScore		
SourceTable:	DeterminePWSTreatmentClassification		
RapidMixScore		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Rapid Mix (mechanical, injection, and in-line blenders) (2 pts)		
DisplayControl:	Text Box		
OrdinalPosition:	31		
Required:	False		
SourceField:	RapidMixScore		
SourceTable:	DeterminePWSTreatmentClassification		
CoagulantScore		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Primary coagulant addition (6 pts)		
DisplayControl:	Text Box		
OrdinalPosition:	32		
Required:	False		
SourceField:	CoagulantScore		
SourceTable:	DeterminePWSTreatmentClassification		

CoagulantAidScore		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Coagulant aid / Flocculant chemical addition (in addition to primary coagulant use) (2 pts)		
DisplayControl:	Text Box		
OrdinalPosition:	33		
Required:	False		
SourceField:	CoagulantAidScore		
SourceTable:	DeterminePWSTreatmentClassification		

FloccScore		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Flocculation (2 pts)		
DisplayControl:	Text Box		
OrdinalPosition:	34		
Required:	False		
SourceField:	FloccScore		
SourceTable:	DeterminePWSTreatmentClassification		

FilterAidScore		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Filter aid addition (Non-ionic / anionic polymers) (2 pts)		
DisplayControl:	Text Box		
OrdinalPosition:	35		
Required:	False		
SourceField:	FilterAidScore		
SourceTable:	DeterminePWSTreatmentClassification		

SedimentationScore		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		

Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Sedimentation (plain, tube, or plate) (4 pts)
 DisplayControl: Text Box
 OrdinalPosition: 36
 Required: False
 SourceField: SedimentationScore
 SourceTable: DeterminePWSTreatmentClassification

AdsorptionScore Long Integer 4

AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Contact Adsorption (6 pts)
 DisplayControl: Text Box
 OrdinalPosition: 37
 Required: False
 SourceField: AdsorptionScore
 SourceTable: DeterminePWSTreatmentClassification

OtherClarificationScore Long Integer 4

AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Other clarification processes (air floatation, ballasted clarification, etc.) (6 pts)
 DisplayControl: Text Box
 OrdinalPosition: 38
 Required: False
 SourceField: OtherClarificationScore
 SourceTable: DeterminePWSTreatmentClassification

UpflowScore Long Integer 4

AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False

ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
Description: Upflow clarification (A sludge blanket) (8 pts)
DisplayControl: Text Box
OrdinalPosition: 39
Required: False
SourceField: UpflowScore
SourceTable: DeterminePWSTreatmentClassification

SlowGranularMediaScore Long Integer 4

AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 2370
DataUpdatable: False
DecimalPlaces: Auto
Description: Slow Granular media filtration < 3 gpm/sq. ft.=10 pts
DisplayControl: Text Box
OrdinalPosition: 40
Required: False
SourceField: SlowGranularMediaScore
SourceTable: DeterminePWSTreatmentClassification

FastGranularMediaScore Long Integer 4

AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 2340
DataUpdatable: False
DecimalPlaces: Auto
Description: Fast Granular media filtration > 3 gpm/sq. ft.=20pts
DisplayControl: Text Box
OrdinalPosition: 41
Required: False
SourceField: FastGranularMediaScore
SourceTable: DeterminePWSTreatmentClassification

DirectFiltrationScore Long Integer 4

AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto

Description:	Direct Filtration (5 pts)		
DisplayControl:	Text Box		
OrdinalPosition:	42		
Required:	False		
SourceField:	DirectFiltrationScore		
SourceTable:	DeterminePWSTreatmentClassification		
MembraneNPDWRScore		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	for compliance with a NPDWR (10 pts)		
DisplayControl:	Text Box		
OrdinalPosition:	43		
Required:	False		
SourceField:	MembraneNPDWRScore		
SourceTable:	DeterminePWSTreatmentClassification		
MembraneNSDWRScore		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	for compliance with a NSDWR (6 pts)		
DisplayControl:	Text Box		
OrdinalPosition:	44		
Required:	False		
SourceField:	MembraneNSDWRScore		
SourceTable:	DeterminePWSTreatmentClassification		
DiatomaceousScore		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Diatomaceous earth (pre-coat filtration) (10 pts)		
DisplayControl:	Text Box		
OrdinalPosition:	45		
Required:	False		

SourceField:	DiatomaceousScore		
SourceTable:	DeterminePWSTreatmentClassification		
CartridgeScore		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Cartridge/bag (5 pts)		
DisplayControl:	Text Box		
OrdinalPosition:	46		
Required:	False		
SourceField:	CartridgeScore		
SourceTable:	DeterminePWSTreatmentClassification		
PreFiltrationScore		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Pre-filtration (staged cartridges, pressure sand w/o coagulation, etc.): add one point per stage to max of 3 points		
DisplayControl:	Text Box		
OrdinalPosition:	47		
Required:	False		
SourceField:	PreFiltrationScore		
SourceTable:	DeterminePWSTreatmentClassification		
AerationScore		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Aeration (3 pts)		
DisplayControl:	Text Box		
OrdinalPosition:	48		
Required:	False		
SourceField:	AerationScore		
SourceTable:	DeterminePWSTreatmentClassification		

AirStrippingScore		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Air stripping (includes: diffused air, packed tower aeration) (5 pts)		
DisplayControl:	Text Box		
OrdinalPosition:	49		
Required:	False		
SourceField:	AirStrippingScore		
SourceTable:	DeterminePWSTreatmentClassification		

IonExchangeScore		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Ion-exchange softening (5 pts)		
DisplayControl:	Text Box		
OrdinalPosition:	50		
Required:	False		
SourceField:	IonExchangeScore		
SourceTable:	DeterminePWSTreatmentClassification		

LimeSofteningScore		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Lime-soda ash softening (includes: chemical addition, mixing / flocculation / clarification / filtration - do not add points for these processes separately) (20 pts)		
DisplayControl:	Text Box		
OrdinalPosition:	51		
Required:	False		
SourceField:	LimeSofteningScore		
SourceTable:	DeterminePWSTreatmentClassification		

GACfilterScore		Long Integer	4
----------------	--	--------------	---

AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Granular activated carbon filter (do not assign points when included as a bed layer in another filter) (5 pts)
 DisplayControl: Text Box
 OrdinalPosition: 52
 Required: False
 SourceField: GACfilterScore
 SourceTable: DeterminePWSTreatmentClassification

PowderedACScore Long Integer 4

AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Powdered activated carbon (2 pts)
 DisplayControl: Text Box
 OrdinalPosition: 53
 Required: False
 SourceField: PowderedACScore
 SourceTable: DeterminePWSTreatmentClassification

BlendingNPDWRScore Long Integer 4

AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Blending to achieve compliance with a NPDWR (4 pts)
 DisplayControl: Text Box
 OrdinalPosition: 54
 Required: False
 SourceField: BlendingNPDWRScore
 SourceTable: DeterminePWSTreatmentClassification

BlendingNSDWRScore Long Integer 4

AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length

CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
Description: Blending to achieve compliance with a NSDWR (2 pts)
DisplayControl: Text Box
OrdinalPosition: 55
Required: False
SourceField: BlendingNSDWRScore
SourceTable: DeterminePWSTreatmentClassification

ReservoirScore Long Integer 4

AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 2235
DataUpdatable: False
DecimalPlaces: Auto
Description: Reservoir management employing chemical addition (2 pts)
DisplayControl: Text Box
OrdinalPosition: 56
Required: False
SourceField: ReservoirScore
SourceTable: DeterminePWSTreatmentClassification

ElectrodialysisScore Long Integer 4

AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 2715
DataUpdatable: False
DecimalPlaces: Auto
Description: Electrodialysis (15 pts)
DisplayControl: Text Box
OrdinalPosition: 57
Required: False
SourceField: ElectrodialysisScore
SourceTable: DeterminePWSTreatmentClassification

OtherTreatmentScore Long Integer 4

AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 1920

DataUpdatable: False
 DecimalPlaces: Auto
 Description: EPA considers the following special processes as "other", including but not limited to: POE and POU devices, various adsorption technologies, ion-exchange for Arsenic removal, etc. (2-15 pts)
 DisplayControl: Text Box
 OrdinalPosition: 58
 Required: False
 SourceField: OtherTreatmentScore
 SourceTable: DeterminePWSTreatmentClassification

ResidualsScore Long Integer 4

AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1545
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Residuals disposal - to surface, sewer or equivalent, lagoon/drying bed, with no recover/ recycling - e.g. downstream outfall, on-site disposal, land application = 1 pt, Backwash Recovery to basin or lagoon then to source = 3 pts, Recovery to plant = 5pts
 DisplayControl: Text Box
 OrdinalPosition: 59
 Required: False
 SourceField: ResidualsScore
 SourceTable: DeterminePWSTreatmentClassification

ProcessControlScore Long Integer 4

AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2025
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Monitoring / alarm only, no process control = 0, limited remote process operation, e.g. remote shutdown = 1 pt, Moderate process operation=2 pts, Extensive or total remote process operation=4 pts
 DisplayControl: Text Box
 OrdinalPosition: 60
 Required: False
 SourceField: ProcessControlScore
 SourceTable: DeterminePWSTreatmentClassification

DesignLimitScore Long Integer 4

	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	Design limitations regarding: clearwell, pumps, storage, etc.	
	DisplayControl:	Text Box	
	OrdinalPosition:	61	
	Required:	False	
	SourceField:	DesignLimitScore	
	SourceTable:	DeterminePWSTreatmentClassification	
TotalPoints			Long Integer 4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	Total number of points	
	DisplayControl:	Text Box	
	OrdinalPosition:	62	
	Required:	False	
	SourceField:	TotalPoints	
	SourceTable:	DeterminePWSTreatmentClassification	
CalculatedTreatmentClass			Long Integer 4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	Level I - Basic 30 pts or less, Level III- Advanced Intermediate 56-75 pts, Level II - Intermediate 31-55 pts, Level IV - Advanced 76 pts or more	
	DisplayControl:	Text Box	
	OrdinalPosition:	63	
	Required:	False	
	SourceField:	CalculatedTreatmentClass	
	SourceTable:	DeterminePWSTreatmentClassification	
Lastupdate			Date With Time 8
	AllowZeroLength:	False	

AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Date of Last Update
Format: General Date
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 64
Required: False
SourceField: Lastupdate
SourceTable: DeterminePWSTreatmentClassification

CurrentUpdateUser Short Text 50

AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Current User At Time of Update
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 65
Required: False
SourceField: CurrentUpdateUser
SourceTable: DeterminePWSTreatmentClassification
UnicodeCompression: True

DateCreated Date With Time 8

AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Format: General Date
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 66
Required: False
SourceField: DateCreated
SourceTable: DeterminePWSTreatmentClassification

CreatedBy Short Text 50

AllowZeroLength: True
AppendOnly: False

Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Created by user name
DisplayControl:	Text Box
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	67
Required:	False
SourceField:	CreatedBy
SourceTable:	DeterminePWSTreatmentClassification
UnicodeCompression:	True

Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	469
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
FACID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	

jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated: 12/18/2013 2:59:36 PM LastUpdated: 12/18/2013 2:59:36 PM
 RecordCount: 0 Updatable: True

Columns

Name	Type	Size
FACID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
DataUpdatable:	False	
OrdinalPosition:	1	
Required:	False	
SourceField:	FACID	
SourceTable:	DeterminePWSTreatmentClassification_temp	
ALTERNATE_ST_NUM	Short Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
DataUpdatable:	False	
OrdinalPosition:	2	
Required:	False	
SourceField:	ALTERNATE_ST_NUM	
SourceTable:	DeterminePWSTreatmentClassification_temp	
PWSSNAME	Short Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
DataUpdatable:	False	
OrdinalPosition:	3	
Required:	False	
SourceField:	PWSSNAME	
SourceTable:	DeterminePWSTreatmentClassification_temp	
Population	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
DataUpdatable:	False	
OrdinalPosition:	4	
Required:	False	
SourceField:	Population	
SourceTable:	DeterminePWSTreatmentClassification_temp	
POcontactID	Short Text	50

AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	5		
Required:	False		
SourceField:	POcontactID		
SourceTable:	DeterminePWSTreatmentClassification_temp		
PrimaryOperator		Short Text	255
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	6		
Required:	False		
SourceField:	PrimaryOperator		
SourceTable:	DeterminePWSTreatmentClassification_temp		
PrimaryTREATCert		Short Text	255
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	7		
Required:	False		
SourceField:	PrimaryTREATCert		
SourceTable:	DeterminePWSTreatmentClassification_temp		
PrimaryCertAuth		Short Text	100
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	8		
Required:	False		
SourceField:	PrimaryCertAuth		
SourceTable:	DeterminePWSTreatmentClassification_temp		
SecondaryOperator		Short Text	255
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	9		
Required:	False		
SourceField:	SecondaryOperator		
SourceTable:	DeterminePWSTreatmentClassification_temp		
SecondaryTREATCert		Short Text	255

AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	10		
Required:	False		
SourceField:	SecondaryTREATCert		
SourceTable:	DeterminePWSTreatmentClassification_temp		
SecondCertAuth		Short Text	100
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	11		
Required:	False		
SourceField:	SecondCertAuth		
SourceTable:	DeterminePWSTreatmentClassification_temp		
PopClass		Double	8
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	12		
Required:	False		
SourceField:	PopClass		
SourceTable:	DeterminePWSTreatmentClassification_temp		

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	

jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:51 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	Filter:	([DIMEPublicnoticecriteria].[RE LATEDVIOID]=91650)
FilterOnLoad:	False	GUID:	{guid {84804DD6-C5A9-40FC- 9F1C-674AF19CE2E3}}
HideNewField:	False	LastUpdated:	11/5/2014 6:19:51 PM
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	-1	SourceTableName:	DIMEPublicnoticecriteria
TotalsRow:	False	Updatable:	False

Columns

Name	Type	Size
PNcritID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal DIME publicnoticecriteria record identifier	
GUID:	{guid {EF5EBD07-1F70-45D1-803E-862C2C195C71}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	PNcritID	
SourceTable:	DIMEPublicnoticecriteria	
TextAlign:	General	
FACID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	internal DIME PWS identifier, lookup in table Facility Information	
DisplayControl:	Text Box	
GUID:	{guid {A12F688D-D405-4D4C-B905-585D1B0E18CF}}	
OrdinalPosition:	1	
Required:	True	
SourceField:	FACID	

	SourceTable:	DIMEPublicnoticecriteria	
	TextAlign:	General	
VIOID		Long Integer	4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	1650	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	internal DIME Violation ID for Public Notice violation	
	DisplayControl:	Text Box	
	GUID:	{guid {6E53BF26-E350-4B61-A7A0-44C1A35DA52F}}	
	OrdinalPosition:	2	
	Required:	True	
	SourceField:	VIOID	
	SourceTable:	DIMEPublicnoticecriteria	
	TextAlign:	General	
RELATEDVIOID		Long Integer	4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	2070	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	internal DIME Violation ID for original violation (one record per related violation)	
	DisplayControl:	Text Box	
	GUID:	{guid {962BFA54-33DB-4786-A9E4-6B80E1E29ABD}}	
	OrdinalPosition:	3	
	Required:	True	
	SourceField:	RELATEDVIOID	
	SourceTable:	DIMEPublicnoticecriteria	
	TextAlign:	General	
Lastupdate		Date With Time	8
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Date of Last Update	

GUID: {990ACCF7-FB67-4751-AE7E-C2F7188D452A}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False
 ShowDatePicker: For dates
 SourceField: Lastupdate
 SourceTable: DIMEPublicnoticecriteria
 TextAlign: General

CurrentUpdateUser Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Current User At Time of Update
 DisplayControl: Text Box
 GUID: {0B148B7E-EB37-408A-9CE8-D9321C926187}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 5
 Required: False
 SourceField: CurrentUpdateUser
 SourceTable: DIMEPublicnoticecriteria
 TextAlign: General
 UnicodeCompression: True

DateCreated Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2235
 DataUpdatable: False
 Description: Date that record was created.
 Format: General Date
 GUID: {386D7D54-7910-40F8-A031-2ED9B199E9D5}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 6
 Required: False
 ShowDatePicker: For dates
 SourceField: DateCreated
 SourceTable: DIMEPublicnoticecriteria
 TextAlign: General

CreatedBy Short Text 50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: user who created record
 DisplayControl: Text Box
 GUID: {guid {43D0B9E4-DAE9-401B-B7F1-F13386BB25D3}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 7
 Required: False
 SourceField: CreatedBy
 SourceTable: DIMEPublicnoticecriteria
 TextAlign: General
 UnicodeCompression: True

DateQA

Date With Time

8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2235
 DataUpdatable: False
 Description: date of qa
 Format: General Date
 GUID: {guid {54F8617F-68AA-41C9-808C-76FEB30BDAD3}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 8
 Required: False
 ShowDatePicker: For dates
 SourceField: DateQA
 SourceTable: DIMEPublicnoticecriteria
 TextAlign: General

QAUser

Short Text

50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: qa user
 DisplayControl: Text Box

GUID: {guid {84DE49F5-37D7-4C7C-B89C-D9BD04E1566D}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 9
Required: False
SourceField: QAUser
SourceTable: DIMEPublicnoticecriteria
TextAlign: General
UnicodeCompression: True

DateView Date With Time 8

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 2235
DataUpdatable: False
Description: date of view
Format: General Date
GUID: {guid {9A80E569-004A-4011-92DB-E1D0CD7C5166}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 10
Required: False
ShowDatePicker: For dates
SourceField: DateView
SourceTable: DIMEPublicnoticecriteria
TextAlign: General

ViewUser Short Text 50

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Last Viewed by
DisplayControl: Text Box
GUID: {guid {AB98AB8E-4D74-415C-A54C-9932B1B3199F}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 11
Required: False
SourceField: ViewUser
SourceTable: DIMEPublicnoticecriteria
TextAlign: General
UnicodeCompression: True

Table Indexes

Name	Number of Fields
PNcritID	1
Clustered:	False
DistinctCount:	165
Foreign:	False
IgnoreNulls:	False
Name:	PNcritID
Primary:	False
Required:	False
Unique:	True
Fields:	
PNcritID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	165
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
PNcritID	Ascending
PWSID	1
Clustered:	False
DistinctCount:	49
Foreign:	False
IgnoreNulls:	False
Name:	PWSID
Primary:	False
Required:	False
Unique:	False
Fields:	
FACID	Ascending
RELATEDVIOLID	1
Clustered:	False
DistinctCount:	153
Foreign:	False
IgnoreNulls:	False
Name:	RELATEDVIOLID
Primary:	False
Required:	False
Unique:	False
Fields:	
RELATEDVIOID	Ascending
VIOID	1
Clustered:	False
DistinctCount:	120
Foreign:	False
IgnoreNulls:	False
Name:	VIOID
Primary:	False

Required:	False
Unique:	False
Fields:	
VIOID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

Read-Only Users
Users

Read Definition, Read Data

Properties

AlternateBackShade:	100	AlternateBackThemeColorIn	-1
AlternateBackTint:	100	BackShade:	100
BackTint:	100	DatasheetForeThemeColorIn	-1
DatasheetGridlinesThemeCol	-1	DateCreated:	5/1/2012 12:33:36 PM
DefaultView:	2	DisplayViewsOnSharePointSi	1
FilterOnLoad:	False	GUID:	{guid {4522108D-D766-4133-B7C1-100F7152B5FD}}
HideNewField:	False	LastUpdated:	4/2/2014 6:47:08 PM
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	47	ThemeFontIndex:	-1
TotalsRow:	False	Updatable:	True

Columns

Name	Type	Size
DirID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	1620	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	DirID	
OrdinalPosition:	0	
Required:	False	
SourceField:	DirID	
SourceTable:	DirectoryNames	
TextAlign:	General	
DirName	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2748	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	DirName	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	

	SourceField:	DirName		
	SourceTable:	DirectoryNames		
	TextAlign:	General		
	UnicodeCompression:	True		
dirPath			Short Text	255
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	7080		
	CurrencyLCID:	0		
	DataUpdatable:	False		
	Description:	DirPath		
	DisplayControl:	Text Box		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	2		
	Required:	False		
	SourceField:	dirPath		
	SourceTable:	DirectoryNames		
	TextAlign:	General		
	UnicodeCompression:	True		
DirExpand			Yes/No	1
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	1104		
	CurrencyLCID:	0		
	DataUpdatable:	False		
	Description:	DirExpand		
	DisplayControl:	106		
	Format:	Yes/No		
	OrdinalPosition:	3		
	Required:	False		
	SourceField:	DirExpand		
	SourceTable:	DirectoryNames		
	TextAlign:	General		
DirNum			Long Integer	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		

ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: DirNum
 DisplayControl: Text Box
 OrdinalPosition: 4
 Required: False
 SourceField: DirNum
 SourceTable: DirectoryNames
 TextAlign: General

DateCreated

Date With Time

8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 DefaultValue: =Now()
 Description: DateCreated
 Format: mm/dd/yy
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 5
 Required: False
 ShowDatePicker: For dates
 SourceField: DateCreated
 SourceTable: DirectoryNames
 TextAlign: General

Table Indexes

Name	Number of Fields
DirNum	1
Clustered:	False
DistinctCount:	47
Foreign:	False
IgnoreNulls:	False
Name:	DirNum
Primary:	False
Required:	False
Unique:	False
Fields:	
DirNum	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	47
Foreign:	False
IgnoreNulls:	False

Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
DirID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	

Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated: 7/23/2007 12:57:02 PM DefaultView: 2
 GUID: {guid {749B166E-227B-4898-BEDC-319A704D6923}} LastUpdated: 7/23/2007 12:57:15 PM
 NameMap: Long binary data OrderByOn: False
 Orientation: Left-to-Right RecordCount: 4
 Updatable: True

Columns

Name	Type	Size
distlevelID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal distribution level ID	
GUID:	{guid {B35D55DA-CDE0-4CB3-A9DA-DF15DF80AAA4}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	distlevelID	
SourceTable:	DistributionClassifications	
distlevelnumber	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	distribution level number	
DisplayControl:	Text Box	
GUID:	{guid {1418C23B-1166-42AE-9F51-74DCEA7F8812}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	distlevelnumber	
SourceTable:	DistributionClassifications	
distlevelname	Short Text	50
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	

ColumnWidth: Default
 DataUpdatable: False
 Description: distribution level descriptive name
 DisplayControl: Text Box
 GUID: {guid {5E13CEDE-DF5F-4EB7-8DEF-8074976CE4EB}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: distlevelname
 SourceTable: DistributionClassifications
 UnicodeCompression: True

Table Indexes

Name	Number of Fields
distlevelID	1
Clustered:	False
DistinctCount:	4
Foreign:	False
IgnoreNulls:	False
Name:	distlevelID
Primary:	False
Required:	False
Unique:	False
Fields:	
distlevelID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	4
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
distlevelID	Ascending

User Permissions

admin
 aizaz
 andrew
 bessie
 chris
 corine
 daria
 designer
 dschmidt
 Emmanuelle
 everett

guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\ Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:51 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {ACAF9782-A09B-4268- AE51-2D551D597FAB}}	HideNewField:	False
LastUpdated:	11/5/2014 6:19:51 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	DistributionSystems	SubDataSheetName:	[Auto]
TotalsRow:	False	Updatable:	False

Columns

Name	Type	Size
DistributionID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal ID for distribution system	
GUID:	{guid {6D959133-FDE4-44C0-8117-45593B5C7AB1}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	DistributionID	
SourceTable:	DistributionSystems	
TextAlign:	General	
FACID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
BoundColumn:	1	
Caption:	AlternateStateID	
CollatingOrder:	General	
ColumnCount:	3	
ColumnHeads:	False	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1635	
ColumnWidths:	0;795;2535	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	internal ID for PWS which utilizes distribution system	
DisplayControl:	Text Box	

GUID: {guid {9EC38C4D-63F8-41F3-9DC9-1406337B148A}}
 LimitToList: True
 ListRows: 8
 ListWidth: 3330twip
 OrdinalPosition: 1
 Required: False
 RowSource: SELECT [Facility Information].[FACID], [Facility Information].[PWSSNAME], [Facility Information].[ALTERNATE_ST_NUM] FROM [Facility Information];
 RowSourceType: Table/Query
 SourceField: FACID
 SourceTable: DistributionSystems
 TextAlign: General

UnivUniqueID Short Text 5

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: universally unique number for sources, treatment plants, entry points, storage, or distribution systems
 DisplayControl: Text Box
 GUID: {guid {7A2AD37D-DFF6-4FD4-835B-2FF0E5C32B37}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: True
 SourceField: UnivUniqueID
 SourceTable: DistributionSystems
 TextAlign: General
 UnicodeCompression: False

distributionName Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2355
 DataUpdatable: False
 Description: Most recognized and used distribution system name
 DisplayControl: Text Box
 GUID: {guid {A6D145D0-ECA5-4823-96A7-28B2ECBA7358}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3

Required: False
 SourceField: distributionName
 SourceTable: DistributionSystems
 TextAlign: General
 UnicodeCompression: True

FacTypeID Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 4
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 ColumnWidths: 0;348;2304;1031
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME ID for sub-facility type, lookup in table FacType with category Piped, Other
 DisplayControl: Text Box
 GUID: {guid {3D601FBE-5D6B-4105-A859-AD146B1E9190}}
 LimitToList: True
 ListRows: 8
 ListWidth: 3683twip
 OrdinalPosition: 4
 Required: False
 RowSource: SELECT Factype.FactypeID, Factype.ODScodeFactype, Factype.FacilityType, Factype.FacTypeCat FROM Factype WHERE (((Factype.FacTypeCat)="distribution")) ORDER BY Factype.FacTypeCat, Factype.ODScodeFactype;
 RowSourceType: Table/Query
 SourceField: FacTypeID
 SourceTable: DistributionSystems
 TextAlign: General

ACTIVITY_STATUS_DIST Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 Caption: ACTIVITY_STATUS_DIST
 CollatingOrder: General
 ColumnCount: 2
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 ColumnWidths: 0;1065

DataUpdatable: False
 DecimalPlaces: Auto
 Description: activity status for distribution system, lookup in table SourceUseStatus, which contains proper SDWIS codes
 DisplayControl: Combo Box
 GUID: {guid {FCEAD3E2-FF2E-4CD4-A8DE-546736302AEC}}
 LimitToList: True
 ListRows: 8
 ListWidth: 1065twip
 OrdinalPosition: 5
 Required: False
 RowSource: SELECT SourceUseStatus.ID, SourceUseStatus.SourceUseStatus FROM SourceUseStatus;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: ACTIVITY_STATUS_DIST
 SourceTable: DistributionSystems
 TextAlign: General

ACTIVITY_DATE_DIST Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date distribution system came into active service OR date distribution system stopped being used
 GUID: {guid {208B1E82-3DBB-4F7D-B710-547789F117BE}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 6
 Required: False
 ShowDatePicker: For dates
 SourceField: ACTIVITY_DATE_DIST
 SourceTable: DistributionSystems
 TextAlign: General

ACTIVITY_RSN_TXT_DIST Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Reason for activity of distribution system
 DisplayControl: Text Box
 GUID: {guid {6A7C3109-1BF3-4A18-9917-92FF8F989C0E}}

IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 7
 Required: False
 SourceField: ACTIVITY_RSN_TXT_DIST
 SourceTable: DistributionSystems
 TextAlign: General
 UnicodeCompression: True

MEMO_TEXT_distribution Short Text 255

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Memo text for distribution systemt, notes about distribution system
 DisplayControl: Text Box
 GUID: {guid {756E4CAE-F8CB-4866-BDEB-CD79DEFD3A04}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 8
 Required: False
 SourceField: MEMO_TEXT_distribution
 SourceTable: DistributionSystems
 TextAlign: General
 UnicodeCompression: True

NoGWRSources Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Override number of samples
 DisplayControl: Text Box
 OrdinalPosition: 9
 Required: False
 SourceField: NoGWRSources
 SourceTable: DistributionSystems
 TextAlign: General

FlowsTo_dist Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length

CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: indicates flow to next point in PWS, universally unique identifier from union of entry points, treatment plants, storage, or distribution system
 DisplayControl: Text Box
 GUID: {guid {95CBCF02-FCF4-4BA0-9057-79D82E90B3A7}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 10
 Required: False
 SourceField: FlowsTo_dist
 SourceTable: DistributionSystems
 TextAlign: General
 UnicodeCompression: True

DISTRIBUTION_MAT AggregateType: -1 AllowValueListEdits: False AllowZeroLength: False AppendOnly: False Attributes: Variable Length BoundColumn: 1 CollatingOrder: General ColumnCount: 1 ColumnHeads: False ColumnHidden: False ColumnOrder: Default ColumnWidth: 3780 ColumnWidths: 1440 DataUpdatable: False DecimalPlaces: Auto Description: old Text info on piping material types DisplayControl: Combo Box GUID: {guid {355B52EB-5853-40EF-8625-DAE85CA00358}} IMEMode: 0 IMESentenceMode: 3 LimitToList: False ListRows: 8 ListWidth: 1440twip OrdinalPosition: 11 Required: False RowSource: "Some Asbestos Cement Pipe";"All Asbestos Cement Pipe";"All PVC";"Mixed without Asbestos Cement pipe";"Unknown" RowSourceType: Value List ShowOnlyRowSourceValues: False SourceField: DISTRIBUTION_MAT SourceTable: DistributionSystems TextAlign: General UnicodeCompression: True	Short Text	50
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------	----

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 2
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1425
 ColumnWidths: 0;2670
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME ID for PipingMaterialType, lookup in table PipingMaterialTypes
 DisplayControl: Combo Box
 GUID: {guid {570B44F6-92F0-493B-989B-B073D8F6559D}}
 LimitToList: True
 ListRows: 8
 ListWidth: 2670twip
 OrdinalPosition: 12
 Required: False
 RowSource: SELECT PipingMaterialTypes.PipingMatID,
 PipingMaterialTypes.PipingMaterialName FROM PipingMaterialTypes;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: PipingTypeID
 SourceTable: DistributionSystems
 TextAlign: General

Lastupdate Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date of Last Update
 Format: General Date
 GUID: {guid {7154AB6B-531E-4CF0-9766-1BC2906990A9}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 13
 Required: False
 ShowDatePicker: For dates
 SourceField: Lastupdate
 SourceTable: DistributionSystems
 TextAlign: General

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Current User At Time of Update
DisplayControl: Text Box
GUID: {guid {F2CED1C9-59B9-4555-B0B2-9B5C6654D57C}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 14
Required: False
SourceField: CurrentUpdateUser
SourceTable: DistributionSystems
TextAlign: General
UnicodeCompression: True

DateCreated Date With Time 8

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Date that record was created.
Format: General Date
GUID: {guid {DFCF2F0A-8E84-485B-9C86-025927B0D773}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 15
Required: False
ShowDatePicker: For dates
SourceField: DateCreated
SourceTable: DistributionSystems
TextAlign: General

CreatedBy Short Text 50

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Created by user
DisplayControl: Text Box


GUID: {guid {C488023D-AE2E-42AD-A5D0-512FAA75486F}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 16
 Required: False
 SourceField: CreatedBy
 SourceTable: DistributionSystems
 TextAlign: General
 UnicodeCompression: True

StatusID Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME Status identifier, lookup in table QASstatus
 DisplayControl: Text Box
 GUID: {guid {90E62367-8ABE-4948-8628-6B672367E3C5}}
 OrdinalPosition: 17
 Required: False
 SourceField: StatusID
 SourceTable: DistributionSystems
 TextAlign: General


Relationships

DistributionSystemsLocationalData_Distribution



Attributes: Not Enforced, Inherited, Left Join
 RelationshipType: One-To-Many (External)

Facility InformationDistributionSystems



Attributes: Not Enforced, Inherited
 RelationshipType: One-To-Many (External)

Table Indexes

Name	Number of Fields
DistributionID	1
Clustered:	False
DistinctCount:	611
Foreign:	False
IgnoreNulls:	False
Name:	DistributionID
Primary:	False
Required:	False
Unique:	True
Fields:	
DistributionID	Ascending
PrimaryKey	2
Clustered:	False
DistinctCount:	611
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
FACID	Ascending
UnivUniqueID	Ascending

User Permissions

- admin
- aizaz
- andrew
- bessie
- chris
- corine
- daria
- designer
- dschmidt
- Emmanuelle
- everett
- guest
- helen
- hillary
- jack
- jamelya
- Jason
- jelani
- jennifer
- jimh
- judy
- karl
- kirk
- lawonda

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	2/12/2008 1:22:40 PM	DefaultView:	2
GUID:	{guid {635FF1A6-52FE-4916-AA85-E26DDE2FC21D}}	LastUpdated:	2/12/2008 1:32:40 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	8
Updatable:	True		

Columns

Name	Type	Size
DistLevelID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal DIME Distribution System Level identifier	
GUID:	{guid {715F74A8-C31C-41B1-B0E4-817510D48620}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	DistLevelID	
SourceTable:	DistScore	
Level	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Score for given Distribution system characteristic	
DisplayControl:	Text Box	
GUID:	{guid {0BFA135F-D6FD-4D6D-B820-0BB91EFEED68}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	Level	
SourceTable:	DistScore	
Description	Short Text	255
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	

ColumnWidth: 8940
 DataUpdatable: False
 Description: Distribution System characteristics
 DisplayControl: Text Box
 GUID: {guid {901F6353-7181-4119-A88B-A79B1EA75B9B}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: Description
 SourceTable: DistScore
 UnicodeCompression: False

Levelfield		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Field for which a given group of characteristics apply		
DisplayControl:	Text Box		
GUID:	{guid {BE3FDF17-8E04-404F-A4B6-5E7C1ABE6AFE}}		
OrdinalPosition:	3		
Required:	False		
SourceField:	Levelfield		
SourceTable:	DistScore		

Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	8
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
DistLevelID	Ascending
ScoreID	1
Clustered:	False
DistinctCount:	8
Foreign:	False
IgnoreNulls:	False
Name:	ScoreID
Primary:	False
Required:	False
Unique:	False

Fields:
DistLevelID Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\ Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:51 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {EEDB7CE2-CC92-4610- BA9C-2656CAE19519}}	HideNewField:	False
LastUpdated:	11/5/2014 6:19:51 PM	NameMap:	Long binary data
OrderBy:	[EntryPoints].[EntryPointID]	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	-1	SourceTableName:	EntryPoints
SubDataSheetName:	[Auto]	TotalsRow:	False
Updatable:	False		

Columns

Name	Type	Size
EntryPointID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal ID for entry point	
GUID:	{guid {6BBE848E-433D-4678-9C86-3D86CDA6C43D}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	EntryPointID	
SourceTable:	EntryPoints	
TextAlign:	General	
FACID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
BoundColumn:	1	
Caption:	AlternateStateID	
CollatingOrder:	General	
ColumnCount:	3	
ColumnHeads:	False	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2910	
ColumnWidths:	0;795;2535	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	internal ID for PWS which utilizes entry point	

DisplayControl: Text Box
 GUID: {guid {C6EBA552-5764-42A7-910C-5E12DECFD623}}
 LimitToList: True
 ListRows: 8
 ListWidth: 3330twip
 OrdinalPosition: 1
 Required: False
 RowSource: SELECT [Facility Information].[FACID], [Facility Information].[PWSSNAME], [Facility Information].[ALTERNATE_ST_NUM] FROM [Facility Information];
 RowSourceType: Table/Query
 SourceField: FACID
 SourceTable: EntryPoints
 TextAlign: General

UnivUniqueID Short Text 5

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: universally unique number for sources, treatment plants, entry points, storage, or distribution systems
 DisplayControl: Text Box
 GUID: {guid {D7FA3548-1DE7-4A4E-91C0-89183EBA5403}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: True
 SourceField: UnivUniqueID
 SourceTable: EntryPoints
 TextAlign: General
 UnicodeCompression: False

EntryPointName Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Most recognized and used entry point name
 DisplayControl: Text Box
 GUID: {guid {227B5D4F-EDE7-483D-A165-5B2C1D23F32E}}
 IMEMode: 0
 IMESentenceMode: 3

OrdinalPosition: 3
 Required: False
 SourceField: EntryPointName
 SourceTable: EntryPoints
 TextAlign: General
 UnicodeCompression: True

FacTypeID Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 4
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 ColumnWidths: 0;348;2304;1031
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME ID for sub-facility type, lookup in table FacType with category Piped, Other
 DisplayControl: Text Box
 GUID: {guid {DC39ADDD-B1C6-4D78-BDF9-3C61835E0703}}
 LimitToList: True
 ListRows: 8
 ListWidth: 3683twip
 OrdinalPosition: 4
 Required: False
 RowSource: SELECT Factype.FactypeID, Factype.ODScodeFactype, Factype.FacilityType, Factype.FacTypeCat FROM Factype WHERE (((Factype.FacTypeCat)="Entry")) ORDER BY Factype.FacTypeCat, Factype.ODScodeFactype;
 RowSourceType: Table/Query
 SourceField: FacTypeID
 SourceTable: EntryPoints
 TextAlign: General

ACTIVITY_STATUS_ENTRY Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 Caption: ACTIVITY_STATUS_SOURCE
 CollatingOrder: General
 ColumnCount: 2
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default

ColumnWidths: 0;1065
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: activity status for entry point, lookup in table SourceUseStatus, which contains proper SDWIS codes
 DisplayControl: Combo Box
 GUID: {guid {B9D43580-6CAE-4943-951B-D5177357995A}}
 LimitToList: True
 ListRows: 8
 ListWidth: 1065twip
 OrdinalPosition: 5
 Required: False
 RowSource: SELECT SourceUseStatus.ID, SourceUseStatus.SourceUseStatus FROM SourceUseStatus;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: ACTIVITY_STATUS_ENTRY
 SourceTable: EntryPoints
 TextAlign: General

ACTIVITY_DATE_ENTRY Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date entry point came into active service OR date entry point stopped being used
 GUID: {guid {F0EEE069-F1B5-4561-81D6-57A795668A4F}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 6
 Required: False
 ShowDatePicker: For dates
 SourceField: ACTIVITY_DATE_ENTRY
 SourceTable: EntryPoints
 TextAlign: General

ACTIVITY_RSN_TXT_ENTRY Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Reason for activity of entry point
 DisplayControl: Text Box

NoGWRSources		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Number of ground water sources, default to number of sources leading to entry point, PO may adjust		
DisplayControl:	Text Box		
OrdinalPosition:	10		
Required:	False		
SourceField:	NoGWRSources		
SourceTable:	EntryPoints		
TextAlign:	General		
ComplianceMonitoring		Yes/No	1
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Compliance Monitoring		
DisplayControl:	106		
Format:	Yes/No		
OrdinalPosition:	11		
Required:	False		
SourceField:	ComplianceMonitoring		
SourceTable:	EntryPoints		
TextAlign:	General		
Lastupdate		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Date of Last Update		
Format:	General Date		
GUID:	{guid {29A28CD8-4D36-4412-B984-1E4E6CC87DFF}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	12		

Required: False
 ShowDatePicker: For dates
 SourceField: Lastupdate
 SourceTable: EntryPoints
 TextAlign: General

CurrentUpdateUser Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Current User At Time of Update
 DisplayControl: Text Box
 GUID: {guid {02D0B3E3-E9E4-4AD9-939E-57059245329F}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 13
 Required: False
 SourceField: CurrentUpdateUser
 SourceTable: EntryPoints
 TextAlign: General
 UnicodeCompression: True

DateCreated Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date that record was created.
 Format: Short Date
 GUID: {guid {C305E476-7594-4710-8415-0DEF705AFE95}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 14
 Required: False
 ShowDatePicker: For dates
 SourceField: DateCreated
 SourceTable: EntryPoints
 TextAlign: General

CreatedBy Short Text 50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length


CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Created by User
 DisplayControl: Text Box
 GUID: {guid {C0C5E790-9485-4DBC-B36A-818A2903B57C}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 15
 Required: False
 SourceField: CreatedBy
 SourceTable: EntryPoints
 TextAlign: General
 UnicodeCompression: True

StatusID Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME Status identifier, lookup in table QASstatus
 DisplayControl: Text Box
 GUID: {36EAAA30-F1B0-4E9F-BE8E-00AC4F2DC14C}
 OrdinalPosition: 16
 Required: False
 SourceField: StatusID
 SourceTable: EntryPoints
 TextAlign: General


Relationships

EntryPointsLocationalData_EntryPoints



Attributes: Not Enforced, Inherited, Left Join
 RelationshipType: One-To-Many (External)

Facility InformationEntryPoints



Attributes: Not Enforced, Inherited
 RelationshipType: One-To-Many (External)

Table Indexes

Name	Number of Fields
EntryPointID	1
Clustered:	False
DistinctCount:	700
Foreign:	False
IgnoreNulls:	False
Name:	EntryPointID
Primary:	False
Required:	False
Unique:	True
Fields:	
EntryPointID	Ascending
PrimaryKey	2
Clustered:	False
DistinctCount:	698
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
FACID	Ascending
UnivUniqueID	Ascending

User Permissions

- admin
- aizaz
- andrew
- bessie
- chris
- corine
- daria
- designer
- dschmidt
- Emmanuelle
- everett
- guest

helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	7/23/2007 12:57:02 PM	DefaultView:	2
GUID:	{guid {D4782F88-633D-4378-925A-344C131BEA3C}}	LastUpdated:	7/23/2007 12:57:15 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	4
SubDataSheetName:	[Auto]	Updatable:	True

Columns

Name	Type	Size
ID	Long Integer	4
AllowZeroLength: False AppendOnly: False Attributes: Fixed Size, Auto-Increment CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False Description: internal DIME identifier for Entry Point Type GUID: {guid {AB80801F-B586-4FA6-80B6-52BA1F2CDF4E}} OrdinalPosition: 0 Required: False SourceField: ID SourceTable: EntryPointTypes		
Entry Point Type	Short Text	50
AllowZeroLength: True AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: 3015 DataUpdatable: False Description: Entry Point Type description DisplayControl: Text Box GUID: {46AEB768-5C5A-40DE-B6CC-C0382574FD15}} IMEMode: 0 IMESentenceMode: 3 OrdinalPosition: 1 Required: False SourceField: Entry Point Type SourceTable: EntryPointTypes UnicodeCompression: True		
SDWIS Code	Short Text	50
AllowZeroLength: True AppendOnly: False Attributes: Variable Length CollatingOrder: General		

ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	ODS Entry Point Type code
DisplayControl:	Text Box
GUID:	{guid {12F2ED8D-372A-4706-999C-D35A760B98FE}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	2
Required:	False
SourceField:	SDWIS Code
SourceTable:	EntryPointTypes
UnicodeCompression:	True

Table Indexes

Name	Number of Fields
ID	1
Clustered:	False
DistinctCount:	4
Foreign:	False
IgnoreNulls:	False
Name:	ID
Primary:	False
Required:	False
Unique:	False
Fields:	
ID	Ascending
SDWIS Code	1
Clustered:	False
DistinctCount:	4
Foreign:	False
IgnoreNulls:	False
Name:	SDWIS Code
Primary:	False
Required:	False
Unique:	False
Fields:	
SDWIS Code	Ascending

User Permissions

- admin
- aizaz
- andrew
- bessie
- chris
- corine
- daria
- designer
- dschmidt

Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:51 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	Filter:	(([ETT].[FACID]=104)
FilterOnLoad:	False	GUID:	{guid {79763DE7-A21D-4282-815F-BAA8CC2DA28C}}
HideNewField:	False	LastUpdated:	11/5/2014 6:19:51 PM
NameMap:	Long binary data	OrderBy:	[ETT].[ETDate] DESC
OrderByOn:	True	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	ETT	TotalsRow:	False
Updatable:	False		

Columns

Name	Type	Size
ETTrecordID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
GUID:	{guid {D6014A95-CE4E-4F32-B2DD-D5E1FE97C23F}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	ETTrecordID	
SourceTable:	ETT	
TextAlign:	General	
EPA Region	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
Format:	@	
GUID:	{guid {4A76C1B0-6544-426D-81BD-D941AC41D1A9}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	EPA Region	

	SourceTable:	ETT		
	TextAlign:	General		
	UnicodeCompression:	False		
PWSID			Short Text	255
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	Format:	@		
	GUID:	{guid {0DD305F4-2D8D-45FA-BE47-D9C5D45EBE30}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	2		
	Required:	False		
	SourceField:	PWSID		
	SourceTable:	ETT		
	TextAlign:	General		
	UnicodeCompression:	False		
PWSName			Short Text	255
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	3090		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	Format:	@		
	GUID:	{guid {BB6CBC67-5B95-4244-B234-8259D7EECFB}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	3		
	Required:	False		
	SourceField:	PWSName		
	SourceTable:	ETT		
	TextAlign:	General		
	UnicodeCompression:	False		
FACID			Long Integer	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		

ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME PWS identifier, lookup in table Facility Information
 DisplayControl: Text Box
 GUID: {guid {175FB75F-E733-46C1-8BE6-694D7AFF5BDC}}
 OrdinalPosition: 4
 Required: False
 SourceField: FACID
 SourceTable: ETT
 TextAlign: General

ETT Double 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Sum(S) +n Formula
 DisplayControl: Text Box
 Format: General Number
 GUID: {guid {43955676-D5AA-4C00-84A6-C697CB84272B}}
 OrdinalPosition: 5
 Required: False
 SourceField: ETT
 SourceTable: ETT
 TextAlign: General

AltETT Double 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 DisplayControl: Text Box
 Format: General Number
 GUID: {guid {8063B64E-CCF9-4F0A-9EEE-BBFDA5D59EFD}}
 OrdinalPosition: 6
 Required: False
 SourceField: AltETT
 SourceTable: ETT
 TextAlign: General

NoSNCS5 Double 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 DisplayControl: Text Box
 Format: General Number
 GUID: {guid {45C8A1FE-E760-4DB8-9F2F-7A94FB87CD5A}}
 OrdinalPosition: 7
 Required: False
 SourceField: NoSNCs5
 SourceTable: ETT
 TextAlign: General

Tier1 Short Text 255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 GUID: {guid {5A7533B8-B4E1-41A0-9798-DB1C476A0D32}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 8
 Required: False
 SourceField: Tier1
 SourceTable: ETT
 TextAlign: General
 UnicodeCompression: False

PWSClass Short Text 255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 Format: @
 GUID: {guid {3604D44F-A489-4BCA-A2F9-AEEB8236B49A}}
 IMEMode: 0
 IMESentenceMode: 3

	OrdinalPosition:	9		
	Required:	False		
	SourceField:	PWSCClass		
	SourceTable:	ETT		
	TextAlign:	General		
	UnicodeCompression:	False		
POP			Double	8
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	DisplayControl:	Text Box		
	Format:	General Number		
	GUID:	{guid {0F76DFEB-274E-4DC2-8CDD-6CACD5FE896C}}		
	OrdinalPosition:	10		
	Required:	False		
	SourceField:	POP		
	SourceTable:	ETT		
	TextAlign:	General		
DateFirstOnList			Date With Time	8
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Format:	m/d/yyyy		
	GUID:	{guid {1EF0B261-29F9-4619-AD21-E731E8E49DDD}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	11		
	Required:	False		
	ShowDatePicker:	For dates		
	SourceField:	DateFirstOnList		
	SourceTable:	ETT		
	TextAlign:	General		
RepeatVio			Double	8
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		

ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 DisplayControl: Text Box
 Format: General Number
 GUID: {guid {21AFEEB1-8420-4595-B924-85159227D0A9}}
 OrdinalPosition: 12
 Required: False
 SourceField: RepeatVio
 SourceTable: ETT
 TextAlign: General

RTCdPoints Double 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 DisplayControl: Text Box
 Format: General Number
 GUID: {guid {184C7520-BE55-4B9C-A48E-87F83EF9E898}}
 OrdinalPosition: 13
 Required: False
 SourceField: RTCdPoints
 SourceTable: ETT
 TextAlign: General

OnPath Short Text 255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 Format: @
 GUID: {guid {7C5E0B88-4547-4139-B6A7-D5D9E11BEAA8}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 14
 Required: False
 SourceField: OnPath
 SourceTable: ETT
 TextAlign: General
 UnicodeCompression: False

MonthETDate		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	like 8		
DisplayControl:	Text Box		
OrdinalPosition:	15		
Required:	False		
SourceField:	MonthETDate		
SourceTable:	ETT		
TextAlign:	General		
YearETDate		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	like 2010		
DisplayControl:	Text Box		
OrdinalPosition:	16		
Required:	False		
SourceField:	YearETDate		
SourceTable:	ETT		
TextAlign:	General		
DateImported		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2295		
DataUpdatable:	False		
Description:	Date ETT spreadsheet was imported into DIME		
GUID:	{guid {37D91AE9-4BA2-4D7D-A01F-1A8FE8949129}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	17		
Required:	False		
ShowDatePicker:	For dates		

SourceField:	DateImported		
SourceTable:	ETT		
TextAlign:	General		
ETTTDate		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Date of ETT as reported by EPA HQ		
GUID:	{guid {41F221EA-71D3-4FE3-89E7-09A992F6514D}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	18		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	ETTTDate		
SourceTable:	ETT		
TextAlign:	General		

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
ETTrecordID	1
Clustered:	False
DistinctCount:	6565
Foreign:	False
IgnoreNulls:	False
Name:	ETTrecordID
Primary:	False
Required:	False
Unique:	True
Fields:	
ETTrecordID	Ascending
PrimaryKey	3
Clustered:	False
DistinctCount:	6565
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
FACID	Ascending
MonthETTTDate	Ascending
YearETTTDate	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	7/2/2013 4:02:28 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {F4C1D88B-46A1-4654-88D6-705420D4240D}}	HideNewField:	False
LastUpdated:	7/3/2013 10:42:08 AM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	10
TotalsRow:	False	Updatable:	True

Columns

Name	Type	Size
ID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
OrdinalPosition:	0	
Required:	False	
SourceField:	ID	
SourceTable:	ETTScoresbyPWSID	
TextAlign:	General	
FacId	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	1	
Required:	False	
SourceField:	FacId	
SourceTable:	ETTScoresbyPWSID	
TextAlign:	General	
ETTScore1	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	

CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
Description: 1st latest
DisplayControl: Text Box
OrdinalPosition: 2
Required: False
SourceField: ETTScore1
SourceTable: ETTScoresbyPWSID
TextAlign: General

ETDate1 Date With Time 8

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 3
Required: False
ShowDatePicker: For dates
SourceField: ETDate1
SourceTable: ETTScoresbyPWSID
TextAlign: General

ETScore2 Long Integer 4

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
Description: 2nd latest
DisplayControl: Text Box
OrdinalPosition: 4
Required: False
SourceField: ETTScore2
SourceTable: ETTScoresbyPWSID
TextAlign: General

ETDate2 Date With Time 8

AggregateType: -1
AllowZeroLength: False

AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 5
Required: False
ShowDatePicker: For dates
SourceField: ETTDate2
SourceTable: ETTScoresbyPWSID
TextAlign: General

ETTScore3 Long Integer 4

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
Description: 3rd latest
DisplayControl: Text Box
OrdinalPosition: 6
Required: False
SourceField: ETTScore3
SourceTable: ETTScoresbyPWSID
TextAlign: General

ETTTDate3 Date With Time 8

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 7
Required: False
ShowDatePicker: For dates
SourceField: ETTDate3
SourceTable: ETTScoresbyPWSID
TextAlign: General

ETTScore4 Long Integer 4

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
Description: 4th latest
DisplayControl: Text Box
OrdinalPosition: 8
Required: False
SourceField: ETTScore4
SourceTable: ETTScoresbyPWSID
TextAlign: General

ETTDat4 Date With Time 8

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 9
Required: False
ShowDatePicker: For dates
SourceField: ETTDate4
SourceTable: ETTScoresbyPWSID
TextAlign: General

DateCreated Date With Time 8

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Format: Short Date
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 10
Required: False
ShowDatePicker: For dates
SourceField: DateCreated
SourceTable: ETTScoresbyPWSID

TextAlign: General

Table Indexes

Name	Number of Fields
ID	1
Clustered:	False
DistinctCount:	10
Foreign:	False
IgnoreNulls:	False
Name:	ID
Primary:	False
Required:	False
Unique:	False
Fields:	
ID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	10
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
FacId	Ascending

User Permissions

- admin
- aizaz
- andrew
- bessie
- chris
- corine
- daria
- designer Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
- dschmidt
- Emmanuelle
- everett
- guest
- helen
- hillary
- jack
- jamelya
- Jason
- jelani
- jennifer
- jimh
- judy

karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\ Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:51 PM	DefaultView:	2
GUID:	{guid {5B683ECB-EC88-4C56- 882F-0528FED49E1B}}	LastUpdated:	11/5/2014 6:19:51 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	EventIDCreationSpecs	Updatable:	False

Columns

Name	Type	Size
EVCRIId	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal DIME identifier for Event ID creation specification	
GUID:	{guid {7B1DE3B8-BB74-4969-BB00-F06DEA563A5F}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	EVCRIId	
SourceTable:	EventIDCreationSpecs	
Position1	Short Text	50
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2190	
DataUpdatable:	False	
Description:	Specification for data to be entered into Event ID in position 1	
DisplayControl:	Text Box	
GUID:	{guid {FCB656C3-F16C-449B-A269-47BE1599FD0C}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	Position1	
SourceTable:	EventIDCreationSpecs	
UnicodeCompression:	True	
Position2	Short Text	50
AllowZeroLength:	True	
AppendOnly:	False	

Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Specification for data to be entered into Event ID in position 2
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: Position2
 SourceTable: EventIDCreationSpecs
 UnicodeCompression: True

Position3 Short Text 50

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Specification for data to be entered into Event ID in position 3
 DisplayControl: Text Box
 GUID: {guid {A167551C-BD5E-42EB-966F-857849F4B0E2}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: Position3
 SourceTable: EventIDCreationSpecs
 UnicodeCompression: True

Position4 Short Text 50

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1830
 DataUpdatable: False
 Description: Specification for data to be entered into Event ID in position 4
 DisplayControl: Text Box
 GUID: {guid {5601AFED-AD8D-4B66-A278-42AA2C29AF29}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False
 SourceField: Position4
 SourceTable: EventIDCreationSpecs
 UnicodeCompression: True

Position5		Short Text	50
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1950		
DataUpdatable:	False		
Description:	Specification for data to be entered into Event ID in position 5		
DisplayControl:	Text Box		
GUID:	{guid {FBBDCE49-E509-4EF6-96F9-B88BC6820CF9}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	5		
Required:	False		
SourceField:	Position5		
SourceTable:	EventIDCreationSpecs		
UnicodeCompression:	True		
Position6		Short Text	50
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Specification for data to be entered into Event ID in position 6		
DisplayControl:	Text Box		
GUID:	{guid {D0ECE371-AB86-466B-B1D6-39A807970E30}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	6		
Required:	False		
SourceField:	Position6		
SourceTable:	EventIDCreationSpecs		
UnicodeCompression:	True		
Position7		Short Text	50
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	3435		
DataUpdatable:	False		
Description:	Specification for data to be entered into Event ID in position 7		
DisplayControl:	Text Box		
GUID:	{guid {59A7352D-9B33-40E4-98D5-E79368ADB613}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	7		

Required: False
 SourceField: Position7
 SourceTable: EventIDCreationSpecs
 UnicodeCompression: True

Table Indexes

Name	Number of Fields
EVCRid	1
Clustered:	False
DistinctCount:	2
Foreign:	False
IgnoreNulls:	False
Name:	EVCRid
Primary:	False
Required:	False
Unique:	False
Fields:	
EVCRid	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	2
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
EVCRid	Ascending

User Permissions

- admin
- aizaz
- andrew
- bessie
- chris
- corine
- daria
- designer
- dschmidt
- Emmanuelle
- everett
- guest
- helen
- hillary
- jack
- jamelya
- Jason
- jelani
- jennifer

jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:51 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {3E94C8FB-62F4-40C8-ABFB-684B0CAABE2B}}	HideNewField:	False
LastUpdated:	11/5/2014 6:19:51 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	Eventscheduleactivity	TotalsRow:	False
Updatable:	False		

Columns

Name	Type	Size
EVENTSCHEDULEID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2940	
DataUpdatable:	False	
Description:	internal DIME Event Schedule Activity identifier	
OrdinalPosition:	0	
Required:	False	
SourceField:	EVENTSCHEDULEID	
SourceTable:	Eventscheduleactivity	
TextAlign:	General	
FACID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	internal DIME PWS identifier, lookup in table Facility Information	
DisplayControl:	Text Box	
OrdinalPosition:	1	
Required:	True	
SourceField:	FACID	
SourceTable:	Eventscheduleactivity	
TextAlign:	General	

ExceedEventID		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	DIME EventID of original Action Level Exceedence		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	2		
Required:	False		
SourceField:	ExceedEventID		
SourceTable:	Eventscheduleactivity		
TextAlign:	General		
UnicodeCompression:	True		

EVENTACTIVITY		Short Text	50
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	3465		
DataUpdatable:	False		
Description:	Event Type Code; DEEM, DONE or LSLR		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	3		
Required:	False		
SourceField:	EVENTACTIVITY		
SourceTable:	Eventscheduleactivity		
TextAlign:	General		
UnicodeCompression:	False		

EVENTACTUALDATE		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Date on which the activity must be successfully completed, i.e. due date		
GUID:	{guid {7197C359-3767-4AEB-818E-477253472272}}		
IMEMode:	0		

IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False
 SourceField: EVENTACTUALDATE
 SourceTable: Eventscheduleactivity
 TextAlign: General

EVENTENDDATE Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2085
 DataUpdatable: False
 Description: Date on which the activity was successfully completed
 GUID: {guid {E58FB220-5A02-4455-B453-A7658F365E69}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 5
 Required: False
 SourceField: EVENTENDDATE
 SourceTable: Eventscheduleactivity
 TextAlign: General

EVENTREASON Short Text 100

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Event Reason Code (only for DEEM); B1= <50,000 met action levels, B3= >50,000 met action levels, WQP=Water Quality Parameters
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 6
 Required: False
 SourceField: EVENTREASON
 SourceTable: Eventscheduleactivity
 TextAlign: General
 UnicodeCompression: False

EVENTCOMMENTS Long Text -

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General

ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Description, characteristic or attribute that the State or EPA region wants to record for the schedule activity
GUID: {guid {D2F76A7F-77BA-401D-AB6F-BC8776709E21}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 7
Required: False
SourceField: EVENTCOMMENTS
SourceTable: Eventscheduleactivity
TextAlign: General
UnicodeCompression: False

Lastupdate Date With Time 8

AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Date of Last Update
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 8
Required: False
SourceField: Lastupdate
SourceTable: Eventscheduleactivity

CurrentUpdateUser Short Text 50

AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Current User At Time of Update
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 9
Required: False
SourceField: CurrentUpdateUser
SourceTable: Eventscheduleactivity
UnicodeCompression: True

ReceivedBy Short Text 50

AllowZeroLength: True
AppendOnly: False

Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Received by the user
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 10
 Required: False
 SourceField: ReceivedBy
 SourceTable: Eventscheduleactivity
 UnicodeCompression: True

DateCreated Date With Time 8

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date that record was created.
 Format: General Date
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 11
 Required: False
 SourceField: DateCreated
 SourceTable: Eventscheduleactivity

CreatedBy Short Text 50

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: user who created record
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 12
 Required: False
 SourceField: CreatedBy
 SourceTable: Eventscheduleactivity
 UnicodeCompression: True

DateQA Date With Time 8

AllowZeroLength: False

AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: date of qa
 Format: General Date
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 13
 Required: False
 SourceField: DateQA
 SourceTable: Eventscheduleactivity

QAUser Short Text 50

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: qa user
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 14
 Required: False
 SourceField: QAUser
 SourceTable: Eventscheduleactivity
 UnicodeCompression: True

DateView Date With Time 8

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: date of view
 Format: General Date
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 15
 Required: False
 SourceField: DateView
 SourceTable: Eventscheduleactivity

ViewUser Short Text 50

AllowZeroLength: True


AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Last Viewed by
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 16
 Required: False
 SourceField: ViewUser
 SourceTable: Eventscheduleactivity
 UnicodeCompression: True

StatusID Long Integer 4

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME Status identifier, lookup in table QASstatus
 DisplayControl: Text Box
 OrdinalPosition: 17
 Required: False
 SourceField: StatusID
 SourceTable: Eventscheduleactivity

Relationships

EventscheduleactivityChemicals



Attributes: Not Enforced, Inherited
 RelationshipType: Indeterminate (External)

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
EventscheduleactivityPWSID	1
Clustered:	False
DistinctCount:	6

Foreign:	False
IgnoreNulls:	False
Name:	EventscheduleactivityPWSID
Primary:	False
Required:	False
Unique:	False
Fields:	
FACID	Ascending
ExceedEventID	1
Clustered:	False
DistinctCount:	9
Foreign:	False
IgnoreNulls:	False
Name:	ExceedEventID
Primary:	False
Required:	False
Unique:	False
Fields:	
ExceedEventID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	9
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
EVENTSCHEDULEID	Ascending
StatusID	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	StatusID
Primary:	False
Required:	False
Unique:	False
Fields:	
StatusID	Ascending

User Permissions

- admin
- aizaz
- andrew
- bessie
- chris
- corine
- daria
- designer

dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	3/3/2010 4:39:55 PM	DefaultView:	2
LastUpdated:	3/3/2010 4:39:55 PM	NameMap:	Long binary data
OrderByOn:	True	Orientation:	Left-to-Right
RecordCount:	39	Updatable:	True

Columns

Name	Type	Size
Entity	Short Text	255
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	2775	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	0	
Required:	False	
SourceField:	Entity	
SourceTable:	Exemption requeststxt	
UnicodeCompression:	False	
PWSID	Short Text	255
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	PWSID	
SourceTable:	Exemption requeststxt	
UnicodeCompression:	False	
date exemption application submitted	Date With Time	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	

ColumnWidth: Default
 DataUpdatable: False
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: date exemption application submitted
 SourceTable: Exemption requeststxt

populationserved Long Integer 4
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 DisplayControl: Text Box
 OrdinalPosition: 3
 Required: False
 SourceField: populationserved
 SourceTable: Exemption requeststxt

Table Indexes

Name	Number of Fields
PWSID	1
Clustered:	False
DistinctCount:	36
Foreign:	False
IgnoreNulls:	False
Name:	PWSID
Primary:	False
Required:	False
Unique:	False
Fields:	
PWSID	Ascending

User Permissions

admin
 aizaz
 andrew
 bessie
 chris
 corine
 daria
 designer Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,
 Write Definition, Read Data, Insert Data, Update Data, Delete Data
 dschmidt

Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

AlternateBackShade:	100	AlternateBackThemeColorIn	-1
AlternateBackTint:	100	Attributes:	Linked
BackShade:	100	BackTint:	100
Connect:	;DATABASE=C:\Users\kbanks\Dime_Local\DIME_be.mdb		DatasheetForeThemeColorIn -1
DatasheetGridlinesThemeCol	-1	DateCreated:	11/5/2014 6:19:51 PM
DefaultView:	2	DisplayViewsOnSharePointSi	1
Filter:	([Facility Information].[FACID]=178)	FilterOnLoad:	False
GUID:	{guid {DCEAA8DB-4B81-4896-9416-E0FB0BC067D2}}	HideNewField:	False
LastUpdated:	11/5/2014 6:19:51 PM	NameMap:	Long binary data
OrderBy:	[Facility Information].[POcontactID], [Facility Information].[PWSSNAME], [Facility Information].[Activity Status], [Facility Information].[FACID], [Facility Information].[ALTERNATE_ST_NUM], [Facility Information].[DateCreated] DESC	OrderByOn:	True
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	-1	SourceTableName:	Facility Information
SubDataSheetName:	[Auto]	ThemeFontIndex:	-1
TotalsRow:	False	Updatable:	False

Columns

Name	Type	Size
FACID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	internal Public Water System (PWS) identifier	
GUID:	{guid {A39B3794-48EE-48D1-AF0E-4DB3F3D83FE1}}	
OrdinalPosition:	0	
Required:	False	
ResultType:	0	
SourceField:	FACID	
SourceTable:	Facility Information	
TextAlign:	General	

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 4455
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Public Water Supply System Name
 DisplayControl: Text Box
 GUID: {guid {EA31B9D4-84AF-4954-9E04-78470A860560}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 1
 Required: True
 ResultType: 0
 SourceField: PWSSNAME
 SourceTable: Facility Information
 TextAlign: General
 UnicodeCompression: True

ALTERNATE_ST_NUM Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1875
 CurrencyLCID: 0
 DataUpdatable: False
 Description: 7-digit "State" public water system ID#
 DisplayControl: Text Box
 GUID: {guid {6547BB69-8079-485B-887A-51CF025E2B6B}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: True
 ResultType: 0
 SourceField: ALTERNATE_ST_NUM
 SourceTable: Facility Information
 TextAlign: General
 UnicodeCompression: True

Organization Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default

ColumnWidth: 3675
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Organization which owns and/or operates the public water supply system
 DisplayControl: Text Box
 GUID: {guid {A2AC1A9A-5C44-4214-B5D5-B4A301BC18DF}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 ResultType: 0
 SourceField: Organization
 SourceTable: Facility Information
 TextAlign: General
 UnicodeCompression: True

OrganizationID Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME Organization identifier, lookup in table Organization
 DisplayControl: Text Box
 GUID: {guid {92BB5F11-499D-49E1-A54A-90F28B8D8CED}}
 OrdinalPosition: 4
 Required: False
 ResultType: 0
 SourceField: OrganizationID
 SourceTable: Facility Information
 TextAlign: General

POcontactID Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1440
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Project Officer assigned to this particular PWS
 DisplayControl: Text Box
 GUID: {guid {0E612BD0-644B-48EC-8266-CC87B6FCF4B8}}
 IMEMode: 0
 IMESentenceMode: 3

OrdinalPosition: 5
 Required: False
 ResultType: 0
 SourceField: POcontactID
 SourceTable: Facility Information
 TextAlign: General
 UnicodeCompression: False

Tribe Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 Caption: Tribe
 CollatingOrder: General
 ColumnCount: 1
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1440
 ColumnWidths: 1440
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Tribe or local government having control of land upon which the PWS is situated, lookup in table Tribenames
 DisplayControl: Combo Box
 GUID: {guid {4365B37E-1E99-4456-9CF3-ABAD005FF76F}}
 LimitToList: False
 ListRows: 8
 ListWidth: 1440twip
 OrdinalPosition: 6
 Required: False
 ResultType: 0
 RowSource: SELECT TribeNames.ID FROM TribeNames;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: Tribe
 SourceTable: Facility Information
 TextAlign: General

UnitID Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1440
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto

Description: internal Service Area identifier, Service Area which serves this particular PWS, lookup in table ServiceAreas
 DisplayControl: Text Box
 GUID: {guid {7849FC62-5780-4152-8F28-BE7FF13AB8AB}}
 OrdinalPosition: 7
 Required: False
 ResultType: 0
 SourceField: UnitID
 SourceTable: Facility Information
 TextAlign: General

JurisdictionCode Short Text 2

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: two character code which indicates oversight jurisdiction
 DisplayControl: Text Box
 GUID: {guid {135661CC-692C-432B-A309-CF0FF158B674}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 8
 Required: False
 ResultType: 0
 SourceField: JurisdictionCode
 SourceTable: Facility Information
 TextAlign: General
 UnicodeCompression: True

Activity Status Short Text 50

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 1
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2070
 ColumnWidths: 1440
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Activity Status Active or Inactive, choose from list
 DisplayControl: Combo Box
 GUID: {guid {89B03356-ADD7-4C75-9A81-5E859E1AB5AB}}
 IMEMode: 0

IMESentenceMode: 3
LimitToList: False
ListRows: 2
ListWidth: 1440twip
OrdinalPosition: 9
Required: False
ResultType: 0
RowSource: "Active";"Inactive"
RowSourceType: Value List
ShowOnlyRowSourceValues: False
SourceField: Activity Status
SourceTable: Facility Information
TextAlign: General
UnicodeCompression: True

ACTIVITY_DATE Date With Time 8

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
CurrencyLCID: 0
DataUpdatable: False
Description: Activity Status Date
GUID: {guid {F9098971-95C2-43E8-A155-C5CC167F7D31}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 10
Required: False
ResultType: 0
ShowDatePicker: For dates
SourceField: ACTIVITY_DATE
SourceTable: Facility Information
TextAlign: General

ACTIVITY_RSN_TXT Short Text 100

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 1440
CurrencyLCID: 0
DataUpdatable: False
Description: Activity Reason
DisplayControl: Text Box
GUID: {guid {7148BCDC-AFF2-4E82-B010-582CDBF69B1D}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 11

Required: False
 ResultType: 0
 SourceField: ACTIVITY_RSN_TXT
 SourceTable: Facility Information
 TextAlign: General
 UnicodeCompression: True

START_MONTH Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 Caption: Start Month
 CollatingOrder: General
 ColumnCount: 2
 ColumnHeads: False
 ColumnHidden: True
 ColumnOrder: Default
 ColumnWidth: Default
 ColumnWidths: 0;810
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: For Transient systems only, MONTH season begins, lookup in table Months
 DisplayControl: Combo Box
 GUID: {guid {449D7364-B976-444D-98A7-B1093684FA12}}
 LimitToList: True
 ListRows: 12
 ListWidth: 810twip
 OrdinalPosition: 12
 Required: False
 ResultType: 0
 RowSource: SELECT Months.ID, Months.Month FROM Months;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: START_MONTH
 SourceTable: Facility Information
 TextAlign: General

START_DAY Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: True
 ColumnOrder: Default
 ColumnWidth: 675
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: 0
 Description: For Transient systems only, DAY season begins

DisplayControl: Text Box
 GUID: {guid {05C2AB17-4F28-4568-BC02-3C786E17FDCA}}
 OrdinalPosition: 13
 Required: False
 ResultType: 0
 SourceField: START_DAY
 SourceTable: Facility Information
 TextAlign: General

END_MONTH Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 Caption: End Month
 CollatingOrder: General
 ColumnCount: 2
 ColumnHeads: False
 ColumnHidden: True
 ColumnOrder: Default
 ColumnWidth: Default
 ColumnWidths: 0;810
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: For Transient systems only, MONTH season ends, lookup in table Months
 DisplayControl: Combo Box
 GUID: {guid {A8EE15E0-C88A-42BE-AF68-73FB790EB541}}
 LimitToList: True
 ListRows: 12
 ListWidth: 810twip
 OrdinalPosition: 14
 Required: False
 ResultType: 0
 RowSource: SELECT Months.ID, Months.Month FROM Months;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: END_MONTH
 SourceTable: Facility Information
 TextAlign: General

END_DAY Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: True
 ColumnOrder: Default
 ColumnWidth: 735
 CurrencyLCID: 0
 DataUpdatable: False

DecimalPlaces: 0
 Description: For Transient systems only, DAY season ends
 DisplayControl: Text Box
 GUID: {guid {6200D130-BBF6-4F84-85FD-467858F683E3}}
 OrdinalPosition: 15
 Required: False
 ResultType: 0
 SourceField: END_DAY
 SourceTable: Facility Information
 TextAlign: General

MEMO_TEXT Long Text -

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2370
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Memo
 GUID: {guid {08C4A14E-8558-4635-9A36-A51D48A45B01}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 16
 Required: False
 ResultType: 0
 SourceField: MEMO_TEXT
 SourceTable: Facility Information
 TextAlign: General
 TextFormat: Plain Text
 UnicodeCompression: True

PWS_State Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 Caption: PWS_State
 CollatingOrder: General
 ColumnCount: 3
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1440
 ColumnWidths: 0;1095;404
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Primary (in case of multiple) state in which the PWS is located
 DisplayControl: Combo Box

GUID: {guid {7A715F7E-82C1-427B-8D67-1F6AE11EB347}}
 LimitToList: True
 ListRows: 8
 ListWidth: 1500twip
 OrdinalPosition: 17
 Required: False
 ResultType: 0
 RowSource: SELECT States.ID, States.StateName, States.StateAbbrev FROM States;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: PWS_State
 SourceTable: Facility Information
 TextAlign: General

PWS_County Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1440
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Primary (in case of multiple) county in which the PWS is located
 DisplayControl: Text Box
 GUID: {guid {78DB5418-D9F9-4ABA-BD95-633C65070D0D}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 18
 Required: False
 ResultType: 0
 SourceField: PWS_County
 SourceTable: Facility Information
 TextAlign: General
 UnicodeCompression: True

SSfreq Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 1
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto

Description: lookup in lkpSanitarySurveyStatus
 DisplayControl: Text Box
 GUID: {guid {94709E0E-3BC0-481B-BEA7-D346B3965C66}}
 LimitToList: False
 ListRows: 8
 ListWidth: 0twip
 OrdinalPosition: 19
 Required: False
 ResultType: 0
 RowSource: 1;3;5;10
 RowSourceType: Value List
 ShowOnlyRowSourceValues: False
 SourceField: SSfreq
 SourceTable: Facility Information
 TextAlign: General

SSsched Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: date field for scheduled completion date of Sanitary Survey
 Format: General Date
 GUID: {guid {434DE8D0-265B-4AFB-8E21-3AF573CC2A8C}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 20
 Required: False
 ResultType: 0
 ShowDatePicker: For dates
 SourceField: SSsched
 SourceTable: Facility Information
 TextAlign: General

OutStandingPerformerDate Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Outstanding Permorer date when the ssfreq has outperforming status
 Format: Short Date
 IMEMode: 0
 IMESentenceMode: 3

OrdinalPosition: 21
Required: False
ResultType: 0
ShowDatePicker: For dates
SourceField: OutstandingPerformerDate
SourceTable: Facility Information
TextAlign: General

GeoGroup Short Text 50

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
CurrencyLCID: 0
DataUpdatable: False
Description: A user controlled grouping field, allow user to name a new group, then assign 1 or more PWS to the group
DisplayControl: Text Box
GUID: {guid {AEA2B885-7430-4DBB-B6B6-59AF4680C294}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 22
Required: False
ResultType: 0
SourceField: GeoGroup
SourceTable: Facility Information
TextAlign: General
UnicodeCompression: True

D_PRIN_CITY_SVD_NM Short Text 50

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 1440
CurrencyLCID: 0
DataUpdatable: False
Description: Principal City served
DisplayControl: Text Box
GUID: {guid {D8882F68-A048-4041-BA23-66ED4259ABA6}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 23
Required: False
ResultType: 0
SourceField: D_PRIN_CITY_SVD_NM
SourceTable: Facility Information
TextAlign: General

UnicodeCompression:	True		
OWNER_TYPE_CODE		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	True		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Owner type code(U.S. Gov't or Federal Government=1;Private=2;State/Territory=3;Local/Municipal=4;Mixed Public/Private=5;Tribe=6		
DisplayControl:	Text Box		
GUID:	{guid {EB4A7750-05F6-4014-B4FA-92C8E8FDCC82}}		
OrdinalPosition:	24		
Required:	False		
ResultType:	0		
SourceField:	OWNER_TYPE_CODE		
SourceTable:	Facility Information		
TextAlign:	General		
System_Class		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Community, Transient/Non-Community, Non-Transient/Non-Community, Special		
DisplayControl:	Text Box		
GUID:	{guid {A7BB7555-687B-4007-AEDD-CCADDC530351}}		
OrdinalPosition:	25		
Required:	False		
ResultType:	0		
SourceField:	System_Class		
SourceTable:	Facility Information		
TextAlign:	General		
TREAT_CLASS		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		

Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Treatment plant complexity classification as made by EPA, for determining if Operator is certified to level adequate to operate treatment system.
 DisplayControl: Text Box
 GUID: {guid {F1CE339D-33D8-4513-9205-92AA0658DB85}}
 OrdinalPosition: 26
 Required: False
 ResultType: 0
 SourceField: TREAT_CLASS
 SourceTable: Facility Information
 TextAlign: General

DIST_CLASS Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Distribution System Certified Operator requirement?
 DisplayControl: Text Box
 GUID: {guid {982926C7-2471-44CD-BC61-ECD1B38A921B}}
 OrdinalPosition: 27
 Required: False
 ResultType: 0
 SourceField: DIST_CLASS
 SourceTable: Facility Information
 TextAlign: General

SVCTYPID Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 4
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default

ColumnWidth: 3915
 ColumnWidths: 0;2370;195;360
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal General Location Type identifier, lookup in table GeneralLocationType
 DisplayControl: Combo Box
 GUID: {guid {1AC79100-5CB0-4C39-A601-853FB5CD9311}}
 LimitToList: True
 ListRows: 8
 ListWidth: 2925twip
 OrdinalPosition: 28
 Required: False
 ResultType: 0
 RowSource: SELECT GeneralLocationTypes.SVCTYPID, GeneralLocationTypes.Name, GeneralLocationTypes.sysclassID, GeneralLocationTypes.Code FROM GeneralLocationTypes;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: SVCTYPID
 SourceTable: Facility Information
 TextAlign: General

Consecutive? Yes/No 1

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Is this PWS a Consecutive system? (Does it receive its water from another PWS?) Yes or No
 DisplayControl: Text Box
 Format: Yes/No
 GUID: {guid {616C7771-B9A6-40CE-B9AE-8D1E0AE55030}}
 OrdinalPosition: 29
 Required: False
 ResultType: 0
 SourceField: Consecutive?
 SourceTable: Facility Information
 TextAlign: General

Wholesaler? Yes/No 1

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False

ColumnOrder: Default
ColumnWidth: Default
CurrencyLCID: 0
DataUpdatable: False
Description: Does this PWS supply water to another PWS wholesale? Yes or No
DisplayControl: 106
Format: Yes/No
GUID: {guid {0775444D-2595-466C-ADBB-117230216ED9}}
OrdinalPosition: 30
Required: False
ResultType: 0
SourceField: Wholesaler?
SourceTable: Facility Information
TextAlign: General

Population Long Integer 4

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
CurrencyLCID: 0
DataUpdatable: False
DecimalPlaces: Auto
Description: Population Served by PWS
DisplayControl: Text Box
GUID: {guid {164E2DA6-3471-4B75-92D4-B22C694DB115}}
OrdinalPosition: 31
Required: False
ResultType: 0
SourceField: Population
SourceTable: Facility Information
TextAlign: General

SVC_CONNECT_CNT Long Integer 4

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
CurrencyLCID: 0
DataUpdatable: False
DecimalPlaces: Auto
Description: Number of service connections
DisplayControl: Text Box
GUID: {guid {B3FF1EC9-B3F8-46BC-98D7-3CD1604C8F5E}}
OrdinalPosition: 32
Required: False
ResultType: 0

SourceField:	SVC_CONNECT_CNT		
SourceTable:	Facility Information		
TextAlign:	General		
Perc_Metered		Single	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	True		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Percentage of metered service connections		
DisplayControl:	Text Box		
GUID:	{guid {C58C93D8-9D15-46B0-BFA4-D7A581C9921D}}		
OrdinalPosition:	33		
Required:	False		
ResultType:	0		
SourceField:	Perc_Metered		
SourceTable:	Facility Information		
TextAlign:	General		
Storage_Capacity		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	total storage capacity		
DisplayControl:	Text Box		
GUID:	{guid {FC38C4E5-B5DE-4C32-8B4A-6AC8723BAB7D}}		
OrdinalPosition:	34		
Required:	False		
SourceField:	Storage_Capacity		
SourceTable:	Facility Information		
TextAlign:	General		
storagecapacityunits		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		

DataUpdatable: False
 DecimalPlaces: Auto
 Description: liters or gallons
 DisplayControl: Text Box
 GUID: {guid {48F71697-5208-4B55-8504-C8D49992238A}}
 OrdinalPosition: 35
 Required: False
 SourceField: storagecapacityunits
 SourceTable: Facility Information
 TextAlign: General

Storage_norm_demand Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Needed (calculated) storage capacity for normal operation in gallons
 DisplayControl: Text Box
 GUID: {guid {EAC41669-E5CB-49E6-B4C4-381D3D054D8D}}
 OrdinalPosition: 36
 Required: False
 SourceField: Storage_norm_demand
 SourceTable: Facility Information
 TextAlign: General

SSP_dateapproved_TCR Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: True
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Date that Site Sampling Plan for TCR was approved by EPA
 GUID: {guid {8B4A7C43-0BDE-11D9-8230-00B0D0531229}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 37
 Required: False
 ResultType: 0
 ShowDatePicker: For dates
 SourceField: SSP_dateapproved_TCR
 SourceTable: Facility Information
 TextAlign: General

SSP_dateapproved_DBPR Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: True
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Date that Site Sampling Plan for DBPR was approved by EPA
 GUID: {guid {8B4A7C44-0BDE-11D9-8230-00B0D0531229}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 38
 Required: False
 ResultType: 0
 ShowDatePicker: For dates
 SourceField: SSP_dateapproved_DBPR
 SourceTable: Facility Information
 TextAlign: General

SSP_dateapproved_LCR Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: True
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Date that Site Sampling Plan for LCR was approved by EPA
 GUID: {guid {8B4A7C45-0BDE-11D9-8230-00B0D0531229}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 39
 Required: False
 ResultType: 0
 ShowDatePicker: For dates
 SourceField: SSP_dateapproved_LCR
 SourceTable: Facility Information
 TextAlign: General

Grnd_Water_Perc Integer 2

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: True
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0

DataUpdatable: False
 DecimalPlaces: Auto
 Description: Ground Water percent of total supply (non-purchased)
 DisplayControl: Text Box
 GUID: {guid {4A1DFA94-4A14-484D-8BC3-E949D6867609}}
 OrdinalPosition: 40
 Required: False
 ResultType: 0
 SourceField: Grnd_Water_Perc
 SourceTable: Facility Information
 TextAlign: General

Grnd_Water_Perc_purch Integer 2

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: True
 ColumnOrder: Default
 ColumnWidth: 2400
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Ground Water percent of total supply (purchased)
 DisplayControl: Text Box
 GUID: {guid {8955615F-1BC3-4596-BEEC-22A25582E0CC}}
 OrdinalPosition: 41
 Required: False
 ResultType: 0
 SourceField: Grnd_Water_Perc_purch
 SourceTable: Facility Information
 TextAlign: General

Grnd_Water_Perc_UDI Integer 2

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: True
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Ground Water Under direct influence of surface, percent of total supply (non-purchased)
 DisplayControl: Text Box
 GUID: {guid {20857DDA-3CF4-4259-831F-E6BB3BDBB07D}}
 OrdinalPosition: 42
 Required: False
 ResultType: 0
 SourceField: Grnd_Water_Perc_UDI
 SourceTable: Facility Information
 TextAlign: General

Grnd_Water_Perc_purch_UDI		Integer	2
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	True		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Ground Water Under direct influence of surface, percent of total supply (purchased)		
DisplayControl:	Text Box		
GUID:	{guid {F5C8D8C1-7367-4496-9C52-3F6D4BB174C4}}		
OrdinalPosition:	43		
Required:	False		
ResultType:	0		
SourceField:	Grnd_Water_Perc_purch_UDI		
SourceTable:	Facility Information		
TextAlign:	General		

Surfc_Water_Perc		Integer	2
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	True		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Surface Water percent of total supply (non-purchased)		
DisplayControl:	Text Box		
GUID:	{guid {A9FCF778-86B1-43A8-A5F7-58A9CAE17F19}}		
OrdinalPosition:	44		
Required:	False		
ResultType:	0		
SourceField:	Surfc_Water_Perc		
SourceTable:	Facility Information		
TextAlign:	General		

Surfc_Water_Perc_purch		Integer	2
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	True		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		

DataUpdatable: False
 DecimalPlaces: Auto
 Description: Surface Water percent of total supply (non-purchased)
 DisplayControl: Text Box
 GUID: {guid {AF05AE7B-06B4-4FFC-A01C-A9273FC8CC5C}}
 OrdinalPosition: 45
 Required: False
 ResultType: 0
 SourceField: SurfC_Water_Perc_purch
 SourceTable: Facility Information
 TextAlign: General

SOURCE_GEO Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: True
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Geology classification for sources. Lookup in table Aquifer Geology.
 DisplayControl: Text Box
 GUID: {guid {325AFDA3-FB89-41F9-9A55-64E8636337F9}}
 OrdinalPosition: 46
 Required: False
 ResultType: 0
 SourceField: SOURCE_GEO
 SourceTable: Facility Information
 TextAlign: General

Primary Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Mailing Addressee
 DisplayControl: Text Box
 GUID: {guid {FBEBB57E-4868-48BE-A445-269F9D747F90}}
 OrdinalPosition: 47
 Required: False
 ResultType: 0
 SourceField: Primary
 SourceTable: Facility Information
 TextAlign: General

Field Name	Field Type	Field Length
Secondary	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Phone Contact	
DisplayControl:	Text Box	
GUID:	{guid {FD1FA973-A78A-4542-8B73-4FEB008038CA}}	
OrdinalPosition:	48	
Required:	False	
ResultType:	0	
SourceField:	Secondary	
SourceTable:	Facility Information	
TextAlign:	General	
CC1	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Courtesy Copy 1	
DisplayControl:	Text Box	
GUID:	{guid {340256B8-8C3C-42E0-A4E6-BE2196D3AC25}}	
OrdinalPosition:	49	
Required:	False	
ResultType:	0	
SourceField:	CC1	
SourceTable:	Facility Information	
TextAlign:	General	
CC2	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	

	DecimalPlaces:	Auto		
	Description:	Courtesy Copy 2		
	DisplayControl:	Text Box		
	GUID:	{guid {44CD56F5-60DB-4302-A6CA-138661D476AF}}		
	OrdinalPosition:	50		
	Required:	False		
	ResultType:	0		
	SourceField:	CC2		
	SourceTable:	Facility Information		
	TextAlign:	General		
CC3			Long Integer	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	CurrencyLCID:	0		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	Description:	Courtesy Copy 3		
	DisplayControl:	Text Box		
	GUID:	{guid {9E9F7985-23D5-4C7E-9603-9B1309EA15DF}}		
	OrdinalPosition:	51		
	Required:	False		
	ResultType:	0		
	SourceField:	CC3		
	SourceTable:	Facility Information		
	TextAlign:	General		
CC4			Long Integer	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	CurrencyLCID:	0		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	Description:	Courtesy Copy 4		
	DisplayControl:	Text Box		
	GUID:	{guid {46E0B5D2-62A2-4C6E-A8AC-D04C547EF789}}		
	OrdinalPosition:	52		
	Required:	False		
	ResultType:	0		
	SourceField:	CC4		
	SourceTable:	Facility Information		
	TextAlign:	General		

Field Name	Field Type	Field Length
CC5	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Courtesy Copy 5	
DisplayControl:	Text Box	
GUID:	{guid {7288DC28-BC32-486A-94EB-85D2947CDF3C}}	
OrdinalPosition:	53	
Required:	False	
ResultType:	0	
SourceField:	CC5	
SourceTable:	Facility Information	
TextAlign:	General	
CC6	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Courtesy Copy 6	
DisplayControl:	Text Box	
GUID:	{guid {3045CE1B-AA71-4CD7-81FA-A900E9F0680F}}	
OrdinalPosition:	54	
Required:	False	
ResultType:	0	
SourceField:	CC6	
SourceTable:	Facility Information	
TextAlign:	General	
CC7	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	

	DecimalPlaces:	Auto		
	Description:	Courtesy Copy 7		
	DisplayControl:	Text Box		
	GUID:	{guid {4F8036D4-79F4-409C-93A0-9AD7C55C58F0}}		
	OrdinalPosition:	55		
	Required:	False		
	ResultType:	0		
	SourceField:	CC7		
	SourceTable:	Facility Information		
	TextAlign:	General		
CC8			Long Integer	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	CurrencyLCID:	0		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	Description:	Courtesy Copy 8		
	DisplayControl:	Text Box		
	GUID:	{guid {22BB35AB-845D-4CB3-8E24-96B8084A1872}}		
	OrdinalPosition:	56		
	Required:	False		
	ResultType:	0		
	SourceField:	CC8		
	SourceTable:	Facility Information		
	TextAlign:	General		
flag			Yes/No	1
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	CurrencyLCID:	0		
	DataUpdatable:	False		
	Description:	Flag for Contact selection		
	DisplayControl:	Text Box		
	GUID:	{guid {824EAE4A-2B61-470C-9622-F9D3C14A348B}}		
	OrdinalPosition:	57		
	Required:	False		
	ResultType:	0		
	SourceField:	flag		
	SourceTable:	Facility Information		
	TextAlign:	General		
public			Long Integer	4

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
CurrencyLCID: 0
DataUpdatable: False
DecimalPlaces: Auto
Description: Public Notice Contact
DisplayControl: Text Box
GUID: {guid {B7EA1388-2321-4E7D-A6E8-5D502497843B}}
OrdinalPosition: 58
Required: False
ResultType: 0
SourceField: public
SourceTable: Facility Information
TextAlign: General

primeoperator Long Integer 4

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
CurrencyLCID: 0
DataUpdatable: False
DecimalPlaces: Auto
Description: Prime Water System Operator
DisplayControl: Text Box
GUID: {guid {4F4A05FA-4CA1-4A99-880A-D5E0F9EACC63}}
OrdinalPosition: 59
Required: False
ResultType: 0
SourceField: primeoperator
SourceTable: Facility Information
TextAlign: General

secondoperator Long Integer 4

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
CurrencyLCID: 0
DataUpdatable: False
DecimalPlaces: Auto

Description: Secondary or Backup Water System Operator
 DisplayControl: Text Box
 GUID: {guid {FB8B63EC-B3ED-433F-A79E-85CD0D315DDE}}
 OrdinalPosition: 60
 Required: False
 ResultType: 0
 SourceField: secondoperator
 SourceTable: Facility Information
 TextAlign: General

ToneId Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Tone Id is lookup for description for different tone used on the monitoring schedule report
 DisplayControl: Text Box
 GUID: {3E30DC6E-4603-4F02-9B62-A8BB0A3313EF}}
 OrdinalPosition: 61
 Required: False
 ResultType: 0
 SourceField: ToneId
 SourceTable: Facility Information
 TextAlign: General

BactNumSampoverride Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Override for a number of bacteriological samples required
 DisplayControl: Text Box
 GUID: {CF036540-6F07-4B77-B3B0-8012902EF572}}
 OrdinalPosition: 62
 Required: False
 ResultType: 0
 SourceField: BactNumSampoverride
 SourceTable: Facility Information
 TextAlign: General

Bactfreqoverride		Short Text	50
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
Description:	Override for a number of bacteriological sampling frequency		
DisplayControl:	Text Box		
GUID:	{guid {4057C989-0A72-4C90-8D95-0E93001F10B8}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	63		
Required:	False		
ResultType:	0		
SourceField:	Bactfreqoverride		
SourceTable:	Facility Information		
TextAlign:	General		
UnicodeCompression:	True		

TCRComment		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
Description:	Comment on the Total Coliform Rule for the Monitoring Schedule		
DisplayControl:	Text Box		
GUID:	{guid {BA336B0C-EFE9-4F4F-A94C-458D4E2FB5E5}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	64		
Required:	False		
ResultType:	0		
SourceField:	TCRComment		
SourceTable:	Facility Information		
TextAlign:	General		
UnicodeCompression:	True		

CCRComment		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		

ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Comment on the CCR for the Monitoring Schedule
 DisplayControl: Text Box
 GUID: {guid {8694BE81-4798-4A4A-808A-6662F668059A}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 65
 Required: False
 ResultType: 0
 SourceField: CCRComment
 SourceTable: Facility Information
 TextAlign: General
 UnicodeCompression: True

owner

Long Integer

4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: System Owner or Responsible Party
 DisplayControl: Text Box
 GUID: {56725207-EA3D-41E7-ADA0-D61FD1FECBA6}
 OrdinalPosition: 66
 Required: False
 ResultType: 0
 SourceField: owner
 SourceTable: Facility Information
 TextAlign: General

DataManagerFlag

Yes/No

1

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1965
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Facility Flag for Data Manager
 DisplayControl: 106
 Format: Yes/No
 GUID: {4E292A36-5CB7-4EFB-976A-E23CA0819FA6}
 OrdinalPosition: 67

Required: False
 ResultType: 0
 SourceField: DataManagerFlag
 SourceTable: Facility Information
 TextAlign: General

Lastupdate Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2355
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Date of Last Update
 Format: General Date
 GUID: {guid {856AB90C-4200-4D8A-B9AC-7376E292622A}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 68
 Required: False
 ResultType: 0
 ShowDatePicker: For dates
 SourceField: Lastupdate
 SourceTable: Facility Information
 TextAlign: General

CurrentUpdateUser Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Current User At Time of Update
 DisplayControl: Text Box
 GUID: {guid {A8187AE4-67A3-4FCB-B88C-48A25609C8A4}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 69
 Required: False
 ResultType: 0
 SourceField: CurrentUpdateUser
 SourceTable: Facility Information
 TextAlign: General
 UnicodeCompression: True

DateCreated Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 3600
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Date and Time Created
 Format: General Date
 GUID: {guid {A19B889A-917E-4292-90F2-71D12E08E3AA}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 70
 Required: False
 ResultType: 0
 ShowDatePicker: For dates
 SourceField: DateCreated
 SourceTable: Facility Information
 TextAlign: General

CreatedBy Short Text 50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Created by User
 DisplayControl: Text Box
 GUID: {guid {915C984C-0A5C-4903-AF5E-E3C510B78FEC}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 71
 Required: False
 ResultType: 0
 SourceField: CreatedBy
 SourceTable: Facility Information
 TextAlign: General
 UnicodeCompression: True

DateView Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default

ColumnWidth: 2355
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Date and Time Last Viewed
 Format: General Date
 GUID: {guid {DC276183-7F38-4A85-9B08-E9BDB334E2D1}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 72
 Required: False
 ResultType: 0
 ShowDatePicker: For dates
 SourceField: DateView
 SourceTable: Facility Information
 TextAlign: General

ViewUser Short Text 50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Last Viewed by
 DisplayControl: Text Box
 GUID: {guid {5C34C6C4-4481-4A3B-AF13-B606E80C2230}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 73
 Required: False
 ResultType: 0
 SourceField: ViewUser
 SourceTable: Facility Information
 TextAlign: General
 UnicodeCompression: True


StatusID Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME Status identifier, lookup in table QAStatus
 DisplayControl: Text Box
 GUID: {guid {E4156FA0-C2A9-4C4B-924A-19B8D76A1579}}
 OrdinalPosition: 74

Required: False
SourceField: StatusID
SourceTable: Facility Information
TextAlign: General


Relationships

Facility InformationBacteriological Routine




Attributes: Not Enforced, Inherited
RelationshipType: One-To-Many (External)

Facility InformationChemicals




Attributes: Not Enforced, Inherited
RelationshipType: One-To-Many (External)

Facility InformationCompliancePoints




Attributes: Not Enforced, Inherited
RelationshipType: One-To-Many (External)

Facility InformationContacts




Attributes: Not Enforced, Inherited
 RelationshipType: Indeterminate (External)

Facility InformationDistributionSystems




Attributes: Not Enforced, Inherited
 RelationshipType: One-To-Many (External)

Facility InformationEntryPoints




Attributes: Not Enforced, Inherited
 RelationshipType: One-To-Many (External)

Facility InformationHPtanks




Attributes: Not Enforced, Inherited
RelationshipType: One-To-Many (External)

Facility InformationPumpingFacilities




Attributes: Not Enforced, Inherited
RelationshipType: One-To-Many (External)

Facility InformationSanitarySurveys




Attributes: Not Enforced, Inherited
RelationshipType: One-To-Many (External)

Facility InformationSourcesSW




Attributes: Not Enforced, Inherited
RelationshipType: One-To-Many (External)

Facility InformationStorage




Attributes: Not Enforced, Inherited
RelationshipType: One-To-Many (External)

Facility InformationSWAPAssociations




Attributes: Not Enforced, Inherited
RelationshipType: One-To-Many (External)

Facility InformationtblActions




Attributes: Not Enforced, Inherited
RelationshipType: One-To-Many (External)

Facility InformationTreatmentPlants




Attributes: Not Enforced, Inherited
RelationshipType: One-To-Many (External)

Facility InformationViolations




Attributes: Not Enforced, Inherited
RelationshipType: One-To-Many (External)

OrganizationFacility Information




Attributes: Not Enforced, Inherited
RelationshipType: One-To-Many (External)

PoliticalEntitiesFacility Information



Attributes: Not Enforced, Inherited
 RelationshipType: One-To-Many (External)

UsersFacility Information



Attributes: Not Enforced, Inherited
 RelationshipType: Indeterminate (External)

Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	469
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
FACID	Ascending
StatusID	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	StatusID
Primary:	False
Required:	False
Unique:	False
Fields:	
StatusID	Ascending
ToneId	1
Clustered:	False
DistinctCount:	4
Foreign:	False
IgnoreNulls:	False
Name:	ToneId
Primary:	False
Required:	False

Unique:	False
Fields:	
ToneId	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data

Users

Properties

DateCreated:	6/21/2010 3:34:54 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {82101A17-BDF8-48E9-A29B-7ECF42A86503}}	HideNewField:	False
LastUpdated:	6/21/2010 3:34:54 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	4
SubDataSheetName:	[Auto]	TotalsRow:	False
Updatable:	True		

Columns

Name	Type	Size
sysclassID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	internal DIME PWS classification code	
DisplayControl:	Text Box	
OrdinalPosition:	0	
Required:	False	
SourceField:	sysclassID	
SourceTable:	FacilityClassifications	
TextAlign:	General	
Classification	Short Text	50
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	3495	
DataUpdatable:	False	
Description:	description of PWS classification	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	Classification	
SourceTable:	FacilityClassifications	
TextAlign:	General	

UnicodeCompression:	True		
SDWIS_CD		Short Text	50
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	SDWIS-Fed classification code		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	2		
Required:	False		
SourceField:	SDWIS_CD		
SourceTable:	FacilityClassifications		
TextAlign:	General		
UnicodeCompression:	True		
Class		Short Text	50
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Alternate abbreviation		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	3		
Required:	False		
SourceField:	Class		
SourceTable:	FacilityClassifications		
TextAlign:	General		
UnicodeCompression:	True		
DateCreated		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Format:	General Date		

IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False
 ShowDatePicker: For dates
 SourceField: DateCreated
 SourceTable: FacilityClassifications
 TextAlign: General

CreatedBy Short Text 50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 5
 Required: False
 SourceField: CreatedBy
 SourceTable: FacilityClassifications
 TextAlign: General
 UnicodeCompression: True

Table Indexes

Name	Number of Fields
SDWISpwsClassCode	1
Clustered:	False
DistinctCount:	4
Foreign:	False
IgnoreNulls:	False
Name:	SDWISpwsClassCode
Primary:	False
Required:	False
Unique:	False
Fields:	
SDWIS_CD	Ascending
sysclassID	1
Clustered:	False
DistinctCount:	4
Foreign:	False
IgnoreNulls:	False
Name:	sysclassID
Primary:	False
Required:	False
Unique:	False
Fields:	
sysclassID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	5/10/2013 6:17:26 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {62235A24-BC8C-4433-985A-2EC11B91B8CC}}	HideNewField:	False
LastUpdated:	5/10/2013 6:18:08 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	31
TotalsRow:	False	Updatable:	True

Columns

Name	Type	Size
FactypeID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	735	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	0	
Required:	False	
SourceField:	FactypeID	
SourceTable:	Factype	
TextAlign:	General	
ODScoreFacType	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2010	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	ODScoreFacType	
SourceTable:	Factype	
TextAlign:	General	
UnicodeCompression:	False	
FacilityType	Short Text	255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 4965
 DataUpdatable: False
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: FacilityType
 SourceTable: Factype
 TextAlign: General
 UnicodeCompression: False

FacTypeCat

Short Text

255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: FacTypeCat
 SourceTable: Factype
 TextAlign: General
 UnicodeCompression: False

FlowOrder

Long Integer

4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Number which assigns sorting order
 DisplayControl: Text Box
 OrdinalPosition: 4
 Required: False
 SourceField: FlowOrder

SourceTable:	Factype		
TextAlign:	General		
CUPSSAssetCat		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2175		
DataUpdatable:	False		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	5		
Required:	False		
SourceField:	CUPSSAssetCat		
SourceTable:	Factype		
TextAlign:	General		
UnicodeCompression:	True		
CUPSSStype		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	3255		
DataUpdatable:	False		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	6		
Required:	False		
SourceField:	CUPSSStype		
SourceTable:	Factype		
TextAlign:	General		
UnicodeCompression:	True		
DateCreated		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2130		
DataUpdatable:	False		
Format:	General Date		
IMEMode:	0		

IMESentenceMode: 3
 OrdinalPosition: 7
 Required: False
 ShowDatePicker: For dates
 SourceField: DateCreated
 SourceTable: Factype
 TextAlign: General

CreatedBy Short Text 50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 8
 Required: False
 SourceField: CreatedBy
 SourceTable: Factype
 TextAlign: General
 UnicodeCompression: True

Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	31
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
FactypeID	Ascending

User Permissions

- admin
- aizaz
- andrew
- bessie
- chris
- corine
- daria

designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	12/18/2009 2:35:29 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {EB4E4CBD-66A9-4E1F-87B7-8F01F57BF8F4}}	HideNewField:	False
LastUpdated:	12/18/2009 2:35:29 PM	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	3	TotalsRow:	False
Updatable:	True		

Columns

Name	Type	Size
FecalIndicatorID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal DIME Fecal Indicator identifier	
OrdinalPosition:	0	
Required:	False	
SourceField:	FecalIndicatorID	
SourceTable:	FecalIndicators	
TextAlign:	General	
FecalIndicator	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	fecal indicator	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	FecalIndicator	
SourceTable:	FecalIndicators	
TextAlign:	General	
UnicodeCompression:	True	

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
FecalIndicator	1
Clustered:	False
DistinctCount:	3
Foreign:	False
IgnoreNulls:	False
Name:	FecalIndicator
Primary:	False
Required:	False
Unique:	True
Fields:	
FecalIndicator	Ascending
FecalIndicatorID	1
Clustered:	False
DistinctCount:	3
Foreign:	False
IgnoreNulls:	False
Name:	FecalIndicatorID
Primary:	False
Required:	False
Unique:	False
Fields:	
FecalIndicatorID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	3
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
FecalIndicatorID	Ascending

User Permissions

- admin
- aizaz
- andrew
- bessie
- chris
- corine
- daria
- designer
- dschmidt
- Emmanuelle
- everett
- guest
- helen

hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

AlternateBackShade:	100	AlternateBackThemeColorIn	-1
AlternateBackTint:	100	BackShade:	100
BackTint:	100	DatasheetForeThemeColorIn	-1
DatasheetGridlinesThemeCol	-1	DateCreated:	5/1/2012 12:33:37 PM
DefaultView:	2	DisplayViewsOnSharePointSi	1
FilterOnLoad:	False	GUID:	{guid {7514A671-9D41-4E74-BB4E-907C867A57A4}}
HideNewField:	False	LastUpdated:	4/2/2014 8:09:24 PM
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	307	ThemeFontIndex:	-1
TotalsRow:	False	Updatable:	True

Columns

Name	Type	Size
FileID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	705	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	FileID	
OrdinalPosition:	0	
Required:	False	
SourceField:	FileID	
SourceTable:	FileList	
TextAlign:	General	
FileName	Short Text	150
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2850	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	Filename	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	

	SourceField:	FileName	
	SourceTable:	FileList	
	TextAlign:	General	
	UnicodeCompression:	True	
FileExt		Short Text	4
	AggregateType:	-1	
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	1065	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	FileExt	
	DisplayControl:	Text Box	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	2	
	Required:	False	
	SourceField:	FileExt	
	SourceTable:	FileList	
	TextAlign:	General	
	UnicodeCompression:	True	
FileSize		Long Integer	4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	1110	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DecimalPlaces:	0	
	Description:	FileSize	
	DisplayControl:	Text Box	
	Format:	#,###	
	OrdinalPosition:	3	
	Required:	False	
	SourceField:	FileSize	
	SourceTable:	FileList	
	TextAlign:	General	
FilePath		Short Text	250
	AggregateType:	-1	
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	

ColumnOrder: Default
 ColumnWidth: 11790
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Filepath
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False
 SourceField: FilePath
 SourceTable: FileList
 TextAlign: General
 UnicodeCompression: True

FileTypeID Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: File type id from tblFileType like ms
 DisplayControl: Text Box
 OrdinalPosition: 5
 Required: False
 SourceField: FileTypeID
 SourceTable: FileList
 TextAlign: General

FileDate Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Date in the filename usually the first field
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 6
 Required: False
 ShowDatePicker: For dates
 SourceField: FileDate
 SourceTable: FileList
 TextAlign: General

Field Name	Field Type	Field Length
FileDateYr	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	year like 2009 will be used for Sanitary surverys, ccr and others	
DisplayControl:	Text Box	
OrdinalPosition:	7	
Required:	False	
SourceField:	FileDateYr	
SourceTable:	FileList	
TextAlign:	General	
Description	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	Description	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	8	
Required:	False	
SourceField:	Description	
SourceTable:	FileList	
TextAlign:	General	
UnicodeCompression:	True	
Memo	Long Text	-
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	Memo	
IMEMode:	0	

IMESentenceMode: 3
 OrdinalPosition: 9
 Required: False
 SourceField: Memo
 SourceTable: FileList
 TextAlign: General
 TextFormat: Plain Text
 UnicodeCompression: True

DoRename Yes/No 1

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Rename the file to the description?
 DisplayControl: 106
 Format: Yes/No
 OrdinalPosition: 10
 Required: False
 SourceField: DoRename
 SourceTable: FileList
 TextAlign: General

DateRename Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Date file was renamed
 Format: ddd m-d-yy
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 11
 Required: False
 ShowDatePicker: For dates
 SourceField: DateRename
 SourceTable: FileList
 TextAlign: General

IsHidden Yes/No 1

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False

Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
CurrencyLCID: 0
DataUpdatable: False
Description: Is this a hidden record?
DisplayControl: 106
Format: Yes/No
OrdinalPosition: 12
Required: False
SourceField: IsHidden
SourceTable: FileList
TextAlign: General

DateCreated Date With Time 8

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 2370
CurrencyLCID: 0
DataUpdatable: False
DefaultValue: =Now()
Description: DateCreated -today
Format: mm/dd/yy
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 13
Required: False
ShowDatePicker: For dates
SourceField: DateCreated
SourceTable: FileList
TextAlign: General

FileCreated Date With Time 8

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
CurrencyLCID: 0
DataUpdatable: False
Format: Short Date
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 14
Required: False

ShowDatePicker:	For dates
SourceField:	FileCreated
SourceTable:	FileList
TextAlign:	General

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
PrimaryKey	1
Clustered:	False
DistinctCount:	790
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
FileID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	

raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:51 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {B3AD5A6E-1779-49D3-9E3A-B1D8E8430026}}	HideNewField:	False
LastUpdated:	11/5/2014 6:19:51 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	FileLocations	TotalsRow:	False
Updatable:	False		

Columns

Name	Type	Size
filelocationID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal DIME File/Location identifier.	
GUID:	{guid {61C7E07B-F829-437F-8DBD-3B01132F0B34}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	filelocationID	
SourceTable:	FileLocations	
TextAlign:	General	
FACID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	internal DIME PWS identifier, lookup in table Facility Information	
DisplayControl:	Text Box	
GUID:	{guid {CB564A67-6374-4342-87D6-768E65D6F6E8}}	
OrdinalPosition:	1	
Required:	True	
SourceField:	FACID	
SourceTable:	FileLocations	

TextAlign:	General		
FileIndex		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	artificial sort order, based upon actual locations of files.		
DisplayControl:	Text Box		
GUID:	{guid {AA2B8AAF-D55A-48F2-ABB8-CFC6008491A0}}		
OrdinalPosition:	2		
Required:	False		
SourceField:	FileIndex		
SourceTable:	FileLocations		
TextAlign:	General		
Primary		Yes/No	1
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Is this the location of the Primary File?		
DisplayControl:	106		
Format:	Yes/No		
GUID:	{guid {BE831045-7D62-4858-B822-755E10D357D8}}		
OrdinalPosition:	3		
Required:	False		
SourceField:	Primary		
SourceTable:	FileLocations		
TextAlign:	General		
Chemical		Yes/No	1
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Is this the location of the Chemical File?		
DisplayControl:	106		
Format:	Yes/No		

GUID:	{guid {5FA5ADD1-A481-49B1-ABE5-5E92383EE8F1}}		
OrdinalPosition:	4		
Required:	False		
SourceField:	Chemical		
SourceTable:	FileLocations		
TextAlign:	General		
Bacteriological		Yes/No	1
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Is this the location of the Bacteriological File?		
DisplayControl:	106		
Format:	Yes/No		
GUID:	{guid {A85C61A7-4ED1-43C9-82DC-9F7CB2251E8D}}		
OrdinalPosition:	5		
Required:	False		
SourceField:	Bacteriological		
SourceTable:	FileLocations		
TextAlign:	General		
Enforcement		Yes/No	1
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Is this the location of the Enforcement File?		
DisplayControl:	106		
Format:	Yes/No		
GUID:	{guid {F614814E-8CB1-446A-B963-1C3DEDDBB1356}}		
OrdinalPosition:	6		
Required:	False		
SourceField:	Enforcement		
SourceTable:	FileLocations		
TextAlign:	General		
Archive		Yes/No	1
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		

ColumnWidth:	Default
DataUpdatable:	False
Description:	Is this the location of any archive file? (Primary II, III, etc.)
DisplayControl:	106
Format:	Yes/No
GUID:	{guid {886B8BF1-60D5-44A5-A1D4-21350ED23F4E}}
OrdinalPosition:	7
Required:	False
SourceField:	Archive
SourceTable:	FileLocations
TextAlign:	General

GroupFileName	Short Text	255
---------------	------------	-----

AggregateType:	-1
AllowZeroLength:	True
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Group File Name, e.g. Phoenix Area TCR
DisplayControl:	Text Box
GUID:	{guid {696B75D7-7A06-406A-A8CF-3FFC1DA842DA}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	8
Required:	False
SourceField:	GroupFileName
SourceTable:	FileLocations
TextAlign:	General
UnicodeCompression:	True

LocationID	Short Text	255
------------	------------	-----

AggregateType:	-1
AllowZeroLength:	True
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Actual Location of group of files, e.g. Helen's Top Drawer or SpaceSaver 2-B
DisplayControl:	Text Box
GUID:	{guid {250215BD-DC45-4950-BDF7-F0B2020C4EC7}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	9
Required:	False
SourceField:	LocationID
SourceTable:	FileLocations
TextAlign:	General
UnicodeCompression:	True

Table Indexes

Name	Number of Fields
FACID	1
Clustered:	False
DistinctCount:	428
Foreign:	False
IgnoreNulls:	False
Name:	FACID
Primary:	False
Required:	False
Unique:	False
Fields:	
FACID	Ascending
filelocationID	1
Clustered:	False
DistinctCount:	614
Foreign:	False
IgnoreNulls:	False
Name:	filelocationID
Primary:	False
Required:	False
Unique:	False
Fields:	
filelocationID	Ascending
LocationID	1
Clustered:	False
DistinctCount:	27
Foreign:	False
IgnoreNulls:	False
Name:	LocationID
Primary:	False
Required:	False
Unique:	False
Fields:	
LocationID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	614
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
filelocationID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	8/20/2007 3:14:52 PM	DefaultView:	2
GUID:	{guid {87B76371-3896-4B35-9272-4B401ABB6BD9}}	LastUpdated:	4/2/2013 6:37:54 PM
NameMap:	Long binary data	OrderByOn:	True
Orientation:	Left-to-Right	RecordCount:	0
SubDataSheetName:	[Auto]	Updatable:	True

Columns

Name	Type	Size
flgdPWSCCtempID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal DIME identifier for temporarily flagged PWS CCs	
GUID:	{guid {CA31D158-BA75-404F-9FD0-1068A59E68DE}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	flgdPWSCCtempID	
SourceTable:	flaggedPWSCCcontactIDsTEMP	
flaggedPWSCCcontactID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2280	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	contact IDs of all CCs for currently flagged PWS (userflags)	
DisplayControl:	Text Box	
GUID:	{guid {2660F5F1-0783-4C82-AE11-2E2892B60A26}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	flaggedPWSCCcontactID	
SourceTable:	flaggedPWSCCcontactIDsTEMP	

Table Indexes

Name	Number of Fields
flaggedPWSCCcontactID	1
Clustered:	False
DistinctCount:	0

Foreign:	False
IgnoreNulls:	False
Name:	flaggedPWSCCcontactID
Primary:	False
Required:	False
Unique:	False
Fields:	
flaggedPWSCCcontactID	Ascending
fldPWSCCtempID	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	fldPWSCCtempID
Primary:	False
Required:	False
Unique:	False
Fields:	
fldPWSCCtempID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
fldPWSCCtempID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	

jennifer
jimh
judy
karl
kirk
lawonda
linda
max
michael
myrt
navajo
raymond
roberto
roger
sara
test

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	8/20/2007 3:14:52 PM	DefaultView:	2
GUID:	{guid {F0C84431-DFB9-4529-8BB1-2B850354B7AA}}	LastUpdated:	8/20/2007 3:14:53 PM
NameMap:	Long binary data	OrderByOn:	True
Orientation:	Left-to-Right	RecordCount:	0
SubDataSheetName:	[Auto]	Updatable:	True

Columns

Name	Type	Size
flgdPWSdesCCtempID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal DIME identifier for temporarily (designer) flagged PWS CCs	
GUID:	{guid {09E56E14-E318-494F-9941-91755E3A0272}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	flgdPWSdesCCtempID	
SourceTable:	flaggedPWSdesCCcontactIDsTEMP	
flaggedPWSdesCCcontactID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2280	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	contact IDs of all CCs for currently flagged PWS (userflags)	
DisplayControl:	Text Box	
GUID:	{guid {03919405-B7D4-44BD-BE95-1255C69D9A20}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	flaggedPWSdesCCcontactID	
SourceTable:	flaggedPWSdesCCcontactIDsTEMP	

Table Indexes

Name	Number of Fields
flaggedPWSCCcontactID	1
Clustered:	False
DistinctCount:	0

Foreign:	False
IgnoreNulls:	False
Name:	flaggedPWSCCcontactID
Primary:	False
Required:	False
Unique:	False
Fields:	
flaggedPWSdesCCcontactID	Ascending
fldPWSCCtempID	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	fldPWSCCtempID
Primary:	False
Required:	False
Unique:	False
Fields:	
fldPWSdesCCtempID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
fldPWSdesCCtempID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	

jennifer
jimh
judy
karl
kirk
lawonda
linda
max
michael
myrt
navajo
raymond
roberto
roger
sara
test

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated: 9/14/2007 2:06:33 PM DefaultView: 2
 GUID: {guid {68D2BBB1-00D2-4D99-BB6B-286813778149}} LastUpdated: 1/3/2008 5:25:43 PM
 NameMap: Long binary data OrderByOn: False
 Orientation: Left-to-Right RecordCount: 6
 Updatable: True

Columns

Name	Type	Size
FundActionTypeID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal DIME funding action type ID	
GUID:	{guid {6982627C-C4C1-4F2B-BDAA-257A9A7BE967}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	FundActionTypeID	
SourceTable:	Funding_ActionTypes	
FundActionType	Short Text	50
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Funding Action Type	
DisplayControl:	Text Box	
GUID:	{guid {297DB99A-69E8-4AC6-9003-00C3CE6F8226}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	FundActionType	
SourceTable:	Funding_ActionTypes	
UnicodeCompression:	True	

Table Indexes

Name	Number of Fields
FundActionTypeID	1

Clustered:	False
DistinctCount:	6
Foreign:	False
IgnoreNulls:	False
Name:	FundActionTypeID
Primary:	False
Required:	False
Unique:	False
Fields:	
FundActionTypeID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	6
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
FundActionTypeID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	

myrt
navajo
raymond
roberto
roger
sara
test

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated: 1/3/2008 5:18:40 PM DefaultView: 2
 GUID: {guid {41A05585-D745-4A39-AFBB-565002AFD93F}} LastUpdated: 1/3/2008 5:22:05 PM
 NameMap: Long binary data OrderByOn: False
 Orientation: Left-to-Right RecordCount: 7
 Updatable: True

Columns

Name	Type	Size
FundAreaID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal DIME funding area type identifier	
GUID:	{guid {25C10371-F543-4312-8356-22851166580E}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	FundAreaID	
SourceTable:	Funding_areas	
FundingArea	Short Text	50
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	3855	
DataUpdatable:	False	
Description:	Description of Funding Area Type	
DisplayControl:	Text Box	
GUID:	{guid {C559E5DA-EA1A-43A0-83E8-BC50CFEABA35}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	FundingArea	
SourceTable:	Funding_areas	
UnicodeCompression:	True	
HQcode	Short Text	50
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	

ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1635
 DataUpdatable: False
 Description: EPA HQ code for same funding area type
 DisplayControl: Text Box
 GUID: {guid {BC50C221-E214-496E-9B59-9AF81D86BBBA}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: HQcode
 SourceTable: Funding_areas
 UnicodeCompression: True

Table Indexes

Name	Number of Fields
FundAreaID	1
Clustered:	False
DistinctCount:	7
Foreign:	False
IgnoreNulls:	False
Name:	FundAreaID
Primary:	False
Required:	False
Unique:	False
Fields:	
FundAreaID	Ascending
HQcode	1
Clustered:	False
DistinctCount:	7
Foreign:	False
IgnoreNulls:	False
Name:	HQcode
Primary:	False
Required:	False
Unique:	False
Fields:	
HQcode	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	7
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
FundAreaID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated: 1/3/2008 5:11:13 PM DefaultView: 2
 GUID: {guid {9797E066-8339-4AA7-9BA9-FDECD5C0C61E}} LastUpdated: 1/3/2008 5:13:00 PM
 NameMap: Long binary data OrderByOn: False
 Orientation: Left-to-Right RecordCount: 4
 Updatable: True

Columns

Name	Type	Size
ProjPurpID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal DIME idenifier for project purpose.	
GUID:	{guid {1DAB536A-26EF-4AA3-9672-ED6246700BD2}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	ProjPurpID	
SourceTable:	Funding_projectpurposes	
ProjectPurpose	Short Text	50
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2400	
DataUpdatable:	False	
Description:	Description of purpose of project.	
DisplayControl:	Text Box	
GUID:	{guid {17AC2A7B-926B-40D1-B6B8-81E4AB1A51FD}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	ProjectPurpose	
SourceTable:	Funding_projectpurposes	
UnicodeCompression:	True	

Table Indexes

Name	Number of Fields
PrimaryKey	1

Clustered:	False
DistinctCount:	4
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
ProjPurpID	Ascending
ProjPurpID	1
Clustered:	False
DistinctCount:	4
Foreign:	False
IgnoreNulls:	False
Name:	ProjPurpID
Primary:	False
Required:	False
Unique:	False
Fields:	
ProjPurpID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	

myrt
navajo
raymond
roberto
roger
sara
test

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	1/3/2008 5:15:45 PM	DefaultView:	2
GUID:	{guid {48751618-E5B4-4FC5-AC6A-8EC65CC7A71F}}	LastUpdated:	1/3/2008 5:15:46 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	3
Updatable:	True		

Columns

Name	Type	Size
FundingUpgradeID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal DIME funding upgrade type identifier	
GUID:	{guid {E816F3D8-553A-4989-B796-A36CA3984D4C}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	FundingUpgradeID	
SourceTable:	Funding_upgradetypes	
FundingUpgradeType	Short Text	50
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Description of type of project upgrade	
DisplayControl:	Text Box	
GUID:	{guid {561CFBFF-7437-4E09-88FF-3E5008101713}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	FundingUpgradeType	
SourceTable:	Funding_upgradetypes	
UnicodeCompression:	True	

Table Indexes

Name	Number of Fields
FundingUpgradeID	1

Clustered:	False
DistinctCount:	3
Foreign:	False
IgnoreNulls:	False
Name:	FundingUpgrateID
Primary:	False
Required:	False
Unique:	False
Fields:	
FundingUpgradeID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	3
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
FundingUpgradeID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	

myrt
navajo
raymond
roberto
roger
sara
test

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated: 1/3/2008 5:23:45 PM DefaultView: 2
 GUID: {guid {45D650CB-BAEA-40CF-91A8-88804BE0C0C1}} LastUpdated: 1/3/2008 5:23:46 PM
 NameMap: Long binary data OrderByOn: False
 Orientation: Left-to-Right RecordCount: 4
 Updatable: True

Columns

Name	Type	Size
FundVehID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal DIME funding vehicle identifier	
GUID:	{guid {4FCC38DF-9591-4D72-B674-B050FA8FEF39}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	FundVehID	
SourceTable:	Funding_vehicles	
FundingVehicle	Short Text	50
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Description of Funding Vehicle	
DisplayControl:	Text Box	
GUID:	{guid {0061D8C3-7A37-4B25-9691-D7EEA03F4C01}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	FundingVehicle	
SourceTable:	Funding_vehicles	
UnicodeCompression:	True	

Table Indexes

Name	Number of Fields
FundVehID	1

Clustered:	False
DistinctCount:	4
Foreign:	False
IgnoreNulls:	False
Name:	FundVehID
Primary:	False
Required:	False
Unique:	False
Fields:	
FundVehID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	4
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
FundVehID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	

myrt
navajo
raymond
roberto
roger
sara
test

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated: 7/23/2007 12:57:02 PM DefaultView: 2
 GUID: {guid {9425D6E5-22E2-4BDD-8157-6EEB0B51AEDC}} LastUpdated: 3/10/2009 3:18:04 PM
 NameMap: Long binary data OrderByOn: False
 Orientation: Left-to-Right RecordCount: 28
 Updatable: True

Columns

Name	Type	Size
SVCTYPID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1110	
DataUpdatable:	False	
Description:	internal DIME General Location Type identifier, autonumber	
GUID:	{guid {3EE3363B-FBAB-4690-8404-966A62A27062}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	SVCTYPID	
SourceTable:	GeneralLocationTypes	
Code	Short Text	255
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	645	
DataUpdatable:	False	
Description:	Code for submittal to CDX	
DisplayControl:	Text Box	
GUID:	{guid {1D76FF52-DA74-4453-92A9-18AF08C17EE3}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	Code	
SourceTable:	GeneralLocationTypes	
UnicodeCompression:	False	
Class	Short Text	255
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	

ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 645
 DataUpdatable: False
 DisplayControl: Text Box
 GUID: {guid {6D9F3F3F-9731-4EA3-96B4-F33178DEB81C}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: Class
 SourceTable: GeneralLocationTypes
 UnicodeCompression: False

sysclassID Long Integer 4

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 3
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 3735
 ColumnWidths: 0;2925;510
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: system classification
 DisplayControl: Combo Box
 GUID: {guid {97D8099B-86A7-4E6D-B1C0-9D0F9FEFAA80}}
 LimitToList: True
 ListRows: 8
 ListWidth: 3435twip
 OrdinalPosition: 3
 Required: False
 RowSource: SELECT FacilityClassifications.sysclassID,
 FacilityClassifications.Classification, FacilityClassifications.SDWIS_CD
 FROM FacilityClassifications;
 RowSourceType: Table/Query
 SourceField: sysclassID
 SourceTable: GeneralLocationTypes

Name Short Text 255

AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 3510
 DataUpdatable: False
 Description: name of general location type (Service Area)
 DisplayControl: Text Box

GUID: {guid {8E513190-D823-495F-83C6-335F6CCD42D7}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False
 SourceField: Name
 SourceTable: GeneralLocationTypes
 UnicodeCompression: False

DateCreated Date With Time 8

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Format: General Date
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 5
 Required: False
 SourceField: DateCreated
 SourceTable: GeneralLocationTypes

CreatedBy Short Text 50

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 6
 Required: False
 SourceField: CreatedBy
 SourceTable: GeneralLocationTypes
 UnicodeCompression: True

Table Indexes

Name	Number of Fields
Code	1
Clustered:	False
DistinctCount:	28
Foreign:	False
IgnoreNulls:	False
Name:	Code
Primary:	False
Required:	False

Unique:	False
Fields:	
Code	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	28
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
SVCTYPID	Ascending
sysclassID	1
Clustered:	False
DistinctCount:	4
Foreign:	False
IgnoreNulls:	False
Name:	sysclassID
Primary:	False
Required:	False
Unique:	False
Fields:	
sysclassID	Ascending

User Permissions

- admin
- aizaz
- andrew
- bessie
- chris
- corine
- daria
- designer
- dschmidt
- Emmanuelle
- everett
- guest
- helen
- hillary
- jack
- jamelya
- Jason
- jelani
- jennifer
- jimh
- judy
- karl
- kirk

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

lawonda
linda
max
michael
myrt
navajo
raymond
roberto
roger
sara
test

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	7/23/2007 12:57:02 PM	DefaultView:	2
GUID:	{guid {40BC0E29-459A-4D83-AB00-BCD245C7EAFB}}	LastUpdated:	3/10/2009 3:19:04 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	5
SubDataSheetName:	[Auto]	Updatable:	True

Columns

Name	Type	Size
HealthpriorityID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal DIME healthpriority identifier, autonumber	
GUID:	{guid {62B1B9E1-D92D-4389-B34D-11EACE88A983}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	HealthpriorityID	
SourceTable:	Healthpriorities	
Healthprioritylevel	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1905	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Health priority (integer) 1 is highest priority, 4 is lowest	
DisplayControl:	Text Box	
GUID:	{guid {1A80277C-0DEF-449A-A644-A033CFA66049}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	Healthprioritylevel	
SourceTable:	Healthpriorities	
Healthprioritydescr	Short Text	255
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	

ColumnWidth: 9510
 DataUpdatable: False
 Description: Health priority level definition
 DisplayControl: Text Box
 GUID: {guid {4E98F44E-6F16-4ADD-AF66-C352F50C7528}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: Healthprioritydescr
 SourceTable: Healthpriorities
 UnicodeCompression: True

DateCreated Date With Time 8

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Format: General Date
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: DateCreated
 SourceTable: Healthpriorities

CreatedBy Short Text 50

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False
 SourceField: CreatedBy
 SourceTable: Healthpriorities
 UnicodeCompression: True

Table Indexes

Name	Number of Fields
HealthpriorityID	1
Clustered:	False
DistinctCount:	5
Foreign:	False

IgnoreNulls:	False
Name:	HealthpriorityID
Primary:	False
Required:	False
Unique:	False
Fields:	
HealthpriorityID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	5
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
HealthpriorityID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	

roberto
roger
sara
test

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\ Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:51 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {303EAC88-BB44-45DF- 8D61-EB48C9DD6370}}	HideNewField:	False
LastUpdated:	11/5/2014 6:19:51 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	HPTanks	TotalsRow:	False
Updatable:	False		

Columns

Name	Type	Size
HPTankID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal DIME HPTank ID	
GUID:	{guid {561A125A-F07B-4E89-AC00-2569F5170695}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	HPTankID	
SourceTable:	HPTanks	
TextAlign:	General	
FACID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	internal DIME ID for PWS which utilizes HPTank	
DisplayControl:	Text Box	
GUID:	{guid {F9BDF2D6-BAD1-4944-B55E-8911BA98CEE7}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	FACID	
SourceTable:	HPTanks	

TextAlign:	General		
UnivUniqueID		Short Text	5
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	universally unique number for sources, treatment plants, entry points, storage, or distribution systems		
DisplayControl:	Text Box		
GUID:	{guid {96B66B55-76AF-4BC8-9EBE-14B8F787CA7B}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	2		
Required:	True		
SourceField:	UnivUniqueID		
SourceTable:	HPTanks		
TextAlign:	General		
UnicodeCompression:	False		
HPTankName		Short Text	50
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Most recognized and used HPTank name		
DisplayControl:	Text Box		
GUID:	{guid {5C52D803-CE46-4F00-BFD1-4601D7C2B3FF}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	3		
Required:	False		
SourceField:	HPTankName		
SourceTable:	HPTanks		
TextAlign:	General		
UnicodeCompression:	True		
FacTypeID		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
BoundColumn:	1		
CollatingOrder:	General		
ColumnCount:	4		

ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 ColumnWidths: 0;348;2304;1031
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME ID for sub-facility type, lookup in table FacType with category Piped, Other
 DisplayControl: Text Box
 GUID: {guid {AD697563-215D-4785-8392-39EE514690E2}}
 LimitToList: True
 ListRows: 8
 ListWidth: 3683twip
 OrdinalPosition: 4
 Required: False
 RowSource: SELECT FacType.FacTypeID, FacType.ODScoreFacType, FacType.FacilityType, FacType.FacTypeCat FROM FacType WHERE (((FacType.FacTypeCat)="pressure")) ORDER BY FacType.FacTypeCat, FacType.ODScoreFacType;
 RowSourceType: Table/Query
 SourceField: FacTypeID
 SourceTable: HPTanks
 TextAlign: General

HPTank_Capacity Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: total HPTank capacity
 DisplayControl: Text Box
 GUID: {guid {6C366B09-1631-47C4-BB9D-4D8BB67ACDB9}}
 OrdinalPosition: 5
 Required: False
 SourceField: HPTank_Capacity
 SourceTable: HPTanks
 TextAlign: General

HPTankcapacityunits Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 Caption: storagecapacityunits
 CollatingOrder: General

ColumnCount: 2
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 ColumnWidths: 0;975
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: liters or gallons, lookup in table volumetric units
 DisplayControl: Combo Box
 GUID: {guid {4FA82061-566D-4BCC-98F2-B69ED806B65E}}
 LimitToList: True
 ListRows: 8
 ListWidth: 975twip
 OrdinalPosition: 6
 Required: False
 RowSource: SELECT volumetricunits.ID, volumetricunits.UnitName FROM
 volumetricunits;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: HPtankcapacityunits
 SourceTable: HPtanks
 TextAlign: General

UpperPressurelimit Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Upper working pressure limit
 DisplayControl: Text Box
 GUID: {guid {18086BE7-7768-4B15-8CAF-2A9AFBBDB910}}
 OrdinalPosition: 7
 Required: False
 SourceField: UpperPressurelimit
 SourceTable: HPtanks
 TextAlign: General

LowerPressurelimit Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto

Description: DisplayControl: GUID: OrdinalPosition: Required: SourceField: SourceTable: TextAlign:	Lower workingpressure limit Text Box {guid {B46D8516-AC85-482D-8429-B1222FCFE113}} 8 False LowerPressurelimit HPTanks General		
operationalsiteglass?		Yes/No	1
AggregateType: AllowZeroLength: AppendOnly: Attributes: CollatingOrder: ColumnHidden: ColumnOrder: ColumnWidth: DataUpdatable: Description: DisplayControl: Format: GUID: OrdinalPosition: Required: SourceField: SourceTable: TextAlign:	-1 False False Fixed Size General False Default Default False is there an operational site glass which indicates water level in tank? 106 Yes/No {guid {D38FBCCF-74FA-436B-9227-4E1C647E1A39}} 9 False operationalsiteglass? HPTanks General		
HPTanktype		Short Text	50
AggregateType: AllowZeroLength: AppendOnly: Attributes: CollatingOrder: ColumnHidden: ColumnOrder: ColumnWidth: DataUpdatable: Description: DisplayControl: GUID: IMEMode: IMESentenceMode: OrdinalPosition: Required: SourceField: SourceTable: TextAlign: UnicodeCompression:	-1 False False Variable Length General False Default Default False bladder, air/water interface, etc. Text Box {guid {1DE05057-2DDF-4849-B0E7-A209CE812FF9}} 0 3 10 False HPTanktype HPTanks General True		
NumberTanks		Short Text	50
AggregateType: AllowZeroLength: AppendOnly:	-1 False False		

Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: number of tanks in a multi-tank setup
 DisplayControl: Text Box
 GUID: {guid {C5C77A12-B405-423D-915F-02DD3D69E092}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 11
 Required: False
 SourceField: NumberTanks
 SourceTable: HPTanks
 TextAlign: General
 UnicodeCompression: True

CanBeIsolated Yes/No 1

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Is this HPTank plumbed so that the PWS can function while the tank is out of service? Can it be valved off?
 DisplayControl: 106
 Format: Yes/No
 GUID: {guid {A0F60E22-A76B-47E5-B29D-9A9EE53D5BCB}}
 OrdinalPosition: 12
 Required: False
 SourceField: CanBeIsolated
 SourceTable: HPTanks
 TextAlign: General

ACTIVITY_STATUS_HP Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 Caption: ACTIVITY_STATUS_HP Tank
 CollatingOrder: General
 ColumnCount: 2
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 ColumnWidths: 0;1065
 DataUpdatable: False

DecimalPlaces: Auto
 Description: activity status for HP Tank, lookup in table SourceUseStatus, which contains proper SDWIS codes
 DisplayControl: Combo Box
 GUID: {guid {583EE8E8-B393-40CE-BD91-03099D92591A}}
 LimitToList: True
 ListRows: 8
 ListWidth: 1065twip
 OrdinalPosition: 13
 Required: False
 RowSource: SELECT SourceUseStatus.ID, SourceUseStatus.SourceUseStatus
 FROM SourceUseStatus;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: ACTIVITY_STATUS_HP
 SourceTable: HPtanks
 TextAlign: General

ACTIVITY_DATE_HP Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date HP Tank came into active service OR date HP Tank stopped being used
 GUID: {guid {C10C15A1-DF14-4386-8F80-1A3D61B02EF7}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 14
 Required: False
 ShowDatePicker: For dates
 SourceField: ACTIVITY_DATE_HP
 SourceTable: HPtanks
 TextAlign: General

ACTIVITY_RSN_TXT_HP Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Reason for activity of HP Tank
 DisplayControl: Text Box
 GUID: {guid {ADD20D0E-A63E-4218-A1B3-4CE9D1C70C62}}
 IMEMode: 0

IMESentenceMode: 3
 OrdinalPosition: 15
 Required: False
 SourceField: ACTIVITY_RSN_TXT_HP
 SourceTable: HPtanks
 TextAlign: General
 UnicodeCompression: True

MEMO_TEXT_HPtank Short Text 255

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Memo text for HPtank, notes about HPtank
 DisplayControl: Text Box
 GUID: {guid {9B2C904A-4180-4CE3-A02B-33EF986DB97C}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 16
 Required: False
 SourceField: MEMO_TEXT_HPtank
 SourceTable: HPtanks
 TextAlign: General
 UnicodeCompression: True

FlowsTo_HP Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: indicates flow to next point in PWS, universally unique identifier from union of entry points, treatment plants, storage, or distribution system
 DisplayControl: Text Box
 GUID: {guid {0E50C1BA-73D9-4E7F-AD95-EA1A2B6296E0}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 17
 Required: False
 SourceField: FlowsTo_HP
 SourceTable: HPtanks
 TextAlign: General
 UnicodeCompression: True

Lastupdate Date With Time 8

AggregateType: -1

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date of Last Update
 Format: General Date
 GUID: {guid {E584A4BE-F488-4D28-88FC-4F97BE2B3638}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 18
 Required: False
 ShowDatePicker: For dates
 SourceField: Lastupdate
 SourceTable: HPTanks
 TextAlign: General

CurrentUpdateUser Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Current User At Time of Update
 DisplayControl: Text Box
 GUID: {guid {2498A5F6-1975-4B9E-AFF1-2E72B8958A51}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 19
 Required: False
 SourceField: CurrentUpdateUser
 SourceTable: HPTanks
 TextAlign: General
 UnicodeCompression: True

DateCreated Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date that record was created.
 Format: General Date
 GUID: {guid {9A6E0DAA-B45F-4D89-B1B0-1809EDE26589}}

IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 20
 Required: False
 ShowDatePicker: For dates
 SourceField: DateCreated
 SourceTable: HPTanks
 TextAlign: General

CreatedBy Short Text 50


AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Created by when the record is created
 DisplayControl: Text Box
 GUID: {guid {DC68F3F6-7ACE-4F10-B7F6-E98525D437B4}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 21
 Required: False
 SourceField: CreatedBy
 SourceTable: HPTanks
 TextAlign: General
 UnicodeCompression: True

StatusID Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME Status identifier, lookup in table QASStatus
 DisplayControl: Text Box
 GUID: {guid {E6F24F8E-93DB-428F-AC93-8F700D518CC1}}
 OrdinalPosition: 22
 Required: False
 SourceField: StatusID
 SourceTable: HPTanks
 TextAlign: General


Relationships

Facility InformationHPTanks



Attributes: Not Enforced, Inherited
 RelationshipType: One-To-Many (External)

HPTanksLocationalData_HPTanks



Attributes: Not Enforced, Inherited, Left Join
 RelationshipType: One-To-Many (External)

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
HPTankID	1
Clustered:	False
DistinctCount:	164
Foreign:	False
IgnoreNulls:	False
Name:	HPTankID
Primary:	False
Required:	False
Unique:	True
Fields:	
HPTankID	Ascending
PrimaryKey	2
Clustered:	False
DistinctCount:	164
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
FACID	Ascending
UnivUniqueID	Ascending

User Permissions

admin
 aizaz

andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:51 PM	DefaultView:	2
GUID:	{guid {836FFDF1-6CA5-4E71-9E77-DD0681AC8508}}	LastUpdated:	11/5/2014 6:19:51 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	ICISChanges	Updatable:	False

Columns

Name	Type	Size
ICISChangeID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal DIME identifier for ICIS Change Reported	
GUID:	{guid {9CF46372-1DD9-4DBC-9C36-EDDF4469B9AB}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	ICISChangeID	
SourceTable:	ICISChanges	
ICISChangeReported	Short Text	255
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	9240	
DataUpdatable:	False	
Description:	type of management practice change reported by respondent to compliance assistance follow-up evaluation	
DisplayControl:	Text Box	
GUID:	{guid {1FB29EDF-9E91-4B7C-AE5C-AEE13614BC4E}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	ICISChangeReported	
SourceTable:	ICISChanges	
UnicodeCompression:	True	
DateCreated	Date With Time	8
AllowZeroLength:	False	

AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date that record was created.
 Format: General Date
 GUID: {guid {E1500310-4B65-4F7C-9D59-FD3FE483A44B}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: DateCreated
 SourceTable: ICISChanges

CreatedBy Short Text 50

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Created by when the record is created
 DisplayControl: Text Box
 GUID: {guid {E8A87529-2D54-4F06-8B02-89A0ECE94CA6}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: CreatedBy
 SourceTable: ICISChanges
 UnicodeCompression: True

Table Indexes

Name	Number of Fields
ICISChangeID	1
Clustered:	False
DistinctCount:	5
Foreign:	False
IgnoreNulls:	False
Name:	ICISChangeID
Primary:	False
Required:	False
Unique:	False
Fields:	
ICISChangeID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	5

Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
ICISChangeID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,
--------	---------------------------------------------------------------------------

DataManagers	Write Definition, Read Data, Insert Data, Update Data, Delete Data
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\ Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:51 PM	DefaultView:	2
GUID:	{guid {F9A59B9A-FFAA-4045- 9029-A71D20771B0A}}	LastUpdated:	11/5/2014 6:19:51 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	ICISMeasurements	Updatable:	False

Columns

Name	Type	Size
ICISmeasureID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal DIME identifier for Compliance Assistance Followup Measurement for ICIS	
GUID:	{guid {66C1F3DE-A99C-43EF-8464-E54EF85165FB}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	ICISmeasureID	
SourceTable:	ICISMeasurements	
ICISMeasurement	Short Text	50
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	3684	
DataUpdatable:	False	
Description:	Measurement of outcome of compliance assistance activity for ICIS data reporting	
DisplayControl:	Text Box	
GUID:	{guid {15ABC1A2-78A5-42CB-B95B-F677EB9FCFB1}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	ICISMeasurement	
SourceTable:	ICISMeasurements	
UnicodeCompression:	True	

DateCreated	Date With Time	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Date that record was created.	
Format:	General Date	
GUID:	{guid {A6256B4C-4A53-4217-B1F2-3AEF01F55E28}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	2	
Required:	False	
SourceField:	DateCreated	
SourceTable:	ICISMeasurements	

CreatedBy	Short Text	50
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Created by when the record is created	
DisplayControl:	Text Box	
GUID:	{guid {AEC870EC-B24D-45DD-9077-9CFD9A129B69}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	3	
Required:	False	
SourceField:	CreatedBy	
SourceTable:	ICISMeasurements	
UnicodeCompression:	True	

Table Indexes

Name	Number of Fields
measureID	1
Clustered:	False
DistinctCount:	9
Foreign:	False
IgnoreNulls:	False
Name:	measureID
Primary:	False
Required:	False
Unique:	False
Fields:	
ICISmeasureID	Ascending
PrimaryKey	1

Clustered:	False
DistinctCount:	9
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
ICISmeasureID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\ Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:51 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {F5ED0F8A-3CCD-4A10- B577-7B8BDBB66F72}}	HideNewField:	False
LastUpdated:	11/5/2014 6:19:51 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	LabDetectionMethods	TotalsRow:	False
Updatable:	False		

Columns

Name	Type	Size
LDMID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
GUID:	{guid {865E6781-EA6E-43A2-B5F4-BD9B819C26B2}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	LDMID	
SourceTable:	LabDetectionMethods	
TextAlign:	General	
LabID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	internal Laboratory identifier, lookup in table Laboratories	
DisplayControl:	Text Box	
GUID:	{guid {E630BC78-D37C-4E8D-8701-34477320AD62}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	LabID	
SourceTable:	LabDetectionMethods	
TextAlign:	General	

contID		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	internal Contaminant identifier, lookup in table MCL		
DisplayControl:	Text Box		
GUID:	{guid {5A66D050-6336-4D03-92E3-DA3CC444BEC0}}		
OrdinalPosition:	2		
Required:	False		
SourceField:	contID		
SourceTable:	LabDetectionMethods		
TextAlign:	General		
METHOD_ID		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Analytical method code		
DisplayControl:	Text Box		
GUID:	{guid {83588B62-B49A-4650-9FA7-0E4001E24763}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	3		
Required:	False		
SourceField:	METHOD_ID		
SourceTable:	LabDetectionMethods		
TextAlign:	General		
UnicodeCompression:	False		
NumUnits		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	NUM units from the Units lookup table		
DisplayControl:	Text Box		

GUID:	{guid {15C3A818-A466-4BE7-9CA9-E8DFAE290BA9}}		
OrdinalPosition:	4		
Required:	False		
SourceField:	NumUnits		
SourceTable:	LabDetectionMethods		
TextAlign:	General		
DetectionLimitValue		Double	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2655		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Value of Detection Limit		
DisplayControl:	Text Box		
GUID:	{guid {9E96A04A-3D15-4259-885C-FB7DE05E4A55}}		
OrdinalPosition:	5		
Required:	False		
SourceField:	DetectionLimitValue		
SourceTable:	LabDetectionMethods		
TextAlign:	General		
DateDLfirstreported		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2415		
DataUpdatable:	False		
Description:	Earliest date that detection limit was reported to DIME		
GUID:	{guid {24631DCC-D8E7-4AE0-911E-168A140346DD}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	6		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	DateDLfirstreported		
SourceTable:	LabDetectionMethods		
TextAlign:	General		
LastUpdate		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		

ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Time updated in system
 GUID: {guid {165E73EA-182E-4498-A134-093C8B0D24B1}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 7
 Required: False
 ShowDatePicker: For dates
 SourceField: LastUpdate
 SourceTable: LabDetectionMethods
 TextAlign: General

CurrentUpdateUser Short Text 50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: By whom
 DisplayControl: Text Box
 GUID: {guid {A7D9BF2D-111F-4D02-B1F3-02F16DF9209B}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 8
 Required: False
 SourceField: CurrentUpdateUser
 SourceTable: LabDetectionMethods
 TextAlign: General
 UnicodeCompression: True

DateCreated Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date that record was created.
 Format: General Date
 GUID: {guid {5459A9CC-42A2-4635-9374-237A7A431FCE}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 9
 Required: False
 ShowDatePicker: For dates
 SourceField: DateCreated

SourceTable:	LabDetectionMethods		
TextAlign:	General		
CreatedBy		Short Text	50
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Created by when the record is created		
DisplayControl:	Text Box		
GUID:	{guid {E57AFD5A-5CC1-40EA-A397-A7BFDAD64F68}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	10		
Required:	False		
SourceField:	CreatedBy		
SourceTable:	LabDetectionMethods		
TextAlign:	General		
UnicodeCompression:	True		

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
LabDetectionMethodscontID	1
Clustered:	False
DistinctCount:	220
Foreign:	False
IgnoreNulls:	False
Name:	LabDetectionMethodscontID
Primary:	False
Required:	False
Unique:	False
Fields:	
contID	Ascending
LDMID	1
Clustered:	False
DistinctCount:	11213
Foreign:	False
IgnoreNulls:	False
Name:	LDMID
Primary:	False
Required:	False
Unique:	False
Fields:	
LDMID	Ascending
METHOD_ID	1
Clustered:	False
DistinctCount:	408
Foreign:	False

IgnoreNulls:	False
Name:	METHOD_ID
Primary:	False
Required:	False
Unique:	False
Fields:	
METHOD_ID	Ascending
NumUnits	1
Clustered:	False
DistinctCount:	17
Foreign:	False
IgnoreNulls:	False
Name:	NumUnits
Primary:	False
Required:	False
Unique:	False
Fields:	
NumUnits	Ascending
PrimaryKey	2
Clustered:	False
DistinctCount:	11153
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
LabID	Ascending
contID	Ascending

User Permissions

- admin
- aizaz
- andrew
- bessie
- chris
- corine
- daria
- designer
- dschmidt
- Emmanuelle
- everett
- guest
- helen
- hillary
- jack
- jamelya
- Jason
- jelani
- jennifer

jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\ Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:51 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {2C171C2B-BCF0-41B6- 9687-6E87325FC585}}	HideNewField:	False
LastUpdated:	11/5/2014 6:19:51 PM	NameMap:	Long binary data
OrderBy:	[Laboratories].[ID], [Laboratories].[LAB_ID] DESC, [Laboratories].[DefaultSort]	OrderByOn:	True
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	-1	SourceTableName:	Laboratories
SubDataSheetName:	[Auto]	TotalsRow:	False
Updatable:	False		

Columns

Name	Type	Size
ID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	ID	
GUID:	{guid {ADBE881F-548F-456B-90BE-0432A42568CB}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	ID	
SourceTable:	Laboratories	
TextAlign:	General	
LAB_ID	Short Text	255
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	LAB_ID	
DisplayControl:	Text Box	
GUID:	{guid {BBB64B5D-6F64-456B-9196-82AB964F47F6}}	
IMEMode:	0	
IMESentenceMode:	3	

OrdinalPosition: 1
 Required: False
 SourceField: LAB_ID
 SourceTable: Laboratories
 TextAlign: General
 UnicodeCompression: False

Lab_Alias Short Text 255

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Lab_Alias
 DisplayControl: Text Box
 GUID: {guid {8E19557E-3AE8-43A6-A21C-4C7D7CD261EE}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: Lab_Alias
 SourceTable: Laboratories
 TextAlign: General
 UnicodeCompression: False

Full_Laboratory_Name Short Text 255

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 5745
 DataUpdatable: False
 Description: Full_Laboratory_Name
 DisplayControl: Text Box
 GUID: {guid {68E2446F-F679-4BE7-A154-D3C70ABD9689}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: Full_Laboratory_Name
 SourceTable: Laboratories
 TextAlign: General
 UnicodeCompression: False

Address_1 Short Text 255

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False

Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 3990
 DataUpdatable: False
 Description: Address_1
 DisplayControl: Text Box
 GUID: {guid {769A2A8C-C304-446E-B989-867806CE3036}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False
 SourceField: Address_1
 SourceTable: Laboratories
 TextAlign: General
 UnicodeCompression: False

Address_2 Short Text 255

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2730
 DataUpdatable: False
 Description: Address_2
 DisplayControl: Text Box
 GUID: {3379244D-0DEC-4EC8-98B5-1AF63D03B26D}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 5
 Required: False
 SourceField: Address_2
 SourceTable: Laboratories
 TextAlign: General
 UnicodeCompression: False

City Short Text 255

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2280
 DataUpdatable: False
 Description: City
 DisplayControl: Text Box
 GUID: {guid {5A17C9F2-474B-490F-8776-5A0FE7D43A3C}}
 IMEMode: 0
 IMESentenceMode: 3

	OrdinalPosition:	6		
	Required:	False		
	SourceField:	City		
	SourceTable:	Laboratories		
	TextAlign:	General		
	UnicodeCompression:	False		
State			Long Integer	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	Description:	State		
	DisplayControl:	Text Box		
	GUID:	{guid {7C32173F-C26C-4F6B-AAE0-1BD5C03B8359}}		
	OrdinalPosition:	7		
	Required:	False		
	SourceField:	State		
	SourceTable:	Laboratories		
	TextAlign:	General		
ZipCode			Short Text	255
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	ZipCode		
	DisplayControl:	Text Box		
	GUID:	{guid {B5F147A4-80FC-427A-9933-752FC5C3948B}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	8		
	Required:	False		
	SourceField:	ZipCode		
	SourceTable:	Laboratories		
	TextAlign:	General		
	UnicodeCompression:	False		
Salutation			Short Text	255
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		

ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Salutation
 DisplayControl: Text Box
 GUID: {guid {4FC8CF38-86B7-4695-BEA8-540661774DEF}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 9
 Required: False
 SourceField: Salutation
 SourceTable: Laboratories
 TextAlign: General
 UnicodeCompression: False

ID_Alias_1 Short Text 255

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: ID_Alias_1
 DisplayControl: Text Box
 GUID: {guid {874BD871-EF8F-47B4-91CD-9E80887BDB0C}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 10
 Required: False
 SourceField: ID_Alias_1
 SourceTable: Laboratories
 TextAlign: General
 UnicodeCompression: False

Lab_Id_Num Short Text 255

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Lab_Id_Num
 DisplayControl: Text Box
 GUID: {guid {8003A311-10DA-46FB-A911-59DE293E91CD}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 11
 Required: False

SourceField: Lab_Id_Num
SourceTable: Laboratories
TextAlign: General
UnicodeCompression: False

ID_Alias_2 Short Text 255

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: ID_Alias_2
DisplayControl: Text Box
GUID: {guid {F6D7FA94-0C8C-4911-A272-AAFBD67F668D}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 12
Required: False
SourceField: ID_Alias_2
SourceTable: Laboratories
TextAlign: General
UnicodeCompression: False

ID_Alias_3 Short Text 255

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: ID_Alias_3
DisplayControl: Text Box
GUID: {guid {8C75F87E-C265-4BC4-9667-8B594C09E90C}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 13
Required: False
SourceField: ID_Alias_3
SourceTable: Laboratories
TextAlign: General
UnicodeCompression: False

ID_Alias_4 Short Text 255

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General

ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: ID_Alias_4
DisplayControl: Text Box
GUID: {guid {5E19B73D-D42D-4C69-A027-B01E7FF39447}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 14
Required: False
SourceField: ID_Alias_4
SourceTable: Laboratories
TextAlign: General
UnicodeCompression: False

PHONE_1 Short Text 255

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: PHONE_1
DisplayControl: Text Box
GUID: {guid {D795259D-D6B3-4DBF-BFDC-1BA53200B62A}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 15
Required: False
SourceField: PHONE_1
SourceTable: Laboratories
TextAlign: General
UnicodeCompression: False

FAX Short Text 255

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: FAX
DisplayControl: Text Box
GUID: {guid {3F7BCE19-57CD-4925-A6DE-D1C515765479}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 16
Required: False

	SourceField:	FAX		
	SourceTable:	Laboratories		
	TextAlign:	General		
	UnicodeCompression:	False		
PHONE_2			Short Text	255
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	PHONE_2		
	DisplayControl:	Text Box		
	GUID:	{guid {5D9550A3-5503-4141-8BD6-C9A9EDFFB75A}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	17		
	Required:	False		
	SourceField:	PHONE_2		
	SourceTable:	Laboratories		
	TextAlign:	General		
	UnicodeCompression:	False		
Email			Short Text	255
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Email		
	DisplayControl:	Text Box		
	GUID:	{guid {38D9C37A-D40E-4D71-B0A8-D71F0EAC08B8}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	18		
	Required:	False		
	SourceField:	Email		
	SourceTable:	Laboratories		
	TextAlign:	General		
	UnicodeCompression:	False		
DefaultAnalyst			Short Text	50
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		

ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: current and usual lab analyst name
 DisplayControl: Text Box
 GUID: {guid {BB258D3B-567D-4EB3-99B2-F5F45BDFD833}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 19
 Required: False
 SourceField: DefaultAnalyst
 SourceTable: Laboratories
 TextAlign: General
 UnicodeCompression: True

DefaultReviewer Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: current and usual lab reviewer
 DisplayControl: Text Box
 GUID: {guid {85A9806D-6699-4947-9FBE-9183C6DAE6CC}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 20
 Required: False
 SourceField: DefaultReviewer
 SourceTable: Laboratories
 TextAlign: General
 UnicodeCompression: True

DefaultSort Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: CPTYPE Sort Order
 DisplayControl: Text Box
 GUID: {guid {F187655B-63FE-47A9-B090-46511AD10108}}
 OrdinalPosition: 21
 Required: False
 SourceField: DefaultSort

SourceTable:	Laboratories		
TextAlign:	General		
Lastupdate		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Date of Last Update		
Format:	General Date		
GUID:	{guid {1CBA5A5D-3AEA-4DC3-8C84-762C21CA4C8E}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	22		
Required:	False		
SourceField:	Lastupdate		
SourceTable:	Laboratories		
TextAlign:	General		
CurrentUpdateUser		Short Text	50
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Current User At Time of Update		
DisplayControl:	Text Box		
GUID:	{guid {BA26FD96-4018-4B8A-9D2C-9B825863B521}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	23		
Required:	False		
SourceField:	CurrentUpdateUser		
SourceTable:	Laboratories		
TextAlign:	General		
UnicodeCompression:	True		
DateCreated		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		

DataUpdatable: False
 Description: Date and Time created
 Format: General Date
 GUID: {guid {3C19356D-5A5F-4E1F-862B-0CB246E474DF}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 24
 Required: False
 SourceField: DateCreated
 SourceTable: Laboratories
 TextAlign: General

CreatedBy Short Text 50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Created By User
 DisplayControl: Text Box
 GUID: {guid {D48FA20E-66CC-4DA9-95BF-486A8EC47A45}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 25
 Required: False
 SourceField: CreatedBy
 SourceTable: Laboratories
 TextAlign: General
 UnicodeCompression: True

DateView Date With Time 8

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date and Time Last Viewed
 Format: General Date
 GUID: {guid {A7965908-34C7-4750-800D-279C237D0FFF}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 26
 Required: False
 SourceField: DateView
 SourceTable: Laboratories

ViewUser Short Text 50

AllowZeroLength: True


AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Last Viewed By
 DisplayControl: Text Box
 GUID: {guid {6BC817A6-5F86-4823-8AFB-1BAD674EC6B0}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 27
 Required: False
 SourceField: ViewUser
 SourceTable: Laboratories
 UnicodeCompression: True

StatusID Long Integer 4

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME Status identifier, lookup in table QASstatus
 DisplayControl: Text Box
 GUID: {guid {F01D480D-9374-4210-B430-CC63EA40501C}}
 OrdinalPosition: 28
 Required: False
 SourceField: StatusID
 SourceTable: Laboratories

Relationships

ChemicalsLaboratories



Attributes: Not Enforced, Inherited
 RelationshipType: Indeterminate (External)

Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	184

Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
LAB_ID	Ascending
StatusID	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	StatusID
Primary:	False
Required:	False
Unique:	False
Fields:	
StatusID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	

raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	11/21/2011 3:11:10 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {E0502530-79DA-4C48-826E-165A19F6B12F}}	HideNewField:	False
LastUpdated:	2/12/2012 9:20:49 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	0
TotalsRow:	False	Updatable:	True

Columns

Name	Type	Size
LATDECDEG	Short Text	25
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	1350	
DataUpdatable:	False	
Description:	Either Lat and Long in Decimal Degrees format= SDD.DDDDDD Coordinate representation indicating a location on the surface of the earth, using the earth's Equator as the origin, reported in decimal degrees.	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	0	
Required:	False	
SourceField:	LATDECDEG	
SourceTable:	IclBestLocData	
TextAlign:	General	
UnicodeCompression:	False	
LONGDECDEG	Short Text	25
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1545	
DataUpdatable:	False	
Description:	Either Lat and Long in Decimal Degrees format= SDDD.DDDDDD Coordinate representation indicating a location on the surface of the earth, using the Prime Meridian (Greenwich, England) as the origin, reported in decimal degrees.	

DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 1
 Required: False
 SourceField: LONGDECDEG
 SourceTable: lclBestLocData
 TextAlign: General
 UnicodeCompression: False

LLVERTMEASURE Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1740
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: CON Vertical distance from the vertical datum to the land surface or other measuring point, in meters.
 DisplayControl: Text Box
 OrdinalPosition: 2
 Required: False
 SourceField: LLVERTMEASURE
 SourceTable: lclBestLocData
 TextAlign: General

LLVERTCOLLECTIONMETHOD Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 3
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2925
 ColumnWidths: 0;390;6330
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: OPT Code representing the method used to determine the vertical measure.
 DisplayControl: Combo Box
 LimitToList: True
 ListRows: 8
 ListWidth: 6720twip
 OrdinalPosition: 3
 Required: False
 RowSource: SELECT LLVERTCOLLMETH.ID,

LLVERTCOLLMETH.ODSVertCollMethCode,
 LLVERTCOLLMETH.VerticalCollectionMethod FROM
 LLVERTCOLLMETH;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: LLVERTCOLLECTIONMETHOD
 SourceTable: lclBestLocData
 TextAlign: General

LLVERTACCURACY Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1920
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: OPT Quantitative measurement of the amount of deviation from true value in the vertical measure (estimate of error). It describes the correctness of the vertical measure, in meters.
 DisplayControl: Text Box
 OrdinalPosition: 4
 Required: False
 SourceField: LLVERTACCURACY
 SourceTable: lclBestLocData
 TextAlign: General

LLVERTDATUM Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 3
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1575
 ColumnWidths: 0;405;2760
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: OPT VERTICAL REFERENCE DATUM CODE Code representing which national reference standard for vertical control established by the U.S. National Geodetic Survey (NGS) is used to determine the vertical measure.
 DisplayControl: Combo Box
 LimitToList: True
 ListRows: 8

ListWidth: 3165twip
OrdinalPosition: 5
Required: False
RowSource: SELECT LLVERTDATUM.ID, LLVERTDATUM.ODSVertDatumCode,
LLVERTDATUM.VertDatum FROM LLVERTDATUM;
RowSourceType: Table/Query
ShowOnlyRowSourceValues: False
SourceField: LLVERTDATUM
SourceTable: lclBestLocData
TextAlign: General

LLCOLLECTIONMETH Long Integer 4

AggregateType: -1
AllowValueListEdits: False
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
BoundColumn: 1
CollatingOrder: General
ColumnCount: 3
ColumnHeads: False
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 2145
ColumnWidths: 0;384;3492
DataUpdatable: False
DecimalPlaces: Auto
Description: REQ Method used to determine the latitude/longitude. This
represents the primary source of the data.
DisplayControl: Combo Box
LimitToList: True
ListRows: 8
ListWidth: 3876twip
OrdinalPosition: 6
Required: False
RowSource: SELECT LLCOLLECTIONMETHOD.ID,
LLCOLLECTIONMETHOD.ODScollmethcode,
LLCOLLECTIONMETHOD.CollectionMethod FROM
LLCOLLECTIONMETHOD ORDER BY [ODScollmethcode];
RowSourceType: Table/Query
ShowOnlyRowSourceValues: False
SourceField: LLCOLLECTIONMETH
SourceTable: lclBestLocData
TextAlign: General

LLHORIZACCURACY Long Integer 4

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default

ColumnWidth: 2040
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: REQ Describes the correctness of the lat/long measure in meters. Defined as the least accurate measurement, regardless whether lat or long.
 DisplayControl: Text Box
 OrdinalPosition: 7
 Required: False
 SourceField: LLHORIZACCURACY
 SourceTable: IclBestLocData
 TextAlign: General

LLHORIZDATUM Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 3
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1695
 ColumnWidths: 0;480;1080
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: REQ Reference standard for three dimensional and horizontal, lookup in table HorizDatumCodes
 DisplayControl: Combo Box
 LimitToList: True
 ListRows: 8
 ListWidth: 1560twip
 OrdinalPosition: 8
 Required: False
 RowSource: SELECT LLHORIZDATUM.ID, LLHORIZDATUM.ODSHorizDatumCode, LLHORIZDATUM.HORIZDATUM FROM LLHORIZDATUM ORDER BY [ODSHorizDatumCode];
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: LLHORIZDATUM
 SourceTable: IclBestLocData
 TextAlign: General

LLDESCRIPTION Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1

CollatingOrder:	General
ColumnCount:	3
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	1650
ColumnWidths:	0;390;3465
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	REQ Reference Point Code, Category of the feature referenced by the latitude and longitude, lookup in table ReferencePoints
DisplayControl:	Combo Box
LimitToList:	True
ListRows:	8
ListWidth:	3855twip
OrdinalPosition:	9
Required:	False
RowSource:	SELECT LLEDESCRIPTION.ID, LLEDESCRIPTION.ODSDescriptionCode, LLEDESCRIPTION.LLDescription FROM LLEDESCRIPTION;
RowSourceType:	Table/Query
ShowOnlyRowSourceValues:	False
SourceField:	LLEDESCRIPTION
SourceTable:	lclBestLocData
TextAlign:	General

LLSOURCESCALE

Long Integer

4

AggregateType:	-1
AllowValueListEdits:	False
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
BoundColumn:	1
CollatingOrder:	General
ColumnCount:	3
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	1725
ColumnWidths:	0;270;3855
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	REQ Scale of the map used to determine the latitude and longitude coordinates.
DisplayControl:	Combo Box
LimitToList:	True
ListRows:	8
ListWidth:	4125twip
OrdinalPosition:	10
Required:	False
RowSource:	SELECT LLSOURCESCALE.ID, LLSOURCESCALE.ODSSourceScale, LLSOURCESCALE.SourceScale FROM LLSOURCESCALE;
RowSourceType:	Table/Query
ShowOnlyRowSourceValues:	False
SourceField:	LLSOURCESCALE
SourceTable:	lclBestLocData

TextAlign:	General		
LLGEOMETRICTYPE		Long Integer	4
AggregateType:	-1		
AllowValueListEdits:	False		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
BoundColumn:	1		
CollatingOrder:	General		
ColumnCount:	3		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1935		
ColumnWidths:	0;390;1470		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	REQ Value indicating whether the latitude and longitude coordinates represent a point, multiple points on a line, or an area.		
DisplayControl:	Combo Box		
LimitToList:	True		
ListRows:	8		
ListWidth:	1860twip		
OrdinalPosition:	11		
Required:	False		
RowSource:	SELECT LLGEOMETRICTYPE.ID, LLGEOMETRICTYPE.ODSGeometricCode, LLGEOMETRICTYPE.GEOMETRICTYPE FROM LLGEOMETRICTYPE;		
RowSourceType:	Table/Query		
ShowOnlyRowSourceValues:	False		
SourceField:	LLGEOMETRICTYPE		
SourceTable:	lclBestLocData		
TextAlign:	General		
LLCOLLECTIONDATE		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2115		
DataUpdatable:	False		
Description:	OPT Date when the latitude and longitude coordinates were determined.		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	12		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	LLCOLLECTIONDATE		
SourceTable:	lclBestLocData		

TextAlign:	General		
LLSOURCECODE		Long Integer	4
AggregateType:	-1		
AllowValueListEdits:	False		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
BoundColumn:	1		
CollatingOrder:	General		
ColumnCount:	3		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1680		
ColumnWidths:	0;360;3165		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	OPT Party responsible for collecting or otherwise providing the latitude and longitude.		
DisplayControl:	Combo Box		
LimitToList:	True		
ListRows:	8		
ListWidth:	3525twip		
OrdinalPosition:	13		
Required:	False		
RowSource:	SELECT LLSOURCECODE.ID, LLSOURCECODE.ODSSourceCode, LLSOURCECODE.SOURCECODE FROM LLSOURCECODE;		
RowSourceType:	Table/Query		
ShowOnlyRowSourceValues:	False		
SourceField:	LLSOURCECODE		
SourceTable:	lclBestLocData		
TextAlign:	General		
LLVERIFICATIONMETHOD		Long Integer	4
AggregateType:	-1		
AllowValueListEdits:	False		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
BoundColumn:	1		
CollatingOrder:	General		
ColumnCount:	3		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2565		
ColumnWidths:	0;360;4725		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	OPT A code representing the process by which the latitude and longitude coordinates have been verified by EPA, grantees, or contractors.		
DisplayControl:	Combo Box		
LimitToList:	True		

ListRows: 8
 ListWidth: 5085twip
 OrdinalPosition: 14
 Required: False
 RowSource: SELECT LLVERIFICATIONMETHOD.ID,
 LLVERIFICATIONMETHOD.ODSVerificationMethodCode,
 LLVERIFICATIONMETHOD.VerificationMethod FROM
 LLVERIFICATIONMETHOD;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: LLVERIFICATIONMETHOD
 SourceTable: lclBestLocData
 TextAlign: General

LLCOMMENTS Long Text -

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: OPT Comments further describing the collection, processing, or
 interpretation of the latitude, longitude and/or
 vertical data.
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 15
 Required: False
 SourceField: LLCOMMENTS
 SourceTable: lclBestLocData
 TextAlign: General
 TextFormat: Plain Text
 UnicodeCompression: False

LOCLINK Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME SourcesSW ID number
 DisplayControl: Text Box
 OrdinalPosition: 16
 Required: True

	SourceField:	LOCLINK		
	SourceTable:	IclBestLocData		
	TextAlign:	General		
LatDeg			Long Integer	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	Description:	DMS Latitude Degrees		
	DisplayControl:	Text Box		
	OrdinalPosition:	17		
	Required:	False		
	SourceField:	LatDeg		
	SourceTable:	IclBestLocData		
	TextAlign:	General		
LatMin			Long Integer	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	Description:	DMS Latitude Minutes		
	DisplayControl:	Text Box		
	OrdinalPosition:	18		
	Required:	False		
	SourceField:	LatMin		
	SourceTable:	IclBestLocData		
	TextAlign:	General		
LatSec			Double	8
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	4		
	Description:	DMS Latitude Seconds		
	DisplayControl:	Text Box		

	OrdinalPosition:	19		
	Required:	False		
	SourceField:	LatSec		
	SourceTable:	IclBestLocData		
	TextAlign:	General		
LongDeg			Long Integer	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	Description:	DMS Longitude Degrees		
	DisplayControl:	Text Box		
	OrdinalPosition:	20		
	Required:	False		
	SourceField:	LongDeg		
	SourceTable:	IclBestLocData		
	TextAlign:	General		
LongMin			Long Integer	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	Description:	DMS longitude Minutes		
	DisplayControl:	Text Box		
	OrdinalPosition:	21		
	Required:	False		
	SourceField:	LongMin		
	SourceTable:	IclBestLocData		
	TextAlign:	General		
LongSec			Double	8
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	4		

Description: DMS Longitude Seconds
 DisplayControl: Text Box
 OrdinalPosition: 22
 Required: False
 SourceField: LongSec
 SourceTable: IclBestLocData
 TextAlign: General

Lastupdate Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2196
 DataUpdatable: False
 Description: Date of Last Update
 Format: General Date
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 23
 Required: False
 ShowDatePicker: For dates
 SourceField: Lastupdate
 SourceTable: IclBestLocData
 TextAlign: General

CurrentUpdateUser Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Current User At Time of Update
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 24
 Required: False
 SourceField: CurrentUpdateUser
 SourceTable: IclBestLocData
 TextAlign: General
 UnicodeCompression: True

DateCreated Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size

CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1770
 DataUpdatable: False
 Description: Date that record was created.
 Format: General Date
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 25
 Required: False
 ShowDatePicker: For dates
 SourceField: DateCreated
 SourceTable: lclBestLocData
 TextAlign: General

CreatedBy Short Text 50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Created by when the record is created
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 26
 Required: False
 SourceField: CreatedBy
 SourceTable: lclBestLocData
 TextAlign: General
 UnicodeCompression: True

UnivUniqId Short Text 255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 27
 Required: False
 SourceField: UnivUniqId
 SourceTable: lclBestLocData
 TextAlign: General

	UnicodeCompression:	True		
Facid			Long Integer	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	DisplayControl:	Text Box		
	OrdinalPosition:	28		
	Required:	False		
	SourceField:	Facid		
	SourceTable:	lclBestLocData		
	TextAlign:	General		
SubFacName			Short Text	255
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	29		
	Required:	False		
	SourceField:	SubFacName		
	SourceTable:	lclBestLocData		
	TextAlign:	General		
	UnicodeCompression:	True		
Note			Short Text	255
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	30		
	Required:	False		

SourceField: Note
 SourceTable: lclBestLocData
 TextAlign: General
 UnicodeCompression: True

Table Indexes

Name	Number of Fields
Facid	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	Facid
Primary:	False
Required:	False
Unique:	False
Fields:	
Facid	Ascending
LLSOURCECODE	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	LLSOURCECODE
Primary:	False
Required:	False
Unique:	False
Fields:	
LLSOURCECODE	Ascending
UnivUniqId	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	UnivUniqId
Primary:	False
Required:	False
Unique:	False
Fields:	
UnivUniqId	Ascending

User Permissions

- admin
- aizaz
- andrew
- bessie
- chris
- corine
- daria

designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated: 11/7/2014 10:25:51 AM LastUpdated: 11/7/2014 10:25:51 AM
 RecordCount: 2052 Updatable: True

Columns

Name	Type	Size
ChemrecordID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
DataUpdatable:	False	
OrdinalPosition:	1	
Required:	False	
SourceField:	ChemrecordID	
SourceTable:	lclChembySingleFacility	
DATE_RECEIVED	Date With Time	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
DataUpdatable:	False	
OrdinalPosition:	2	
Required:	False	
SourceField:	DATE_RECEIVED	
SourceTable:	lclChembySingleFacility	
ENTRY_DATE	Date With Time	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
DataUpdatable:	False	
OrdinalPosition:	3	
Required:	False	
SourceField:	ENTRY_DATE	
SourceTable:	lclChembySingleFacility	
FACID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
DataUpdatable:	False	
OrdinalPosition:	4	
Required:	False	
SourceField:	FACID	
SourceTable:	lclChembySingleFacility	
EventID	Short Text	175

AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	5		
Required:	False		
SourceField:	EventID		
SourceTable:	IclChembySingleFacility		
EventDesc		Short Text	200
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	6		
Required:	False		
SourceField:	EventDesc		
SourceTable:	IclChembySingleFacility		
LabID		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	7		
Required:	False		
SourceField:	LabID		
SourceTable:	IclChembySingleFacility		
LabReceiptDate		Date With Time	8
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	8		
Required:	False		
SourceField:	LabReceiptDate		
SourceTable:	IclChembySingleFacility		
LabReceiptTime		Date With Time	8
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	9		
Required:	False		
SourceField:	LabReceiptTime		
SourceTable:	IclChembySingleFacility		
LabSampleID		Short Text	50

AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	10		
Required:	False		
SourceField:	LabSampleID		
SourceTable:	IclChembySingleFacility		
AnalysisDate		Date With Time	8
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	11		
Required:	False		
SourceField:	AnalysisDate		
SourceTable:	IclChembySingleFacility		
Analyst		Short Text	50
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	12		
Required:	False		
SourceField:	Analyst		
SourceTable:	IclChembySingleFacility		
Reviewer		Short Text	50
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	13		
Required:	False		
SourceField:	Reviewer		
SourceTable:	IclChembySingleFacility		
Collector		Short Text	50
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	14		
Required:	False		
SourceField:	Collector		
SourceTable:	IclChembySingleFacility		
SAMP_DATE		Date With Time	8

AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	15		
Required:	False		
SourceField:	SAMP_DATE		
SourceTable:	IclChembySingleFacility		
SAMP_TIME		Date With Time	8
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	16		
Required:	False		
SourceField:	SAMP_TIME		
SourceTable:	IclChembySingleFacility		
SAMP_LOC		Short Text	100
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	17		
Required:	False		
SourceField:	SAMP_LOC		
SourceTable:	IclChembySingleFacility		
UnivUniqueID		Short Text	5
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	18		
Required:	False		
SourceField:	UnivUniqueID		
SourceTable:	IclChembySingleFacility		
CompliancePointID		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	19		
Required:	False		
SourceField:	CompliancePointID		
SourceTable:	IclChembySingleFacility		
CPTTypeId		Long Integer	4

	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	DataUpdatable:	False		
	OrdinalPosition:	20		
	Required:	False		
	SourceField:	CPTYPEID		
	SourceTable:	IclChembySingleFacility		
contID			Long Integer	4
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	DataUpdatable:	False		
	OrdinalPosition:	21		
	Required:	False		
	SourceField:	contID		
	SourceTable:	IclChembySingleFacility		
DETECT_Flag			Long Integer	4
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	DataUpdatable:	False		
	OrdinalPosition:	22		
	Required:	False		
	SourceField:	DETECT_Flag		
	SourceTable:	IclChembySingleFacility		
DETECT_Flag_text			Short Text	255
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	DataUpdatable:	False		
	OrdinalPosition:	23		
	Required:	False		
	SourceField:	DETECT_Flag_text		
	SourceTable:	IclChembySingleFacility		
ProxyRecord			Yes/No	1
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	DataUpdatable:	False		
	OrdinalPosition:	24		
	Required:	False		
	SourceField:	ProxyRecord		
	SourceTable:	IclChembySingleFacility		
SAMP_RESULT			Double	8

AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	25		
Required:	False		
SourceField:	SAMP_RESULT		
SourceTable:	IclChembySingleFacility		
SAMP_RESULT_ERROR		Double	8
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	26		
Required:	False		
SourceField:	SAMP_RESULT_ERROR		
SourceTable:	IclChembySingleFacility		
NumUnitID		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	27		
Required:	False		
SourceField:	NumUnitID		
SourceTable:	IclChembySingleFacility		
DETECT_LIMIT		Double	8
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	28		
Required:	False		
SourceField:	DETECT_LIMIT		
SourceTable:	IclChembySingleFacility		
COMMENT		Short Text	255
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	29		
Required:	False		
SourceField:	COMMENT		
SourceTable:	IclChembySingleFacility		
METHOD_ID		Short Text	255

	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	DataUpdatable:	False		
	OrdinalPosition:	30		
	Required:	False		
	SourceField:	METHOD_ID		
	SourceTable:	IclChembySingleFacility		
REPEAT			Yes/No	1
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	DataUpdatable:	False		
	OrdinalPosition:	31		
	Required:	False		
	SourceField:	REPEAT		
	SourceTable:	IclChembySingleFacility		
COMPOSITE			Yes/No	1
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	DataUpdatable:	False		
	OrdinalPosition:	32		
	Required:	False		
	SourceField:	COMPOSITE		
	SourceTable:	IclChembySingleFacility		
numbercomposite			Long Integer	4
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	DataUpdatable:	False		
	OrdinalPosition:	33		
	Required:	False		
	SourceField:	numbercomposite		
	SourceTable:	IclChembySingleFacility		
SPECIAL			Yes/No	1
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	DataUpdatable:	False		
	OrdinalPosition:	34		
	Required:	False		
	SourceField:	SPECIAL		
	SourceTable:	IclChembySingleFacility		
InvalidID			Long Integer	4

	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	DataUpdatable:	False		
	OrdinalPosition:	35		
	Required:	False		
	SourceField:	InvalidID		
	SourceTable:	IclChembySingleFacility		
PBCUSortOrder			Long Integer	4
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	DataUpdatable:	False		
	OrdinalPosition:	36		
	Required:	False		
	SourceField:	PBCUSortOrder		
	SourceTable:	IclChembySingleFacility		
LabUpdate			Yes/No	1
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	DataUpdatable:	False		
	OrdinalPosition:	37		
	Required:	False		
	SourceField:	LabUpdate		
	SourceTable:	IclChembySingleFacility		
Lastupdate			Date With Time	8
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	DataUpdatable:	False		
	OrdinalPosition:	38		
	Required:	False		
	SourceField:	Lastupdate		
	SourceTable:	IclChembySingleFacility		
CurrentUpdateUser			Short Text	50
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	DataUpdatable:	False		
	OrdinalPosition:	39		
	Required:	False		
	SourceField:	CurrentUpdateUser		
	SourceTable:	IclChembySingleFacility		
ReceivedBy			Short Text	50

AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	40		
Required:	False		
SourceField:	ReceivedBy		
SourceTable:	IclChembySingleFacility		
DateCreated		Date With Time	8
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	41		
Required:	False		
SourceField:	DateCreated		
SourceTable:	IclChembySingleFacility		
CreatedBy		Short Text	50
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	42		
Required:	False		
SourceField:	CreatedBy		
SourceTable:	IclChembySingleFacility		
DateQA		Date With Time	8
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	43		
Required:	False		
SourceField:	DateQA		
SourceTable:	IclChembySingleFacility		
QAUser		Short Text	50
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	44		
Required:	False		
SourceField:	QAUser		
SourceTable:	IclChembySingleFacility		
DateView		Date With Time	8

	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	DataUpdatable:	False		
	OrdinalPosition:	45		
	Required:	False		
	SourceField:	DateView		
	SourceTable:	IclChembySingleFacility		
ViewUser			Short Text	50
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	DataUpdatable:	False		
	OrdinalPosition:	46		
	Required:	False		
	SourceField:	ViewUser		
	SourceTable:	IclChembySingleFacility		
StatusID			Long Integer	4
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	DataUpdatable:	False		
	OrdinalPosition:	47		
	Required:	False		
	SourceField:	StatusID		
	SourceTable:	IclChembySingleFacility		

User Permissions

admin	
aiaz	Delete, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	

jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated: 12/10/2009 5:56:14 PM LastUpdated: 9/29/2014 4:18:05 PM
 RecordCount: 0 Updatable: True

Columns

Name	Type	Size
SAMP_RESULT	Double	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
DataUpdatable:	False	
OrdinalPosition:	1	
Required:	False	
SourceField:	SAMP_RESULT	
SourceTable:	lclChemicalsforRunningAvg	
SAMP_DATE	Date With Time	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
DataUpdatable:	False	
OrdinalPosition:	2	
Required:	False	
SourceField:	SAMP_DATE	
SourceTable:	lclChemicalsforRunningAvg	
CompliancePointID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
DataUpdatable:	False	
OrdinalPosition:	3	
Required:	False	
SourceField:	CompliancePointID	
SourceTable:	lclChemicalsforRunningAvg	
DETECT_Flag	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
DataUpdatable:	False	
OrdinalPosition:	4	
Required:	False	
SourceField:	DETECT_Flag	
SourceTable:	lclChemicalsforRunningAvg	
SPECIAL	Yes/No	1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
DataUpdatable:	False
OrdinalPosition:	5
Required:	False
SourceField:	SPECIAL
SourceTable:	lclChemicalsforRunningAvg

User Permissions

admin
aizaz
andrew
bessie
chris
corine
daria
designer

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

dschmidt
Emmanuelle
everett
guest
helen
hillary
jack
jameya
Jason
jelani
jennifer
jimh
judy
karl
kirk
lawonda
linda
max
michael
myrt
navajo
raymond
roberto
roger

Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

sara
test

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	2/20/2007 10:31:21 AM	DefaultView:	2
GUID:	{guid {4A8AB112-2CC5-4BEF-858D-6AF767C3C256}}	LastUpdated:	7/23/2007 5:22:58 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	0
Updatable:	True		

Columns

Name	Type	Size
FACID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {9936C5AA-0D8F-49D0-B0CD-4E3E1F2579D1}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	FACID	
SourceTable:	lclComplianceDates	
SampleDate	Date With Time	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
GUID:	{guid {86DF7510-1C9A-4A2F-8BCD-BE3B062E5030}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	SampleDate	
SourceTable:	lclComplianceDates	
SampleLocation	Short Text	50
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	

ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 GUID: {guid {984E1D67-2B21-41DF-9E12-FF0DCBC95BBC}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: SampleLocation
 SourceTable: IclComplianceDates
 UnicodeCompression: False

Eventid Short Text 50

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 GUID: {guid {0AF11B6E-7B0F-417F-9999-B3AF99516BC5}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: Eventid
 SourceTable: IclComplianceDates
 UnicodeCompression: True

Table Indexes

Name	Number of Fields
Eventid	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	Eventid
Primary:	False
Required:	False
Unique:	False
Fields:	
Eventid	Ascending
FACID	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	FACID
Primary:	False
Required:	False
Unique:	False

Fields:
FACID Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	11/16/2010 3:43:05 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {4C0DF4DE-396A-4B04-8D3F-47241CDF1E8F}}	HideNewField:	False
LastUpdated:	12/2/2010 5:08:23 PM	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	572	TotalsRow:	False
Updatable:	True		

Columns

Name	Type	Size
Contactid	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	0	
Required:	False	
SourceField:	Contactid	
SourceTable:	IclContactAssocPWS	
TextAlign:	General	
ContactPWSAssoc	Long Text	-
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	12000	
DataUpdatable:	False	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	ContactPWSAssoc	
SourceTable:	IclContactAssocPWS	
TextAlign:	General	
TextFormat:	Plain Text	
UnicodeCompression:	True	

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 2355
DataUpdatable: False
Format: General Date
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 2
Required: False
ShowDatePicker: For dates
SourceField: DateCreated
SourceTable: IclContactAssocPWS
TextAlign: General

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
Contactid	1
Clustering:	False
DistinctCount:	572
Foreign:	False
IgnoreNulls:	False
Name:	Contactid
Primary:	False
Required:	False
Unique:	False
Fields:	
Contactid	Ascending
PrimaryKey	1
Clustering:	False
DistinctCount:	572
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
Contactid	Ascending

User Permissions

admin
aizaz
andrew
bessie
chris

corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

AlternateBackShade:	100	AlternateBackThemeColorIn	-1
AlternateBackTint:	100	Attributes:	Linked
BackShade:	100	BackTint:	100
Connect:	;DATABASE=C:\Users\kbanks\Dime_Local\DIME_be.mdb		DatasheetForeThemeColorIn -1
DatasheetGridlinesThemeCol	-1	DateCreated:	11/5/2014 6:19:51 PM
DefaultView:	2	DisplayViewsOnSharePointSi	1
FilterOnLoad:	False	GUID:	{guid {16FAFB36-5F26-43A0-922A-4375D1707961}}
HideNewField:	False	LastUpdated:	11/5/2014 6:19:51 PM
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	-1	SourceTableName:	lclContIndividualbySpec
ThemeFontIndex:	-1	TotalsRow:	False
Updatable:	False		

Columns

Name	Type	Size
SpecContId	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
GUID:	{guid {4323D8C6-9C52-4BBB-B05B-48DE24B97C98}}	
OrdinalPosition:	0	
Required:	False	
ResultType:	0	
SourceField:	SpecContId	
SourceTable:	lclContIndividualbySpec	
TextAlign:	General	
SpecificationId	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Specification Name from the	

		IclcontSpecnamesforIndividualChementries table	
	DisplayControl:	Text Box	
	GUID:	{guid {D8FA1E8A-A821-4840-80C5-7B0C3DB415E6}}	
	OrdinalPosition:	1	
	Required:	True	
	ResultType:	0	
	SourceField:	SpecificationId	
	SourceTable:	IclContIndividualbySpec	
	TextAlign:	General	
Contid			Long Integer 4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	GUID:	{guid {C7391732-4F76-4505-90C3-92FF9C29F263}}	
	OrdinalPosition:	2	
	Required:	True	
	ResultType:	0	
	SourceField:	Contid	
	SourceTable:	IclContIndividualbySpec	
	TextAlign:	General	
cpTypeId			Long Integer 4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	GUID:	{guid {9E93D730-B881-42E6-9109-8375CFC4B96D}}	
	OrdinalPosition:	3	
	Required:	True	
	ResultType:	0	
	SourceField:	cpTypeId	
	SourceTable:	IclContIndividualbySpec	
	TextAlign:	General	
DateCreated			Date With Time 8
	AggregateType:	-1	
	AllowZeroLength:	False	

AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2880
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Date that record was created.
 Format: General Date
 GUID: {8FA31576-794F-4965-993B-5BE1B748139C}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False
 ResultType: 0
 ShowDatePicker: For dates
 SourceField: DateCreated
 SourceTable: lclContIndividualbySpec
 TextAlign: General

CreatedBy Short Text 50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Created by user
 DisplayControl: Text Box
 GUID: {31B65A17-45D8-418D-818C-486149B7320A}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 5
 Required: False
 ResultType: 0
 SourceField: CreatedBy
 SourceTable: lclContIndividualbySpec
 TextAlign: General
 UnicodeCompression: True

Table Indexes

Name	Number of Fields
PrimaryKey	3
Clustered:	False
DistinctCount:	197
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True

Required:	True
Unique:	True
Fields:	
SpecificationId	Ascending
Contid	Ascending
cpTypeId	Ascending
SpecContId	1
Clustered:	False
DistinctCount:	197
Foreign:	False
IgnoreNulls:	False
Name:	SpecContId
Primary:	False
Required:	False
Unique:	False
Fields:	
SpecContId	Ascending
SpecificationId	1
Clustered:	False
DistinctCount:	10
Foreign:	False
IgnoreNulls:	False
Name:	SpecificationId
Primary:	False
Required:	False
Unique:	False
Fields:	
SpecificationId	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	

judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:51 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {0EA4C925-D674-4316-9031-197DB91DD5BC}}	HideNewField:	False
LastUpdated:	11/5/2014 6:19:51 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	lclcontSpecnamesforIndividualChementries	TotalsRow:	False
Updatable:	False		

Columns

Name	Type	Size
SpecificationId	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	unique key for contaminant specifiation	
OrdinalPosition:	0	
Required:	False	
SourceField:	SpecificationId	
SourceTable:	lclcontSpecnamesforIndividualChementries	
TextAlign:	General	
SpecName	Short Text	15
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	3915	
DataUpdatable:	False	
Description:	Unique Name for each specification- limit 15	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	SpecName	
SourceTable:	lclcontSpecnamesforIndividualChementries	

	TextAlign:	General	
	UnicodeCompression:	True	
Notes			Short Text 255
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	notes about deficiency	
	DisplayControl:	Text Box	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	2	
	Required:	False	
	SourceField:	Notes	
	SourceTable:	IclcontSpecnamesforIndividualChementries	
	TextAlign:	General	
	UnicodeCompression:	True	
Lastupdate			Date With Time 8
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Date of Last Update	
	Format:	General Date	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	3	
	Required:	False	
	ShowDatePicker:	For dates	
	SourceField:	Lastupdate	
	SourceTable:	IclcontSpecnamesforIndividualChementries	
	TextAlign:	General	
CurrentUpdateUser			Short Text 50
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	

Description: Current User At Time of Update
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False
 SourceField: CurrentUpdateUser
 SourceTable: IclcontSpecnamesforIndividualChementries
 TextAlign: General
 UnicodeCompression: True

DateCreated Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 3135
 DataUpdatable: False
 Description: Date that record was created.
 Format: General Date
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 5
 Required: False
 ShowDatePicker: For dates
 SourceField: DateCreated
 SourceTable: IclcontSpecnamesforIndividualChementries
 TextAlign: General

CreatedBy Short Text 50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Created by user
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 6
 Required: False
 SourceField: CreatedBy
 SourceTable: IclcontSpecnamesforIndividualChementries
 TextAlign: General
 UnicodeCompression: True

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	10
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
SpecName	Ascending
SpecificationId	1
Clustered:	False
DistinctCount:	10
Foreign:	False
IgnoreNulls:	False
Name:	SpecificationId
Primary:	False
Required:	False
Unique:	True
Fields:	
SpecificationId	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	

max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated: 5/8/2013 6:27:22 PM LastUpdated: 5/8/2013 6:27:22 PM
 RecordCount: 0 Updatable: True

Columns

Name	Type	Size
FACID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
DataUpdatable:	False	
OrdinalPosition:	1	
Required:	False	
SourceField:	FACID	
SourceTable:	lclETT	
ALTERNATE_ST_NUM	Short Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
DataUpdatable:	False	
OrdinalPosition:	2	
Required:	False	
SourceField:	ALTERNATE_ST_NUM	
SourceTable:	lclETT	
PWSSNAME	Short Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
DataUpdatable:	False	
OrdinalPosition:	3	
Required:	False	
SourceField:	PWSSNAME	
SourceTable:	lclETT	
MaxOfVioN	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
DataUpdatable:	False	
OrdinalPosition:	4	
Required:	False	
SourceField:	MaxOfVioN	
SourceTable:	lclETT	
SumOfCorrectedS	Double	8

	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	DataUpdatable:	False		
	OrdinalPosition:	5		
	Required:	False		
	SourceField:	SumOfCorrectedS		
	SourceTable:	lclETT		
ETT			Double	8
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	DataUpdatable:	False		
	OrdinalPosition:	6		
	Required:	False		
	SourceField:	ETT		
	SourceTable:	lclETT		

User Permissions

- admin
- aizaz
- andrew
- bessie
- chris
- corine
- daria
- designer
- dschmidt
- Emmanuelle
- everett
- guest
- helen
- hillary
- jack
- jamelya
- Jason
- jelani
- jennifer
- jimh
- judy
- karl
- kirk
- lawonda
- linda
- max
- michael
- myrt
- navajo

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,
Write Definition, Read Data, Insert Data, Update Data, Delete Data

raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

AlternateBackShade:	100	AlternateBackThemeColorIn	-1
AlternateBackTint:	100	BackShade:	100
BackTint:	100	DatasheetForeThemeColorIn	-1
DatasheetGridlinesThemeCol	-1	DateCreated:	12/7/2010 1:05:27 PM
DefaultView:	2	DisplayViewsOnSharePointSi	1
FilterOnLoad:	False	GUID:	{guid {758FF426-443D-4956-95C2-F864DBE1F218}}
HideNewField:	False	LastUpdated:	8/11/2014 5:27:46 PM
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	0
ThemeFontIndex:	-1	TotalsRow:	False
Updatable:	True		

Columns

Name	Type	Size
EPA Region	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
DisplayControl:	Text Box	
Format:	@	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	0	
Required:	False	
ResultType:	0	
SourceField:	EPA Region	
SourceTable:	lclETTIImportxls	
TextAlign:	General	
UnicodeCompression:	False	
State	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
DisplayControl:	Text Box	

Format: @
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 1
 Required: False
 ResultType: 0
 SourceField: State
 SourceTable: lclETTImportxls
 TextAlign: General
 UnicodeCompression: False

PWSID Short Text 255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 DisplayControl: Text Box
 Format: @
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 ResultType: 0
 SourceField: PWSID
 SourceTable: lclETTImportxls
 TextAlign: General
 UnicodeCompression: False

PWS Name Short Text 255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 DisplayControl: Text Box
 Format: @
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 ResultType: 0
 SourceField: PWS Name
 SourceTable: lclETTImportxls
 TextAlign: General

UnicodeCompression:	False		
ETT Score		Double	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
Format:	General Number		
OrdinalPosition:	4		
Required:	False		
ResultType:	0		
SourceField:	ETT Score		
SourceTable:	IclETTImportxls		
TextAlign:	General		
Sum(S*T*P) +n Alternative		Double	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
Format:	General Number		
OrdinalPosition:	5		
Required:	False		
ResultType:	0		
SourceField:	Sum(S*T*P) +n Alternative		
SourceTable:	IclETTImportxls		
TextAlign:	General		
# SNCs last 5 yrs		Double	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		

DecimalPlaces: Auto
DisplayControl: Text Box
OrdinalPosition: 6
Required: False
ResultType: 0
SourceField: # SNCs last 5 yrs
SourceTable: lclETTTImportxls
TextAlign: General

Sys has Tier 1 viols? Short Text 255

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
CurrencyLCID: 0
DataUpdatable: False
DisplayControl: Text Box
Format: @
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 7
Required: False
ResultType: 0
SourceField: Sys has Tier 1 viols?
SourceTable: lclETTTImportxls
TextAlign: General
UnicodeCompression: False

PWS Type Short Text 255

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
CurrencyLCID: 0
DataUpdatable: False
DisplayControl: Text Box
Format: @
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 8
Required: False
ResultType: 0
SourceField: PWS Type
SourceTable: lclETTTImportxls
TextAlign: General
UnicodeCompression: False

Pop Srvd		Double	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
Format:	General Number		
OrdinalPosition:	9		
Required:	False		
ResultType:	0		
SourceField:	Pop Srvd		
SourceTable:	lclETTImportxls		
TextAlign:	General		
Priority Since Date		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
Description:	used to be Date 1st Significant (>=11)		
Format:	m/d/yyyy		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	10		
Required:	False		
ResultType:	0		
ShowDatePicker:	For dates		
SourceField:	Priority Since Date		
SourceTable:	lclETTImportxls		
TextAlign:	General		
Repeat Violator Tool		Double	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		

DecimalPlaces: Auto
 DisplayControl: Text Box
 Format: General Number
 OrdinalPosition: 11
 Required: False
 ResultType: 0
 SourceField: Repeat Violator Tool
 SourceTable: lclETTImportxls
 TextAlign: General

Total RTCd Pts Double 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 DisplayControl: Text Box
 Format: General Number
 OrdinalPosition: 12
 Required: False
 ResultType: 0
 SourceField: Total RTCd Pts
 SourceTable: lclETTImportxls
 TextAlign: General

On Path to Compliance? Short Text 255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 DisplayControl: Text Box
 Format: @
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 13
 Required: False
 ResultType: 0
 SourceField: On Path to Compliance?
 SourceTable: lclETTImportxls
 TextAlign: General
 UnicodeCompression: False

School or Childcare

Short Text

255

AggregateType:	-1
AllowZeroLength:	True
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
DisplayControl:	Text Box
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	14
Required:	False
ResultType:	0
SourceField:	School or Childcare
SourceTable:	IclETTImportxls
TextAlign:	General
UnicodeCompression:	True

Table Indexes

Name	Number of Fields
PWSID	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	PWSID
Primary:	False
Required:	False
Unique:	False
Fields:	
PWSID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	

hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	5/10/2011 4:32:00 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {F5E93762-9F3B-47FD-BDB6-6CB36E7B43E6}}	HideNewField:	False
LastUpdated:	2/12/2012 10:42:30 PM	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	1	TotalsRow:	False
Updatable:	True		

Columns

Name	Type	Size
Facid	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Facid for running 90th percentile from frmReport	
DisplayControl:	Text Box	
OrdinalPosition:	0	
Required:	False	
SourceField:	Facid	
SourceTable:	lclFacidFor90thPercentile	
TextAlign:	General	

Table Indexes

Name	Number of Fields
Facid	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	Facid
Primary:	False
Required:	False
Unique:	True
Fields:	
Facid	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False

Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
Facid	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	

Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	10/27/2011 4:30:58 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {64296525-762E-43CE-BA34-9EDCB231B0F2}}	HideNewField:	False
LastUpdated:	11/1/2011 5:05:13 PM	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	11	TotalsRow:	False
Updatable:	True		

Columns

Name	Type	Size
lclFilterId	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	Default	
DataUpdatable:	False	
OrdinalPosition:	0	
Required:	False	
SourceField:	lclFilterId	
SourceTable:	lclFilters	
TextAlign:	General	
FilterName	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	3135	
DataUpdatable:	False	
Description:	description of the filter	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	FilterName	
SourceTable:	lclFilters	
TextAlign:	General	
UnicodeCompression:	True	
QryName	Short Text	255
AggregateType:	-1	

AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 3105
DataUpdatable: False
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 2
Required: False
SourceField: QryName
SourceTable: IclFilters
TextAlign: General
UnicodeCompression: True

FormName Short Text 255

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: optional
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 3
Required: False
SourceField: FormName
SourceTable: IclFilters
TextAlign: General
UnicodeCompression: True

DateCreated Date With Time 8

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Format: Short Date
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 4
Required: False
ShowDatePicker: For dates

SourceField:	DateCreated		
SourceTable:	IclFilters		
TextAlign:	General		
Sequence		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
OrdinalPosition:	5		
Required:	False		
SourceField:	Sequence		
SourceTable:	IclFilters		
TextAlign:	General		

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
IclFilterId	1
Clustered:	False
DistinctCount:	11
Foreign:	False
IgnoreNulls:	False
Name:	IclFilterId
Primary:	False
Required:	False
Unique:	True
Fields:	
IclFilterId	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	11
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
QryName	Ascending

User Permissions

admin
 aizaz

andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	6/1/2011 12:48:48 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {9049DD0A-EF18-4A15-BEC6-5D790AA56EEE}}	HideNewField:	False
LastUpdated:	3/26/2012 4:49:17 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	0
SubDataSheetName:	[Auto]	TotalsRow:	False
Updatable:	True		

Columns

Name	Type	Size
flaggedPWSdesCCcontactID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2280	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	contact IDs of all CCs for currently flagged PWS	
DisplayControl:	Text Box	
OrdinalPosition:	1	
Required:	False	
SourceField:	flaggedPWSdesCCcontactID	
SourceTable:	IclflaggedPWSdesCCcontactIDsTEMP	
TextAlign:	General	

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	

jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	4/22/2011 4:20:49 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {A815831E-0570-42BB-AEDC-BFFDAAD4095F}}	HideNewField:	False
LastUpdated:	3/22/2012 5:51:58 PM	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	12	TotalsRow:	False
Updatable:	True		

Columns

Name	Type	Size
IclId	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
OrdinalPosition:	0	
Required:	False	
SourceField:	IclId	
SourceTable:	IclFlagSelection	
TextAlign:	General	
FieldId	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	facid or contactid	
DisplayControl:	Text Box	
OrdinalPosition:	1	
Required:	False	
SourceField:	FieldId	
SourceTable:	IclFlagSelection	
TextAlign:	General	
SetName	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	

Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 2
Required: False
SourceField: SetName
SourceTable: IclFlagSelection
TextAlign: General
UnicodeCompression: True

PWSSNAME Short Text 50

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Public Water Supply System Name
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 3
Required: False
SourceField: PWSSNAME
SourceTable: IclFlagSelection
TextAlign: General
UnicodeCompression: True

ALTERNATE_ST_NUM Short Text 50

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: 7-digit "State" public water system ID#
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 4
Required: False
SourceField: ALTERNATE_ST_NUM
SourceTable: IclFlagSelection

TextAlign:	General		
UnicodeCompression:	True		
FieldCategory		Short Text	255
AggregateType:	-1		
AllowValueListEdits:	False		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
BoundColumn:	1		
CollatingOrder:	General		
ColumnCount:	1		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2175		
DataUpdatable:	False		
Description:	Facid or ContactId		
DisplayControl:	Combo Box		
IMEMode:	0		
IMESentenceMode:	3		
LimitToList:	False		
ListRows:	16		
ListWidth:	0twip		
OrdinalPosition:	5		
Required:	False		
RowSource:	"FacId";"ContactID"		
RowSourceType:	Value List		
ShowOnlyRowSourceValues:	False		
SourceField:	FieldCategory		
SourceTable:	IclFlagSelection		
TextAlign:	General		
UnicodeCompression:	True		
UserName		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	6		
Required:	False		
SourceField:	UserName		
SourceTable:	IclFlagSelection		
TextAlign:	General		
UnicodeCompression:	True		

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 7
 Required: False
 ShowDatePicker: For dates
 SourceField: LastModified
 SourceTable: IclFlagSelection
 TextAlign: General

DateSetLastUsed

Date With Time

8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 8
 Required: False
 ShowDatePicker: For dates
 SourceField: DateSetLastUsed
 SourceTable: IclFlagSelection
 TextAlign: General

DateSetCreated

Date With Time

8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 9
 Required: False
 ShowDatePicker: For dates
 SourceField: DateSetCreated
 SourceTable: IclFlagSelection
 TextAlign: General

ContactName		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	10		
Required:	False		
SourceField:	ContactName		
SourceTable:	IclFlagSelection		
TextAlign:	General		
UnicodeCompression:	True		

status		Short Text	10
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Public or Private		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	11		
Required:	False		
SourceField:	status		
SourceTable:	IclFlagSelection		
TextAlign:	General		
UnicodeCompression:	True		

Table Indexes

Name	Number of Fields
FieldId	1
Clustered:	False
DistinctCount:	12
Foreign:	False
IgnoreNulls:	False
Name:	FieldId
Primary:	False
Required:	False
Unique:	False

Fields:	
FieldId	Ascending
PrimaryKey	2
Clustered:	False
DistinctCount:	12
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
FieldId	Ascending
FieldCategory	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	2/9/2011 6:42:09 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {C3A28279-177A-4950-9025-5AED7A7457AE}}	HideNewField:	False
LastUpdated:	9/25/2012 5:23:29 PM	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	0	TotalsRow:	False
Updatable:	True		

Columns

Name	Type	Size
lclIID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
OrdinalPosition:	0	
Required:	False	
SourceField:	lclIID	
SourceTable:	lclImportBacRepeat	
TextAlign:	General	
PWS_ID	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
Format:	@	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	PWS_ID	
SourceTable:	lclImportBacRepeat	
TextAlign:	General	
UnicodeCompression:	False	
Facid	Long Integer	4
AggregateType:	-1	

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 DisplayControl: Text Box
 OrdinalPosition: 2
 Required: False
 SourceField: Facid
 SourceTable: lclImportBacRepeat
 TextAlign: General

Type Short Text 255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 Format: @
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: Type
 SourceTable: lclImportBacRepeat
 TextAlign: General
 UnicodeCompression: False

Lab_Sample_ID Short Text 255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: SAMPLE_ID
 DisplayControl: Text Box
 Format: @
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False
 SourceField: Lab_Sample_ID

SourceTable: lclImportBacRepeat
 TextAlign: General
 UnicodeCompression: False

Sample_Date Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: SAMPLE_DATE
 Format: m/d/yyyy
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 5
 Required: False
 ShowDatePicker: For dates
 SourceField: Sample_Date
 SourceTable: lclImportBacRepeat
 TextAlign: General

Sample_Location Short Text 255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: SampleLoc
 DisplayControl: Text Box
 Format: @
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 6
 Required: False
 SourceField: Sample_Location
 SourceTable: lclImportBacRepeat
 TextAlign: General
 UnicodeCompression: False

General_Location Short Text 255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default

	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	LOCATION_CODE		
	DisplayControl:	Text Box		
	Format:	@		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	7		
	Required:	False		
	SourceField:	General_Location		
	SourceTable:	lclImportBacRepeat		
	TextAlign:	General		
	UnicodeCompression:	False		
TC			Double	8
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	DisplayControl:	Text Box		
	Format:	General Number		
	OrdinalPosition:	8		
	Required:	False		
	SourceField:	TC		
	SourceTable:	lclImportBacRepeat		
	TextAlign:	General		
TCcount			Short Text	255
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	9		
	Required:	False		
	SourceField:	TCcount		
	SourceTable:	lclImportBacRepeat		
	TextAlign:	General		
	UnicodeCompression:	False		
TCMethodDesc			Short Text	255
	AggregateType:	-1		

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Imported data
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 10
 Required: False
 SourceField: TCMethodDesc
 SourceTable: lclImportBacRepeat
 TextAlign: General
 UnicodeCompression: True

TCMethodCode Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: lookupode in bactmethods.ID
 DisplayControl: Text Box
 OrdinalPosition: 11
 Required: False
 SourceField: TCMethodCode
 SourceTable: lclImportBacRepeat
 TextAlign: General

TCInvalid Short Text 255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 Format: @
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 12
 Required: False
 SourceField: TCInvalid

SourceTable:	lclImportBacRepeat		
TextAlign:	General		
UnicodeCompression:	False		
TCInvalidCode		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
OrdinalPosition:	13		
Required:	False		
SourceField:	TCInvalidCode		
SourceTable:	lclImportBacRepeat		
TextAlign:	General		
TC_CNT_Sign		Short Text	2
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Store sign <, > or blank		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	14		
Required:	False		
SourceField:	TC_CNT_Sign		
SourceTable:	lclImportBacRepeat		
TextAlign:	General		
UnicodeCompression:	True		
EC		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		

OrdinalPosition:	15		
Required:	False		
SourceField:	EC		
SourceTable:	lclImportBacRepeat		
TextAlign:	General		
FCcount		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	16		
Required:	False		
SourceField:	FCcount		
SourceTable:	lclImportBacRepeat		
TextAlign:	General		
UnicodeCompression:	False		
FCMethodDesc		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Imported data		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	17		
Required:	False		
SourceField:	FCMethodDesc		
SourceTable:	lclImportBacRepeat		
TextAlign:	General		
UnicodeCompression:	True		
FCMethodCode		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		

ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: lookupode in bactmethods.ID
 DisplayControl: Text Box
 OrdinalPosition: 18
 Required: False
 SourceField: FCMethodCode
 SourceTable: lclImportBacRepeat
 TextAlign: General

FCInvalid Short Text 255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 Format: @
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 19
 Required: False
 SourceField: FCInvalid
 SourceTable: lclImportBacRepeat
 TextAlign: General
 UnicodeCompression: False

FCInvalidCode Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 DisplayControl: Text Box
 OrdinalPosition: 20
 Required: False
 SourceField: FCInvalidCode
 SourceTable: lclImportBacRepeat
 TextAlign: General

FC_CNT_Sign Short Text 2

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length

CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Store sign <, > or blank
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 21
 Required: False
 SourceField: FC_CNT_Sign
 SourceTable: lclImportBacRepeat
 TextAlign: General
 UnicodeCompression: True

Fluoride Single 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Fluoride in ppm
 DisplayControl: Text Box
 OrdinalPosition: 22
 Required: False
 SourceField: Fluoride
 SourceTable: lclImportBacRepeat
 TextAlign: General

pH Single 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: 1
 Description: pH 0-14
 DisplayControl: Text Box
 OrdinalPosition: 23
 Required: False
 SourceField: pH
 SourceTable: lclImportBacRepeat
 TextAlign: General

colordetection Long Integer 4

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
Description: detect flag for color, lookup in table Detectflags
DisplayControl: Text Box
OrdinalPosition: 24
Required: False
SourceField: colordetection
SourceTable: lclImportBacRepeat
TextAlign: General

color

Single

4

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
Description: color units
DisplayControl: Text Box
OrdinalPosition: 25
Required: False
SourceField: color
SourceTable: lclImportBacRepeat
TextAlign: General

odordetect

Long Integer

4

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
Description: detect flag for odor, lookup in table Detectflags
DisplayControl: Text Box
OrdinalPosition: 26
Required: False
SourceField: odordetect
SourceTable: lclImportBacRepeat
TextAlign: General

odor		Single	4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	Threshold Odor Number (TON)	
	DisplayControl:	Text Box	
	OrdinalPosition:	27	
	Required:	False	
	SourceField:	odor	
	SourceTable:	lclImportBacRepeat	
	TextAlign:	General	
turbiditydetect		Long Integer	4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	detect flag for turbidity, lookup in table Detectflags	
	DisplayControl:	Text Box	
	OrdinalPosition:	28	
	Required:	False	
	SourceField:	turbiditydetect	
	SourceTable:	lclImportBacRepeat	
	TextAlign:	General	
turbidity		Single	4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	nephelometric turbidity unit (NTU)	
	DisplayControl:	Text Box	
	OrdinalPosition:	29	
	Required:	False	
	SourceField:	turbidity	
	SourceTable:	lclImportBacRepeat	

TextAlign:	General		
Comments		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
Format:	@		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	30		
Required:	False		
SourceField:	Comments		
SourceTable:	lclImportBacRepeat		
TextAlign:	General		
UnicodeCompression:	False		
Chlorine_Residual		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	31		
Required:	False		
SourceField:	Chlorine_Residual		
SourceTable:	lclImportBacRepeat		
TextAlign:	General		
UnicodeCompression:	False		
ChlorineResultType		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	lookup for the Chlorine type		

DisplayControl: Text Box
 OrdinalPosition: 32
 Required: False
 SourceField: ChlorineResultType
 SourceTable: IclImportBacRepeat
 TextAlign: General

Sample_Plan_ID Short Text 255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 Format: @
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 33
 Required: False
 SourceField: Sample_Plan_ID
 SourceTable: IclImportBacRepeat
 TextAlign: General
 UnicodeCompression: False

Original_Sample_ID Short Text 255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2355
 DataUpdatable: False
 Description: original id from the bacteriological routine table
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 34
 Required: False
 SourceField: Original_Sample_ID
 SourceTable: IclImportBacRepeat
 TextAlign: General
 UnicodeCompression: True

DateCreated Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General

ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DefaultValue: =Now()
Description: automatically entered on update of record- should be changed to DateCreated
Format: General Date
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 35
Required: False
ShowDatePicker: For dates
SourceField: DateCreated
SourceTable: lclImportBacRepeat
TextAlign: General

CreatedBy Short Text 50

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 36
Required: False
SourceField: CreatedBy
SourceTable: lclImportBacRepeat
TextAlign: General
UnicodeCompression: True

Analysis Date Date With Time 8

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: date of analysis
Format: Short Date
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 37
Required: False
ShowDatePicker: For dates
SourceField: Analysis Date

	SourceTable:	lclImportBacRepeat		
	TextAlign:	General		
Analyst			Short Text	50
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Lab Analyst		
	DisplayControl:	Text Box		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	38		
	Required:	False		
	SourceField:	Analyst		
	SourceTable:	lclImportBacRepeat		
	TextAlign:	General		
	UnicodeCompression:	True		
Reviewer			Short Text	50
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	39		
	Required:	False		
	SourceField:	Reviewer		
	SourceTable:	lclImportBacRepeat		
	TextAlign:	General		
	UnicodeCompression:	True		
Collector			Short Text	50
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		

IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 40
 Required: False
 SourceField: Collector
 SourceTable: IclImportBacRepeat
 TextAlign: General
 UnicodeCompression: True

ReceivedBy Short Text 255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 41
 Required: False
 SourceField: ReceivedBy
 SourceTable: IclImportBacRepeat
 TextAlign: General
 UnicodeCompression: True

DATE_RECEIVED Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 42
 Required: False
 ShowDatePicker: For dates
 SourceField: DATE_RECEIVED
 SourceTable: IclImportBacRepeat
 TextAlign: General

ORG_SAMPLE_ID Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 Caption: ORG_SAMPLE_ID
 CollatingOrder: General

ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2655
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: update the id number from the bacteriological Routine table matching the Samp_ID
 DisplayControl: Text Box
 OrdinalPosition: 43
 Required: False
 SourceField: ORG_SAMPLE_ID
 SourceTable: IclImportBacRepeat
 TextAlign: General

LOCATION_CODE Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2580
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: update the general location from the
 DisplayControl: Text Box
 OrdinalPosition: 44
 Required: False
 SourceField: LOCATION_CODE
 SourceTable: IclImportBacRepeat
 TextAlign: General

LabID Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 Caption: LabID
 CollatingOrder: General
 ColumnCount: 4
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 ColumnWidths: 0;3390;870;735
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal Laboratory ID
 DisplayControl: Text Box
 LimitToList: True
 ListRows: 8
 ListWidth: 4993twip

OrdinalPosition: 45
 Required: False
 RowSource: SELECT Laboratories.ID, Laboratories.Full_Laboratory_Name, Laboratories.LAB_ID, Laboratories.Lab_Alias FROM Laboratories;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: LabID
 SourceTable: IclImportBacRepeat
 TextAlign: General

Table Indexes

Name	Number of Fields
Facid	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	Facid
Primary:	False
Required:	False
Unique:	False
Fields:	
Facid	Ascending
FCInvalid	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	FCInvalid
Primary:	False
Required:	False
Unique:	False
Fields:	
FCInvalid	Ascending
FCInvalidCode	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	FCInvalidCode
Primary:	False
Required:	False
Unique:	False
Fields:	
FCInvalidCode	Ascending
FCMethodCode	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	FCMethodCode
Primary:	False

Required:	False
Unique:	False
Fields:	
FCMethodCode	Ascending
FCMethodDesc	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	FCMethodDesc
Primary:	False
Required:	False
Unique:	False
Fields:	
FCMethodDesc	Ascending
ID	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	ID
Primary:	True
Required:	True
Unique:	True
Fields:	
lclIID	Ascending
Lab_Sample_ID	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	Lab_Sample_ID
Primary:	False
Required:	False
Unique:	False
Fields:	
Lab_Sample_ID	Ascending
LOCATION_CODE	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	LOCATION_CODE
Primary:	False
Required:	False
Unique:	False
Fields:	
LOCATION_CODE	Ascending
ORG_SAMPLE_ID	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False

Name:	ORG_SAMPLE_ID
Primary:	False
Required:	False
Unique:	False
Fields:	
ORG_SAMPLE_ID	Ascending
Original_Sample_ID	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	Original_Sample_ID
Primary:	False
Required:	False
Unique:	False
Fields:	
Original_Sample_ID	Ascending
PWS_ID	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	PWS_ID
Primary:	False
Required:	False
Unique:	False
Fields:	
PWS_ID	Ascending
Sample_Plan_ID	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	Sample_Plan_ID
Primary:	False
Required:	False
Unique:	False
Fields:	
Sample_Plan_ID	Ascending
TCInvalid	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	TCInvalid
Primary:	False
Required:	False
Unique:	False
Fields:	
General_Location	Ascending
TCInvalid1	1
Clustered:	False
DistinctCount:	0

Foreign:	False
IgnoreNulls:	False
Name:	TCInvalid1
Primary:	False
Required:	False
Unique:	False
Fields:	
TCInvalid	Ascending
TCInvalidCode	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	TCInvalidCode
Primary:	False
Required:	False
Unique:	False
Fields:	
TCInvalidCode	Ascending
TCMethodCode	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	TCMethodCode
Primary:	False
Required:	False
Unique:	False
Fields:	
TCMethodCode	Ascending
TCMethodDesc	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	TCMethodDesc
Primary:	False
Required:	False
Unique:	False
Fields:	
TCMethodDesc	Ascending

User Permissions

admin
aizaz
andrew
bessie
chris
corine
daria
designer

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,

Write Definition, Read Data, Insert Data, Update Data, Delete Data

dschmidt
Emmanuelle
everett
guest
helen
hillary
jack
jameya
Jason
jelani
jennifer
jimh
judy
karl
kirk
lawonda
linda
max
michael
myrt
navajo
raymond
roberto
roger
sara
test

Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	2/9/2011 6:42:09 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {0AC41CB4-66B4-4700-9CB0-3E3D6ACFD737}}	HideNewField:	False
LastUpdated:	9/25/2012 5:23:29 PM	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	0	TotalsRow:	False
Updatable:	True		

Columns

Name	Type	Size
lclImpiortId	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
OrdinalPosition:	0	
Required:	False	
SourceField:	lclImpiortId	
SourceTable:	lclImportBactRoutine	
TextAlign:	General	
PWS_ID	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
Format:	@	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	PWS_ID	
SourceTable:	lclImportBactRoutine	
TextAlign:	General	
UnicodeCompression:	False	
Facid	Long Integer	4
AggregateType:	-1	

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 DisplayControl: Text Box
 OrdinalPosition: 2
 Required: False
 SourceField: Facid
 SourceTable: lclImportBactRoutine
 TextAlign: General

Sample_Plan_ID Short Text 255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 Format: @
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: Sample_Plan_ID
 SourceTable: lclImportBactRoutine
 TextAlign: General
 UnicodeCompression: False

Sample_Location Short Text 255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 Format: @
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False
 SourceField: Sample_Location
 SourceTable: lclImportBactRoutine

TextAlign:	General		
UnicodeCompression:	False		
Chlorine_Residual		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	5		
Required:	False		
SourceField:	Chlorine_Residual		
SourceTable:	lclImportBactRoutine		
TextAlign:	General		
UnicodeCompression:	False		
Lab_Sample_ID		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
Format:	@		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	6		
Required:	False		
SourceField:	Lab_Sample_ID		
SourceTable:	lclImportBactRoutine		
TextAlign:	General		
UnicodeCompression:	False		
Sample_Date		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Imported data;default value is zero		

	Format:	m/d/yyyy		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	7		
	Required:	False		
	ShowDatePicker:	For dates		
	SourceField:	Sample_Date		
	SourceTable:	lclImportBactRoutine		
	TextAlign:	General		
EC			Long Integer	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	Description:	Imported data;default value is zero		
	DisplayControl:	Text Box		
	OrdinalPosition:	8		
	Required:	False		
	SourceField:	EC		
	SourceTable:	lclImportBactRoutine		
	TextAlign:	General		
TC			Double	8
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	DisplayControl:	Text Box		
	Format:	General Number		
	OrdinalPosition:	9		
	Required:	False		
	SourceField:	TC		
	SourceTable:	lclImportBactRoutine		
	TextAlign:	General		
TCcount			Short Text	255
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		

ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 10
 Required: False
 SourceField: TCcount
 SourceTable: lclImportBactRoutine
 TextAlign: General
 UnicodeCompression: False

FCcount Short Text 255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 11
 Required: False
 SourceField: FCcount
 SourceTable: lclImportBactRoutine
 TextAlign: General
 UnicodeCompression: False

FC_CNT_Sign Short Text 2

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Store sign <, > or blank
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 12
 Required: False
 SourceField: FC_CNT_Sign
 SourceTable: lclImportBactRoutine
 TextAlign: General
 UnicodeCompression: True

TC_CNT_Sign Short Text 2

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Store sign <, > or blank
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 13
 Required: False
 SourceField: TC_CNT_Sign
 SourceTable: lclImportBactRoutine
 TextAlign: General
 UnicodeCompression: True

Comments Short Text 255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 Format: @
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 14
 Required: False
 SourceField: Comments
 SourceTable: lclImportBactRoutine
 TextAlign: General
 UnicodeCompression: False

Type Short Text 255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1905
 DataUpdatable: False
 DisplayControl: Text Box
 Format: @
 IMEMode: 0
 IMESentenceMode: 3

OrdinalPosition: 15 Required: False SourceField: Type SourceTable: lclImportBactRoutine TextAlign: General UnicodeCompression: False			
TCInvalid		Short Text	255
AggregateType: -1 AllowZeroLength: True AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False DisplayControl: Text Box Format: @ IMEMode: 0 IMESentenceMode: 3 OrdinalPosition: 16 Required: False SourceField: TCInvalid SourceTable: lclImportBactRoutine TextAlign: General UnicodeCompression: False			
FCInvalid		Short Text	255
AggregateType: -1 AllowZeroLength: True AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False DisplayControl: Text Box Format: @ IMEMode: 0 IMESentenceMode: 3 OrdinalPosition: 17 Required: False SourceField: FCInvalid SourceTable: lclImportBactRoutine TextAlign: General UnicodeCompression: False			
TCInvalidCode		Long Integer	4
AggregateType: -1 AllowZeroLength: False AppendOnly: False Attributes: Fixed Size CollatingOrder: General			

ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 DisplayControl: Text Box
 OrdinalPosition: 18
 Required: False
 SourceField: TCInvalidCode
 SourceTable: lclImportBactRoutine
 TextAlign: General

FCInvalidCode Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 DisplayControl: Text Box
 OrdinalPosition: 19
 Required: False
 SourceField: FCInvalidCode
 SourceTable: lclImportBactRoutine
 TextAlign: General

DATE_RECEIVED Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DefaultValue: =Date()
 Description: date lab report received by EPA
 Format: Short Date
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 20
 Required: False
 ShowDatePicker: For dates
 SourceField: DATE_RECEIVED
 SourceTable: lclImportBactRoutine
 TextAlign: General

ReceivedBy Short Text 50

AggregateType: -1
 AllowZeroLength: True

AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: QA
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 21
Required: False
SourceField: ReceivedBy
SourceTable: lclImportBactRoutine
TextAlign: General
UnicodeCompression: True

TCMethodDesc Short Text 255

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Imported data
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 22
Required: False
SourceField: TCMethodDesc
SourceTable: lclImportBactRoutine
TextAlign: General
UnicodeCompression: True

FCMethodDesc Short Text 255

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Imported data
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 23
Required: False

SourceField:	FCMethodDesc		
SourceTable:	lclImportBactRoutine		
TextAlign:	General		
UnicodeCompression:	True		
TCMethodCode		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	lookupode in bactmethods.ID		
DisplayControl:	Text Box		
OrdinalPosition:	24		
Required:	False		
SourceField:	TCMethodCode		
SourceTable:	lclImportBactRoutine		
TextAlign:	General		
FCMethodCode		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1965		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	lookupode in bactmethods.ID		
DisplayControl:	Text Box		
OrdinalPosition:	25		
Required:	False		
SourceField:	FCMethodCode		
SourceTable:	lclImportBactRoutine		
TextAlign:	General		
Sample Type		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2070		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	lookup values from sampletypes.sampletype		

DisplayControl: Text Box
 OrdinalPosition: 26
 Required: False
 SourceField: Sample Type
 SourceTable: IclImportBactRoutine
 TextAlign: General

AnalysisDate Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: date of analysis
 Format: Short Date
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 27
 Required: False
 ShowDatePicker: For dates
 SourceField: AnalysisDate
 SourceTable: IclImportBactRoutine
 TextAlign: General

Analyst Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Lab Analyst
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 28
 Required: False
 SourceField: Analyst
 SourceTable: IclImportBactRoutine
 TextAlign: General
 UnicodeCompression: True

GeneralSampleLocation Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General

ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: lookup value ususally 1 for original
 DisplayControl: Text Box
 OrdinalPosition: 29
 Required: False
 SourceField: GeneralSampleLocation
 SourceTable: lclImportBactRoutine
 TextAlign: General

ChlorineResultType Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: lookup for the Chlorine type
 DisplayControl: Text Box
 OrdinalPosition: 30
 Required: False
 SourceField: ChlorineResultType
 SourceTable: lclImportBactRoutine
 TextAlign: General

EntryDate Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DefaultValue: =Now()
 Description: automatically entered on update of record- should be changed to DateCreated
 Format: General Date
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 31
 Required: False
 ShowDatePicker: For dates
 SourceField: EntryDate
 SourceTable: lclImportBactRoutine
 TextAlign: General

CreatedBy	Short Text	50
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	32	
Required:	False	
SourceField:	CreatedBy	
SourceTable:	IclImportBactRoutine	
TextAlign:	General	
UnicodeCompression:	True	
pH	Single	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	1	
Description:	pH 0-14	
DisplayControl:	Text Box	
OrdinalPosition:	33	
Required:	False	
SourceField:	pH	
SourceTable:	IclImportBactRoutine	
TextAlign:	General	
colordetection	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	detect flag for color, lookup in table Detectflags	
DisplayControl:	Text Box	
OrdinalPosition:	34	
Required:	False	
SourceField:	colordetection	

Field Name	SourceTable	TextAlign	AggregateType	Value
color	lclImportBactRoutine	General	Single	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	Description:	color units		
	DisplayControl:	Text Box		
	OrdinalPosition:	35		
	Required:	False		
	SourceField:	color		
	SourceTable:	lclImportBactRoutine		
	TextAlign:	General		
odordetect			Long Integer	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	Description:	detect flag for odor, lookup in table Detectflags		
	DisplayControl:	Text Box		
	OrdinalPosition:	36		
	Required:	False		
	SourceField:	odordetect		
	SourceTable:	lclImportBactRoutine		
	TextAlign:	General		
odor			Single	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	Description:	Threshold Odor Number (TON)		
	DisplayControl:	Text Box		
	OrdinalPosition:	37		

Required:	False		
SourceField:	odor		
SourceTable:	lclImportBactRoutine		
TextAlign:	General		
turbiditydetect		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	detect flag for turbidity, lookup in table Detectflags		
DisplayControl:	Text Box		
OrdinalPosition:	38		
Required:	False		
SourceField:	turbiditydetect		
SourceTable:	lclImportBactRoutine		
TextAlign:	General		
turbidity		Single	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	nephelometric turbidity unit (NTU)		
DisplayControl:	Text Box		
OrdinalPosition:	39		
Required:	False		
SourceField:	turbidity		
SourceTable:	lclImportBactRoutine		
TextAlign:	General		
Fluoride		Single	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Fluoride in ppm		

DisplayControl: Text Box
 OrdinalPosition: 40
 Required: False
 SourceField: Fluoride
 SourceTable: IclImportBactRoutine
 TextAlign: General

AlreadyExists Yes/No 1

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: check yes if already exists and do not append
 DisplayControl: 106
 Format: Yes/No
 OrdinalPosition: 41
 Required: False
 SourceField: AlreadyExists
 SourceTable: IclImportBactRoutine
 TextAlign: General

LabID Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 Caption: LabID
 CollatingOrder: General
 ColumnCount: 4
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 ColumnWidths: 0;3390;870;735
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal Laboratory ID
 DisplayControl: Text Box
 LimitToList: True
 ListRows: 8
 ListWidth: 4993twip
 OrdinalPosition: 42
 Required: False
 RowSource: SELECT Laboratories.ID, Laboratories.Full_Laboratory_Name,
 Laboratories.LAB_ID, Laboratories.Lab_Alias FROM Laboratories;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: LabID
 SourceTable: IclImportBactRoutine

TextAlign:	General		
Reviewer		Short Text	50
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	43		
Required:	False		
SourceField:	Reviewer		
SourceTable:	IclImportBactRoutine		
TextAlign:	General		
UnicodeCompression:	True		
Collector		Short Text	50
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	44		
Required:	False		
SourceField:	Collector		
SourceTable:	IclImportBactRoutine		
TextAlign:	General		
UnicodeCompression:	True		

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	

Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	10/13/2010 5:54:44 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {0D72233E-2976-42E6-A071-2D0F61C1CCD6}}	HideNewField:	False
LastUpdated:	8/2/2012 11:25:58 AM	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	0	TotalsRow:	False
Updatable:	True		

Columns

Name	Type	Size
IclId	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
OrdinalPosition:	0	
Required:	False	
SourceField:	IclId	
SourceTable:	IclImportLatLongFromxls	
TextAlign:	General	
PWSID	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
Format:	@	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	PWSID	
SourceTable:	IclImportLatLongFromxls	
TextAlign:	General	
UnicodeCompression:	False	
SubFacility	Short Text	255
AggregateType:	-1	

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: ODSFACID
 DisplayControl: Text Box
 Format: @
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: SubFacility
 SourceTable: IclImportLatLongFromxls
 TextAlign: General
 UnicodeCompression: False

Lat_Decimal_Deg Double 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: TrunLATDECDEG
 DisplayControl: Text Box
 Format: 0.000000
 OrdinalPosition: 3
 Required: False
 SourceField: Lat_Decimal_Deg
 SourceTable: IclImportLatLongFromxls
 TextAlign: General

Long_Decimal_Deg Double 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: TrunLONGDECDEG
 DisplayControl: Text Box
 Format: 0.000000
 OrdinalPosition: 4

Required: False
SourceField: Long_Decimal_Deg
SourceTable: lclImportLatLongFromxls
TextAlign: General

VERT_Measure Long Integer 4

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
Description: LLVERTMEASURE
DisplayControl: Text Box
OrdinalPosition: 5
Required: False
SourceField: VERT_Measure
SourceTable: lclImportLatLongFromxls
TextAlign: General

VERT_Collection_Method Long Integer 4

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
Description: LLVERTCOLLECTIONMETHOD
DisplayControl: Text Box
OrdinalPosition: 6
Required: False
SourceField: VERT_Collection_Method
SourceTable: lclImportLatLongFromxls
TextAlign: General

VERT_Accuracy Long Integer 4

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
Description: LLVERTACCURACY

DisplayControl:	Text Box		
OrdinalPosition:	7		
Required:	False		
SourceField:	VERT_Accuracy		
SourceTable:	IclImportLatLongFromxls		
TextAlign:	General		
VERT_Datum		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	LLVERTDATUM		
DisplayControl:	Text Box		
OrdinalPosition:	8		
Required:	False		
SourceField:	VERT_Datum		
SourceTable:	IclImportLatLongFromxls		
TextAlign:	General		
Collection_Method		Double	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	ODScollmethcode		
DisplayControl:	Text Box		
Format:	General Number		
OrdinalPosition:	9		
Required:	False		
SourceField:	Collection_Method		
SourceTable:	IclImportLatLongFromxls		
TextAlign:	General		
HORIZ_Accuracy		Double	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		

DataUpdatable: False
 DecimalPlaces: Auto
 Description: LLHORIZACCURACY
 DisplayControl: Text Box
 Format: General Number
 OrdinalPosition: 10
 Required: False
 SourceField: HORIZ_Accuracy
 SourceTable: IclImportLatLongFromxls
 TextAlign: General

HORIZ_Datum Double 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: LLHORIZDATUM
 DisplayControl: Text Box
 Format: General Number
 OrdinalPosition: 11
 Required: False
 SourceField: HORIZ_Datum
 SourceTable: IclImportLatLongFromxls
 TextAlign: General

Description_Code Double 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: ODSDescriptionCode
 DisplayControl: Text Box
 Format: General Number
 OrdinalPosition: 12
 Required: False
 SourceField: Description_Code
 SourceTable: IclImportLatLongFromxls
 TextAlign: General

Source_Scale Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False

Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: ODSSourceScale
 DisplayControl: Text Box
 OrdinalPosition: 13
 Required: False
 SourceField: Source_Scale
 SourceTable: IclImportLatLongFromxls
 TextAlign: General

Geometric_Code Double 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: ODSGeometricCode
 DisplayControl: Text Box
 Format: General Number
 OrdinalPosition: 14
 Required: False
 SourceField: Geometric_Code
 SourceTable: IclImportLatLongFromxls
 TextAlign: General

Collection_Date Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: LLCOLLECTIONDATE
 Format: m/d/yyyy
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 15
 Required: False
 ShowDatePicker: For dates
 SourceField: Collection_Date
 SourceTable: IclImportLatLongFromxls
 TextAlign: General

Source_Code		Double	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	ODSSourceCode		
DisplayControl:	Text Box		
Format:	General Number		
OrdinalPosition:	16		
Required:	False		
SourceField:	Source_Code		
SourceTable:	IclImportLatLongFromxls		
TextAlign:	General		
Verification_Method_Code		Double	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	ODSVerificationMethodCode		
DisplayControl:	Text Box		
Format:	General Number		
OrdinalPosition:	17		
Required:	False		
SourceField:	Verification_Method_Code		
SourceTable:	IclImportLatLongFromxls		
TextAlign:	General		
Comment		Long Text	-
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	18		
Required:	False		
SourceField:	Comment		

	SourceTable:	lclImportLatLongFromxls	
	TextAlign:	General	
	TextFormat:	Plain Text	
	UnicodeCompression:	True	
Facid		Long Integer	4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	OrdinalPosition:	19	
	Required:	False	
	SourceField:	Facid	
	SourceTable:	lclImportLatLongFromxls	
	TextAlign:	General	
Completed		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Yes if the data was inserted in the locational table	
	DisplayControl:	106	
	Format:	Yes/No	
	OrdinalPosition:	20	
	Required:	False	
	SourceField:	Completed	
	SourceTable:	lclImportLatLongFromxls	
	TextAlign:	General	

Table Indexes

Name	Number of Fields
Facid	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	Facid
Primary:	False
Required:	False
Unique:	False

	Fields:	
	Facid	Ascending
IclId		1
	Clustered:	False
	DistinctCount:	0
	Foreign:	False
	IgnoreNulls:	False
	Name:	IclId
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	IclId	Ascending
ODScollmethcode		1
	Clustered:	False
	DistinctCount:	0
	Foreign:	False
	IgnoreNulls:	False
	Name:	ODScollmethcode
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	Collection_Method	Ascending
ODSDescriptionCode		1
	Clustered:	False
	DistinctCount:	0
	Foreign:	False
	IgnoreNulls:	False
	Name:	ODSDescriptionCode
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	Description_Code	Ascending
ODSFACID		1
	Clustered:	False
	DistinctCount:	0
	Foreign:	False
	IgnoreNulls:	False
	Name:	ODSFACID
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	SubFacility	Ascending
ODSGeometricCode		1
	Clustered:	False
	DistinctCount:	0
	Foreign:	False
	IgnoreNulls:	False
	Name:	ODSGeometricCode
	Primary:	False

	Required:	False
	Unique:	False
	Fields:	
	Geometric_Code	Ascending
ODSSourceCode		1
	Clustered:	False
	DistinctCount:	0
	Foreign:	False
	IgnoreNulls:	False
	Name:	ODSSourceCode
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	Source_Code	Ascending
ODSVerificationMethodCode		1
	Clustered:	False
	DistinctCount:	0
	Foreign:	False
	IgnoreNulls:	False
	Name:	ODSVerificationMethodCode
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	Verification_Method_Code	Ascending
PrimaryKey		1
	Clustered:	False
	DistinctCount:	0
	Foreign:	False
	IgnoreNulls:	False
	Name:	PrimaryKey
	Primary:	True
	Required:	True
	Unique:	True
	Fields:	
	lclId	Ascending
PWSID		1
	Clustered:	False
	DistinctCount:	0
	Foreign:	False
	IgnoreNulls:	False
	Name:	PWSID
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	PWSID	Ascending

User Permissions

admin

aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	1/3/2011 6:16:46 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {9A6A5174-FD93-4533-8BF3-736056D214C1}}	HideNewField:	False
LastUpdated:	1/4/2011 11:28:40 AM	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	0	TotalsRow:	False
Updatable:	True		

Columns

Name	Type	Size
ID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
OrdinalPosition:	0	
Required:	False	
SourceField:	ID	
SourceTable:	lclImporttblActionsfromxls	
TextAlign:	General	
Date	Date With Time	8
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Format:	m/d/yyyy	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
ShowDatePicker:	For dates	
SourceField:	Date	
SourceTable:	lclImporttblActionsfromxls	
TextAlign:	General	
FACID	Double	8
AggregateType:	-1	
AllowZeroLength:	False	

AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 DisplayControl: Text Box
 Format: General Number
 OrdinalPosition: 2
 Required: False
 SourceField: FACID
 SourceTable: IclImporttblActionsfromxls
 TextAlign: General

PWSName Short Text 200

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: PWSName
 SourceTable: IclImporttblActionsfromxls
 TextAlign: General
 UnicodeCompression: True

ActionTypeID Double 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 DisplayControl: Text Box
 Format: General Number
 OrdinalPosition: 4
 Required: False
 SourceField: ActionTypeID
 SourceTable: IclImporttblActionsfromxls
 TextAlign: General

Comment		Long Text	-
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	5		
Required:	False		
SourceField:	Comment		
SourceTable:	lclImporttblActionsfromxls		
TextAlign:	General		
TextFormat:	Plain Text		
UnicodeCompression:	False		
Provider		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
Format:	@		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	6		
Required:	False		
SourceField:	Provider		
SourceTable:	lclImporttblActionsfromxls		
TextAlign:	General		
UnicodeCompression:	False		
DeleteFlag		Yes/No	1
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	a flag is checked if the record already exists in the tblActions		
DisplayControl:	106		
Format:	Yes/No		
OrdinalPosition:	7		

Required: False
 SourceField: DeleteFlag
 SourceTable: lclImporttblActionsfromxls
 TextAlign: General

ActionDesc Short Text 255

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 1
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Action description lookup in table Action Types
 DisplayControl: Combo Box
 IMEMode: 0
 IMESentenceMode: 3
 LimitToList: False
 ListRows: 8
 ListWidth: 0twip
 OrdinalPosition: 8
 Required: False
 RowSource: SELECT [Action Types].ActionDesc FROM [Action Types];
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: ActionDesc
 SourceTable: lclImporttblActionsfromxls
 TextAlign: General
 UnicodeCompression: False

DateCreated Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Format: General Date
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 9
 Required: False
 ShowDatePicker: For dates
 SourceField: DateCreated
 SourceTable: lclImporttblActionsfromxls
 TextAlign: General

Table Indexes

Name	Number of Fields
ActionDesc	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	ActionDesc
Primary:	False
Required:	False
Unique:	False
Fields:	
ActionDesc	Ascending
ActionTypeID	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	ActionTypeID
Primary:	False
Required:	False
Unique:	False
Fields:	
ActionTypeID	Ascending
FACID	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	FACID
Primary:	False
Required:	False
Unique:	False
Fields:	
FACID	Ascending
ID	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	ID
Primary:	False
Required:	False
Unique:	False
Fields:	
ID	Ascending

User Permissions

admin

aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	6/12/2007 11:33:30 AM	DefaultView:	2
GUID:	{guid {4985FC16-11DB-4E76-B2F7-800CBB14DB89}}	LastUpdated:	6/12/2007 11:33:31 AM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	5
Updatable:	True		

Columns

Name	Type	Size
LocNameID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
GUID:	{guid {FB6A4ED1-DABC-42F1-BDE8-1A68D550979C}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	LocNameID	
SourceTable:	lclPBCULocNameonly	
LocName	Short Text	50
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {FAF88DFB-985C-4D81-90A5-1B4308EF1100}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	LocName	
SourceTable:	lclPBCULocNameonly	
UnicodeCompression:	True	
DateCreated	Date With Time	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	

ColumnWidth: Default
 DataUpdatable: False
 Format: Short Date
 GUID: {guid {689FE46E-1B17-4172-9D22-05531E31AF7F}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: DateCreated
 SourceTable: lclPBCULocNameonly

DateModified Date With Time 8

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Format: Short Date
 GUID: {guid {CBC2ADEE-A2F6-49E9-BC3F-9E738EB01281}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: DateModified
 SourceTable: lclPBCULocNameonly

Createdby Short Text 50

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: UserName
 DisplayControl: Text Box
 GUID: {guid {3FE8E128-BDF5-46FE-991A-931E96AE9E07}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False
 SourceField: Createdby
 SourceTable: lclPBCULocNameonly
 UnicodeCompression: True

Table Indexes

Name	Number of Fields
LocNameID	1
Clustered:	False
DistinctCount:	5

Foreign:	False
IgnoreNulls:	False
Name:	LocNameID
Primary:	False
Required:	False
Unique:	False
Fields:	
LocNameID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	5
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
LocName	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	

raymond
roberto
roger
sara
test

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Users	

Properties

DateCreated:	4/9/2014 1:09:17 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {DD5ACE4D-4DD9-4D94-AB1B-B834A010BCD5}}	HideNewField:	False
LastUpdated:	4/9/2014 1:10:25 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	10
TotalsRow:	False	Updatable:	True

Columns

Name	Type	Size
LocId	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
OrdinalPosition:	0	
Required:	False	
SourceField:	LocId	
SourceTable:	lclPBLULocation	
TextAlign:	General	
LocationName	Short Text	50
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	LocationName	
SourceTable:	lclPBLULocation	
TextAlign:	General	
UnicodeCompression:	True	
PBCUSortOrder	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	

AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 DisplayControl: Text Box
 OrdinalPosition: 2
 Required: False
 SourceField: PBCUSortOrder
 SourceTable: lclPBLULocation
 TextAlign: General

LocType Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Copper or lead
 DisplayControl: Text Box
 OrdinalPosition: 3
 Required: False
 SourceField: LocType
 SourceTable: lclPBLULocation
 TextAlign: General

DateCreated Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Format: Short Date
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False
 ShowDatePicker: For dates
 SourceField: DateCreated
 SourceTable: lclPBLULocation
 TextAlign: General

CpTypeId Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 DisplayControl: Text Box
 OrdinalPosition: 5
 Required: False
 SourceField: CpTypeId
 SourceTable: lclPBLULocation
 TextAlign: General

Table Indexes

Name	Number of Fields
CpTypeId	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	CpTypeId
Primary:	False
Required:	False
Unique:	False
Fields:	
CpTypeId	Ascending
LocId	1
Clustered:	False
DistinctCount:	10
Foreign:	False
IgnoreNulls:	False
Name:	LocId
Primary:	False
Required:	False
Unique:	False
Fields:	
LocId	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	10
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
LocId	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	7/3/2013 4:34:04 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {5B3A0A4D-8F4E-412A-B773-4885A4953FD1}}	HideNewField:	False
LastUpdated:	7/3/2013 4:34:11 PM	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	417	TotalsRow:	False
Updatable:	True		

Columns

Name	Type	Size
FACID	Long Integer	4
AggregateType: -1 AllowZeroLength: False AppendOnly: False Attributes: Fixed Size, Auto-Increment CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False OrdinalPosition: 0 Required: False SourceField: FACID SourceTable: lclPWS_RTC_ETT TextAlign: General		
Status	Short Text	255
AggregateType: -1 AllowZeroLength: True AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False DisplayControl: Text Box IMEMode: 0 IMESentenceMode: 3 OrdinalPosition: 1 Required: False SourceField: Status SourceTable: lclPWS_RTC_ETT TextAlign: General UnicodeCompression: False		

Table Indexes

Name	Number of Fields
------	------------------

FACID	1
Clustered:	False
DistinctCount:	417
Foreign:	False
IgnoreNulls:	False
Name:	FACID
Primary:	False
Required:	False
Unique:	False
Fields:	
FACID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

AlternateBackShade:	100	AlternateBackThemeColorIn	-1
AlternateBackTint:	100	BackShade:	100
BackTint:	100	DatasheetForeThemeColorIn	-1
DatasheetGridlinesThemeCol	-1	DateCreated:	5/13/2011 12:48:43 PM
DefaultView:	2	DisplayViewsOnSharePointSi	1
FilterOnLoad:	False	GUID:	{guid {516E9E02-9F6E-4DE4-BA52-0E851DD8589E}}
HideNewField:	False	LastUpdated:	9/10/2014 11:33:27 AM
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	18
ThemeFontIndex:	-1	TotalsRow:	False
Updatable:	True		

Columns

Name	Type	Size
ID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
OrdinalPosition:	0	
Required:	False	
SourceField:	ID	
SourceTable:	lclPWSSelectionforLetter	
TextAlign:	General	
FacId	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1980	
CurrencyLCID:	0	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	1	
Required:	False	
SourceField:	FacId	
SourceTable:	lclPWSSelectionforLetter	
TextAlign:	General	

VioBeginDate		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2130		
CurrencyLCID:	0		
DataUpdatable:	False		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	2		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	VioBeginDate		
SourceTable:	lclPWSSelectionforLetter		
TextAlign:	General		

VioEndDate		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	3		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	VioEndDate		
SourceTable:	lclPWSSelectionforLetter		
TextAlign:	General		

PWSSelection		Yes/No	1
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2865		
CurrencyLCID:	0		
DataUpdatable:	False		
DisplayControl:	106		
Format:	Yes/No		
OrdinalPosition:	4		
Required:	False		

SourceField:	PWSSelection		
SourceTable:	lclPWSSelectionforLetter		
TextAlign:	General		
DateCreated		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
Format:	General Date		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	5		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	DateCreated		
SourceTable:	lclPWSSelectionforLetter		
TextAlign:	General		
ForViolation		Yes/No	1
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
Description:	Check yes for violation letter		
DisplayControl:	106		
Format:	Yes/No		
OrdinalPosition:	6		
Required:	False		
SourceField:	ForViolation		
SourceTable:	lclPWSSelectionforLetter		
TextAlign:	General		
ForTotColiformReminder		Yes/No	1
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		

	DataUpdatable:	False		
	Description:	Check yes for Total Coliform Reminder		
	DisplayControl:	106		
	Format:	Yes/No		
	OrdinalPosition:	7		
	Required:	False		
	SourceField:	ForTotColiformReminder		
	SourceTable:	lclPWSSelectionforLetter		
	TextAlign:	General		
ForETT			Yes/No	1
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	CurrencyLCID:	0		
	DataUpdatable:	False		
	Description:	for the ett report		
	DisplayControl:	106		
	Format:	Yes/No		
	OrdinalPosition:	8		
	Required:	False		
	SourceField:	ForETT		
	SourceTable:	lclPWSSelectionforLetter		
	TextAlign:	General		
OnlyOutputToRTF			Yes/No	1
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	2745		
	CurrencyLCID:	0		
	DataUpdatable:	False		
	Description:	only when outputting to rtf use this flag to save into multiple documents		
	DisplayControl:	106		
	Format:	Yes/No		
	OrdinalPosition:	9		
	Required:	False		
	SourceField:	OnlyOutputToRTF		
	SourceTable:	lclPWSSelectionforLetter		
	TextAlign:	General		
Filed			Yes/No	1
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		

Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	this field is only used for electronic filing default is -1
DisplayControl:	106
Format:	Yes/No
OrdinalPosition:	10
Required:	False
SourceField:	Filed
SourceTable:	lclPWSSelectionforLetter
TextAlign:	General

Table Indexes

Name	Number of Fields
FacId	1
Clustered:	False
DistinctCount:	18
Foreign:	False
IgnoreNulls:	False
Name:	FacId
Primary:	False
Required:	False
Unique:	False
Fields:	
FacId	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	18
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
FacId	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,

Write Definition, Read Data, Insert Data, Update Data, Delete Data

dschmidt
Emmanuelle
everett
guest
helen
hillary
jack
jameya
Jason
jelani
jennifer
jimh
judy
karl
kirk
lawonda
linda
max
michael
myrt
navajo
raymond
roberto
roger
sara
test

Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

Group Permissions

Admins Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

DataManagers

Full Data Users Read Definition, Read Data, Insert Data, Update Data, Delete Data

Full Permissions Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

Read-Only Users Read Definition, Read Data

Users

Properties

DateCreated: 5/8/2013 6:27:57 PM LastUpdated: 5/8/2013 6:27:57 PM
RecordCount: 196 Updatable: True

Columns

Name	Type	Size
FACID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
DataUpdatable:	False	
OrdinalPosition:	1	
Required:	False	
SourceField:	FACID	
SourceTable:	IclqryViolations_ViolationTypeReport	
Combo	Short Text	255
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
DataUpdatable:	False	
OrdinalPosition:	2	
Required:	False	
SourceField:	Combo	
SourceTable:	IclqryViolations_ViolationTypeReport	
Marker	Short Text	255
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
DataUpdatable:	False	
OrdinalPosition:	3	
Required:	False	
SourceField:	Marker	
SourceTable:	IclqryViolations_ViolationTypeReport	

User Permissions

- admin
- aizaz
- andrew
- bessie
- chris
- corine
- daria
- designer

dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	7/27/2011 5:15:28 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {86071143-CD8E-4451- BE91-71FAE2842B30}}	HideNewField:	False
LastUpdated:	7/27/2011 5:16:57 PM	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	27	TotalsRow:	False
Updatable:	True		

Columns

Name	Type	Size
FACID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	0	
Required:	False	
SourceField:	FACID	
SourceTable:	IclqryViolations_ViolationTypeReport_dummyrecords	
TextAlign:	General	
Combo	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	4605	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	Combo	
SourceTable:	IclqryViolations_ViolationTypeReport_dummyrecords	
TextAlign:	General	
UnicodeCompression:	False	
Marker	Short Text	255

AggregateType:	-1
AllowZeroLength:	True
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	Text Box
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	2
Required:	False
SourceField:	Marker
SourceTable:	lclqryViolations_ViolationTypeReport_dummyrecords
TextAlign:	General
UnicodeCompression:	False

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
FACID	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	FACID
Primary:	False
Required:	False
Unique:	False
Fields:	
FACID	Ascending

User Permissions

- admin
- aizaz
- andrew
- bessie
- chris
- corine
- daria
- designer
- dschmidt
- Emmanuelle
- everett
- guest
- helen
- hillary
- jack
- jamelya

Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	8/20/2007 2:52:10 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {E50B56E7-6E84-4DAB-B960-7AEB8CD574D1}}	HideNewField:	False
LastUpdated:	2/19/2014 12:09:36 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	0
TotalsRow:	False	Updatable:	True

Columns

Name	Type	Size
SelectedContId	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	contaminant id	
DisplayControl:	Text Box	
GUID:	{guid {107DCDEA-F59E-4EBC-A3E1-55138543608B}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	SelectedContId	
SourceTable:	lclSelectedContid	
TextAlign:	General	
CptypeId	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	compliance Point type	
DisplayControl:	Text Box	
OrdinalPosition:	1	
Required:	False	
SourceField:	CptypeId	
SourceTable:	lclSelectedContid	
TextAlign:	General	

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
CptypeId	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	CptypeId
Primary:	False
Required:	False
Unique:	False
Fields:	
CptypeId	Ascending
SelectedContId	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	SelectedContId
Primary:	False
Required:	False
Unique:	False
Fields:	
SelectedContId	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	

lawonda
linda
max
michael
myrt
navajo
raymond
roberto
roger
sara
test

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	6/4/2014 5:36:14 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
HideNewField:	False	LastUpdated:	6/4/2014 5:36:55 PM
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	1	TotalsRow:	False
Updatable:	True		

Columns

Name	Type	Size
ChemrecordID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	0	
Required:	False	
SourceField:	ChemrecordID	
SourceTable:	IclSelectedContId_All	
TextAlign:	General	
DATE_RECEIVED	Date With Time	8
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1785	
DataUpdatable:	False	
Description:	date the lab report was received by primacy agency.	
Format:	Short Date	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
ShowDatePicker:	For dates	
SourceField:	DATE_RECEIVED	
SourceTable:	IclSelectedContId_All	
TextAlign:	General	
ENTRY_DATE	Date With Time	8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2100
 DataUpdatable: False
 Description: Date the lab results were entered into DIME
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 ShowDatePicker: For dates
 SourceField: ENTRY_DATE
 SourceTable: IclSelectedContId_All
 TextAlign: General

UnivUniqueID Short Text 5

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: universally unique number for sources, treatment plants, entry points, storage, or distribution systems
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: UnivUniqueID
 SourceTable: IclSelectedContId_All
 TextAlign: General
 UnicodeCompression: False

FACID Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1230
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME identifier for PWS, lookup in table Facility Information.
 DisplayControl: Text Box
 OrdinalPosition: 4

Required: False
SourceField: FACID
SourceTable: IclSelectedContId_All
TextAlign: General

EventDesc Short Text 255

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 3960
DataUpdatable: False
Description: Text-based Desc created using a set of uniquely identifying values which tie a sampling event together. PWSID + Contaminant Group + CompliancePeriod (*With this combination, an event can tie together multiple samples if same dates and contaminant group)
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 5
Required: False
SourceField: EventDesc
SourceTable: IclSelectedContId_All
TextAlign: General
UnicodeCompression: False

EventID Short Text 100

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 4335
DataUpdatable: False
Description: Text-based ID created using a set of uniquely identifying values which tie a sampling event together. PWSID + Contaminant Group + CompliancePeriod (*With this combination, an event can tie together multiple samples if same dates and contaminant group)
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 6
Required: False
SourceField: EventID
SourceTable: IclSelectedContId_All
TextAlign: General
UnicodeCompression: False

LAB_ID	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	interim field for laboratory information, used to transition to LabID with lookup (see description of field LabID)	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	7	
Required:	False	
SourceField:	LAB_ID	
SourceTable:	IclSelectedContId_All	
TextAlign:	General	
UnicodeCompression:	True	

LabID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
BoundColumn:	1	
Caption:	LabID	
CollatingOrder:	General	
ColumnCount:	3	
ColumnHeads:	False	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2730	
ColumnWidths:	0;3390;795	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	internal DIME identifier for Analytical laboratory. Lookup in table Laboratories.	
DisplayControl:	Text Box	
LimitToList:	True	
ListRows:	8	
ListWidth:	4184twip	
OrdinalPosition:	8	
Required:	False	
RowSource:	SELECT Laboratories.ID, Laboratories.Full_Laboratory_Name, Laboratories.LAB_ID FROM Laboratories;	
RowSourceType:	Table/Query	
SourceField:	LabID	
SourceTable:	IclSelectedContId_All	
TextAlign:	General	

LabReceiptDate	Date With Time	8
----------------	----------------	---

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: date lab received sample
 Format: Short Date
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 9
 Required: False
 ShowDatePicker: For dates
 SourceField: LabReceiptDate
 SourceTable: IclSelectedContId_All
 TextAlign: General

LabReceiptTime Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: optional time lab received sample
 Format: Short Time
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 10
 Required: False
 ShowDatePicker: For dates
 SourceField: LabReceiptTime
 SourceTable: IclSelectedContId_All
 TextAlign: General

LabSampleID Short Text 50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Sample ID as created by lab
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3

OrdinalPosition: 11
Required: False
SourceField: LabSampleID
SourceTable: IclSelectedContId_All
TextAlign: General
UnicodeCompression: True

AnalysisDate Date With Time 8

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: date of analysis
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 12
Required: False
ShowDatePicker: For dates
SourceField: AnalysisDate
SourceTable: IclSelectedContId_All
TextAlign: General

Analyst Short Text 50

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Lab Analyst
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 13
Required: False
SourceField: Analyst
SourceTable: IclSelectedContId_All
TextAlign: General
UnicodeCompression: True

Reviewer Short Text 50

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False

ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Lab Reviewer
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 14
 Required: False
 SourceField: Reviewer
 SourceTable: IclSelectedContId_All
 TextAlign: General
 UnicodeCompression: True

Collector Short Text 50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Name of sample collector
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 15
 Required: False
 SourceField: Collector
 SourceTable: IclSelectedContId_All
 TextAlign: General
 UnicodeCompression: True

SAMP_DATE Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: date sample was taken in the field.
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 16
 Required: False
 ShowDatePicker: For dates
 SourceField: SAMP_DATE
 SourceTable: IclSelectedContId_All
 TextAlign: General

SAMP_TIME		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	optional time of sample collection		
Format:	Short Time		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	17		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	SAMP_TIME		
SourceTable:	IclSelectedContId_All		
TextAlign:	General		

SAMP_LOC		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Description of sampling location		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	18		
Required:	False		
SourceField:	SAMP_LOC		
SourceTable:	IclSelectedContId_All		
TextAlign:	General		
UnicodeCompression:	True		

CompliancePoint		Short Text	50
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	3525		
DataUpdatable:	False		
Description:	universally unique foreign key linking sample result to compliance point, which is assigned to a sub-facility corresponding to the FACID, lookup in qryCompliancePointsSelectFACID		
DisplayControl:	Text Box		

IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 19
 Required: False
 SourceField: CompliancePoint
 SourceTable: IclSelectedContId_All
 TextAlign: General
 UnicodeCompression: True

CPType Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME Compliance Point Type identifier, lookup in table Compliance Point Types, name is different from Chemicals
 DisplayControl: Text Box
 OrdinalPosition: 20
 Required: False
 SourceField: CPTYPE
 SourceTable: IclSelectedContId_All
 TextAlign: General

contID Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2220
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME identifier for chemical contaminant, lookup in table MCL
 DisplayControl: Text Box
 OrdinalPosition: 21
 Required: False
 SourceField: contID
 SourceTable: IclSelectedContId_All
 TextAlign: General

InvalidID Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False

ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME Chemical Invalid Code identifier, lookup in table cheminvalidcodes, null value indicates valid result
 DisplayControl: Text Box
 OrdinalPosition: 22
 Required: False
 SourceField: InvalidID
 SourceTable: IclSelectedContId_All
 TextAlign: General

DETECT_Flag Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 3
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 ColumnWidths: 0;345;6585
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME identifier for detection flag, calculated based upon sample result value, MCL, Detection limit. lookup in table DetectFlags
 DisplayControl: Combo Box
 LimitToList: True
 ListRows: 8
 ListWidth: 6930twip
 OrdinalPosition: 23
 Required: False
 RowSource: SELECT DetectFlags.DetectID, DetectFlags.DetectFlag, DetectFlags.DetectFlagDescription FROM DetectFlags;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: DETECT_Flag
 SourceTable: IclSelectedContId_All
 TextAlign: General

DETECT_Flag_text Short Text 255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1845

DataUpdatable: False
 Description: intermim field for detection flag, used to transition to DETECT_flag (see description for field DETECT_flag)
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 24
 Required: False
 SourceField: DETECT_Flag_text
 SourceTable: IclSelectedContId_All
 TextAlign: General
 UnicodeCompression: True

SAMP_RESULT Double 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: numerical sample result value
 DisplayControl: Text Box
 OrdinalPosition: 25
 Required: False
 SourceField: SAMP_RESULT
 SourceTable: IclSelectedContId_All
 TextAlign: General

SAMP_RESULT_ERROR Double 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: numerical sample result error value (absolute), used mainly for radionuclides. N/A for other contaminant types.
 DisplayControl: Text Box
 OrdinalPosition: 26
 Required: False
 SourceField: SAMP_RESULT_ERROR
 SourceTable: IclSelectedContId_All
 TextAlign: General

NumUnitID Long Integer 4

AggregateType: -1

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME identifier for numerical unit, lookup in table Units
 DisplayControl: Text Box
 OrdinalPosition: 27
 Required: False
 SourceField: NumUnitID
 SourceTable: IclSelectedContId_All
 TextAlign: General

DETECT_LIMIT Double 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: detection limit as reported by laboratory for the method employed. Defaulted from table DetectionLimits, may also feed back into table DetectionLimits on user command.
 DisplayControl: Text Box
 OrdinalPosition: 28
 Required: False
 SourceField: DETECT_LIMIT
 SourceTable: IclSelectedContId_All
 TextAlign: General

COMMENT Short Text 255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Comment field for chemical result.
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 29
 Required: False

SourceField:	COMMENT		
SourceTable:	IclSelectedContId_All		
TextAlign:	General		
UnicodeCompression:	True		
ProxyRecord		Yes/No	1
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Is this record a proxy record?		
DisplayControl:	106		
Format:	Yes/No		
OrdinalPosition:	30		
Required:	False		
SourceField:	ProxyRecord		
SourceTable:	IclSelectedContId_All		
TextAlign:	General		
METHOD_ID		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	internal DIME identifier for Analysis Method. Approved analytical method employed to obtain result, lookup in table AnalyticalMethods		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	31		
Required:	False		
SourceField:	METHOD_ID		
SourceTable:	IclSelectedContId_All		
TextAlign:	General		
UnicodeCompression:	True		
REPEAT		Yes/No	1
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		

DataUpdatable: False
 Description: Is this sample a repeat or confirmation sample?
 DisplayControl: Text Box
 OrdinalPosition: 32
 Required: False
 SourceField: REPEAT
 SourceTable: IclSelectedContId_All
 TextAlign: General

COMPOSITE Yes/No 1

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Is this result part of a composite sample?
 DisplayControl: Text Box
 OrdinalPosition: 33
 Required: False
 SourceField: COMPOSITE
 SourceTable: IclSelectedContId_All
 TextAlign: General

numbercomposite Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: if COMPOSITE is Yes, the number of samples in the composite.
 DisplayControl: Text Box
 OrdinalPosition: 34
 Required: False
 SourceField: numbercomposite
 SourceTable: IclSelectedContId_All
 TextAlign: General

SPECIAL Yes/No 1

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default

DataUpdatable: False
 Description: Is this result from a "Special" (non-compliance) sampling event?
 DisplayControl: Text Box
 OrdinalPosition: 35
 Required: False
 SourceField: SPECIAL
 SourceTable: IclSelectedContId_All
 TextAlign: General

PBCUSortOrder Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: long integer for the sort order for Lead and Copper
 DisplayControl: Text Box
 OrdinalPosition: 36
 Required: False
 SourceField: PBCUSortOrder
 SourceTable: IclSelectedContId_All
 TextAlign: General

Lastupdate Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date of Last Update
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 37
 Required: False
 ShowDatePicker: For dates
 SourceField: Lastupdate
 SourceTable: IclSelectedContId_All
 TextAlign: General

CurrentUpdateUser Short Text 50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False

ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Current User At Time of Update
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 38
 Required: False
 SourceField: CurrentUpdateUser
 SourceTable: IclSelectedContId_All
 TextAlign: General
 UnicodeCompression: True

LabUpdate Yes/No 1

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: 106
 Format: Yes/No
 OrdinalPosition: 39
 Required: False
 SourceField: LabUpdate
 SourceTable: IclSelectedContId_All
 TextAlign: General

CreatedBy Short Text 50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Created by user name
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 40
 Required: False
 SourceField: CreatedBy
 SourceTable: IclSelectedContId_All
 TextAlign: General
 UnicodeCompression: True

NewId Long Integer 4

AggregateType: -1

AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
Description: New id only used for admin substitution;
DisplayControl: Text Box
OrdinalPosition: 41
Required: False
SourceField: NewId
SourceTable: IclSelectedContId_All
TextAlign: General

DontCalcFlag		Yes/No	1
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	if this one is checked then do not calculate the flag		
DisplayControl:	106		
Format:	Yes/No		
OrdinalPosition:	42		
Required:	False		
SourceField:	DontCalcFlag		
SourceTable:	IclSelectedContId_All		
TextAlign:	General		

User Permissions

admin
aizaz
andrew
bessie
chris
corine
daria
designer Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,
Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt
Emmanuelle
everett
guest
helen
hillary

jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	6/18/2010 4:15:28 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {6D9209F3-B8DF-4DDF-8FBD-E3696C16D2BE}}	HideNewField:	False
LastUpdated:	5/22/2013 5:31:10 PM	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	6	TotalsRow:	False
Updatable:	True		

Columns

Name	Type	Size
SOURCEID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
OrdinalPosition:	0	
Required:	False	
SourceField:	SOURCEID	
SourceTable:	lclSourcesType	
TextAlign:	General	
SOURCE_TYPE	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	1	
Required:	False	
SourceField:	SOURCE_TYPE	
SourceTable:	lclSourcesType	
TextAlign:	General	
Source Name	Short Text	50
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	

CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: Source Name
 SourceTable: IclSourcesType
 TextAlign: General
 UnicodeCompression: True

SOURCE_NUM Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 DisplayControl: Text Box
 OrdinalPosition: 3
 Required: False
 SourceField: SOURCE_NUM
 SourceTable: IclSourcesType
 TextAlign: General

ACTIVITY_STATUS_SOURCE Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 DisplayControl: Text Box
 OrdinalPosition: 4
 Required: False
 SourceField: ACTIVITY_STATUS_SOURCE
 SourceTable: IclSourcesType
 TextAlign: General

Facid Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False

Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 DisplayControl: Text Box
 OrdinalPosition: 5
 Required: False
 SourceField: Facid
 SourceTable: IclSourcesType
 TextAlign: General

SourceType Short Text 5

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 6
 Required: False
 SourceField: SourceType
 SourceTable: IclSourcesType
 TextAlign: General
 UnicodeCompression: True

SourceName Short Text 255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1935
 DataUpdatable: False
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 7
 Required: False
 SourceField: SourceName
 SourceTable: IclSourcesType
 TextAlign: General
 UnicodeCompression: True

Table Indexes

Name	Number of Fields
Facid	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	Facid
Primary:	False
Required:	False
Unique:	False
Fields:	
Facid	Ascending
SOURCE_NUM	1
Clustered:	False
DistinctCount:	5
Foreign:	False
IgnoreNulls:	False
Name:	SOURCE_NUM
Primary:	False
Required:	False
Unique:	False
Fields:	
SOURCE_NUM	Ascending
SOURCEID	1
Clustered:	False
DistinctCount:	6
Foreign:	False
IgnoreNulls:	False
Name:	SOURCEID
Primary:	False
Required:	False
Unique:	False
Fields:	
SOURCEID	Ascending

User Permissions

- admin
- aizaz
- andrew
- bessie
- chris
- corine
- daria
- designer
- dschmidt
- Emmanuelle
- everett
- guest
- helen

hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Users	

Properties

DateCreated:	5/28/2013 2:34:48 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {E7AB1D79-A73F-454A-A6C5-5656A1D4EC8A}}	HideNewField:	False
LastUpdated:	5/29/2013 10:31:30 AM	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	328	TotalsRow:	False
Updatable:	True		

Columns

Name	Type	Size
sourceTypeId	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
OrdinalPosition:	0	
Required:	False	
SourceField:	sourceTypeId	
SourceTable:	lclSourcesTypebyFacid	
TextAlign:	General	
Facid	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	5	
Required:	False	
SourceField:	Facid	
SourceTable:	lclSourcesTypebyFacid	
TextAlign:	General	
SourceName	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	

CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1935
 DataUpdatable: False
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 7
 Required: False
 SourceField: SourceName
 SourceTable: IclSourcesTypebyFacid
 TextAlign: General
 UnicodeCompression: True

Table Indexes

Name	Number of Fields
Facid	1
Clustered:	False
DistinctCount:	328
Foreign:	False
IgnoreNulls:	False
Name:	Facid
Primary:	False
Required:	False
Unique:	False
Fields:	
Facid	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	328
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
Facid	Ascending
SOURCEID	1
Clustered:	False
DistinctCount:	328
Foreign:	False
IgnoreNulls:	False
Name:	SOURCEID
Primary:	False
Required:	False
Unique:	False
Fields:	
sourceTypeId	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated: 6/7/2011 6:52:56 PM LastUpdated: 6/7/2011 6:52:56 PM
 RecordCount: 0 Updatable: True

Columns

Name	Type	Size
SanitarySurveyID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
DataUpdatable:	False	
OrdinalPosition:	1	
Required:	False	
SourceField:	SanitarySurveyID	
SourceTable:	IclSSCategoryEvalCode	
FACID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
DataUpdatable:	False	
OrdinalPosition:	2	
Required:	False	
SourceField:	FACID	
SourceTable:	IclSSCategoryEvalCode	
InspectionDate	Date With Time	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
DataUpdatable:	False	
OrdinalPosition:	3	
Required:	False	
SourceField:	InspectionDate	
SourceTable:	IclSSCategoryEvalCode	
HealthpriorityID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
DataUpdatable:	False	
OrdinalPosition:	4	
Required:	False	
SourceField:	HealthpriorityID	
SourceTable:	IclSSCategoryEvalCode	
Significant	Yes/No	1

AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	5		
Required:	False		
SourceField:	Significant		
SourceTable:	IclSSCategoryEvalCode		
POVerification		Short Text	50
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	6		
Required:	False		
SourceField:	POVerification		
SourceTable:	IclSSCategoryEvalCode		
SDWISCategory		Short Text	255
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	7		
Required:	False		
SourceField:	SDWISCategory		
SourceTable:	IclSSCategoryEvalCode		

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	

jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	1/29/2010 2:41:33 PM	DefaultView:	2
LastUpdated:	2/12/2012 10:41:54 PM	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	0
Updatable:	True		

Columns

Name	Type	Size
FACID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	0	
Required:	False	
SourceField:	FACID	
SourceTable:	lclSubFacInfo	
UnivUniqueID	Short Text	5
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	UnivUniqueID	
SourceTable:	lclSubFacInfo	
UnicodeCompression:	False	
subfacname	Short Text	50
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	

	DisplayControl:	Text Box		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	2		
	Required:	False		
	SourceField:	subfacname		
	SourceTable:	IclSubFacInfo		
	UnicodeCompression:	True		
Flows			Short Text	50
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	3		
	Required:	False		
	SourceField:	Flows		
	SourceTable:	IclSubFacInfo		
	UnicodeCompression:	True		
Active			Short Text	50
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	4		
	Required:	False		
	SourceField:	Active		
	SourceTable:	IclSubFacInfo		
	UnicodeCompression:	True		
ActivityDate			Date With Time	8
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	2535		
	DataUpdatable:	False		
	IMEMode:	0		

IMESentenceMode:	3
OrdinalPosition:	5
Required:	False
SourceField:	ActivityDate
SourceTable:	lclSubFacInfo

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert

	Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	6/12/2007 12:07:54 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {D6DC07E3-76B3-4C83-A491-8579F61F243F}}	HideNewField:	False
LastUpdated:	9/18/2012 12:45:33 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	1
TotalsRow:	False	Updatable:	True

Columns

Name	Type	Size
IclVersionID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	Default	
DataUpdatable:	False	
GUID:	{guid {E0C4957F-4F47-423C-9D02-872AC608C4D5}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	IclVersionID	
SourceTable:	IclVersionApp	
TextAlign:	General	
Region	Short Text	50
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {E2D85296-5F84-44B0-87EA-5436A4B311D3}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	Region	
SourceTable:	IclVersionApp	
TextAlign:	General	
UnicodeCompression:	True	
IclVersionN	Long Integer	4

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
DisplayControl: Text Box
GUID: {guid {A2339C22-5871-46DA-BF58-AEDD9D15FAA4}}
OrdinalPosition: 2
Required: False
SourceField: IclVersionN
SourceTable: IclVersionApp
TextAlign: General

IclReleaseN Long Integer 4

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
DisplayControl: Text Box
GUID: {guid {429EC537-59D4-402D-B87D-2768C56ADD0C}}
OrdinalPosition: 3
Required: False
SourceField: IclReleaseN
SourceTable: IclVersionApp
TextAlign: General

IclRevisionN Long Integer 4

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
DisplayControl: Text Box
GUID: {guid {F8FED707-E31B-484D-9186-85C648AFFC1F}}
OrdinalPosition: 4
Required: False
SourceField: IclRevisionN
SourceTable: IclVersionApp
TextAlign: General

IclDescription		Long Text	-
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	5280		
DataUpdatable:	False		
GUID:	{guid {AAFE7F64-AFA1-464D-955B-83CDA472E918}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	5		
Required:	False		
SourceField:	IclDescription		
SourceTable:	IclVersionApp		
TextAlign:	General		
UnicodeCompression:	True		
IclReleaseDate		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2145		
DataUpdatable:	False		
Format:	Short Date		
GUID:	{guid {23B837C9-A13D-4996-8640-72DB6886F6FA}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	6		
Required:	False		
SourceField:	IclReleaseDate		
SourceTable:	IclVersionApp		
TextAlign:	General		
DateCreated		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Format:	Short Date		
GUID:	{guid {0232CBE0-FF73-4C43-8C25-A2E43B571095}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	7		

Required:	False
SourceField:	DateCreated
SourceTable:	lclVersionApp
TextAlign:	General

Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
lclVersionID	Ascending
VersionID	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	VersionID
Primary:	False
Required:	False
Unique:	True
Fields:	
lclVersionID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	

jennifer
jimh
judy
karl
kirk
lawonda
linda
max
michael
myrt
navajo
raymond
roberto
roger
sara
test

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated: 9/15/2010 4:35:29 PM LastUpdated: 3/28/2011 3:05:35 PM
RecordCount: 0 Updatable: True

Columns

Name	Type	Size
FACID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
DataUpdatable:	False	
OrdinalPosition:	1	
Required:	False	
SourceField:	FACID	
SourceTable:	IclViolations_ViolationTypeReport	
Combo	Short Text	255
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
DataUpdatable:	False	
OrdinalPosition:	2	
Required:	False	
SourceField:	Combo	
SourceTable:	IclViolations_ViolationTypeReport	
Marker	Short Text	255
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
DataUpdatable:	False	
OrdinalPosition:	3	
Required:	False	
SourceField:	Marker	
SourceTable:	IclViolations_ViolationTypeReport	

User Permissions

- admin
- aizaz
- andrew
- bessie
- chris
- corine
- daria
- designer

dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	7/30/2013 1:37:49 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {8A55757A-0A83-4181-AA46-936758F112BE}}	HideNewField:	False
LastUpdated:	7/30/2013 1:40:44 PM	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	0	TotalsRow:	False
Updatable:	True		

Columns

Name	Type	Size
SDWISVioID	Short Text	20
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	SDWISVioID	
SourceTable:	lclViosDups	
TextAlign:	General	
UnicodeCompression:	True	

Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
SDWISVioID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	2/28/2008 4:11:51 PM	DefaultView:	2
GUID:	{guid {30D1E3E9-DEBC-4448-83C0-D35B7330CD4B}}	LastUpdated:	2/28/2008 4:11:59 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	13
SubDataSheetName:	[Auto]	Updatable:	True

Columns

Name	Type	Size
milestoneID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	internal DIME identifier for Lead and Copper milestone	
DisplayControl:	Text Box	
GUID:	{guid {86B294BF-C47D-4E90-936F-BB95DCE6B73F}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	milestoneID	
SourceTable:	LeadCopperMilestones	
PbCuMilestone	Short Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1755	
DataUpdatable:	False	
Description:	Lead and Copper Milestone	
DisplayControl:	Text Box	
GUID:	{guid {AFB27407-10AB-4ABD-84AF-586865D08109}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	PbCuMilestone	
SourceTable:	LeadCopperMilestones	
UnicodeCompression:	True	

Table Indexes

Name	Number of Fields
------	------------------

milestoneID	1
Clustering:	False
DistinctCount:	13
Foreign:	False
IgnoreNulls:	False
Name:	milestoneID
Primary:	False
Required:	False
Unique:	False
Fields:	
milestoneID	Ascending
PrimaryKey	1
Clustering:	False
DistinctCount:	13
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
milestoneID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	

michael
myrt
navajo
raymond
roberto
roger
sara
test

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	10/28/2013 6:42:06 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {925A17D8-FF9B-4D03-A180-F7E16E8FC3A4}}	HideNewField:	False
LastUpdated:	10/28/2013 6:42:06 PM	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	4	TotalsRow:	False
Updatable:	True		

Columns

Name	Type	Size
LevelSpecID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
OrdinalPosition:	0	
Required:	False	
SourceField:	LevelSpecID	
SourceTable:	LevelSpecs	
TextAlign:	General	
LevelName	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	LevelName	
SourceTable:	LevelSpecs	
TextAlign:	General	
UnicodeCompression:	True	
LevelNumber	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	

AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: LevelNumber
 SourceTable: LevelSpecs
 TextAlign: General
 UnicodeCompression: True

LevelData1

Short Text

255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: LevelData1
 SourceTable: LevelSpecs
 TextAlign: General
 UnicodeCompression: True

LevelData2

Short Text

255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False
 SourceField: LevelData2
 SourceTable: LevelSpecs
 TextAlign: General

UnicodeCompression:	True		
LevelData3		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	5		
Required:	False		
SourceField:	LevelData3		
SourceTable:	LevelSpecs		
TextAlign:	General		
UnicodeCompression:	True		
LevelData4		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	6		
Required:	False		
SourceField:	LevelData4		
SourceTable:	LevelSpecs		
TextAlign:	General		
UnicodeCompression:	True		
LevelData5		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	7/3/2013 4:34:05 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {6DE6AAF1-9C1D-46B2-9FED-C8993382D4BC}}	HideNewField:	False
LastUpdated:	7/3/2013 4:34:11 PM	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	3	TotalsRow:	False
Updatable:	True		

Columns

Name	Type	Size
ETTTextID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal DIME ETT letter text element identifier	
OrdinalPosition:	0	
Required:	False	
SourceField:	ETTTextID	
SourceTable:	IkpETTLetterText	
TextAlign:	General	
PACode	Short Text	2
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Primacy Agency Code, lookup in table BoundToSwitcher	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	PACode	
SourceTable:	IkpETTLetterText	
TextAlign:	General	
UnicodeCompression:	True	
ReportName	Short Text	255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Name of Report
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: ReportName
 SourceTable: IkpETTLetterText
 TextAlign: General
 UnicodeCompression: True

Status Short Text 255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: 'RTC' means all Violations have been addressed, 'Unaddressed'
 means that there are still unaddressed violations in date range
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: Status
 SourceTable: IkpETTLetterText
 TextAlign: General
 UnicodeCompression: False

ETTlow Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: ETT low range value
 DisplayControl: Text Box

OrdinalPosition:	4		
Required:	False		
SourceField:	ETTlow		
SourceTable:	IkpETTLetterText		
TextAlign:	General		
ETThigh		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	ETT high range value		
DisplayControl:	Text Box		
OrdinalPosition:	5		
Required:	False		
SourceField:	ETThigh		
SourceTable:	IkpETTLetterText		
TextAlign:	General		
Paragraph1Section1		Long Text	-
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2145		
DataUpdatable:	False		
Description:	Text for Paragraph 1 Section 1		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	6		
Required:	False		
SourceField:	Paragraph1Section1		
SourceTable:	IkpETTLetterText		
TextAlign:	General		
TextFormat:	Plain Text		
UnicodeCompression:	True		
Paragraph1Section2		Long Text	-
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2145		

DataUpdatable: False
Description: Text for Paragraph 1 Section 2
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 7
Required: False
SourceField: Paragraph1Section2
SourceTable: IkpETTLetterText
TextAlign: General
TextFormat: Plain Text
UnicodeCompression: True

Paragraph1Section3 Long Text -

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 2145
DataUpdatable: False
Description: Text for Paragraph 1 Section 3
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 8
Required: False
SourceField: Paragraph1Section3
SourceTable: IkpETTLetterText
TextAlign: General
TextFormat: Plain Text
UnicodeCompression: True

Paragraph1Section4 Long Text -

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 2145
DataUpdatable: False
Description: Text for Paragraph 1 Section 4
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 9
Required: False
SourceField: Paragraph1Section4
SourceTable: IkpETTLetterText
TextAlign: General
TextFormat: Plain Text
UnicodeCompression: True

Paragraph1Section5 Long Text -

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 2145
DataUpdatable: False
Description: Text for Paragraph 1 Section 5
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 10
Required: False
SourceField: Paragraph1Section5
SourceTable: lkpETTLetterText
TextAlign: General
TextFormat: Plain Text
UnicodeCompression: True

Paragraph2Section1 Long Text -

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 2160
DataUpdatable: False
Description: Text for Paragraph 2 Section 1
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 11
Required: False
SourceField: Paragraph2Section1
SourceTable: lkpETTLetterText
TextAlign: General
TextFormat: Plain Text
UnicodeCompression: True

Paragraph2Section2 Long Text -

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 2160
DataUpdatable: False
Description: Text for Paragraph 2 Section 2
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 12

Required: False
SourceField: Paragraph2Section2
SourceTable: IkpETTLetterText
TextAlign: General
TextFormat: Plain Text
UnicodeCompression: True

Paragraph2Section3 Long Text -

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 2160
DataUpdatable: False
Description: Text for Paragraph 2 Section 3
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 13
Required: False
SourceField: Paragraph2Section3
SourceTable: IkpETTLetterText
TextAlign: General
TextFormat: Plain Text
UnicodeCompression: True

Paragraph2Section4 Long Text -

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 2160
DataUpdatable: False
Description: Text for Paragraph 2 Section 4
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 14
Required: False
SourceField: Paragraph2Section4
SourceTable: IkpETTLetterText
TextAlign: General
TextFormat: Plain Text
UnicodeCompression: True

Paragraph2Section5 Long Text -

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General

ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 2160
DataUpdatable: False
Description: Text for Paragraph 2 Section 5
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 15
Required: False
SourceField: Paragraph2Section5
SourceTable: lkpETTLetterText
TextAlign: General
TextFormat: Plain Text
UnicodeCompression: True

Paragraph3Section1 Long Text -

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 2145
DataUpdatable: False
Description: Text for Paragraph 3 Section 1
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 16
Required: False
SourceField: Paragraph3Section1
SourceTable: lkpETTLetterText
TextAlign: General
TextFormat: Plain Text
UnicodeCompression: True

Paragraph3Section2 Long Text -

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 2145
DataUpdatable: False
Description: Text for Paragraph 3 Section 2
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 17
Required: False
SourceField: Paragraph3Section2
SourceTable: lkpETTLetterText
TextAlign: General
TextFormat: Plain Text

UnicodeCompression:	True		
Paragraph3Section3		Long Text	-
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2145		
DataUpdatable:	False		
Description:	Text for Paragraph 3 Section 3		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	18		
Required:	False		
SourceField:	Paragraph3Section3		
SourceTable:	IkpETTLetterText		
TextAlign:	General		
TextFormat:	Plain Text		
UnicodeCompression:	True		
Paragraph3Section4		Long Text	-
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2145		
DataUpdatable:	False		
Description:	Text for Paragraph 3 Section 4		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	19		
Required:	False		
SourceField:	Paragraph3Section4		
SourceTable:	IkpETTLetterText		
TextAlign:	General		
TextFormat:	Plain Text		
UnicodeCompression:	True		
Paragraph3Section5		Long Text	-
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2145		
DataUpdatable:	False		
Description:	Text for Paragraph 3 Section 5		

IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 20
Required: False
SourceField: Paragraph3Section5
SourceTable: IkpETTLetterText
TextAlign: General
TextFormat: Plain Text
UnicodeCompression: True

Paragraph4Section1 Long Text -

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 2145
DataUpdatable: False
Description: Text for Paragraph 4 Section 1
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 21
Required: False
SourceField: Paragraph4Section1
SourceTable: IkpETTLetterText
TextAlign: General
TextFormat: Plain Text
UnicodeCompression: True

Paragraph4Section2 Long Text -

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 2145
DataUpdatable: False
Description: Text for Paragraph 4 Section 2
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 22
Required: False
SourceField: Paragraph4Section2
SourceTable: IkpETTLetterText
TextAlign: General
TextFormat: Plain Text
UnicodeCompression: True

Paragraph4Section3 Long Text -

AggregateType: -1
AllowZeroLength: True

AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 2145
DataUpdatable: False
Description: Text for Paragraph 4 Section 3
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 23
Required: False
SourceField: Paragraph4Section3
SourceTable: lkpETTLetterText
TextAlign: General
TextFormat: Plain Text
UnicodeCompression: True

Paragraph4Section4 Long Text -

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 2145
DataUpdatable: False
Description: Text for Paragraph 4 Section 4
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 24
Required: False
SourceField: Paragraph4Section4
SourceTable: lkpETTLetterText
TextAlign: General
TextFormat: Plain Text
UnicodeCompression: True

Paragraph4Section5 Long Text -

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 2145
DataUpdatable: False
Description: Text for Paragraph 4 Section 5
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 25
Required: False
SourceField: Paragraph4Section5

SourceTable: IkpETTLetterText
 TextAlign: General
 TextFormat: Plain Text
 UnicodeCompression: True

Table Indexes

Name	Number of Fields
ETTletterTextID	1
Clustered:	False
DistinctCount:	3
Foreign:	False
IgnoreNulls:	False
Name:	ETTletterTextID
Primary:	False
Required:	False
Unique:	False
Fields:	
ETTTextID	Ascending
PACode	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	PACode
Primary:	False
Required:	False
Unique:	False
Fields:	
PACode	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	3
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
ETTTextID	Ascending

User Permissions

- admin
- aizaz
- andrew
- bessie
- chris
- corine
- daria

designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	8/15/2011 12:28:26 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {5C5D3118-ABFC-4024-AB3E-3E3DA7FB0BD6}}	HideNewField:	False
LastUpdated:	10/25/2011 3:15:00 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	1
TotalsRow:	False	Updatable:	True

Columns

Name	Type	Size
tmpImportID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	450	
DataUpdatable:	False	
OrdinalPosition:	0	
Required:	False	
SourceField:	tmpImportID	
SourceTable:	lkpExcelImportfileNames	
TextAlign:	General	
SheetName	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2085	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	SheetName	
SourceTable:	lkpExcelImportfileNames	
TextAlign:	General	
UnicodeCompression:	True	
SheetCategory	Short Text	255
AggregateType:	-1	
AllowValueListEdits:	True	

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 1
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2430
 DataUpdatable: False
 Description: PDS, DWIG_IA, DWIG_DG
 DisplayControl: Combo Box
 IMEMode: 0
 IMESentenceMode: 3
 LimitToList: False
 ListRows: 16
 ListWidth: 0twip
 OrdinalPosition: 2
 Required: False
 RowSource: "PDS";"DWIG_IA";"DWIG_DG";"ETT"
 RowSourceType: Value List
 ShowOnlyRowSourceValues: False
 SourceField: SheetCategory
 SourceTable: IkpExcelImportfileNames
 TextAlign: General
 UnicodeCompression: True

StartingRow Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 555
 DataUpdatable: False
 DecimalPlaces: Auto
 DisplayControl: Text Box
 OrdinalPosition: 3
 Required: False
 SourceField: StartingRow
 SourceTable: IkpExcelImportfileNames
 TextAlign: General

EndingRow Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default

DataUpdatable: False
DecimalPlaces: Auto
DisplayControl: Text Box
OrdinalPosition: 4
Required: False
SourceField: EndingRow
SourceTable: IkpExcelImportfileNames
TextAlign: General

StartingCol Short Text 3

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 465
DataUpdatable: False
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 5
Required: False
SourceField: StartingCol
SourceTable: IkpExcelImportfileNames
TextAlign: General
UnicodeCompression: False

EndingCol Short Text 3

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 540
DataUpdatable: False
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 6
Required: False
SourceField: EndingCol
SourceTable: IkpExcelImportfileNames
TextAlign: General
UnicodeCompression: False

tmpImportFileName Short Text 255

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General

ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 3375
 DataUpdatable: False
 Description: file name where sheet will be imported
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 7
 Required: False
 SourceField: tmpImportFileName
 SourceTable: lkpExcelImportfileNames
 TextAlign: General
 UnicodeCompression: True

AppendDatatoTable Short Text 255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Perm data table Name
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 8
 Required: False
 SourceField: AppendDatatoTable
 SourceTable: lkpExcelImportfileNames
 TextAlign: General
 UnicodeCompression: True

Active Yes/No 1

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: 106
 Format: Yes/No
 OrdinalPosition: 9
 Required: False
 SourceField: Active
 SourceTable: lkpExcelImportfileNames
 TextAlign: General

DateCreated Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date record was created
 Format: Short Date
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 10
 Required: False
 ShowDatePicker: For dates
 SourceField: DateCreated
 SourceTable: IkpExcelImportfileNames
 TextAlign: General

CreatedByUser Short Text 255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: User who created record
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 11
 Required: False
 SourceField: CreatedByUser
 SourceTable: IkpExcelImportfileNames
 TextAlign: General
 UnicodeCompression: True

DateUpdated Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date record was updated
 Format: Short Date
 IMEMode: 0
 IMESentenceMode: 3

OrdinalPosition: 12
 Required: False
 ShowDatePicker: For dates
 SourceField: DateUpdated
 SourceTable: IkpExcelImportfileNames
 TextAlign: General

UpdatedbyUser Short Text 255
 AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: User who updated record
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 13
 Required: False
 SourceField: UpdatedbyUser
 SourceTable: IkpExcelImportfileNames
 TextAlign: General
 UnicodeCompression: True

Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustering:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
tmpImportID	Ascending

User Permissions

- admin
- aizaz
- andrew
- bessie
- chris
- corine
- daria

designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

AlternateBackShade:	100	AlternateBackThemeColorIn	-1
AlternateBackTint:	100	BackShade:	100
BackTint:	100	DatasheetFontHeight:	9
DatasheetFontItalic:	False	DatasheetFontName:	Calibri
DatasheetFontUnderline:	False	DatasheetFontWeight:	Normal
DatasheetForeColor:	0	DatasheetForeColor12:	0
DatasheetForeThemeColorIn	-1	DatasheetGridlinesThemeCol	-1
DateCreated:	3/18/2013 2:07:12 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {ED99C576-E754-4CEC-AB5D-7365438E4C43}}	HideNewField:	False
LastUpdated:	9/25/2014 1:21:50 PM	OrderBy:	[IkpGlobalCode].[CodeId]
OrderByOn:	True	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	43
TabularCharSet:	238	TabularFamily:	34
ThemeFontIndex:	-1	TotalsRow:	False
Updatable:	True		

Columns

Name	Type	Size
CodeId	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	645	
CurrencyLCID:	0	
DataUpdatable:	False	
OrdinalPosition:	0	
Required:	False	
SourceField:	CodeId	
SourceTable:	IkpGlobalCode	
TextAlign:	General	
Code	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2820	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	Global code value used in the userpreference table	
DisplayControl:	Text Box	

IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 1
 Required: False
 SourceField: Code
 SourceTable: IkpGlobalCode
 TextAlign: General
 UnicodeCompression: True

CodeLabel Short Text 255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 4365
 CurrencyLCID: 0
 DataUpdatable: False
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: CodeLabel
 SourceTable: IkpGlobalCode
 TextAlign: General
 UnicodeCompression: True

CodeCategory Short Text 255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2370
 CurrencyLCID: 0
 DataUpdatable: False
 Description: category defines the userprefence category - for example frmReport is the category
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: CodeCategory
 SourceTable: IkpGlobalCode
 TextAlign: General
 UnicodeCompression: True

CodeFlag Short Text 255

AggregateType: -1

AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 1005
CurrencyLCID: 0
DataUpdatable: False
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 4
Required: False
SourceField: CodeFlag
SourceTable: IkpGlobalCode
TextAlign: General
UnicodeCompression: True

CodeDescription Short Text 255

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 2070
CurrencyLCID: 0
DataUpdatable: False
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 5
Required: False
SourceField: CodeDescription
SourceTable: IkpGlobalCode
TextAlign: General
UnicodeCompression: True

DateCreated Short Text 255

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 420
CurrencyLCID: 0
DataUpdatable: False
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 6

	Required:	False		
	SourceField:	DateCreated		
	SourceTable:	IkpGlobalCode		
	TextAlign:	General		
	UnicodeCompression:	True		
DefaultValue			Short Text	255
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	525		
	CurrencyLCID:	0		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	7		
	Required:	False		
	SourceField:	DefaultValue		
	SourceTable:	IkpGlobalCode		
	TextAlign:	General		
	UnicodeCompression:	True		
Seq			Long Integer	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	1380		
	CurrencyLCID:	0		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	DisplayControl:	Text Box		
	OrdinalPosition:	8		
	Required:	False		
	SourceField:	Seq		
	SourceTable:	IkpGlobalCode		
	TextAlign:	General		
OnlyAdminCanChange			Yes/No	1
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	1710		

CurrencyLCID: 0
 DataUpdatable: False
 DisplayControl: 106
 Format: Yes/No
 OrdinalPosition: 9
 Required: False
 SourceField: OnlyAdminCanChange
 SourceTable: IkpGlobalCode
 TextAlign: General

UserPreference Yes/No 1


AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: User preference check so we can append to every user with default values
 DisplayControl: 106
 Format: Yes/No
 OrdinalPosition: 10
 Required: False
 SourceField: UserPreference
 SourceTable: IkpGlobalCode
 TextAlign: General

ShowBrowser Yes/No 1

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: from the frmPreference show the user browser to change the path
 DisplayControl: 106
 Format: Yes/No
 OrdinalPosition: 11
 Required: False
 SourceField: ShowBrowser
 SourceTable: IkpGlobalCode
 TextAlign: General

Relationships

IkpGlobalCodeDelete_IkpDefaultPreferences



Attributes: Not Enforced
 RelationshipType: Indeterminate

Table Indexes

Name	Number of Fields
Code	1
Clustered:	False
DistinctCount:	43
Foreign:	False
IgnoreNulls:	False
Name:	Code
Primary:	False
Required:	False
Unique:	False
Fields:	
Code	Ascending
CodeCategory	1
Clustered:	False
DistinctCount:	18
Foreign:	False
IgnoreNulls:	False
Name:	CodeCategory
Primary:	False
Required:	False
Unique:	False
Fields:	
CodeCategory	Ascending
CodeDescription	1
Clustered:	False
DistinctCount:	11
Foreign:	False
IgnoreNulls:	False
Name:	CodeDescription
Primary:	False
Required:	False
Unique:	False
Fields:	
CodeDescription	Ascending
CodeFlag	1
Clustered:	False
DistinctCount:	5
Foreign:	False
IgnoreNulls:	False
Name:	CodeFlag
Primary:	False

	Required:	False
	Unique:	False
	Fields:	
	CodeFlag	Ascending
CodeId		1
	Clustered:	False
	DistinctCount:	43
	Foreign:	False
	IgnoreNulls:	False
	Name:	CodeId
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	CodeId	Ascending
PrimaryKey		1
	Clustered:	False
	DistinctCount:	43
	Foreign:	False
	IgnoreNulls:	False
	Name:	PrimaryKey
	Primary:	True
	Required:	True
	Unique:	True
	Fields:	
	Code	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	

kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	1/28/2011 3:51:13 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {651B1C73-6BEC-41F2-B745-38F8AB64F596}}	HideNewField:	False
LastUpdated:	1/28/2011 3:51:13 PM	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	27	TotalsRow:	False
Updatable:	True		

Columns

Name	Type	Size
chem_group_name	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	4605	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	0	
Required:	False	
SourceField:	chem_group_name	
SourceTable:	IkpGroupViolationTypes	
TextAlign:	General	
UnicodeCompression:	False	
SimpleDesc	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	SimpleDesc	
SourceTable:	IkpGroupViolationTypes	
TextAlign:	General	
UnicodeCompression:	True	

Combo	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	4605	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	2	
Required:	False	
SourceField:	Combo	
SourceTable:	IkpGroupViolationTypes	
TextAlign:	General	
UnicodeCompression:	True	

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	

roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	11/4/2009 4:38:49 PM	DefaultView:	2
LastUpdated:	11/4/2009 4:38:49 PM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	3	Updatable:	True

Columns

Name	Type	Size
InspectionTypeId	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
OrdinalPosition:	0	
Required:	False	
SourceField:	InspectionTypeId	
SourceTable:	lkpInspectionType	
InspectionType	Short Text	50
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Inspection Type Name	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	InspectionType	
SourceTable:	lkpInspectionType	
UnicodeCompression:	True	
DateCreated	Date With Time	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Format:	General Date	

IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: DateCreated
 SourceTable: IkpInspectionType

CreatedBy Short Text 50
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: CreatedBy
 SourceTable: IkpInspectionType
 UnicodeCompression: True

Table Indexes

Name	Number of Fields
InspectionType	1
Clustered:	False
DistinctCount:	3
Foreign:	False
IgnoreNulls:	False
Name:	InspectionType
Primary:	False
Required:	False
Unique:	True
Fields:	
InspectionType	Ascending
InspectionTypeId	1
Clustered:	False
DistinctCount:	3
Foreign:	False
IgnoreNulls:	False
Name:	InspectionTypeId
Primary:	False
Required:	False
Unique:	False
Fields:	
InspectionTypeId	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	3
Foreign:	False

IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
InspectionTypeId	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
--------	----------------------------------------------------------------------------------------------------------------------------------------------

DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	7/15/2011 3:57:18 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {1D3952FF-0EB2-451D-9EE9-1A22FC86E082}}	HideNewField:	False
LastUpdated:	9/30/2013 4:27:19 PM	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	3	TotalsRow:	False
Updatable:	True		

Columns

Name	Type	Size
rptprefID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal DIME report preference identifier	
OrdinalPosition:	0	
Required:	False	
SourceField:	rptprefID	
SourceTable:	IkpReportPreferences	
TextAlign:	General	
PACode	Short Text	2
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	two character primacy agency code, e.g. "09" or "NN" or "AS" or "01"	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	True	
SourceField:	PACode	
SourceTable:	IkpReportPreferences	
TextAlign:	General	
UnicodeCompression:	True	
rptNamedefault	Short Text	255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 4140
 DataUpdatable: False
 Description: DIME report name (primary version)
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: rptNamedefault
 SourceTable: IkpReportPreferences
 TextAlign: General
 UnicodeCompression: True

altrptName Short Text 255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 4140
 DataUpdatable: False
 Description: Alternative report name
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: altrptName
 SourceTable: IkpReportPreferences
 TextAlign: General
 UnicodeCompression: True

Table Indexes

Name	Number of Fields
PACode	1
Clustered:	False
DistinctCount:	2
Foreign:	False
IgnoreNulls:	False
Name:	PACode
Primary:	False
Required:	False
Unique:	False

Fields:	
PACode	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	3
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
rptprefID	Ascending
rptprefID	1
Clustered:	False
DistinctCount:	3
Foreign:	False
IgnoreNulls:	False
Name:	rptprefID
Primary:	False
Required:	False
Unique:	False
Fields:	
rptprefID	Ascending

User Permissions

- admin
- aizaz
- andrew
- bessie
- chris
- corine
- daria
- designer
- dschmidt
- Emmanuelle
- everett
- guest
- helen
- hillary
- jack
- jamelya
- Jason
- jelani
- jennifer
- jimh
- judy
- karl
- kirk
- lawonda

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	4/1/2013 2:50:48 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {378E00A3-D7DB-4D89-88A9-A2F3E83C3A7A}}	HideNewField:	False
LastUpdated:	4/1/2013 2:50:48 PM	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	0	TotalsRow:	False
Updatable:	True		

Columns

Name	Type	Size
reqFieldID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal DIME required field specification identifier	
OrdinalPosition:	0	
Required:	False	
SourceField:	reqFieldID	
SourceTable:	IkpRequiredFields	
TextAlign:	General	
TableName	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Name of the table in which the required field exists.	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	TableName	
SourceTable:	IkpRequiredFields	
TextAlign:	General	
UnicodeCompression:	True	
FieldName	Short Text	255

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Name of the required field.
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 2
Required: False
SourceField: FieldName
SourceTable: IkpRequiredFields
TextAlign: General
UnicodeCompression: True

FormName Short Text 255

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Name of the form upon which the required field exists.
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 3
Required: False
SourceField: FormName
SourceTable: IkpRequiredFields
TextAlign: General
UnicodeCompression: True

ObjectName Short Text 255

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Name of the object which is the control source of the required field.
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3

OrdinalPosition: 4
 Required: False
 SourceField: ObjectName
 SourceTable: IkpRequiredFields
 TextAlign: General
 UnicodeCompression: True

FieldNameEnglish Short Text 255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: A more descriptive field name than what may be the database fieldname.
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 5
 Required: False
 SourceField: FieldNameEnglish
 SourceTable: IkpRequiredFields
 TextAlign: General
 UnicodeCompression: True

RequiredMessage Short Text 255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Message that may be customized to describe the input required for the field.
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 6
 Required: False
 SourceField: RequiredMessage
 SourceTable: IkpRequiredFields
 TextAlign: General
 UnicodeCompression: True

RequiredStatus Yes/No 1

AggregateType: -1
 AllowZeroLength: False

AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Switch that allows required fields to be turned on and off without deleting entry from this table.
 DisplayControl: 106
 Format: Yes/No
 OrdinalPosition: 7
 Required: False
 SourceField: RequiredStatus
 SourceTable: IkpRequiredFields
 TextAlign: General

Lastupdate Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date of Last Update
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 8
 Required: False
 ShowDatePicker: For dates
 SourceField: Lastupdate
 SourceTable: IkpRequiredFields
 TextAlign: General

CurrentUpdateUser Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Current User At Time of Update
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 9
 Required: False
 SourceField: CurrentUpdateUser
 SourceTable: IkpRequiredFields

TextAlign:	General		
UnicodeCompression:	True		
DateCreated		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Date that record was created.		
Format:	General Date		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	10		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	DateCreated		
SourceTable:	IkpRequiredFields		
TextAlign:	General		
CreatedBy		Short Text	50
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	user who created record		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	11		
Required:	False		
SourceField:	CreatedBy		
SourceTable:	IkpRequiredFields		
TextAlign:	General		
UnicodeCompression:	True		

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
PrimaryKey	2
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True

Required:	True
Unique:	True
Fields:	
TableName	Ascending
FieldName	Ascending
reqFieldID	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	reqFieldID
Primary:	False
Required:	False
Unique:	False
Fields:	
reqFieldID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

sara
test

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	11/20/2012 4:26:41 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {1A2CA33E-83A5-4AD4-AD3E-DD0743A2B9F5}}	HideNewField:	False
LastUpdated:	8/20/2013 4:34:38 PM	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	6	TotalsRow:	False
Updatable:	True		

Columns

Name	Type	Size
Roles	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	5220	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	0	
Required:	False	
SourceField:	Roles	
SourceTable:	IkpRolesDesc	
TextAlign:	General	
UnicodeCompression:	True	
Read	Yes/No	1
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	106	
Format:	Yes/No	
OrdinalPosition:	1	
Required:	False	
SourceField:	Read	
SourceTable:	IkpRolesDesc	
TextAlign:	General	
WriteInventory	Yes/No	1

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: 106
 Format: Yes/No
 OrdinalPosition: 2
 Required: False
 SourceField: WriteInventory
 SourceTable: IkpRolesDesc
 TextAlign: General

WriteContacts Yes/No 1

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: 106
 Format: Yes/No
 OrdinalPosition: 3
 Required: False
 SourceField: WriteContacts
 SourceTable: IkpRolesDesc
 TextAlign: General

WriteActions Yes/No 1

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: 106
 Format: Yes/No
 OrdinalPosition: 4
 Required: False
 SourceField: WriteActions
 SourceTable: IkpRolesDesc
 TextAlign: General

WriteVios Yes/No 1

AggregateType: -1

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: 106
 Format: Yes/No
 OrdinalPosition: 5
 Required: False
 SourceField: WriteVios
 SourceTable: IkpRolesDesc
 TextAlign: General

Chem_TCR_Date Yes/No 1

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: 106
 Format: Yes/No
 OrdinalPosition: 6
 Required: False
 SourceField: Chem_TCR_Date
 SourceTable: IkpRolesDesc
 TextAlign: General

Everything Yes/No 1

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: 106
 Format: Yes/No
 OrdinalPosition: 7
 Required: False
 SourceField: Everything
 SourceTable: IkpRolesDesc
 TextAlign: General

DateCreated Date With Time 8

AggregateType: -1
 AllowZeroLength: False

AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Format: Short Date
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 8
Required: False
ShowDatePicker: For dates
SourceField: DateCreated
SourceTable: IkpRolesDesc
TextAlign: General

CreatedBy Date With Time 8


AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 9
Required: False
ShowDatePicker: For dates
SourceField: CreatedBy
SourceTable: IkpRolesDesc
TextAlign: General

seq Integer 2

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
DisplayControl: Text Box
OrdinalPosition: 10
Required: False
SourceField: seq
SourceTable: IkpRolesDesc
TextAlign: General

Relationships

tblUserRolesIkpRolesDesc



Attributes: Not Enforced
 RelationshipType: Indeterminate

Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	6
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
Roles	Ascending

User Permissions

- admin
- aizaz
- andrew
- bessie
- chris
- corine
- daria
- designer Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
- dschmidt
- Emmanuelle
- everett
- guest
- helen
- hillary
- jack
- jamelya
- Jason
- jelani
- jennifer
- jimh
- judy
- karl
- kirk

lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	4/3/2013 1:23:49 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {464180EF-FD62-4DC0-BA0D-89403C987C66}}	HideNewField:	False
LastUpdated:	5/7/2013 1:35:27 PM	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	29	TotalsRow:	False
Updatable:	True		

Columns

Name	Type	Size
SSstatusID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	internal DIME Sanitary Survey status Idenifer	
DisplayControl:	Text Box	
OrdinalPosition:	0	
Required:	False	
SourceField:	SSstatusID	
SourceTable:	IkpSanitarySurveyStatus	
TextAlign:	General	
SSfreq	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Frequency of sanitary surveys, in years	
DisplayControl:	Text Box	
OrdinalPosition:	1	
Required:	False	
SourceField:	SSfreq	
SourceTable:	IkpSanitarySurveyStatus	
TextAlign:	General	
SystemClassID	Long Integer	4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1695
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: PWS Classification code, lookup in FacilityClassifications
 DisplayControl: Text Box
 OrdinalPosition: 2
 Required: False
 SourceField: SystemClassID
 SourceTable: IkpSanitarySurveyStatus
 TextAlign: General

PWSStatus Short Text 255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 6000
 DataUpdatable: False
 Description: Text description of PWS Sanitary Survey Requirement status
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: PWSStatus
 SourceTable: IkpSanitarySurveyStatus
 TextAlign: General
 UnicodeCompression: True

SourceWaterCode Short Text 3

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Ground Water "GW" or Surface Water "SW"
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False

SourceField: SourceWaterCode
 SourceTable: IkpSanitarySurveyStatus
 TextAlign: General
 UnicodeCompression: True

Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	29
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
SSstatusID	Ascending
SourceWaterCode	1
Clustered:	False
DistinctCount:	4
Foreign:	False
IgnoreNulls:	False
Name:	SourceWaterCode
Primary:	False
Required:	False
Unique:	False
Fields:	
SourceWaterCode	Ascending
SSstatusID	1
Clustered:	False
DistinctCount:	29
Foreign:	False
IgnoreNulls:	False
Name:	SSstatusID
Primary:	False
Required:	False
Unique:	False
Fields:	
SSstatusID	Ascending
SystemClassID	1
Clustered:	False
DistinctCount:	3
Foreign:	False
IgnoreNulls:	False
Name:	SystemClassID
Primary:	False
Required:	False
Unique:	False
Fields:	
SystemClassID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	7/23/2007 12:57:02 PM	DefaultView:	2
GUID:	{guid {D9CAF221-FCA7-4EFD-BC7F-3F45D8437137}}	LastUpdated:	10/26/2010 5:04:34 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	38
Updatable:	True		

Columns

Name	Type	Size
ID	Long Integer	4
AllowZeroLength: False AppendOnly: False Attributes: Fixed Size, Auto-Increment CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False GUID: {guid {F2A602FB-7FB9-48D4-B41F-DECDEF2AD9F3}} OrdinalPosition: 0 Required: False SourceField: ID SourceTable: LLCOLLECTIONMETHOD		
ODScollmethcode	Short Text	255
AllowZeroLength: True AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False DisplayControl: Text Box GUID: {guid {E6E3BAEF-31F5-42E9-A33E-FB2D757948B4}} IMEMode: 0 IMESentenceMode: 3 OrdinalPosition: 1 Required: False SourceField: ODScollmethcode SourceTable: LLCOLLECTIONMETHOD UnicodeCompression: False		
CollectionMethod	Short Text	255
AllowZeroLength: True AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default		

ColumnWidth: 9216
 DataUpdatable: False
 DisplayControl: Text Box
 GUID: {guid {BAE6A2D6-F141-4799-BBEF-F6E35F58C069}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: CollectionMethod
 SourceTable: LLCOLLECTIONMETHOD
 UnicodeCompression: False

DateCreated Date With Time 8

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date that record was created.
 Format: Short Date
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: DateCreated
 SourceTable: LLCOLLECTIONMETHOD

CreatedBy Short Text 50

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Created by when the record is created
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False
 SourceField: CreatedBy
 SourceTable: LLCOLLECTIONMETHOD
 UnicodeCompression: True

Table Indexes

Name	Number of Fields
ODScollmethode	1
Clustered:	False
DistinctCount:	38

Foreign:	False
IgnoreNulls:	False
Name:	ODScollmethcode
Primary:	False
Required:	False
Unique:	False
Fields:	
ODScollmethcode	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	38
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
ID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	

raymond
roberto
roger
sara
test

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	7/23/2007 12:57:03 PM	DefaultView:	2
GUID:	{guid {98BC7A52-4C1F-4163-9D37-4DE1FB77B269}}	LastUpdated:	3/10/2009 4:02:40 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	30
Updatable:	True		

Columns

Name	Type	Size
ID	Long Integer	4
AllowZeroLength: False AppendOnly: False Attributes: Fixed Size, Auto-Increment CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False GUID: {guid {C42FB396-AE16-430E-B1B9-8B224D0FB4B0}} OrdinalPosition: 0 Required: False SourceField: ID SourceTable: LLDESCRIPTION		
ODSDescriptionCode	Short Text	255
AllowZeroLength: True AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False DisplayControl: Text Box GUID: {guid {1967CF7B-82C3-4D09-9EF7-CF91160D80F0}} IMEMode: 0 IMESentenceMode: 3 OrdinalPosition: 1 Required: False SourceField: ODSDescriptionCode SourceTable: LLDESCRIPTION UnicodeCompression: False		
LLDescription	Short Text	255
AllowZeroLength: True AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default		

ColumnWidth: 4380
 DataUpdatable: False
 DisplayControl: Text Box
 GUID: {guid {3FB3CE53-82B3-4C63-9E10-1AF6C8366701}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: LLDescription
 SourceTable: LLDESCRIPTION
 UnicodeCompression: False

DateCreated Date With Time 8

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date that record was created.
 Format: Short Date
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: DateCreated
 SourceTable: LLDESCRIPTION

CreatedBy Short Text 50

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Created by when the record is created
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False
 SourceField: CreatedBy
 SourceTable: LLDESCRIPTION
 UnicodeCompression: True

Table Indexes

Name	Number of Fields
ODSDescriptionCode	1
Clustered:	False
DistinctCount:	29

Foreign:	False
IgnoreNulls:	False
Name:	ODSDescriptionCode
Primary:	False
Required:	False
Unique:	False
Fields:	
ODSDescriptionCode	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	30
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
ID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	

raymond
roberto
roger
sara
test

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated: 7/23/2007 12:57:03 PM DefaultView: 2
 GUID: {guid {443DB44D-4BFC-4E51-8857-38AC57B1E02C}} LastUpdated: 10/26/2010 5:39:16 PM
 NameMap: Long binary data OrderByOn: False
 Orientation: Left-to-Right RecordCount: 5
 Updatable: True

Columns

Name	Type	Size
ID	Long Integer	4
AllowZeroLength: False AppendOnly: False Attributes: Fixed Size, Auto-Increment CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False GUID: {guid {F254DB3E-BB8A-4E3C-A99C-E7FF60B46448}} OrdinalPosition: 0 Required: False SourceField: ID SourceTable: LLGEOMETRICTYPE		
ODSGeometricCode	Short Text	255
AllowZeroLength: True AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False DisplayControl: Text Box GUID: {guid {1F6B118D-1F41-48A9-9D13-06CB6C71E7AB}} IMEMode: 0 IMESentenceMode: 3 OrdinalPosition: 1 Required: False SourceField: ODSGeometricCode SourceTable: LLGEOMETRICTYPE UnicodeCompression: False		
GEOMETRICTYPE	Short Text	255
AllowZeroLength: True AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default		

ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 GUID: {guid {A049B64E-D037-4988-823F-5D16EA21325F}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: GEOMETRICTYPE
 SourceTable: LLGEOMETRICTYPE
 UnicodeCompression: False

DateCreated Date With Time 8
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date that record was created.
 Format: Short Date
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: DateCreated
 SourceTable: LLGEOMETRICTYPE

CreatedBy Short Text 50
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Created by when the record is created
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False
 SourceField: CreatedBy
 SourceTable: LLGEOMETRICTYPE
 UnicodeCompression: True

Table Indexes

Name	Number of Fields
ODSGeometricCode	1
Clustered:	False
DistinctCount:	5

Foreign:	False
IgnoreNulls:	False
Name:	ODSGeometricCode
Primary:	False
Required:	False
Unique:	False
Fields:	
ODSGeometricCode	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	5
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
ID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	

raymond
roberto
roger
sara
test

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	7/23/2007 12:57:03 PM	DefaultView:	2
GUID:	{guid {BEC9B433-AF93-4187-B8C4-A93BF388F701}}	LastUpdated:	10/26/2010 5:28:36 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	4
Updatable:	True		

Columns

Name	Type	Size
ID	Long Integer	4
AllowZeroLength: False AppendOnly: False Attributes: Fixed Size, Auto-Increment CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False GUID: {guid {A18106DE-D94D-426E-A0AC-787B152085DB}} OrdinalPosition: 0 Required: False SourceField: ID SourceTable: LLHORIZDATUM		
ODSHorizDatumCode	Short Text	255
AllowZeroLength: True AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False DisplayControl: Text Box GUID: {guid {B62C33D5-3E49-4BA1-B931-1DAD73D361E0}} IMEMode: 0 IMESentenceMode: 3 OrdinalPosition: 1 Required: False SourceField: ODSHorizDatumCode SourceTable: LLHORIZDATUM UnicodeCompression: False		
HORIZDATUM	Short Text	255
AllowZeroLength: True AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default		

ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 GUID: {guid {A53BA16E-48A3-4893-A084-4949FA586CCF}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: HORIZDATUM
 SourceTable: LLHORIZDATUM
 UnicodeCompression: False

DateCreated Date With Time 8

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date that record was created.
 Format: Short Date
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: DateCreated
 SourceTable: LLHORIZDATUM

CreatedBy Short Text 50

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Created by when the record is created
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False
 SourceField: CreatedBy
 SourceTable: LLHORIZDATUM
 UnicodeCompression: True

Table Indexes

Name	Number of Fields
ODSHorizDatumCode	1
Clustered:	False
DistinctCount:	4

Foreign:	False
IgnoreNulls:	False
Name:	ODSHorizDatumCode
Primary:	False
Required:	False
Unique:	False
Fields:	
ODSHorizDatumCode	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	4
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
ID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	

raymond
roberto
roger
sara
test

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	7/23/2007 12:57:03 PM	DefaultView:	2
GUID:	{guid {18727EEA-D279-4AA9-AA15-48CF00124CEE}}	LastUpdated:	3/10/2009 4:03:02 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	80
Updatable:	True		

Columns

Name	Type	Size
ID	Long Integer	4
AllowZeroLength: False AppendOnly: False Attributes: Fixed Size, Auto-Increment CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False GUID: {guid {91C25EFC-33E2-44DC-B9BC-AAC3644F84AF}} OrdinalPosition: 0 Required: False SourceField: ID SourceTable: LLSOURCECODE		
ODSSourceCode	Short Text	255
AllowZeroLength: True AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False DisplayControl: Text Box GUID: {guid {A61AD8B7-1A55-4B26-A80B-88C08B11CF69}} IMEMode: 0 IMESentenceMode: 3 OrdinalPosition: 1 Required: False SourceField: ODSSourceCode SourceTable: LLSOURCECODE UnicodeCompression: False		
SOURCECODE	Short Text	255
AllowZeroLength: True AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default		

ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 GUID: {guid {5FB0AAD0-E985-4147-9D83-2E77B573E1B3}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: SOURCECODE
 SourceTable: LLSOURCECODE
 UnicodeCompression: False

DateCreated Date With Time 8

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date that record was created.
 Format: Short Date
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: DateCreated
 SourceTable: LLSOURCECODE

CreatedBy Short Text 50

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Created by when the record is created
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False
 SourceField: CreatedBy
 SourceTable: LLSOURCECODE
 UnicodeCompression: True

Table Indexes

Name	Number of Fields
ODSSourceCode	1
Clustered:	False
DistinctCount:	80

Foreign:	False
IgnoreNulls:	False
Name:	ODSSourceCode
Primary:	False
Required:	False
Unique:	False
Fields:	
ODSSourceCode	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	80
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
ID	Ascending
SOURCECODE	1
Clustered:	False
DistinctCount:	80
Foreign:	False
IgnoreNulls:	False
Name:	SOURCECODE
Primary:	False
Required:	False
Unique:	False
Fields:	
SOURCECODE	Ascending

User Permissions

- admin
- aizaz
- andrew
- bessie
- chris
- corine
- daria
- designer
- dschmidt
- Emmanuelle
- everett
- guest
- helen
- hillary
- jack
- jamelya
- Jason
- jelani
- jennifer

jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	7/23/2007 12:57:03 PM	DefaultView:	2
GUID:	{guid {E5670367-BE36-4FC0-9D0C-13E7A674201C}}	LastUpdated:	10/26/2010 5:33:16 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	24
Updatable:	True		

Columns

Name	Type	Size
ID	Long Integer	4
AllowZeroLength: False AppendOnly: False Attributes: Fixed Size, Auto-Increment CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False GUID: {guid {197DBD89-02E6-4B63-B5FE-790001BD1D67}} OrdinalPosition: 0 Required: False SourceField: ID SourceTable: LLSOURCESCALE		
ODSSourceScale	Short Text	255
AllowZeroLength: True AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False DisplayControl: Text Box GUID: {guid {8870DB9C-8344-4B3D-9273-1F17A6CD119C}} IMEMode: 0 IMESentenceMode: 3 OrdinalPosition: 1 Required: False SourceField: ODSSourceScale SourceTable: LLSOURCESCALE UnicodeCompression: False		
SourceScale	Short Text	255
AllowZeroLength: True AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default		

ColumnWidth: 4980
 DataUpdatable: False
 DisplayControl: Text Box
 GUID: {guid {7EA4D984-290A-4EEC-AF5B-9828377E1902}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: SourceScale
 SourceTable: LLSOURCESCALE
 UnicodeCompression: False

DateCreated Date With Time 8

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date that record was created.
 Format: Short Date
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: DateCreated
 SourceTable: LLSOURCESCALE

CreatedBy Short Text 50

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Created by when the record is created
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False
 SourceField: CreatedBy
 SourceTable: LLSOURCESCALE
 UnicodeCompression: True

Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	24

Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
ID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
--------	----------------------------------------------------------------------------------------------------------------------------------------------

DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	7/23/2007 12:57:03 PM	DefaultView:	2
GUID:	{guid {F1A6795B-A194-4963-9DA1-526741081185}}	LastUpdated:	10/26/2010 5:56:21 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	14
Updatable:	True		

Columns

Name	Type	Size
ID	Long Integer	4
AllowZeroLength: False AppendOnly: False Attributes: Fixed Size, Auto-Increment CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False GUID: {guid {39E1ACD1-D9FA-4351-AFFB-AB832E970642}} OrdinalPosition: 0 Required: False SourceField: ID SourceTable: LLVERIFICATIONMETHOD		
ODSVerificationMethodCode	Short Text	255
AllowZeroLength: True AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False DisplayControl: Text Box GUID: {guid {9682ADC7-2E25-49E2-81DF-4505F4B1C44A}} IMEMode: 0 IMESentenceMode: 3 OrdinalPosition: 1 Required: False SourceField: ODSVerificationMethodCode SourceTable: LLVERIFICATIONMETHOD UnicodeCompression: False		
VerificationMethod	Short Text	255
AllowZeroLength: True AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default		

ColumnWidth: 6120
 DataUpdatable: False
 DisplayControl: Text Box
 GUID: {guid {3F95C802-896C-40BC-BCDC-D495123DA7A1}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: VerificationMethod
 SourceTable: LLVERIFICATIONMETHOD
 UnicodeCompression: False

DateCreated Date With Time 8

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date that record was created.
 Format: Short Date
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: DateCreated
 SourceTable: LLVERIFICATIONMETHOD

CreatedBy Short Text 50

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Created by when the record is created
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False
 SourceField: CreatedBy
 SourceTable: LLVERIFICATIONMETHOD
 UnicodeCompression: True

Table Indexes

Name	Number of Fields
ODSVerificationMethodCode	1
Clustered:	False
DistinctCount:	14

Foreign:	False
IgnoreNulls:	False
Name:	ODSVerificationMethodCode
Primary:	False
Required:	False
Unique:	False
Fields:	
ODSVerificationMethodCode	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	14
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
ID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	

raymond
roberto
roger
sara
test

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	7/23/2007 12:57:03 PM	DefaultView:	2
GUID:	{guid {45F3CD2B-9287-42EC-983F-63EDD59EC929}}	LastUpdated:	10/26/2010 5:57:28 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	15
Updatable:	True		

Columns

Name	Type	Size
ID	Long Integer	4
AllowZeroLength: False AppendOnly: False Attributes: Fixed Size, Auto-Increment CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False GUID: {guid {3B5DB652-D3AC-4555-B89C-FBF331186245}} OrdinalPosition: 0 Required: False SourceField: ID SourceTable: LLVERTCOLLMETH		
ODSVertCollMethCode	Short Text	255
AllowZeroLength: True AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False DisplayControl: Text Box GUID: {guid {06AEE292-9C31-42CA-935C-F936517B1B2C}} IMEMode: 0 IMESentenceMode: 3 OrdinalPosition: 1 Required: False SourceField: ODSVertCollMethCode SourceTable: LLVERTCOLLMETH UnicodeCompression: False		
VerticalCollectionMethod	Short Text	255
AllowZeroLength: True AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default		

ColumnWidth: 8430
 DataUpdatable: False
 DisplayControl: Text Box
 GUID: {guid {75A31C35-8437-4518-A174-2C36AAD152F0}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: VerticalCollectionMethod
 SourceTable: LLVERTCOLLMETH
 UnicodeCompression: False

DateCreated Date With Time 8
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date that record was created.
 Format: Short Date
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: DateCreated
 SourceTable: LLVERTCOLLMETH

CreatedBy Short Text 50
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Created by when the record is created
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False
 SourceField: CreatedBy
 SourceTable: LLVERTCOLLMETH
 UnicodeCompression: True

Table Indexes

Name	Number of Fields
ODSVertCollMethCode	1
Clustered:	False
DistinctCount:	15

Foreign:	False
IgnoreNulls:	False
Name:	ODSVertCollMethCode
Primary:	False
Required:	False
Unique:	False
Fields:	
ODSVertCollMethCode	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	15
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
ID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	

raymond
roberto
roger
sara
test

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	7/23/2007 12:57:03 PM	DefaultView:	2
GUID:	{guid {8453F068-B496-41BF-A02B-4353CE08EC6B}}	LastUpdated:	10/26/2010 5:50:30 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	4
Updatable:	True		

Columns

Name	Type	Size
ID	Long Integer	4
AllowZeroLength: False AppendOnly: False Attributes: Fixed Size, Auto-Increment CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False GUID: {guid {A9A13899-5DD6-4FFF-AB58-EA318622E95B}} OrdinalPosition: 0 Required: False SourceField: ID SourceTable: LLVERTDATUM		
ODSVertDatumCode	Short Text	255
AllowZeroLength: True AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False DisplayControl: Text Box GUID: {guid {BD9E93A2-ABC4-4E62-AF0D-E322DD7F8635}} IMEMode: 0 IMESentenceMode: 3 OrdinalPosition: 1 Required: False SourceField: ODSVertDatumCode SourceTable: LLVERTDATUM UnicodeCompression: False		
VertDatum	Short Text	255
AllowZeroLength: True AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default		

ColumnWidth: 3588
 DataUpdatable: False
 DisplayControl: Text Box
 GUID: {guid {98AE9C07-130D-4F20-A459-0C4F4DE85DA6}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: VertDatum
 SourceTable: LLVERTDATUM
 UnicodeCompression: False

DateCreated Date With Time 8

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date that record was created.
 Format: Short Date
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: DateCreated
 SourceTable: LLVERTDATUM

CreatedBy Short Text 50

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Created by when the record is created
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False
 SourceField: CreatedBy
 SourceTable: LLVERTDATUM
 UnicodeCompression: True

Table Indexes

Name	Number of Fields
ODSVertDatumCode	1
Clustered:	False
DistinctCount:	4

Foreign:	False
IgnoreNulls:	False
Name:	ODSVertDatumCode
Primary:	False
Required:	False
Unique:	False
Fields:	
ODSVertDatumCode	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	4
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
ID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	

raymond
roberto
roger
sara
test

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:51 PM	DefaultView:	2
GUID:	{guid {DFAF4F9D-9A39-4EF8-8CD5-A6D8715A352A}}	LastUpdated:	11/5/2014 6:19:51 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	LocationalData_Distribution	Updatable:	False

Columns

Name	Type	Size
LOCID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal locational record identifier	
GUID:	{guid {8E8A3505-6C54-4731-B73C-A49BA45827C9}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	LOCID	
SourceTable:	LocationalData_Distribution	
LATDECDEG	Short Text	25
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1350	
DataUpdatable:	False	
Description:	Either Lat and Long in Decimal Degrees format= SDD.DDDDDD Coordinate representation indicating a location on the surface of the earth, using the earth's Equator as the origin, reported in decimal degrees.	
DisplayControl:	Text Box	
GUID:	{guid {A2ADE708-CD50-488C-8715-6A5F5E775589}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	LATDECDEG	
SourceTable:	LocationalData_Distribution	
UnicodeCompression:	False	

LONGDECDEG		Short Text	25
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1545		
DataUpdatable:	False		
Description:	Either Lat and Long in Decimal Degrees format= SDDD.DDDDDD Coordinate representation indicating a location on the surface of the earth, using the Prime Meridian (Greenwich, England) as the origin, reported in decimal degrees.		
DisplayControl:	Text Box		
GUID:	{6F6D525A-C211-492D-A73D-B7DA5F5E2890}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	2		
Required:	False		
SourceField:	LONGDECDEG		
SourceTable:	LocationalData_Distribution		
UnicodeCompression:	False		

LLVERTMEASURE		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1740		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	CON Vertical distance from the vertical datum to the land surface or other measuring point, in meters.		
DisplayControl:	Text Box		
GUID:	{F7AFC476-836D-4538-A76E-6226C00282D8}}		
OrdinalPosition:	3		
Required:	False		
SourceField:	LLVERTMEASURE		
SourceTable:	LocationalData_Distribution		

LLVERTCOLLECTIONMETHOD		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
BoundColumn:	1		
CollatingOrder:	General		
ColumnCount:	3		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2925		

ColumnWidths: 0;390;6330
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: OPT Code representing the method used to determine the vertical measure.
 DisplayControl: Combo Box
 GUID: {guid {45A77068-2E77-43CE-BEF3-CA9BC93BE7A8}}
 LimitToList: True
 ListRows: 8
 ListWidth: 6720twip
 OrdinalPosition: 4
 Required: False
 RowSource: SELECT LLVERTCOLLMETH.ID,
 LLVERTCOLLMETH.ODSVertCollMethCode,
 LLVERTCOLLMETH.VerticalCollectionMethod FROM
 LLVERTCOLLMETH;
 RowSourceType: Table/Query
 SourceField: LLVERTCOLLECTIONMETHOD
 SourceTable: LocationalData_Distribution

LLVERTACCURACY Long Integer 4

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1920
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: OPT Quantitative measurement of the amount of deviation from true value in the vertical measure (estimate of error). It describes the correctness of the vertical measure, in meters.
 DisplayControl: Text Box
 GUID: {guid {5F785B13-3698-4B6E-AF3E-62131E7FAD70}}
 OrdinalPosition: 5
 Required: False
 SourceField: LLVERTACCURACY
 SourceTable: LocationalData_Distribution

LLVERTDATUM Long Integer 4

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 3
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1575
 ColumnWidths: 0;405;2760

DataUpdatable: False
 DecimalPlaces: Auto
 Description: OPT VERTICAL REFERENCE DATUM CODE Code representing which national reference standard for vertical control established by the U.S. National Geodetic Survey (NGS) is used to determine the vertical measure.
 DisplayControl: Combo Box
 GUID: {guid {9C9D352A-0F3A-405A-A5D6-03E7893A0FCE}}
 LimitToList: True
 ListRows: 8
 ListWidth: 3165twip
 OrdinalPosition: 6
 Required: False
 RowSource: SELECT LLVERTDATUM.ID, LLVERTDATUM.ODSVertDatumCode, LLVERTDATUM.VertDatum FROM LLVERTDATUM;
 RowSourceType: Table/Query
 SourceField: LLVERTDATUM
 SourceTable: LocationalData_Distribution

LLCOLLECTIONMETH Long Integer 4

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 3
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2145
 ColumnWidths: 0;384;3492
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: REQ Method used to determine the latitude/longitude. This represents the primary source of the data.
 DisplayControl: Combo Box
 GUID: {guid {26B01F25-D3F2-459C-B7F7-F13D2D74DE3B}}
 LimitToList: True
 ListRows: 8
 ListWidth: 3876twip
 OrdinalPosition: 7
 Required: False
 RowSource: SELECT LLCOLLECTIONMETHOD.ID, LLCOLLECTIONMETHOD.ODScollmethcode, LLCOLLECTIONMETHOD.CollectionMethod FROM LLCOLLECTIONMETHOD ORDER BY [ODScollmethcode];
 RowSourceType: Table/Query
 SourceField: LLCOLLECTIONMETH
 SourceTable: LocationalData_Distribution

LLHORIZACCURACY Long Integer 4

AllowZeroLength: False

AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2040
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: REQ Describes the correctness of the lat/long measure in meters. Defined as the least accurate measurement, regardless whether lat or long.
 DisplayControl: Text Box
 GUID: {guid {67D1ACAD-8546-48CE-9930-2FD0CDF9A1CF}}
 OrdinalPosition: 8
 Required: False
 SourceField: LLHORIZACCURACY
 SourceTable: LocationalData_Distribution

LLHORIZDATUM Long Integer 4

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 3
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1695
 ColumnWidths: 0;480;1080
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: REQ Reference standard for three dimensional and horizontal, lookup in table HorizDatumCodes
 DisplayControl: Combo Box
 GUID: {guid {D88D9A9A-4DA0-4629-99AF-86A3DD50C1A5}}
 LimitToList: True
 ListRows: 8
 ListWidth: 1560twip
 OrdinalPosition: 9
 Required: False
 RowSource: SELECT LLHORIZDATUM.ID, LLHORIZDATUM.ODSHorizDatumCode, LLHORIZDATUM.HORIZDATUM FROM LLHORIZDATUM ORDER BY [ODSHorizDatumCode];
 RowSourceType: Table/Query
 SourceField: LLHORIZDATUM
 SourceTable: LocationalData_Distribution

LLDESCRIPTION Long Integer 4

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1

CollatingOrder: General
 ColumnCount: 3
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1650
 ColumnWidths: 0;390;3465
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: REQ Reference Point Code, Category of the feature referenced by the latitude and longitude, lookup in table ReferencePoints
 DisplayControl: Combo Box
 GUID: {guid {35C410C1-12E8-4D6E-B038-42E7F040AE12}}
 LimitToList: True
 ListRows: 8
 ListWidth: 3855twip
 OrdinalPosition: 10
 Required: False
 RowSource: SELECT LLEDESCRIPTION.ID, LLEDESCRIPTION.ODSDescriptionCode, LLEDESCRIPTION.LLDescription FROM LLEDESCRIPTION;
 RowSourceType: Table/Query
 SourceField: LLEDESCRIPTION
 SourceTable: LocationalData_Distribution

LLSOURCESCALE Long Integer 4

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 3
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1725
 ColumnWidths: 0;270;3855
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: REQ Scale of the map used to determine the latitude and longitude coordinates.
 DisplayControl: Combo Box
 GUID: {guid {BD591794-D7EF-4987-B235-F01958AD14FB}}
 LimitToList: True
 ListRows: 8
 ListWidth: 4125twip
 OrdinalPosition: 11
 Required: False
 RowSource: SELECT LLSOURCESCALE.ID, LLSOURCESCALE.ODSSourceScale, LLSOURCESCALE.SourceScale FROM LLSOURCESCALE;
 RowSourceType: Table/Query
 SourceField: LLSOURCESCALE
 SourceTable: LocationalData_Distribution

LLGEOMETRICTYPE Long Integer 4

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 3
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1935
 ColumnWidths: 0;390;1470
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: REQ Value indicating whether the latitude and longitude coordinates represent a point, multiple points on a line, or an area.
 DisplayControl: Combo Box
 GUID: {guid {A8F0AEBB-F509-444D-A132-529D43C8FE32}}
 LimitToList: True
 ListRows: 8
 ListWidth: 1860twip
 OrdinalPosition: 12
 Required: False
 RowSource: SELECT LLGEOMETRICTYPE.ID,
 LLGEOMETRICTYPE.ODSGeometricCode,
 LLGEOMETRICTYPE.GEOMETRICTYPE FROM LLGEOMETRICTYPE;
 RowSourceType: Table/Query
 SourceField: LLGEOMETRICTYPE
 SourceTable: LocationalData_Distribution

LLCOLLECTIONDATE Date With Time 8

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2115
 DataUpdatable: False
 Description: OPT Date when the latitude and longitude coordinates were determined.
 GUID: {guid {69AD63D4-D5E9-48FB-A28D-BCF3C176640E}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 13
 Required: False
 SourceField: LLCOLLECTIONDATE
 SourceTable: LocationalData_Distribution

LLSOURCECODE Long Integer 4

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1

CollatingOrder: General
 ColumnCount: 3
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1680
 ColumnWidths: 0;360;3165
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: OPT Party responsible for collecting or otherwise providing the latitude and longitude.
 DisplayControl: Combo Box
 GUID: {guid {34F21C5F-6E33-4BBC-9967-0860DF432206}}
 LimitToList: True
 ListRows: 8
 ListWidth: 3525twip
 OrdinalPosition: 14
 Required: False
 RowSource: SELECT LLSOURCECODE.ID, LLSOURCECODE.ODSSourceCode, LLSOURCECODE.SOURCECODE FROM LLSOURCECODE;
 RowSourceType: Table/Query
 SourceField: LLSOURCECODE
 SourceTable: LocationalData_Distribution

LLVERIFICATIONMETHOD Long Integer 4
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 3
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2565
 ColumnWidths: 0;360;4725
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: OPT A code representing the process by which the latitude and longitude coordinates have been verified by EPA, grantees, or contractors.
 DisplayControl: Combo Box
 GUID: {guid {97BD51AD-EDBC-4084-AE0F-8412B3671864}}
 LimitToList: True
 ListRows: 8
 ListWidth: 5085twip
 OrdinalPosition: 15
 Required: False
 RowSource: SELECT LLVERIFICATIONMETHOD.ID, LLVERIFICATIONMETHOD.ODSVerificationMethodCode, LLVERIFICATIONMETHOD.VerificationMethod FROM LLVERIFICATIONMETHOD;
 RowSourceType: Table/Query
 SourceField: LLVERIFICATIONMETHOD
 SourceTable: LocationalData_Distribution

Field Name	Field Type	Field Length
LLCOMMENTS	Long Text	-
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	OPT Comments further describing the collection, processing, or interpretation of the latitude, longitude and/or vertical data.	
GUID:	{guid {AF7897EE-D85F-4FCC-8CFB-69DC4C883F89}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	16	
Required:	False	
SourceField:	LLCOMMENTS	
SourceTable:	LocationalData_Distribution	
UnicodeCompression:	False	
LOCLINK	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	internal DIME Distribution System ID number	
DisplayControl:	Text Box	
GUID:	{guid {7A86F4D9-219F-4CC1-BD00-FEBAD6AB51AD}}	
OrdinalPosition:	17	
Required:	True	
SourceField:	LOCLINK	
SourceTable:	LocationalData_Distribution	
LatDeg	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	DMS Latitude Degrees	
DisplayControl:	Text Box	
OrdinalPosition:	18	
Required:	False	
SourceField:	LatDeg	

SourceTable:	LocationalData_Distribution		
LatMin		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	DMS Latitude Minutes		
DisplayControl:	Text Box		
OrdinalPosition:	19		
Required:	False		
SourceField:	LatMin		
SourceTable:	LocationalData_Distribution		
LatSec		Double	8
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	4		
Description:	DMS Latitude Seconds		
DisplayControl:	Text Box		
OrdinalPosition:	20		
Required:	False		
SourceField:	LatSec		
SourceTable:	LocationalData_Distribution		
LongDeg		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	DMS Longitude Degrees		
DisplayControl:	Text Box		
OrdinalPosition:	21		
Required:	False		
SourceField:	LongDeg		
SourceTable:	LocationalData_Distribution		
LongMin		Long Integer	4
AllowZeroLength:	False		

AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: DMS longitude Minutes
 DisplayControl: Text Box
 OrdinalPosition: 22
 Required: False
 SourceField: LongMin
 SourceTable: LocationalData_Distribution

LongSec Double 8

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: 4
 Description: DMS Longitude Seconds
 DisplayControl: Text Box
 OrdinalPosition: 23
 Required: False
 SourceField: LongSec
 SourceTable: LocationalData_Distribution

Lastupdate Date With Time 8

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date of Last Update
 Format: General Date
 GUID: {guid {E5D428AD-5B5E-4608-9004-EBE67FDD3376}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 24
 Required: False
 SourceField: Lastupdate
 SourceTable: LocationalData_Distribution

CurrentUpdateUser Short Text 50

AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length

CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Current User At Time of Update
 DisplayControl: Text Box
 GUID: {guid {7092350D-B8D0-4A34-8FB8-3ADBFE97A414}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 25
 Required: False
 SourceField: CurrentUpdateUser
 SourceTable: LocationalData_Distribution
 UnicodeCompression: True

DateCreated Date With Time 8


AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date that record was created.
 Format: General Date
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 26
 Required: False
 SourceField: DateCreated
 SourceTable: LocationalData_Distribution

CreatedBy Short Text 50

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Created by when the record is created
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 27
 Required: False
 SourceField: CreatedBy
 SourceTable: LocationalData_Distribution
 UnicodeCompression: True

Relationships

DistributionSystemsLocationalData_Distribution



Attributes: Not Enforced, Inherited, Left Join
 RelationshipType: One-To-Many (External)

Table Indexes

Name	Number of Fields
LLSOURCECODE	1
Clustered:	False
DistinctCount:	3
Foreign:	False
IgnoreNulls:	False
Name:	LLSOURCECODE
Primary:	False
Required:	False
Unique:	False
Fields:	
LLSOURCECODE	Ascending
LOCID	1
Clustered:	False
DistinctCount:	22
Foreign:	False
IgnoreNulls:	False
Name:	LOCID
Primary:	False
Required:	False
Unique:	False
Fields:	
LOCID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	22
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
LOCID	Ascending

User Permissions

admin
 aizaz

andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:51 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	Filter:	([Lookup_LLCOLLECTIONMET H].[ODScollmethcode]="028")
FilterOnLoad:	False	GUID:	{guid {5B0F9689-7423-4306- 9509-555FD8F2AAE2}}
HideNewField:	False	LastUpdated:	11/5/2014 6:19:51 PM
NameMap:	Long binary data	OrderBy:	[Lookup_LLSOURCESCALE].[O DSSourceScale]
OrderByOn:	True	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	LocationalData_EntryPoints	TotalsRow:	False
Updatable:	False		

Columns

Name	Type	Size
LOCID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal locational record identifier	
GUID:	{guid {D238CE0B-09F9-41EA-88EB-CD82BA362707}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	LOCID	
SourceTable:	LocationalData_EntryPoints	
TextAlign:	General	
LATDECDEG	Short Text	25
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1350	
DataUpdatable:	False	
Description:	Either Lat and Long in Decimal Degrees format= SDD.DDDDDD Coordinate representation indicating a location on the surface of the earth, using the earth's Equator as the origin, reported in decimal degrees.	
DisplayControl:	Text Box	
GUID:	{guid {B78AB2A2-E6C7-4AE0-99EC-AE78D08A8562}}	

IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 1
 Required: False
 SourceField: LATDECDEG
 SourceTable: LocationalData_EntryPoints
 TextAlign: General
 UnicodeCompression: False

LONGDECDEG Short Text 25

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1545
 DataUpdatable: False
 Description: Either Lat and Long in Decimal Degrees format= SDDD.DDDDDD
 Coordinate representation indicating a location on the surface of the
 earth, using the Prime Meridian (Greenwich, England) as the origin,
 reported in decimal degrees.
 DisplayControl: Text Box
 GUID: {guid {3934D283-CCF8-48B6-9345-D7CE376FA602}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: LONGDECDEG
 SourceTable: LocationalData_EntryPoints
 TextAlign: General
 UnicodeCompression: False

LLVERTMEASURE Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1740
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: CON Vertical distance from the vertical datum to the land surface or
 other measuring point, in meters.
 DisplayControl: Text Box
 GUID: {guid {A14D9AAA-7BC1-43CD-AAD4-BD0D3812251E}}
 OrdinalPosition: 3
 Required: False
 SourceField: LLVERTMEASURE
 SourceTable: LocationalData_EntryPoints
 TextAlign: General

LLVERTCOLLECTIONMETHOD		Long Integer	4
AggregateType:	-1		
AllowValueListEdits:	False		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
BoundColumn:	1		
CollatingOrder:	General		
ColumnCount:	3		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2925		
ColumnWidths:	0;390;6330		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	OPT Code representing the method used to determine the vertical measure.		
DisplayControl:	Combo Box		
GUID:	{guid {91A53879-4927-42F4-A78F-17C173F18D3B}}		
LimitToList:	True		
ListRows:	8		
ListWidth:	6720twip		
OrdinalPosition:	4		
Required:	False		
RowSource:	SELECT LLVERTCOLLMETH.ID, LLVERTCOLLMETH.ODSVertCollMethCode, LLVERTCOLLMETH.VerticalCollectionMethod FROM LLVERTCOLLMETH;		
RowSourceType:	Table/Query		
ShowOnlyRowSourceValues:	False		
SourceField:	LLVERTCOLLECTIONMETHOD		
SourceTable:	LocationalData_EntryPoints		
TextAlign:	General		

LLVERTACCURACY		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1920		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	OPT Quantitative measurement of the amount of deviation from true value in the vertical measure (estimate of error). It describes the correctness of the vertical measure, in meters.		
DisplayControl:	Text Box		
GUID:	{guid {77F1D28A-F24A-4016-A84E-81D7CCEF6BBB}}		
OrdinalPosition:	5		
Required:	False		
SourceField:	LLVERTACCURACY		

	SourceTable:	LocationalData_EntryPoints	
	TextAlign:	General	
LLVERTDATUM		Long Integer	4
	AggregateType:	-1	
	AllowValueListEdits:	False	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	3	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	1575	
	ColumnWidths:	0;405;2760	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	OPT VERTICAL REFERENCE DATUM CODE Code representing which national reference standard for vertical control established by the U.S. National Geodetic Survey (NGS) is used to determine the vertical measure.	
	DisplayControl:	Combo Box	
	GUID:	{guid {F95C14D0-7F2A-4153-A32F-5217E598A086}}	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	3165twip	
	OrdinalPosition:	6	
	Required:	False	
	RowSource:	SELECT LLVERTDATUM.ID, LLVERTDATUM.ODSVertDatumCode, LLVERTDATUM.VertDatum FROM LLVERTDATUM;	
	RowSourceType:	Table/Query	
	ShowOnlyRowSourceValues:	False	
	SourceField:	LLVERTDATUM	
	SourceTable:	LocationalData_EntryPoints	
	TextAlign:	General	
LLCOLLECTIONMETH		Long Integer	4
	AggregateType:	-1	
	AllowValueListEdits:	False	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	3	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	2145	
	ColumnWidths:	0;384;3492	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	

Description: REQ Method used to determine the latitude/longitude. This represents the primary source of the data.

DisplayControl: Combo Box

GUID: {guid {59625613-AECE-4144-A4FB-F8980FE40C8E}}

LimitToList: True

ListRows: 8

ListWidth: 3876twip

OrdinalPosition: 7

Required: False

RowSource: SELECT LLCOLLECTIONMETHOD.ID, LLCOLLECTIONMETHOD.ODScollmethcode, LLCOLLECTIONMETHOD.CollectionMethod FROM LLCOLLECTIONMETHOD ORDER BY [ODScollmethcode];

RowSourceType: Table/Query

ShowOnlyRowSourceValues: False

SourceField: LLCOLLECTIONMETH

SourceTable: LocationalData_EntryPoints

TextAlign: General

LLHORIZACCURACY Long Integer 4

AggregateType: -1

AllowZeroLength: False

AppendOnly: False

Attributes: Fixed Size

CollatingOrder: General

ColumnHidden: False

ColumnOrder: Default

ColumnWidth: 2040

DataUpdatable: False

DecimalPlaces: Auto

Description: REQ Describes the correctness of the lat/long measure in meters. Defined as the least accurate measurement, regardless whether lat or long.

DisplayControl: Text Box

GUID: {guid {858BF36D-B719-4F50-ADC9-6A3A9ED98B3A}}

OrdinalPosition: 8

Required: False

SourceField: LLHORIZACCURACY

SourceTable: LocationalData_EntryPoints

TextAlign: General

LLHORIZDATUM Long Integer 4

AggregateType: -1

AllowValueListEdits: False

AllowZeroLength: False

AppendOnly: False

Attributes: Fixed Size

BoundColumn: 1

CollatingOrder: General

ColumnCount: 3

ColumnHeads: False

ColumnHidden: False

ColumnOrder: Default
 ColumnWidth: 1695
 ColumnWidths: 0;480;1080
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: REQ Reference standard for three dimensional and horizontal, lookup in table HorizDatumCodes
 DisplayControl: Combo Box
 GUID: {guid {6961BC2F-98A0-4893-8816-CDB4F5958FBE}}
 LimitToList: True
 ListRows: 8
 ListWidth: 1560twip
 OrdinalPosition: 9
 Required: False
 RowSource: SELECT LLHORIZDATUM.ID, LLHORIZDATUM.ODSHorizDatumCode, LLHORIZDATUM.HORIZDATUM FROM LLHORIZDATUM ORDER BY [ODSHorizDatumCode];
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: LLHORIZDATUM
 SourceTable: LocationalData_EntryPoints
 TextAlign: General

LLEDESCRIPTION Long Integer 4
 AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 3
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1650
 ColumnWidths: 0;390;3465
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: REQ Reference Point Code, Category of the feature referenced by the latitude and longitude, lookup in table ReferencePoints
 DisplayControl: Combo Box
 GUID: {guid {4286C4A3-EE94-46DC-8BE1-4818F0BD2DF9}}
 LimitToList: True
 ListRows: 8
 ListWidth: 3855twip
 OrdinalPosition: 10
 Required: False
 RowSource: SELECT LLEDESCRIPTION.ID, LLEDESCRIPTION.ODSDescriptionCode, LLEDESCRIPTION.LLDescription FROM LLEDESCRIPTION;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: LLEDESCRIPTION
 SourceTable: LocationalData_EntryPoints
 TextAlign: General

LLSOURCESCALE		Long Integer	4
AggregateType:	-1		
AllowValueListEdits:	False		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
BoundColumn:	1		
CollatingOrder:	General		
ColumnCount:	3		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1725		
ColumnWidths:	0;270;3855		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	REQ Scale of the map used to determine the latitude and longitude coordinates.		
DisplayControl:	Combo Box		
GUID:	{guid {0B939C41-0364-4930-A3A4-FD643D9E2370}}		
LimitToList:	True		
ListRows:	8		
ListWidth:	4125twip		
OrdinalPosition:	11		
Required:	False		
RowSource:	SELECT LLSOURCESCALE.ID, LLSOURCESCALE.ODSSourceScale, LLSOURCESCALE.SourceScale FROM LLSOURCESCALE;		
RowSourceType:	Table/Query		
ShowOnlyRowSourceValues:	False		
SourceField:	LLSOURCESCALE		
SourceTable:	LocationalData_EntryPoints		
TextAlign:	General		

LLGEOMETRICTYPE		Long Integer	4
AggregateType:	-1		
AllowValueListEdits:	False		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
BoundColumn:	1		
CollatingOrder:	General		
ColumnCount:	3		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1935		
ColumnWidths:	0;390;1470		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	REQ Value indicating whether the latitude and longitude coordinates represent a point, multiple points on a line, or an area.		
DisplayControl:	Combo Box		
GUID:	{guid {E59A6900-4DB7-436C-A286-496486EB2F4A}}		
LimitToList:	True		

ListRows: 8
 ListWidth: 1860twip
 OrdinalPosition: 12
 Required: False
 RowSource: SELECT LLGEOMETRICTYPE.ID,
 LLGEOMETRICTYPE.ODSGeometricCode,
 LLGEOMETRICTYPE.GEOMETRICTYPE FROM LLGEOMETRICTYPE;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: LLGEOMETRICTYPE
 SourceTable: LocationalData_EntryPoints
 TextAlign: General

LLCOLLECTIONDATE Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2115
 DataUpdatable: False
 Description: OPT Date when the latitude and longitude coordinates were
 determined.
 GUID: {guid {49CE1DE5-2320-4E60-BA53-28168B42F65F}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 13
 Required: False
 SourceField: LLCOLLECTIONDATE
 SourceTable: LocationalData_EntryPoints
 TextAlign: General

LLSOURCECODE Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 3
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1680
 ColumnWidths: 0;360;3165
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: OPT Party responsible for collecting or otherwise providing the
 latitude and longitude.
 DisplayControl: Combo Box
 GUID: {guid {7326E952-FDFA-4106-BBA1-8CCA3C9AB558}}

LimitToList: True
 ListRows: 8
 ListWidth: 3525twip
 OrdinalPosition: 14
 Required: False
 RowSource: SELECT LLSOURCECODE.ID, LLSOURCECODE.ODSSourceCode, LLSOURCECODE.SOURCECODE FROM LLSOURCECODE;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: LLSOURCECODE
 SourceTable: LocationalData_EntryPoints
 TextAlign: General

LLVERIFICATIONMETHOD Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 3
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2565
 ColumnWidths: 0;360;4725
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: OPT A code representing the process by which the latitude and longitude coordinates have been verified by EPA, grantees, or contractors.
 DisplayControl: Combo Box
 GUID: {guid {9941B1B9-1FC9-482F-981D-751E1FDF976B}}
 LimitToList: True
 ListRows: 8
 ListWidth: 5085twip
 OrdinalPosition: 15
 Required: False
 RowSource: SELECT LLVERIFICATIONMETHOD.ID, LLVERIFICATIONMETHOD.ODSVerificationMethodCode, LLVERIFICATIONMETHOD.VerificationMethod FROM LLVERIFICATIONMETHOD;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: LLVERIFICATIONMETHOD
 SourceTable: LocationalData_EntryPoints
 TextAlign: General

LLCOMMENTS Long Text -

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False

Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: OPT Comments further describing the collection, processing, or interpretation of the latitude, longitude and/or vertical data.
 GUID: {guid {6767B0D6-549C-4060-B052-E978BD570061}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 16
 Required: False
 SourceField: LLCOMMENTS
 SourceTable: LocationalData_EntryPoints
 TextAlign: General
 UnicodeCompression: False

LOCLINK Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME Entry Point ID number
 DisplayControl: Text Box
 GUID: {guid {FCC14D9C-4D1D-4F79-A829-3308DB313C63}}
 OrdinalPosition: 17
 Required: True
 SourceField: LOCLINK
 SourceTable: LocationalData_EntryPoints
 TextAlign: General

LatDeg Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: DMS Latitude Degrees
 DisplayControl: Text Box
 GUID: {guid {B51413B7-052F-4529-A996-6D4585F1C38D}}
 OrdinalPosition: 18

	Required:	False		
	SourceField:	LatDeg		
	SourceTable:	LocationalData_EntryPoints		
	TextAlign:	General		
LatMin			Long Integer	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	Description:	DMS Latitude Minutes		
	DisplayControl:	Text Box		
	GUID:	{guid {D7996DA1-16B2-482F-8C80-831F127C76B1}}		
	OrdinalPosition:	19		
	Required:	False		
	SourceField:	LatMin		
	SourceTable:	LocationalData_EntryPoints		
	TextAlign:	General		
LatSec			Double	8
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	4		
	Description:	DMS Latitude Seconds		
	DisplayControl:	Text Box		
	GUID:	{guid {89C354BE-2660-4AC5-9C3F-51F7D27E70FB}}		
	OrdinalPosition:	20		
	Required:	False		
	SourceField:	LatSec		
	SourceTable:	LocationalData_EntryPoints		
	TextAlign:	General		
LongDeg			Long Integer	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		

DecimalPlaces: Auto
 Description: DMS Longitude Degrees
 DisplayControl: Text Box
 GUID: {guid {C4A031B1-E828-4934-A3CB-C13E75288B23}}
 OrdinalPosition: 21
 Required: False
 SourceField: LongDeg
 SourceTable: LocationalData_EntryPoints
 TextAlign: General

LongMin Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: DMS longitude Minutes
 DisplayControl: Text Box
 GUID: {guid {DFA78BC7-8E48-4B42-9B75-1565E5E4AA4D}}
 OrdinalPosition: 22
 Required: False
 SourceField: LongMin
 SourceTable: LocationalData_EntryPoints
 TextAlign: General

LongSec Double 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: 4
 Description: DMS Longitude Seconds
 DisplayControl: Text Box
 GUID: {guid {64FAA612-3BF5-4C35-99DF-69E0CFDC97B1}}
 OrdinalPosition: 23
 Required: False
 SourceField: LongSec
 SourceTable: LocationalData_EntryPoints
 TextAlign: General

Lastupdate Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size

CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Date of Last Update
Format: General Date
GUID: {guid {E64CD70D-04A3-4E41-9FFA-3BCD433A553F}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 24
Required: False
SourceField: Lastupdate
SourceTable: LocationalData_EntryPoints
TextAlign: General

CurrentUpdateUser Short Text 50

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Current User At Time of Update
DisplayControl: Text Box
GUID: {guid {4A9295F2-3A02-4520-9BCC-0249595DBCC2}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 25
Required: False
SourceField: CurrentUpdateUser
SourceTable: LocationalData_EntryPoints
TextAlign: General
UnicodeCompression: True


DateCreated Date With Time 8

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Date that record was created.
Format: General Date
GUID: {guid {D5DF6EC8-C9D6-4AB1-A08B-0DFA3C6260E4}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 26
Required: False

SourceField:	DateCreated		
SourceTable:	LocationalData_EntryPoints		
TextAlign:	General		
CreatedBy		Short Text	50
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Created by when the record is created		
DisplayControl:	Text Box		
GUID:	{guid {A966887F-799F-432D-8DFE-C75798E9C42D}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	27		
Required:	False		
SourceField:	CreatedBy		
SourceTable:	LocationalData_EntryPoints		
TextAlign:	General		
UnicodeCompression:	True		

Relationships

EntryPointsLocationalData_EntryPoints



Attributes: Not Enforced, Inherited, Left Join
 RelationshipType: One-To-Many (External)

Table Indexes

Name	Number of Fields
LLSOURCECODE	1
Clustered:	False
DistinctCount:	4
Foreign:	False
IgnoreNulls:	False
Name:	LLSOURCECODE
Primary:	False
Required:	False
Unique:	False
Fields:	
LLSOURCECODE	Ascending
LOCID	1
Clustered:	False

DistinctCount:	95
Foreign:	False
IgnoreNulls:	False
Name:	LOCID
Primary:	False
Required:	False
Unique:	False
Fields:	
LOCID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	95
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
LOCID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	

navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:51 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {0758BDAA-CF6E-4F87-ADF7-703E83077110}}	HideNewField:	False
LastUpdated:	11/5/2014 6:19:51 PM	NameMap:	Long binary data
OrderBy:	[Lookup_LLSOURCESCALE].[ODSSourceScale]	OrderByOn:	True
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	-1	SourceTableName:	LocationalData_HPTanks
TotalsRow:	False	Updatable:	False

Columns

Name	Type	Size
LOCID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal locational record identifier	
GUID:	{guid {8AA35C5D-6B67-42B0-BA1B-353FC73C687A}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	LOCID	
SourceTable:	LocationalData_HPTanks	
TextAlign:	General	
LATDECDEG	Short Text	25
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1350	
DataUpdatable:	False	
Description:	Either Lat and Long in Decimal Degrees format= SDD.DDDDDD Coordinate representation indicating a location on the surface of the earth, using the earth's Equator as the origin, reported in decimal degrees.	
DisplayControl:	Text Box	
GUID:	{guid {0C325069-0526-440D-A0A5-96D9EB11628E}}	
IMEMode:	0	
IMESentenceMode:	3	

OrdinalPosition: 1
Required: False
SourceField: LATDECDEG
SourceTable: LocationalData_HPTanks
TextAlign: General
UnicodeCompression: False

LONGDECDEG Short Text 25

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 1545
DataUpdatable: False
Description: Either Lat and Long in Decimal Degrees format= SDDD.DDDDDD
Coordinate representation indicating a location on the surface of the
earth, using the Prime Meridian (Greenwich, England) as the origin,
reported in decimal degrees.
DisplayControl: Text Box
GUID: {guid {8753F814-B411-4441-9311-1E3BECEB6562}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 2
Required: False
SourceField: LONGDECDEG
SourceTable: LocationalData_HPTanks
TextAlign: General
UnicodeCompression: False

LLVERTMEASURE Long Integer 4

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 1740
DataUpdatable: False
DecimalPlaces: Auto
Description: CON Vertical distance from the vertical datum to the land surface or
other measuring point, in meters.
DisplayControl: Text Box
GUID: {guid {17B0F077-250A-479A-BB36-B564AB172CAA}}
OrdinalPosition: 3
Required: False
SourceField: LLVERTMEASURE
SourceTable: LocationalData_HPTanks
TextAlign: General

LLVERTCOLLECTIONMETHOD		Long Integer	4
AggregateType:	-1		
AllowValueListEdits:	False		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
BoundColumn:	1		
CollatingOrder:	General		
ColumnCount:	3		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2925		
ColumnWidths:	0;390;6330		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	OPT Code representing the method used to determine the vertical measure.		
DisplayControl:	Combo Box		
GUID:	{guid {95C28639-F0FA-43A9-A929-F306DF76CB6F}}		
LimitToList:	True		
ListRows:	8		
ListWidth:	6720twip		
OrdinalPosition:	4		
Required:	False		
RowSource:	SELECT LLVERTCOLLMETH.ID, LLVERTCOLLMETH.ODSVertCollMethCode, LLVERTCOLLMETH.VerticalCollectionMethod FROM LLVERTCOLLMETH;		
RowSourceType:	Table/Query		
ShowOnlyRowSourceValues:	False		
SourceField:	LLVERTCOLLECTIONMETHOD		
SourceTable:	LocationalData_HPTanks		
TextAlign:	General		

LLVERTACCURACY		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1920		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	OPT Quantitative measurement of the amount of deviation from true value in the vertical measure (estimate of error). It describes the correctness of the vertical measure, in meters.		
DisplayControl:	Text Box		
GUID:	{guid {AE5F3F71-BA14-4BB7-826D-866624089D62}}		
OrdinalPosition:	5		
Required:	False		
SourceField:	LLVERTACCURACY		

SourceTable:	LocationalData_HPTanks		
TextAlign:	General		
LLVERTDATUM		Long Integer	4
AggregateType:	-1		
AllowValueListEdits:	False		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
BoundColumn:	1		
CollatingOrder:	General		
ColumnCount:	3		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1575		
ColumnWidths:	0;405;2760		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	OPT VERTICAL REFERENCE DATUM CODE Code representing which national reference standard for vertical control established by the U.S. National Geodetic Survey (NGS) is used to determine the vertical measure.		
DisplayControl:	Combo Box		
GUID:	{guid {AFC1E4E4-CE61-41A0-916E-18BF2FB469CF}}		
LimitToList:	True		
ListRows:	8		
ListWidth:	3165twip		
OrdinalPosition:	6		
Required:	False		
RowSource:	SELECT LLVERTDATUM.ID, LLVERTDATUM.ODSVertDatumCode, LLVERTDATUM.VertDatum FROM LLVERTDATUM;		
RowSourceType:	Table/Query		
ShowOnlyRowSourceValues:	False		
SourceField:	LLVERTDATUM		
SourceTable:	LocationalData_HPTanks		
TextAlign:	General		
LLCOLLECTIONMETH		Long Integer	4
AggregateType:	-1		
AllowValueListEdits:	False		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
BoundColumn:	1		
CollatingOrder:	General		
ColumnCount:	3		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2145		
ColumnWidths:	0;384;3492		
DataUpdatable:	False		
DecimalPlaces:	Auto		

Description: REQ Method used to determine the latitude/longitude. This represents the primary source of the data.
 DisplayControl: Combo Box
 GUID: {guid {38C5E593-AE31-4426-B3BD-AF2DA3EE194E}}
 LimitToList: True
 ListRows: 8
 ListWidth: 3876twip
 OrdinalPosition: 7
 Required: False
 RowSource: SELECT LLCOLLECTIONMETHOD.ID, LLCOLLECTIONMETHOD.ODScollmethode, LLCOLLECTIONMETHOD.CollectionMethod FROM LLCOLLECTIONMETHOD ORDER BY [ODScollmethode];
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: LLCOLLECTIONMETH
 SourceTable: LocationalData_HPTanks
 TextAlign: General

LLHORIZACCURACY Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2040
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: REQ Describes the correctness of the lat/long measure in meters. Defined as the least accurate measurement, regardless whether lat or long.
 DisplayControl: Text Box
 GUID: {guid {6EE84651-9FCC-45DF-B5C9-8A7159DFEC0E}}
 OrdinalPosition: 8
 Required: False
 SourceField: LLHORIZACCURACY
 SourceTable: LocationalData_HPTanks
 TextAlign: General

LLHORIZDATUM Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 3
 ColumnHeads: False
 ColumnHidden: False

ColumnOrder: Default
 ColumnWidth: 1695
 ColumnWidths: 0;480;1080
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: REQ Reference standard for three dimensional and horizontal, lookup in table HorizDatumCodes
 DisplayControl: Combo Box
 GUID: {guid {E413ED8C-30DC-4F0F-BD7B-F8AB71CF63F2}}
 LimitToList: True
 ListRows: 8
 ListWidth: 1560twip
 OrdinalPosition: 9
 Required: False
 RowSource: SELECT LLHORIZDATUM.ID, LLHORIZDATUM.ODSHorizDatumCode, LLHORIZDATUM.HORIZDATUM FROM LLHORIZDATUM ORDER BY [ODSHorizDatumCode];
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: LLHORIZDATUM
 SourceTable: LocationalData_HPTanks
 TextAlign: General

LLDESCRIPTION Long Integer 4
 AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 3
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1650
 ColumnWidths: 0;390;3465
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: REQ Reference Point Code, Category of the feature referenced by the latitude and longitude, lookup in table ReferencePoints
 DisplayControl: Combo Box
 GUID: {guid {F553890A-67D0-4389-8250-1C26AD2B8724}}
 LimitToList: True
 ListRows: 8
 ListWidth: 3855twip
 OrdinalPosition: 10
 Required: False
 RowSource: SELECT LLDESCRIPTION.ID, LLDESCRIPTION.ODSDescriptionCode, LLDESCRIPTION.LLDescription FROM LLDESCRIPTION;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: LLDESCRIPTION
 SourceTable: LocationalData_HPTanks
 TextAlign: General

LLSOURCESCALE		Long Integer	4
AggregateType:	-1		
AllowValueListEdits:	False		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
BoundColumn:	1		
CollatingOrder:	General		
ColumnCount:	3		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1725		
ColumnWidths:	0;270;3855		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	REQ Scale of the map used to determine the latitude and longitude coordinates.		
DisplayControl:	Combo Box		
GUID:	{guid {DC118EC6-61AC-421C-B417-46658FC22F74}}		
LimitToList:	True		
ListRows:	8		
ListWidth:	4125twip		
OrdinalPosition:	11		
Required:	False		
RowSource:	SELECT LLSOURCESCALE.ID, LLSOURCESCALE.ODSSourceScale, LLSOURCESCALE.SourceScale FROM LLSOURCESCALE;		
RowSourceType:	Table/Query		
ShowOnlyRowSourceValues:	False		
SourceField:	LLSOURCESCALE		
SourceTable:	LocationalData_HPTanks		
TextAlign:	General		

LLGEOMETRICTYPE		Long Integer	4
AggregateType:	-1		
AllowValueListEdits:	False		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
BoundColumn:	1		
CollatingOrder:	General		
ColumnCount:	3		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1935		
ColumnWidths:	0;390;1470		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	REQ Value indicating whether the latitude and longitude coordinates represent a point, multiple points on a line, or an area.		
DisplayControl:	Combo Box		
GUID:	{guid {109B276D-E5CB-4607-A193-99F15BCBAB6E}}		
LimitToList:	True		

ListRows: 8
ListWidth: 1860twip
OrdinalPosition: 12
Required: False
RowSource: SELECT LLGEOMETRICTYPE.ID,
LLGEOMETRICTYPE.ODSGeometricCode,
LLGEOMETRICTYPE.GEOMETRICTYPE FROM LLGEOMETRICTYPE;
RowSourceType: Table/Query
ShowOnlyRowSourceValues: False
SourceField: LLGEOMETRICTYPE
SourceTable: LocationalData_HPTanks
TextAlign: General

LLCOLLECTIONDATE Date With Time 8

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 2115
DataUpdatable: False
Description: OPT Date when the latitude and longitude coordinates were determined.
GUID: {guid {13D88EEA-4932-4E34-9C44-48C7AF9973AF}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 13
Required: False
SourceField: LLCOLLECTIONDATE
SourceTable: LocationalData_HPTanks
TextAlign: General

LLSOURCECODE Long Integer 4

AggregateType: -1
AllowValueListEdits: False
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
BoundColumn: 1
CollatingOrder: General
ColumnCount: 3
ColumnHeads: False
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 1680
ColumnWidths: 0;360;3165
DataUpdatable: False
DecimalPlaces: Auto
Description: OPT Party responsible for collecting or otherwise providing the latitude and longitude.
DisplayControl: Combo Box
GUID: {guid {14241E72-8B8D-4657-8985-5CB5F3263E6A}}

LimitToList: True
 ListRows: 8
 ListWidth: 3525twip
 OrdinalPosition: 14
 Required: False
 RowSource: SELECT LLSOURCECODE.ID, LLSOURCECODE.ODSSourceCode, LLSOURCECODE.SOURCECODE FROM LLSOURCECODE;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: LLSOURCECODE
 SourceTable: LocationalData_HPTanks
 TextAlign: General

LLVERIFICATIONMETHOD Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 3
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2565
 ColumnWidths: 0;360;4725
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: OPT A code representing the process by which the latitude and longitude coordinates have been verified by EPA, grantees, or contractors.
 DisplayControl: Combo Box
 GUID: {guid {B5A4D1DB-1CFB-4712-BDF0-6A4ECED8B163}}
 LimitToList: True
 ListRows: 8
 ListWidth: 5085twip
 OrdinalPosition: 15
 Required: False
 RowSource: SELECT LLVERIFICATIONMETHOD.ID, LLVERIFICATIONMETHOD.ODSVerificationMethodCode, LLVERIFICATIONMETHOD.VerificationMethod FROM LLVERIFICATIONMETHOD;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: LLVERIFICATIONMETHOD
 SourceTable: LocationalData_HPTanks
 TextAlign: General

LLCOMMENTS Long Text -

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False

Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: OPT Comments further describing the collection, processing, or interpretation of the latitude, longitude and/or vertical data.
 GUID: {guid {E4CB3ECB-EDF4-4C2D-8EEA-0BAE29BDA9F6}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 16
 Required: False
 SourceField: LLCOMMENTS
 SourceTable: LocationalData_HPTanks
 TextAlign: General
 UnicodeCompression: False

LOCLINK Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME HPTank ID number
 DisplayControl: Text Box
 GUID: {guid {7531FCD6-DDF0-4B04-9B63-1485D86C6D22}}
 OrdinalPosition: 17
 Required: True
 SourceField: LOCLINK
 SourceTable: LocationalData_HPTanks
 TextAlign: General

LatDeg Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: DMS Latitude Degrees
 DisplayControl: Text Box
 GUID: {guid {16C4168C-0F05-4D18-879F-E2C62A190C52}}
 OrdinalPosition: 18

	Required:	False		
	SourceField:	LatDeg		
	SourceTable:	LocationalData_HPTanks		
	TextAlign:	General		
LatMin			Long Integer	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	Description:	DMS Latitude Minutes		
	DisplayControl:	Text Box		
	GUID:	{guid {62BCE3AD-05B5-4770-8BC7-3ADEADACB171}}		
	OrdinalPosition:	19		
	Required:	False		
	SourceField:	LatMin		
	SourceTable:	LocationalData_HPTanks		
	TextAlign:	General		
LatSec			Double	8
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	4		
	Description:	DMS Latitude Seconds		
	DisplayControl:	Text Box		
	GUID:	{guid {7598F98F-55C2-490E-9308-095EE7EEFFE1}}		
	OrdinalPosition:	20		
	Required:	False		
	SourceField:	LatSec		
	SourceTable:	LocationalData_HPTanks		
	TextAlign:	General		
LongDeg			Long Integer	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		

DecimalPlaces: Auto
 Description: DMS Longitude Degrees
 DisplayControl: Text Box
 GUID: {guid {4518244F-9285-4074-904B-C5EE3C3F3666}}
 OrdinalPosition: 21
 Required: False
 SourceField: LongDeg
 SourceTable: LocationalData_HPTanks
 TextAlign: General

LongMin Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: DMS longitude Minutes
 DisplayControl: Text Box
 GUID: {guid {C543A80E-6292-4CD4-9037-6D0ECFD2D823}}
 OrdinalPosition: 22
 Required: False
 SourceField: LongMin
 SourceTable: LocationalData_HPTanks
 TextAlign: General

LongSec Double 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: 4
 Description: DMS Longitude Seconds
 DisplayControl: Text Box
 GUID: {guid {228A7FE4-E9DA-4174-B22A-E0D2671B9EE7}}
 OrdinalPosition: 23
 Required: False
 SourceField: LongSec
 SourceTable: LocationalData_HPTanks
 TextAlign: General

Lastupdate Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size

CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date of Last Update
 Format: General Date
 GUID: {guid {96B9C209-7183-4858-A74F-58F3FD5F9DA7}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 24
 Required: False
 SourceField: Lastupdate
 SourceTable: LocationalData_HPTanks
 TextAlign: General

CurrentUpdateUser Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Current User At Time of Update
 DisplayControl: Text Box
 GUID: {guid {59B48523-9E8C-4AF9-995F-B2FDE90EF09F}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 25
 Required: False
 SourceField: CurrentUpdateUser
 SourceTable: LocationalData_HPTanks
 TextAlign: General
 UnicodeCompression: True

DateCreated Date With Time 8


AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date that record was created.
 Format: General Date
 GUID: {guid {2A3D6991-CAFF-4BA7-95F0-0BFC97C7D6DB}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 26
 Required: False

SourceField: DateCreated
 SourceTable: LocationalData_HPTanks
 TextAlign: General

CreatedBy Short Text 50
 AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Created by when the record is created
 DisplayControl: Text Box
 GUID: {guid {BFEE9B6F-77C1-4CDF-B137-081519398F85}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 27
 Required: False
 SourceField: CreatedBy
 SourceTable: LocationalData_HPTanks
 TextAlign: General
 UnicodeCompression: True

Relationships

HPTanksLocationalData_HPTanks



Attributes: Not Enforced, Inherited, Left Join
 RelationshipType: One-To-Many (External)

Table Indexes

Name	Number of Fields
LLSOURCECODE	1
Clustered:	False
DistinctCount:	4
Foreign:	False
IgnoreNulls:	False
Name:	LLSOURCECODE
Primary:	False
Required:	False
Unique:	False
Fields:	
LLSOURCECODE	Ascending
LOCID	1
Clustered:	False

DistinctCount:	75
Foreign:	False
IgnoreNulls:	False
Name:	LOCID
Primary:	False
Required:	False
Unique:	False
Fields:	
LOCID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	75
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
LOCID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	

navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\ Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:51 PM	DefaultView:	2
GUID:	{guid {D3A1DE54-0C73-425A- A6DB-66F6DB3C74A7}}	LastUpdated:	11/5/2014 6:19:51 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	LocationalData_Other	Updatable:	False

Columns

Name	Type	Size
LOCID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal locational record identifier	
GUID:	{guid {1DA44D4B-B7FD-435D-A7E6-7BDCCA8D2AEA}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	LOCID	
SourceTable:	LocationalData_Other	
LATDECDEG	Short Text	25
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1350	
DataUpdatable:	False	
Description:	Either Lat and Long in Decimal Degrees format= SDD.DDDDDD Coordinate representation indicating a location on the surface of the earth, using the earth's Equator as the origin, reported in decimal degrees.	
DisplayControl:	Text Box	
GUID:	{guid {08230D63-8E0C-4BA2-B178-48BB395D5E73}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	LATDECDEG	
SourceTable:	LocationalData_Other	
UnicodeCompression:	False	

LONGDECDEG		Short Text	25
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1545		
DataUpdatable:	False		
Description:	Either Lat and Long in Decimal Degrees format= SDDD.DDDDDD Coordinate representation indicating a location on the surface of the earth, using the Prime Meridian (Greenwich, England) as the origin, reported in decimal degrees.		
DisplayControl:	Text Box		
GUID:	{guid {47215ED0-3B41-4612-B4B4-444DBD49F1D6}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	2		
Required:	False		
SourceField:	LONGDECDEG		
SourceTable:	LocationalData_Other		
UnicodeCompression:	False		

LLVERTMEASURE		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1740		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	CON Vertical distance from the vertical datum to the land surface or other measuring point, in meters.		
DisplayControl:	Text Box		
GUID:	{guid {167DFE9E-42EE-45E8-80F2-B9E58D3100C1}}		
OrdinalPosition:	3		
Required:	False		
SourceField:	LLVERTMEASURE		
SourceTable:	LocationalData_Other		

LLVERTCOLLECTIONMETHOD		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
BoundColumn:	1		
CollatingOrder:	General		
ColumnCount:	3		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2925		

ColumnWidths: 0;390;6330
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: OPT Code representing the method used to determine the vertical measure.
 DisplayControl: Combo Box
 GUID: {guid {3C3B0BA7-E378-4C3B-A26D-8EB5102A0F94}}
 LimitToList: True
 ListRows: 8
 ListWidth: 6720twip
 OrdinalPosition: 4
 Required: False
 RowSource: SELECT LLVERTCOLLMETH.ID,
 LLVERTCOLLMETH.ODSVertCollMethCode,
 LLVERTCOLLMETH.VerticalCollectionMethod FROM
 LLVERTCOLLMETH;
 RowSourceType: Table/Query
 SourceField: LLVERTCOLLECTIONMETHOD
 SourceTable: LocationalData_Other

LLVERTACCURACY Long Integer 4

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1920
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: OPT Quantitative measurement of the amount of deviation from true value in the vertical measure (estimate of error). It describes the correctness of the vertical measure, in meters.
 DisplayControl: Text Box
 GUID: {guid {E9ED83A0-B29D-4100-B857-CFAB28DBBCA8}}
 OrdinalPosition: 5
 Required: False
 SourceField: LLVERTACCURACY
 SourceTable: LocationalData_Other

LLVERTDATUM Long Integer 4

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 3
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1575
 ColumnWidths: 0;405;2760

DataUpdatable: False
 DecimalPlaces: Auto
 Description: OPT VERTICAL REFERENCE DATUM CODE Code representing which national reference standard for vertical control established by the U.S. National Geodetic Survey (NGS) is used to determine the vertical measure.
 DisplayControl: Combo Box
 GUID: {guid {1C893544-6233-4A0C-8123-CB0372B5917F}}
 LimitToList: True
 ListRows: 8
 ListWidth: 3165twip
 OrdinalPosition: 6
 Required: False
 RowSource: SELECT LLVERTDATUM.ID, LLVERTDATUM.ODSVertDatumCode, LLVERTDATUM.VertDatum FROM LLVERTDATUM;
 RowSourceType: Table/Query
 SourceField: LLVERTDATUM
 SourceTable: LocationalData_Other

LLCOLLECTIONMETH Long Integer 4

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 3
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2145
 ColumnWidths: 0;384;3492
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: REQ Method used to determine the latitude/longitude. This represents the primary source of the data.
 DisplayControl: Combo Box
 GUID: {guid {A00F7306-3007-471C-915F-3B77277F4ADB}}
 LimitToList: True
 ListRows: 8
 ListWidth: 3876twip
 OrdinalPosition: 7
 Required: False
 RowSource: SELECT LLCOLLECTIONMETHOD.ID, LLCOLLECTIONMETHOD.ODScollmethcode, LLCOLLECTIONMETHOD.CollectionMethod FROM LLCOLLECTIONMETHOD ORDER BY [ODScollmethcode];
 RowSourceType: Table/Query
 SourceField: LLCOLLECTIONMETH
 SourceTable: LocationalData_Other

LLHORIZACCURACY Long Integer 4

AllowZeroLength: False

AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2040
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: REQ Describes the correctness of the lat/long measure in meters. Defined as the least accurate measurement, regardless whether lat or long.
 DisplayControl: Text Box
 GUID: {guid {F2CFABA2-24C1-4623-A99F-C9E171F8179E}}
 OrdinalPosition: 8
 Required: False
 SourceField: LLHORIZACCURACY
 SourceTable: LocationalData_Other

LLHORIZDATUM Long Integer 4

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 3
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1695
 ColumnWidths: 0;480;1080
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: REQ Reference standard for three dimensional and horizontal, lookup in table HorizDatumCodes
 DisplayControl: Combo Box
 GUID: {9CD1E8D7-44FF-46E4-A13A-D8813825CCF1}
 LimitToList: True
 ListRows: 8
 ListWidth: 1560twip
 OrdinalPosition: 9
 Required: False
 RowSource: SELECT LLHORIZDATUM.ID, LLHORIZDATUM.ODSHorizDatumCode, LLHORIZDATUM.HORIZDATUM FROM LLHORIZDATUM ORDER BY [ODSHorizDatumCode];
 RowSourceType: Table/Query
 SourceField: LLHORIZDATUM
 SourceTable: LocationalData_Other

LLDESCRIPTION Long Integer 4

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1

CollatingOrder: General
 ColumnCount: 3
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1650
 ColumnWidths: 0;390;3465
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: REQ Reference Point Code, Category of the feature referenced by the latitude and longitude, lookup in table ReferencePoints
 DisplayControl: Combo Box
 GUID: {guid {17F7EB97-830B-4E0E-82F6-16622C5A0707}}
 LimitToList: True
 ListRows: 8
 ListWidth: 3855twip
 OrdinalPosition: 10
 Required: False
 RowSource: SELECT LLEDESCRIPTION.ID, LLEDESCRIPTION.ODSDescriptionCode, LLEDESCRIPTION.LLDescription FROM LLEDESCRIPTION;
 RowSourceType: Table/Query
 SourceField: LLEDESCRIPTION
 SourceTable: LocationalData_Other

LLSOURCESCALE Long Integer 4

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 3
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1725
 ColumnWidths: 0;270;3855
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: REQ Scale of the map used to determine the latitude and longitude coordinates.
 DisplayControl: Combo Box
 GUID: {guid {FAF7B5CA-6B00-40D8-B4FD-BD0406B8C114}}
 LimitToList: True
 ListRows: 8
 ListWidth: 4125twip
 OrdinalPosition: 11
 Required: False
 RowSource: SELECT LLSOURCESCALE.ID, LLSOURCESCALE.ODSSourceScale, LLSOURCESCALE.SourceScale FROM LLSOURCESCALE;
 RowSourceType: Table/Query
 SourceField: LLSOURCESCALE
 SourceTable: LocationalData_Other

LLGEOMETRICTYPE Long Integer 4

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 3
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1935
 ColumnWidths: 0;390;1470
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: REQ Value indicating whether the latitude and longitude coordinates represent a point, multiple points on a line, or an area.
 DisplayControl: Combo Box
 GUID: {guid {352F7C17-1B1B-4E06-A396-28E6D4406D18}}
 LimitToList: True
 ListRows: 8
 ListWidth: 1860twip
 OrdinalPosition: 12
 Required: False
 RowSource: SELECT LLGEOMETRICTYPE.ID,
 LLGEOMETRICTYPE.ODSGeometricCode,
 LLGEOMETRICTYPE.GEOMETRICTYPE FROM LLGEOMETRICTYPE;
 RowSourceType: Table/Query
 SourceField: LLGEOMETRICTYPE
 SourceTable: LocationalData_Other

LLCOLLECTIONDATE Date With Time 8

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2115
 DataUpdatable: False
 Description: OPT Date when the latitude and longitude coordinates were determined.
 GUID: {guid {69D43984-BA75-411A-944D-F90DA4A57EB6}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 13
 Required: False
 SourceField: LLCOLLECTIONDATE
 SourceTable: LocationalData_Other

LLSOURCECODE Long Integer 4

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1

CollatingOrder: General
 ColumnCount: 3
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1680
 ColumnWidths: 0;360;3165
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: OPT Party responsible for collecting or otherwise providing the latitude and longitude.
 DisplayControl: Combo Box
 GUID: {guid {489ACF31-71FC-4180-A759-C2D232CD5631}}
 LimitToList: True
 ListRows: 8
 ListWidth: 3525twip
 OrdinalPosition: 14
 Required: False
 RowSource: SELECT LLSOURCECODE.ID, LLSOURCECODE.ODSSourceCode, LLSOURCECODE.SOURCECODE FROM LLSOURCECODE;
 RowSourceType: Table/Query
 SourceField: LLSOURCECODE
 SourceTable: LocationalData_Other

LLVERIFICATIONMETHOD Long Integer 4
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 3
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2565
 ColumnWidths: 0;360;4725
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: OPT A code representing the process by which the latitude and longitude coordinates have been verified by EPA, grantees, or contractors.
 DisplayControl: Combo Box
 GUID: {guid {6AC9FF0C-7EA8-43FD-B197-4F6194858782}}
 LimitToList: True
 ListRows: 8
 ListWidth: 5085twip
 OrdinalPosition: 15
 Required: False
 RowSource: SELECT LLVERIFICATIONMETHOD.ID, LLVERIFICATIONMETHOD.ODSVerificationMethodCode, LLVERIFICATIONMETHOD.VerificationMethod FROM LLVERIFICATIONMETHOD;
 RowSourceType: Table/Query
 SourceField: LLVERIFICATIONMETHOD
 SourceTable: LocationalData_Other

Field Name	Field Type	Field Length
LLCOMMENTS	Long Text	-
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	OPT Comments further describing the collection, processing, or interpretation of the latitude, longitude and/or vertical data.	
GUID:	{guid {49D087BC-8F90-40E9-827C-B3BF651B9C58}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	16	
Required:	False	
SourceField:	LLCOMMENTS	
SourceTable:	LocationalData_Other	
UnicodeCompression:	False	
LOCLINK	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	internal DIME Other Sub Facility ID number	
DisplayControl:	Text Box	
GUID:	{guid {4AE1CDB5-8C7B-4CA7-BD34-FD0D6E21878E}}	
OrdinalPosition:	17	
Required:	True	
SourceField:	LOCLINK	
SourceTable:	LocationalData_Other	
LatDeg	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	DMS Latitude Degrees	
DisplayControl:	Text Box	
GUID:	{guid {E604594E-B737-4884-8525-A87E17D00BDE}}	
OrdinalPosition:	18	
Required:	False	

	SourceField:	LatDeg	
	SourceTable:	LocationalData_Other	
LatMin		Long Integer	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	DMS Latitude Minutes	
	DisplayControl:	Text Box	
	GUID:	{guid {79A7AEFD-D5F8-4D4E-8EAD-31DCCB330A93}}	
	OrdinalPosition:	19	
	Required:	False	
	SourceField:	LatMin	
	SourceTable:	LocationalData_Other	
LatSec		Double	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	4	
	Description:	DMS Latitude Seconds	
	DisplayControl:	Text Box	
	GUID:	{guid {B5822AA7-9CCD-4A8A-9679-E30A37583AD4}}	
	OrdinalPosition:	20	
	Required:	False	
	SourceField:	LatSec	
	SourceTable:	LocationalData_Other	
LongDeg		Long Integer	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	DMS Longitude Degrees	
	DisplayControl:	Text Box	
	GUID:	{guid {9AB8FE10-584A-4956-9402-023EE2F0DBAD}}	
	OrdinalPosition:	21	
	Required:	False	
	SourceField:	LongDeg	

SourceTable:	LocationalData_Other		
LongMin		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	DMS longitude Minutes		
DisplayControl:	Text Box		
GUID:	{guid {A7261595-576A-462E-87E1-1494ACB35312}}		
OrdinalPosition:	22		
Required:	False		
SourceField:	LongMin		
SourceTable:	LocationalData_Other		
LongSec		Double	8
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	4		
Description:	DMS Longitude Seconds		
DisplayControl:	Text Box		
GUID:	{guid {AC04C281-21D3-447A-96A1-F362F777A152}}		
OrdinalPosition:	23		
Required:	False		
SourceField:	LongSec		
SourceTable:	LocationalData_Other		
Lastupdate		Date With Time	8
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Date of Last Update		
Format:	General Date		
GUID:	{guid {16200A8A-12EF-40E5-949A-749A26550246}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	24		
Required:	False		
SourceField:	Lastupdate		

SourceTable:	LocationalData_Other		
CurrentUpdateUser		Short Text	50
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Current User At Time of Update		
DisplayControl:	Text Box		
GUID:	{guid {04BA579E-4361-456D-AE52-C12B9B70F113}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	25		
Required:	False		
SourceField:	CurrentUpdateUser		
SourceTable:	LocationalData_Other		
UnicodeCompression:	True		
DateCreated		Date With Time	8
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Date that record was created.		
Format:	General Date		
GUID:	{guid {EC580A15-82E5-480E-8BBE-99FD4B78842C}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	26		
Required:	False		
SourceField:	DateCreated		
SourceTable:	LocationalData_Other		
CreatedBy		Short Text	50
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Created by when the record is created		
DisplayControl:	Text Box		
GUID:	{guid {03CBC6BF-FE0C-47E3-BFE6-6FB6E1ECEE5}}		
IMEMode:	0		
IMESentenceMode:	3		

OrdinalPosition: 27
 Required: False
 SourceField: CreatedBy
 SourceTable: LocationalData_Other
 UnicodeCompression: True

Table Indexes

Name	Number of Fields
LLSOURCECODE	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	LLSOURCECODE
Primary:	False
Required:	False
Unique:	False
Fields:	
LLSOURCECODE	Ascending
LOCID	1
Clustered:	False
DistinctCount:	15
Foreign:	False
IgnoreNulls:	False
Name:	LOCID
Primary:	False
Required:	False
Unique:	False
Fields:	
LOCID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	15
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
LOCID	Ascending

User Permissions

- admin
- aizaz
- andrew
- bessie
- chris
- corine

daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:51 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	Filter:	([Lookup_LLCOLLECTIONMET H].[ODScollmethcode]="028")
FilterOnLoad:	False	GUID:	{guid {A5B5BAB8-F030-487E- A6CF-98A58B1790B3}}
HideNewField:	False	LastUpdated:	11/5/2014 6:19:51 PM
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	-1	SourceTableName:	LocationalData_Pumping
TotalsRow:	False	Updatable:	False

Columns

Name	Type	Size
LOCID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal locational record identifier	
GUID:	{guid {C300934C-A17B-4BE6-A446-0523B3FE5A2A}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	LOCID	
SourceTable:	LocationalData_Pumping	
TextAlign:	General	
LATDECDEG	Short Text	25
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1350	
DataUpdatable:	False	
Description:	Either Lat and Long in Decimal Degrees format= SDD.DDDDDD Coordinate representation indicating a location on the surface of the earth, using the earth's Equator as the origin, reported in decimal degrees.	
DisplayControl:	Text Box	
GUID:	{guid {5753090A-5261-4D08-A8F7-4327D6F025A6}}	
IMEMode:	0	
IMESentenceMode:	3	

OrdinalPosition: 1
 Required: False
 SourceField: LATDECDEG
 SourceTable: LocationalData_Pumping
 TextAlign: General
 UnicodeCompression: False

LONGDECDEG Short Text 25

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1545
 DataUpdatable: False
 Description: Either Lat and Long in Decimal Degrees format= SDDD.DDDDDD
 Coordinate representation indicating a location on the surface of the
 earth, using the Prime Meridian (Greenwich, England) as the origin,
 reported in decimal degrees.
 DisplayControl: Text Box
 GUID: {guid {B4C87698-697D-46F0-AF5E-A00654C42900}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: LONGDECDEG
 SourceTable: LocationalData_Pumping
 TextAlign: General
 UnicodeCompression: False

LLVERTMEASURE Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1740
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: CON Vertical distance from the vertical datum to the land surface or
 other measuring point, in meters.
 DisplayControl: Text Box
 GUID: {guid {1D529E68-F576-407A-85E7-F9D88188B81A}}
 OrdinalPosition: 3
 Required: False
 SourceField: LLVERTMEASURE
 SourceTable: LocationalData_Pumping
 TextAlign: General

LLVERTCOLLECTIONMETHOD		Long Integer	4
AggregateType:	-1		
AllowValueListEdits:	False		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
BoundColumn:	1		
CollatingOrder:	General		
ColumnCount:	3		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2925		
ColumnWidths:	0;390;6330		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	OPT Code representing the method used to determine the vertical measure.		
DisplayControl:	Combo Box		
GUID:	{guid {3D9978D5-7FDA-4395-A888-A1DF9C382F2A}}		
LimitToList:	True		
ListRows:	8		
ListWidth:	6720twip		
OrdinalPosition:	4		
Required:	False		
RowSource:	SELECT LLVERTCOLLMETH.ID, LLVERTCOLLMETH.ODSVertCollMethCode, LLVERTCOLLMETH.VerticalCollectionMethod FROM LLVERTCOLLMETH;		
RowSourceType:	Table/Query		
ShowOnlyRowSourceValues:	False		
SourceField:	LLVERTCOLLECTIONMETHOD		
SourceTable:	LocationalData_Pumping		
TextAlign:	General		

LLVERTACCURACY		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1920		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	OPT Quantitative measurement of the amount of deviation from true value in the vertical measure (estimate of error). It describes the correctness of the vertical measure, in meters.		
DisplayControl:	Text Box		
GUID:	{guid {519954FF-E782-445B-9CEF-0694A26FFBE6}}		
OrdinalPosition:	5		
Required:	False		
SourceField:	LLVERTACCURACY		

SourceTable:	LocationalData_Pumping		
TextAlign:	General		
LLVERTDATUM		Long Integer	4
AggregateType:	-1		
AllowValueListEdits:	False		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
BoundColumn:	1		
CollatingOrder:	General		
ColumnCount:	3		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1575		
ColumnWidths:	0;405;2760		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	OPT VERTICAL REFERENCE DATUM CODE Code representing which national reference standard for vertical control established by the U.S. National Geodetic Survey (NGS) is used to determine the vertical measure.		
DisplayControl:	Combo Box		
GUID:	{guid {C678B2A2-E35F-439F-AFD0-73FB48CBD1CB}}		
LimitToList:	True		
ListRows:	8		
ListWidth:	3165twip		
OrdinalPosition:	6		
Required:	False		
RowSource:	SELECT LLVERTDATUM.ID, LLVERTDATUM.ODSVertDatumCode, LLVERTDATUM.VertDatum FROM LLVERTDATUM;		
RowSourceType:	Table/Query		
ShowOnlyRowSourceValues:	False		
SourceField:	LLVERTDATUM		
SourceTable:	LocationalData_Pumping		
TextAlign:	General		
LLCOLLECTIONMETH		Long Integer	4
AggregateType:	-1		
AllowValueListEdits:	False		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
BoundColumn:	1		
CollatingOrder:	General		
ColumnCount:	3		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2145		
ColumnWidths:	0;384;3492		
DataUpdatable:	False		
DecimalPlaces:	Auto		

Description: REQ Method used to determine the latitude/longitude. This represents the primary source of the data.
 DisplayControl: Combo Box
 GUID: {guid {0EBB5608-2740-405E-8F87-94F02B49472A}}
 LimitToList: True
 ListRows: 8
 ListWidth: 3876twip
 OrdinalPosition: 7
 Required: False
 RowSource: SELECT LLCOLLECTIONMETHOD.ID, LLCOLLECTIONMETHOD.ODScollmethcode, LLCOLLECTIONMETHOD.CollectionMethod FROM LLCOLLECTIONMETHOD ORDER BY [ODScollmethcode];
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: LLCOLLECTIONMETH
 SourceTable: LocationalData_Pumping
 TextAlign: General

LLHORIZACCURACY Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2040
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: REQ Describes the correctness of the lat/long measure in meters. Defined as the least accurate measurement, regardless whether lat or long.
 DisplayControl: Text Box
 GUID: {guid {A61D8053-4D8C-4727-A99D-AF4076491093}}
 OrdinalPosition: 8
 Required: False
 SourceField: LLHORIZACCURACY
 SourceTable: LocationalData_Pumping
 TextAlign: General

LLHORIZDATUM Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 3
 ColumnHeads: False
 ColumnHidden: False

ColumnOrder: Default
 ColumnWidth: 1695
 ColumnWidths: 0;480;1080
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: REQ Reference standard for three dimensional and horizontal, lookup in table HorizDatumCodes
 DisplayControl: Combo Box
 GUID: {guid {59450175-78F1-4E36-8620-322199126520}}
 LimitToList: True
 ListRows: 8
 ListWidth: 1560twip
 OrdinalPosition: 9
 Required: False
 RowSource: SELECT LLHORIZDATUM.ID, LLHORIZDATUM.ODSHorizDatumCode, LLHORIZDATUM.HORIZDATUM FROM LLHORIZDATUM ORDER BY [ODSHorizDatumCode];
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: LLHORIZDATUM
 SourceTable: LocationalData_Pumping
 TextAlign: General

LLDESCRIPTION Long Integer 4
 AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 3
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1650
 ColumnWidths: 0;390;3465
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: REQ Reference Point Code, Category of the feature referenced by the latitude and longitude, lookup in table ReferencePoints
 DisplayControl: Combo Box
 GUID: {guid {7274602E-8A0B-4E06-B80F-95A439E41EA4}}
 LimitToList: True
 ListRows: 8
 ListWidth: 3855twip
 OrdinalPosition: 10
 Required: False
 RowSource: SELECT LLDESCRIPTION.ID, LLDESCRIPTION.ODSDescriptionCode, LLDESCRIPTION.LLDescription FROM LLDESCRIPTION;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: LLDESCRIPTION
 SourceTable: LocationalData_Pumping
 TextAlign: General

LLSOURCESCALE		Long Integer	4
AggregateType:	-1		
AllowValueListEdits:	False		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
BoundColumn:	1		
CollatingOrder:	General		
ColumnCount:	3		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1725		
ColumnWidths:	0;270;3855		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	REQ Scale of the map used to determine the latitude and longitude coordinates.		
DisplayControl:	Combo Box		
GUID:	{guid {E49773BD-BF00-4B8B-9161-A24DAC4B2430}}		
LimitToList:	True		
ListRows:	8		
ListWidth:	4125twip		
OrdinalPosition:	11		
Required:	False		
RowSource:	SELECT LLSOURCESCALE.ID, LLSOURCESCALE.ODSSourceScale, LLSOURCESCALE.SourceScale FROM LLSOURCESCALE;		
RowSourceType:	Table/Query		
ShowOnlyRowSourceValues:	False		
SourceField:	LLSOURCESCALE		
SourceTable:	LocationalData_Pumping		
TextAlign:	General		

LLGEOMETRICTYPE		Long Integer	4
AggregateType:	-1		
AllowValueListEdits:	False		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
BoundColumn:	1		
CollatingOrder:	General		
ColumnCount:	3		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1935		
ColumnWidths:	0;390;1470		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	REQ Value indicating whether the latitude and longitude coordinates represent a point, multiple points on a line, or an area.		
DisplayControl:	Combo Box		
GUID:	{guid {0B54CE63-5B2B-4714-9075-A4093C3EA0F1}}		
LimitToList:	True		

ListRows: 8
ListWidth: 1860twip
OrdinalPosition: 12
Required: False
RowSource: SELECT LLGEOMETRICTYPE.ID,
LLGEOMETRICTYPE.ODSGeometricCode,
LLGEOMETRICTYPE.GEOMETRICTYPE FROM LLGEOMETRICTYPE;
RowSourceType: Table/Query
ShowOnlyRowSourceValues: False
SourceField: LLGEOMETRICTYPE
SourceTable: LocationalData_Pumping
TextAlign: General

LLCOLLECTIONDATE Date With Time 8

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 2115
DataUpdatable: False
Description: OPT Date when the latitude and longitude coordinates were
determined.
GUID: {guid {C89171AD-1479-4C02-A23B-AFA29A0A1CC9}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 13
Required: False
SourceField: LLCOLLECTIONDATE
SourceTable: LocationalData_Pumping
TextAlign: General

LLSOURCECODE Long Integer 4

AggregateType: -1
AllowValueListEdits: False
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
BoundColumn: 1
CollatingOrder: General
ColumnCount: 3
ColumnHeads: False
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 1680
ColumnWidths: 0;360;3165
DataUpdatable: False
DecimalPlaces: Auto
Description: OPT Party responsible for collecting or otherwise providing the
latitude and longitude.
DisplayControl: Combo Box
GUID: {guid {F07B1E4C-5CCE-4F1F-8E83-DB8AB582A180}}

LimitToList: True
ListRows: 8
ListWidth: 3525twip
OrdinalPosition: 14
Required: False
RowSource: SELECT LLSOURCECODE.ID, LLSOURCECODE.ODSSourceCode,
LLSOURCECODE.SOURCECODE FROM LLSOURCECODE;
RowSourceType: Table/Query
ShowOnlyRowSourceValues: False
SourceField: LLSOURCECODE
SourceTable: LocationalData_Pumping
TextAlign: General

LLVERIFICATIONMETHOD Long Integer 4

AggregateType: -1
AllowValueListEdits: False
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
BoundColumn: 1
CollatingOrder: General
ColumnCount: 3
ColumnHeads: False
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 2565
ColumnWidths: 0;360;4725
DataUpdatable: False
DecimalPlaces: Auto
Description: OPT A code representing the process by which the latitude and
longitude coordinates have been verified by
EPA, grantees, or contractors.
DisplayControl: Combo Box
GUID: {guid {99A1D50B-B8BA-44BC-A798-1A2CFBB88CAC}}
LimitToList: True
ListRows: 8
ListWidth: 5085twip
OrdinalPosition: 15
Required: False
RowSource: SELECT LLVERIFICATIONMETHOD.ID,
LLVERIFICATIONMETHOD.ODSVerificationMethodCode,
LLVERIFICATIONMETHOD.VerificationMethod FROM
LLVERIFICATIONMETHOD;
RowSourceType: Table/Query
ShowOnlyRowSourceValues: False
SourceField: LLVERIFICATIONMETHOD
SourceTable: LocationalData_Pumping
TextAlign: General

LLCOMMENTS Long Text -

AggregateType: -1
AllowZeroLength: False
AppendOnly: False

Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: OPT Comments further describing the collection, processing, or interpretation of the latitude, longitude and/or vertical data.
 GUID: {guid {7D6202C6-DC1A-4AEF-8726-800F3C0F9039}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 16
 Required: False
 SourceField: LLCOMMENTS
 SourceTable: LocationalData_Pumping
 TextAlign: General
 UnicodeCompression: False

LOCLINK Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME Pumping Facility ID number
 DisplayControl: Text Box
 GUID: {guid {21D00F6B-4EC2-48D7-90E1-40882EA46C5C}}
 OrdinalPosition: 17
 Required: True
 SourceField: LOCLINK
 SourceTable: LocationalData_Pumping
 TextAlign: General

LatDeg Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: DMS Latitude Degrees
 DisplayControl: Text Box
 GUID: {guid {555F86F5-5485-49A3-A9A4-22135F7DC38B}}
 OrdinalPosition: 18

	Required:	False		
	SourceField:	LatDeg		
	SourceTable:	LocationalData_Pumping		
	TextAlign:	General		
LatMin			Long Integer	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	Description:	DMS Latitude Minutes		
	DisplayControl:	Text Box		
	GUID:	{guid {6E1F203C-86E5-4230-8A2A-A2ABA651BB59}}		
	OrdinalPosition:	19		
	Required:	False		
	SourceField:	LatMin		
	SourceTable:	LocationalData_Pumping		
	TextAlign:	General		
LatSec			Double	8
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	4		
	Description:	DMS Latitude Seconds		
	DisplayControl:	Text Box		
	GUID:	{guid {E2BDC989-8500-458D-98C4-9C84088D11EE}}		
	OrdinalPosition:	20		
	Required:	False		
	SourceField:	LatSec		
	SourceTable:	LocationalData_Pumping		
	TextAlign:	General		
LongDeg			Long Integer	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		

DecimalPlaces: Auto
 Description: DMS Longitude Degrees
 DisplayControl: Text Box
 GUID: {guid {5E4BE668-9A06-46E6-BFF4-60AC36318230}}
 OrdinalPosition: 21
 Required: False
 SourceField: LongDeg
 SourceTable: LocationalData_Pumping
 TextAlign: General

LongMin Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: DMS longitude Minutes
 DisplayControl: Text Box
 GUID: {guid {275238D5-8182-4482-A6EF-AFB60AF56C09}}
 OrdinalPosition: 22
 Required: False
 SourceField: LongMin
 SourceTable: LocationalData_Pumping
 TextAlign: General

LongSec Double 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: 4
 Description: DMS Longitude Seconds
 DisplayControl: Text Box
 GUID: {guid {48C3BBEC-1AD9-4DD3-8372-8AA80D1EF601}}
 OrdinalPosition: 23
 Required: False
 SourceField: LongSec
 SourceTable: LocationalData_Pumping
 TextAlign: General

Lastupdate Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size

CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date of Last Update
 Format: General Date
 GUID: {guid {6BC672AA-6971-4C44-8ABE-EAF04E568D2B}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 24
 Required: False
 SourceField: Lastupdate
 SourceTable: LocationalData_Pumping
 TextAlign: General

CurrentUpdateUser Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Current User At Time of Update
 DisplayControl: Text Box
 GUID: {guid {56F2E52B-5CF5-4964-8B99-1D94CAEB5159}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 25
 Required: False
 SourceField: CurrentUpdateUser
 SourceTable: LocationalData_Pumping
 TextAlign: General
 UnicodeCompression: True

DateCreated Date With Time 8


AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2235
 DataUpdatable: False
 Description: Date that record was created.
 Format: General Date
 GUID: {guid {CD10206E-E886-42BD-97CA-AC1AB33713FB}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 26
 Required: False

SourceField: DateCreated
 SourceTable: LocationalData_Pumping
 TextAlign: General

CreatedBy Short Text 50
 AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Created by when the record is created
 DisplayControl: Text Box
 GUID: {guid {72A1630C-53D5-4DE9-8E79-FC5E40DE9130}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 27
 Required: False
 SourceField: CreatedBy
 SourceTable: LocationalData_Pumping
 TextAlign: General
 UnicodeCompression: True

Relationships

PumpingFacilitiesLocationalData_Pumping



Attributes: Not Enforced, Inherited, Left Join
 RelationshipType: One-To-Many (External)

Table Indexes

Name	Number of Fields
LLSOURCECODE	1
Clustered:	False
DistinctCount:	5
Foreign:	False
IgnoreNulls:	False
Name:	LLSOURCECODE
Primary:	False
Required:	False
Unique:	False
Fields:	
LLSOURCECODE	Ascending
LOCID	1
Clustered:	False

DistinctCount:	85
Foreign:	False
IgnoreNulls:	False
Name:	LOCID
Primary:	False
Required:	False
Unique:	False
Fields:	
LOCID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	85
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
LOCID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	

navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:51 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	Filter:	([Lookup_LLCOLLECTIONMET H].[ODScollmethcode]="028")
FilterOnLoad:	False	GUID:	{guid {8C6FC056-8705-4FB7- 9153-DE3588FFBB3F}}
HideNewField:	False	LastUpdated:	11/5/2014 6:19:51 PM
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	-1	SourceTableName:	LocationalData_SourcesGW
TotalsRow:	False	Updatable:	False

Columns

Name	Type	Size
LOCID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal locational record identifier	
GUID:	{guid {DA8B5D9C-EC07-4C3A-AB7D-ECDA81DC40E6}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	LOCID	
SourceTable:	LocationalData_SourcesGW	
TextAlign:	General	
LATDECDEG	Short Text	25
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1350	
DataUpdatable:	False	
Description:	Either Lat and Long in Decimal Degrees format= SDD.DDDDDD Coordinate representation indicating a location on the surface of the earth, using the earth's Equator as the origin, reported in decimal degrees.	
DisplayControl:	Text Box	
GUID:	{guid {F600418D-CD6F-46A3-9B0C-E7E9DA85BE20}}	
IMEMode:	0	
IMESentenceMode:	3	

OrdinalPosition: 1
 Required: False
 SourceField: LATDECDEG
 SourceTable: LocationalData_SourcesGW
 TextAlign: General
 UnicodeCompression: False

LONGDECDEG Short Text 25

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1545
 DataUpdatable: False
 Description: Either Lat and Long in Decimal Degrees format= SDDD.DDDDDD
 Coordinate representation indicating a location on the surface of the
 earth, using the Prime Meridian (Greenwich, England) as the origin,
 reported in decimal degrees.
 DisplayControl: Text Box
 GUID: {guid {DF98B7CC-2835-4DCD-A1AA-65C30F39A2AA}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: LONGDECDEG
 SourceTable: LocationalData_SourcesGW
 TextAlign: General
 UnicodeCompression: False

LLVERTMEASURE Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1740
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: CON Vertical distance from the vertical datum to the land surface or
 other measuring point, in meters.
 DisplayControl: Text Box
 GUID: {guid {2D7CDFE8-700D-4B6A-A3BE-981D72AEB7C8}}
 OrdinalPosition: 3
 Required: False
 SourceField: LLVERTMEASURE
 SourceTable: LocationalData_SourcesGW
 TextAlign: General

LLVERTCOLLECTIONMETHOD		Long Integer	4
AggregateType:	-1		
AllowValueListEdits:	False		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
BoundColumn:	1		
CollatingOrder:	General		
ColumnCount:	3		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2925		
ColumnWidths:	0;390;6330		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	OPT Code representing the method used to determine the vertical measure.		
DisplayControl:	Combo Box		
GUID:	{guid {BEBAD8E7-0DE8-4DA6-AC46-A01F9E5ABF42}}		
LimitToList:	True		
ListRows:	8		
ListWidth:	6720twip		
OrdinalPosition:	4		
Required:	False		
RowSource:	SELECT LLVERTCOLLMETH.ID, LLVERTCOLLMETH.ODSVertCollMethCode, LLVERTCOLLMETH.VerticalCollectionMethod FROM LLVERTCOLLMETH;		
RowSourceType:	Table/Query		
ShowOnlyRowSourceValues:	False		
SourceField:	LLVERTCOLLECTIONMETHOD		
SourceTable:	LocationalData_SourcesGW		
TextAlign:	General		

LLVERTACCURACY		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1920		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	OPT Quantitative measurement of the amount of deviation from true value in the vertical measure (estimate of error). It describes the correctness of the vertical measure, in meters.		
DisplayControl:	Text Box		
GUID:	{guid {787C8CA7-1F8C-435D-A554-DAC0CD7758DF}}		
OrdinalPosition:	5		
Required:	False		
SourceField:	LLVERTACCURACY		

SourceTable:	LocationalData_SourcesGW		
TextAlign:	General		
LLVERTDATUM		Long Integer	4
AggregateType:	-1		
AllowValueListEdits:	False		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
BoundColumn:	1		
CollatingOrder:	General		
ColumnCount:	3		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1575		
ColumnWidths:	0;405;2760		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	OPT VERTICAL REFERENCE DATUM CODE Code representing which national reference standard for vertical control established by the U.S. National Geodetic Survey (NGS) is used to determine the vertical measure.		
DisplayControl:	Combo Box		
GUID:	{guid {CBF6553E-9A31-4197-B056-3800F840495E}}		
LimitToList:	True		
ListRows:	8		
ListWidth:	3165twip		
OrdinalPosition:	6		
Required:	False		
RowSource:	SELECT LLVERTDATUM.ID, LLVERTDATUM.ODSVertDatumCode, LLVERTDATUM.VertDatum FROM LLVERTDATUM;		
RowSourceType:	Table/Query		
ShowOnlyRowSourceValues:	False		
SourceField:	LLVERTDATUM		
SourceTable:	LocationalData_SourcesGW		
TextAlign:	General		
LLCOLLECTIONMETH		Long Integer	4
AggregateType:	-1		
AllowValueListEdits:	False		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
BoundColumn:	1		
CollatingOrder:	General		
ColumnCount:	3		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2145		
ColumnWidths:	0;384;3492		
DataUpdatable:	False		
DecimalPlaces:	Auto		

Description: REQ Method used to determine the latitude/longitude. This represents the primary source of the data.
 DisplayControl: Combo Box
 GUID: {guid {C0643FE7-74D8-45BE-823D-0C168E8E308B}}
 LimitToList: True
 ListRows: 8
 ListWidth: 3876twip
 OrdinalPosition: 7
 Required: False
 RowSource: SELECT LLCOLLECTIONMETHOD.ID, LLCOLLECTIONMETHOD.ODScollmethode, LLCOLLECTIONMETHOD.CollectionMethod FROM LLCOLLECTIONMETHOD ORDER BY [ODScollmethode];
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: LLCOLLECTIONMETH
 SourceTable: LocationalData_SourcesGW
 TextAlign: General

LLHORIZACCURACY Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2040
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: REQ Describes the correctness of the lat/long measure in meters. Defined as the least accurate measurement, regardless whether lat or long.
 DisplayControl: Text Box
 GUID: {guid {A33E3B0C-E067-4F50-A7EE-C405FC8F146E}}
 OrdinalPosition: 8
 Required: False
 SourceField: LLHORIZACCURACY
 SourceTable: LocationalData_SourcesGW
 TextAlign: General

LLHORIZDATUM Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 3
 ColumnHeads: False
 ColumnHidden: False

ColumnOrder: Default
 ColumnWidth: 1695
 ColumnWidths: 0;480;1080
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: REQ Reference standard for three dimensional and horizontal, lookup in table HorizDatumCodes
 DisplayControl: Combo Box
 GUID: {guid {2D03F183-D240-47BA-A1E4-88B6C8976045}}
 LimitToList: True
 ListRows: 8
 ListWidth: 1560twip
 OrdinalPosition: 9
 Required: False
 RowSource: SELECT LLHORIZDATUM.ID, LLHORIZDATUM.ODSHorizDatumCode, LLHORIZDATUM.HORIZDATUM FROM LLHORIZDATUM ORDER BY [ODSHorizDatumCode];
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: LLHORIZDATUM
 SourceTable: LocationalData_SourcesGW
 TextAlign: General

LLDESCRIPTION Long Integer 4
 AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 3
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1650
 ColumnWidths: 0;390;3465
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: REQ Reference Point Code, Category of the feature referenced by the latitude and longitude, lookup in table ReferencePoints
 DisplayControl: Combo Box
 GUID: {guid {64BD4109-50B8-4BCC-9414-590585868818}}
 LimitToList: True
 ListRows: 8
 ListWidth: 3855twip
 OrdinalPosition: 10
 Required: False
 RowSource: SELECT LLDESCRIPTION.ID, LLDESCRIPTION.ODSDescriptionCode, LLDESCRIPTION.LLDescription FROM LLDESCRIPTION;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: LLDESCRIPTION
 SourceTable: LocationalData_SourcesGW
 TextAlign: General

LLSOURCESCALE		Long Integer	4
AggregateType:	-1		
AllowValueListEdits:	False		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
BoundColumn:	1		
CollatingOrder:	General		
ColumnCount:	3		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1725		
ColumnWidths:	0;270;3855		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	REQ Scale of the map used to determine the latitude and longitude coordinates.		
DisplayControl:	Combo Box		
GUID:	{guid {1F548FE2-C7A6-4B45-AE7C-79CF3D03EB91}}		
LimitToList:	True		
ListRows:	8		
ListWidth:	4125twip		
OrdinalPosition:	11		
Required:	False		
RowSource:	SELECT LLSOURCESCALE.ID, LLSOURCESCALE.ODSSourceScale, LLSOURCESCALE.SourceScale FROM LLSOURCESCALE;		
RowSourceType:	Table/Query		
ShowOnlyRowSourceValues:	False		
SourceField:	LLSOURCESCALE		
SourceTable:	LocationalData_SourcesGW		
TextAlign:	General		

LLGEOMETRICTYPE		Long Integer	4
AggregateType:	-1		
AllowValueListEdits:	False		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
BoundColumn:	1		
CollatingOrder:	General		
ColumnCount:	3		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1935		
ColumnWidths:	0;390;1470		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	REQ Value indicating whether the latitude and longitude coordinates represent a point, multiple points on a line, or an area.		
DisplayControl:	Combo Box		
GUID:	{guid {0D5E5F30-6167-4BEF-9E89-EF1BF48473A1}}		
LimitToList:	True		

ListRows: 8
ListWidth: 1860twip
OrdinalPosition: 12
Required: False
RowSource: SELECT LLGEOMETRICTYPE.ID,
LLGEOMETRICTYPE.ODSGeometricCode,
LLGEOMETRICTYPE.GEOMETRICTYPE FROM LLGEOMETRICTYPE;
RowSourceType: Table/Query
ShowOnlyRowSourceValues: False
SourceField: LLGEOMETRICTYPE
SourceTable: LocationalData_SourcesGW
TextAlign: General

LLCOLLECTIONDATE Date With Time 8

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 2115
DataUpdatable: False
Description: OPT Date when the latitude and longitude coordinates were determined.
GUID: {guid {2510FACB-5B3F-4AED-859C-DA53E4202967}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 13
Required: False
SourceField: LLCOLLECTIONDATE
SourceTable: LocationalData_SourcesGW
TextAlign: General

LLSOURCECODE Long Integer 4

AggregateType: -1
AllowValueListEdits: False
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
BoundColumn: 1
CollatingOrder: General
ColumnCount: 3
ColumnHeads: False
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 1680
ColumnWidths: 0;360;3165
DataUpdatable: False
DecimalPlaces: Auto
Description: OPT Party responsible for collecting or otherwise providing the latitude and longitude.
DisplayControl: Combo Box
GUID: {guid {D15BA11A-D884-4DA3-8542-7F20D16DE4CC}}

LimitToList: True
 ListRows: 8
 ListWidth: 3525twip
 OrdinalPosition: 14
 Required: False
 RowSource: SELECT LLSOURCECODE.ID, LLSOURCECODE.ODSSourceCode, LLSOURCECODE.SOURCECODE FROM LLSOURCECODE;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: LLSOURCECODE
 SourceTable: LocationalData_SourcesGW
 TextAlign: General

LLVERIFICATIONMETHOD Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 3
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2565
 ColumnWidths: 0;360;4725
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: OPT A code representing the process by which the latitude and longitude coordinates have been verified by EPA, grantees, or contractors.
 DisplayControl: Combo Box
 GUID: {guid {DE741747-E735-4E92-9D09-A792CE708F31}}
 LimitToList: True
 ListRows: 8
 ListWidth: 5085twip
 OrdinalPosition: 15
 Required: False
 RowSource: SELECT LLVERIFICATIONMETHOD.ID, LLVERIFICATIONMETHOD.ODSVerificationMethodCode, LLVERIFICATIONMETHOD.VerificationMethod FROM LLVERIFICATIONMETHOD;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: LLVERIFICATIONMETHOD
 SourceTable: LocationalData_SourcesGW
 TextAlign: General

LLCOMMENTS Long Text -

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False

Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: OPT Comments further describing the collection, processing, or interpretation of the latitude, longitude and/or vertical data.
 GUID: {guid {E51174AB-8949-4CC6-9E1D-8C43E7AB4E27}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 16
 Required: False
 SourceField: LLCOMMENTS
 SourceTable: LocationalData_SourcesGW
 TextAlign: General
 UnicodeCompression: False

LOCLINK Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME SourcesGW ID number
 DisplayControl: Text Box
 GUID: {guid {FD4B7D0A-A554-4190-AEDB-805A6CE9904B}}
 OrdinalPosition: 17
 Required: True
 SourceField: LOCLINK
 SourceTable: LocationalData_SourcesGW
 TextAlign: General

LatDeg Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: DMS Latitude Degrees
 DisplayControl: Text Box
 GUID: {guid {E8DF02BF-C807-4429-AF33-BD492AAC84E9}}
 OrdinalPosition: 18

	Required:	False		
	SourceField:	LatDeg		
	SourceTable:	LocationalData_SourcesGW		
	TextAlign:	General		
LatMin			Long Integer	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	Description:	DMS Latitude Minutes		
	DisplayControl:	Text Box		
	GUID:	{guid {8EC0311A-B13E-4C6C-BAC3-B582B909EF92}}		
	OrdinalPosition:	19		
	Required:	False		
	SourceField:	LatMin		
	SourceTable:	LocationalData_SourcesGW		
	TextAlign:	General		
LatSec			Double	8
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	4		
	Description:	DMS Latitude Seconds		
	DisplayControl:	Text Box		
	GUID:	{guid {F6B1A9D0-2147-4A83-A153-4833313DD6CD}}		
	OrdinalPosition:	20		
	Required:	False		
	SourceField:	LatSec		
	SourceTable:	LocationalData_SourcesGW		
	TextAlign:	General		
LongDeg			Long Integer	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		

DecimalPlaces: Auto
 Description: DMS Longitude Degrees
 DisplayControl: Text Box
 GUID: {guid {31A99915-F9E9-4E74-B67B-961D1F189E2B}}
 OrdinalPosition: 21
 Required: False
 SourceField: LongDeg
 SourceTable: LocationalData_SourcesGW
 TextAlign: General

LongMin Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: DMS longitude Minutes
 DisplayControl: Text Box
 GUID: {guid {CEECC3A3-3C4D-4442-B008-FF1861C253D5}}
 OrdinalPosition: 22
 Required: False
 SourceField: LongMin
 SourceTable: LocationalData_SourcesGW
 TextAlign: General

LongSec Double 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: 4
 Description: DMS Longitude Seconds
 DisplayControl: Text Box
 GUID: {guid {26EC2FF7-3C31-470A-A5F0-8DC70F32A788}}
 OrdinalPosition: 23
 Required: False
 SourceField: LongSec
 SourceTable: LocationalData_SourcesGW
 TextAlign: General

Lastupdate Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size

CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 2205
DataUpdatable: False
Description: Date of Last Update
Format: General Date
GUID: {guid {8E803DEA-3C90-4493-BD44-C07D774EEA23}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 24
Required: False
SourceField: Lastupdate
SourceTable: LocationalData_SourcesGW
TextAlign: General

CurrentUpdateUser Short Text 50

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Current User At Time of Update
DisplayControl: Text Box
GUID: {guid {CB2439E0-60D1-44FF-90BE-8983EA0F1726}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 25
Required: False
SourceField: CurrentUpdateUser
SourceTable: LocationalData_SourcesGW
TextAlign: General
UnicodeCompression: True

DateCreated Date With Time 8

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Date that record was created.
Format: General Date
GUID: {guid {51D55DE4-3C0F-439F-BDC0-144D4E222FCF}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 26
Required: False

SourceField:	DateCreated		
SourceTable:	LocationalData_SourcesGW		
TextAlign:	General		
CreatedBy		Short Text	50
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Created by when the record is created		
DisplayControl:	Text Box		
GUID:	{guid {EF6EC51E-D181-4734-BA83-D9A872DF9A9B}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	27		
Required:	False		
SourceField:	CreatedBy		
SourceTable:	LocationalData_SourcesGW		
TextAlign:	General		
UnicodeCompression:	True		
OldLoLink		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
GUID:	{guid {09DDB5B2-3134-402E-815E-2923236B2357}}		
OrdinalPosition:	28		
Required:	False		
SourceField:	OldLoLink		
SourceTable:	LocationalData_SourcesGW		

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
LLSOURCECODE	1
Clustered:	False
DistinctCount:	7
Foreign:	False
IgnoreNulls:	False
Name:	LLSOURCECODE
Primary:	False
Required:	False
Unique:	False

	Fields:	
	LLSOURCECODE	Ascending
LOCID		1
	Clustered:	False
	DistinctCount:	876
	Foreign:	False
	IgnoreNulls:	False
	Name:	LOCID
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	LOCID	Ascending
PrimaryKey		1
	Clustered:	False
	DistinctCount:	876
	Foreign:	False
	IgnoreNulls:	False
	Name:	PrimaryKey
	Primary:	True
	Required:	True
	Unique:	True
	Fields:	
	LOCID	Ascending

User Permissions

- admin
- aizaz
- andrew
- bessie
- chris
- corine
- daria
- designer
- dschmidt
- Emmanuelle
- everett
- guest
- helen
- hillary
- jack
- jamelya
- Jason
- jelani
- jennifer
- jimh
- judy
- karl
- kirk
- lawonda

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,
Write Definition, Read Data, Insert Data, Update Data, Delete Data

linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:51 PM	DefaultView:	2
GUID:	{guid {27E2CE3C-220F-4D99-8E24-3A0A0A93427F}}	LastUpdated:	11/5/2014 6:19:51 PM
NameMap:	Long binary data	OrderByOn:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	LocationalData_SourcesSW	Updatable:	False

Columns

Name	Type	Size
LOCID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal locational record identifier	
GUID:	{guid {0DFC50F6-9E49-4DA2-B0D4-09DF05C3BBA6}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	LOCID	
SourceTable:	LocationalData_SourcesSW	
LATDECDEG	Short Text	25
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1350	
DataUpdatable:	False	
Description:	Either Lat and Long in Decimal Degrees format= SDD.DDDDDD Coordinate representation indicating a location on the surface of the earth, using the earth's Equator as the origin, reported in decimal degrees.	
DisplayControl:	Text Box	
GUID:	{guid {128758CC-E9BD-45E1-BCE6-6FD6D13512BF}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	LATDECDEG	
SourceTable:	LocationalData_SourcesSW	
UnicodeCompression:	False	

LONGDECDEG		Short Text	25
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1545		
DataUpdatable:	False		
Description:	Either Lat and Long in Decimal Degrees format= SDDD.DDDDDD Coordinate representation indicating a location on the surface of the earth, using the Prime Meridian (Greenwich, England) as the origin, reported in decimal degrees.		
DisplayControl:	Text Box		
GUID:	{guid {8DADD920-2A31-4156-899A-2EA09D51E196}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	2		
Required:	False		
SourceField:	LONGDECDEG		
SourceTable:	LocationalData_SourcesSW		
UnicodeCompression:	False		

LLVERTMEASURE		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1740		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	CON Vertical distance from the vertical datum to the land surface or other measuring point, in meters.		
DisplayControl:	Text Box		
GUID:	{guid {B00370B4-0DE7-448E-8488-78496F88DAFC}}		
OrdinalPosition:	3		
Required:	False		
SourceField:	LLVERTMEASURE		
SourceTable:	LocationalData_SourcesSW		

LLVERTCOLLECTIONMETHOD		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
BoundColumn:	1		
CollatingOrder:	General		
ColumnCount:	3		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2925		

ColumnWidths: 0;390;6330
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: OPT Code representing the method used to determine the vertical measure.
 DisplayControl: Combo Box
 GUID: {guid {1AB37F42-06FF-4A04-A983-3C081D10A240}}
 LimitToList: True
 ListRows: 8
 ListWidth: 6720twip
 OrdinalPosition: 4
 Required: False
 RowSource: SELECT LLVERTCOLLMETH.ID,
 LLVERTCOLLMETH.ODSVertCollMethCode,
 LLVERTCOLLMETH.VerticalCollectionMethod FROM
 LLVERTCOLLMETH;
 RowSourceType: Table/Query
 SourceField: LLVERTCOLLECTIONMETHOD
 SourceTable: LocationalData_SourcesSW

LLVERTACCURACY Long Integer 4

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1920
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: OPT Quantitative measurement of the amount of deviation from true value in the vertical measure (estimate of error). It describes the correctness of the vertical measure, in meters.
 DisplayControl: Text Box
 GUID: {guid {277865E7-3710-43C7-835A-871882949E3D}}
 OrdinalPosition: 5
 Required: False
 SourceField: LLVERTACCURACY
 SourceTable: LocationalData_SourcesSW

LLVERTDATUM Long Integer 4

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 3
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1575
 ColumnWidths: 0;405;2760

DataUpdatable: False
 DecimalPlaces: Auto
 Description: OPT VERTICAL REFERENCE DATUM CODE Code representing which national reference standard for vertical control established by the U.S. National Geodetic Survey (NGS) is used to determine the vertical measure.
 DisplayControl: Combo Box
 GUID: {guid {C61FD906-6686-4561-B588-0D32C750D560}}
 LimitToList: True
 ListRows: 8
 ListWidth: 3165twip
 OrdinalPosition: 6
 Required: False
 RowSource: SELECT LLVERTDATUM.ID, LLVERTDATUM.ODSVertDatumCode, LLVERTDATUM.VertDatum FROM LLVERTDATUM;
 RowSourceType: Table/Query
 SourceField: LLVERTDATUM
 SourceTable: LocationalData_SourcesSW

LLCOLLECTIONMETH Long Integer 4

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 3
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2145
 ColumnWidths: 0;384;3492
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: REQ Method used to determine the latitude/longitude. This represents the primary source of the data.
 DisplayControl: Combo Box
 GUID: {guid {4A4D42C7-9DC2-4877-852A-579329C3DFEB}}
 LimitToList: True
 ListRows: 8
 ListWidth: 3876twip
 OrdinalPosition: 7
 Required: False
 RowSource: SELECT LLCOLLECTIONMETHOD.ID, LLCOLLECTIONMETHOD.ODScollmethcode, LLCOLLECTIONMETHOD.CollectionMethod FROM LLCOLLECTIONMETHOD ORDER BY [ODScollmethcode];
 RowSourceType: Table/Query
 SourceField: LLCOLLECTIONMETH
 SourceTable: LocationalData_SourcesSW

LLHORIZACCURACY Long Integer 4

AllowZeroLength: False

AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2040
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: REQ Describes the correctness of the lat/long measure in meters. Defined as the least accurate measurement, regardless whether lat or long.
 DisplayControl: Text Box
 GUID: {guid {ADE6F6C5-5639-4E23-A47E-27F13C31DFA6}}
 OrdinalPosition: 8
 Required: False
 SourceField: LLHORIZACCURACY
 SourceTable: LocationalData_SourcesSW

LLHORIZDATUM Long Integer 4

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 3
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1695
 ColumnWidths: 0;480;1080
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: REQ Reference standard for three dimensional and horizontal, lookup in table HorizDatumCodes
 DisplayControl: Combo Box
 GUID: {241A007D-07D6-4A8D-93FD-48CD5381D9FF}
 LimitToList: True
 ListRows: 8
 ListWidth: 1560twip
 OrdinalPosition: 9
 Required: False
 RowSource: SELECT LLHORIZDATUM.ID, LLHORIZDATUM.ODSHorizDatumCode, LLHORIZDATUM.HORIZDATUM FROM LLHORIZDATUM ORDER BY [ODSHorizDatumCode];
 RowSourceType: Table/Query
 SourceField: LLHORIZDATUM
 SourceTable: LocationalData_SourcesSW

LLDESCRIPTION Long Integer 4

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1

CollatingOrder: General
 ColumnCount: 3
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1650
 ColumnWidths: 0;390;3465
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: REQ Reference Point Code, Category of the feature referenced by the latitude and longitude, lookup in table ReferencePoints
 DisplayControl: Combo Box
 GUID: {guid {5A6B39CE-34AC-4B9D-BC52-898B750A4F5C}}
 LimitToList: True
 ListRows: 8
 ListWidth: 3855twip
 OrdinalPosition: 10
 Required: False
 RowSource: SELECT LLEDESCRIPTION.ID, LLEDESCRIPTION.ODSDescriptionCode, LLEDESCRIPTION.LLDescription FROM LLEDESCRIPTION;
 RowSourceType: Table/Query
 SourceField: LLEDESCRIPTION
 SourceTable: LocationalData_SourcesSW

LLSOURCESCALE Long Integer 4

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 3
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1725
 ColumnWidths: 0;270;3855
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: REQ Scale of the map used to determine the latitude and longitude coordinates.
 DisplayControl: Combo Box
 GUID: {guid {E0B2FDE9-E183-4196-B581-F9EC1E6743C0}}
 LimitToList: True
 ListRows: 8
 ListWidth: 4125twip
 OrdinalPosition: 11
 Required: False
 RowSource: SELECT LLSOURCESCALE.ID, LLSOURCESCALE.ODSSourceScale, LLSOURCESCALE.SourceScale FROM LLSOURCESCALE;
 RowSourceType: Table/Query
 SourceField: LLSOURCESCALE
 SourceTable: LocationalData_SourcesSW

LLGEOMETRICTYPE Long Integer 4

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 3
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1935
 ColumnWidths: 0;390;1470
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: REQ Value indicating whether the latitude and longitude coordinates represent a point, multiple points on a line, or an area.
 DisplayControl: Combo Box
 GUID: {guid {A3BD9E1F-0732-4A1D-A78A-B7A89E2FF616}}
 LimitToList: True
 ListRows: 8
 ListWidth: 1860twip
 OrdinalPosition: 12
 Required: False
 RowSource: SELECT LLGEOMETRICTYPE.ID,
 LLGEOMETRICTYPE.ODSGeometricCode,
 LLGEOMETRICTYPE.GEOMETRICTYPE FROM LLGEOMETRICTYPE;
 RowSourceType: Table/Query
 SourceField: LLGEOMETRICTYPE
 SourceTable: LocationalData_SourcesSW

LLCOLLECTIONDATE Date With Time 8

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2115
 DataUpdatable: False
 Description: OPT Date when the latitude and longitude coordinates were determined.
 GUID: {guid {23CC045D-2129-4E67-9E9D-11995ED99D75}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 13
 Required: False
 SourceField: LLCOLLECTIONDATE
 SourceTable: LocationalData_SourcesSW

LLSOURCECODE Long Integer 4

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1

CollatingOrder: General
 ColumnCount: 3
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1680
 ColumnWidths: 0;360;3165
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: OPT Party responsible for collecting or otherwise providing the latitude and longitude.
 DisplayControl: Combo Box
 GUID: {guid {7D6B5086-3AB7-4FC9-898B-9B24D8B2D8D5}}
 LimitToList: True
 ListRows: 8
 ListWidth: 3525twip
 OrdinalPosition: 14
 Required: False
 RowSource: SELECT LLSOURCECODE.ID, LLSOURCECODE.ODSSourceCode, LLSOURCECODE.SOURCECODE FROM LLSOURCECODE;
 RowSourceType: Table/Query
 SourceField: LLSOURCECODE
 SourceTable: LocationalData_SourcesSW

LLVERIFICATIONMETHOD Long Integer 4
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 3
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2565
 ColumnWidths: 0;360;4725
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: OPT A code representing the process by which the latitude and longitude coordinates have been verified by EPA, grantees, or contractors.
 DisplayControl: Combo Box
 GUID: {guid {64B120B3-6AC8-449C-8255-1A99B727C344}}
 LimitToList: True
 ListRows: 8
 ListWidth: 5085twip
 OrdinalPosition: 15
 Required: False
 RowSource: SELECT LLVERIFICATIONMETHOD.ID, LLVERIFICATIONMETHOD.ODSVerificationMethodCode, LLVERIFICATIONMETHOD.VerificationMethod FROM LLVERIFICATIONMETHOD;
 RowSourceType: Table/Query
 SourceField: LLVERIFICATIONMETHOD
 SourceTable: LocationalData_SourcesSW

Field Name	Field Type	Field Length
LLCOMMENTS	Long Text	-
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	OPT Comments further describing the collection, processing, or interpretation of the latitude, longitude and/or vertical data.	
GUID:	{guid {1A233269-1749-4BF6-84AE-7DAF21BC4056}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	16	
Required:	False	
SourceField:	LLCOMMENTS	
SourceTable:	LocationalData_SourcesSW	
UnicodeCompression:	False	
LOCLINK	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	internal DIME SourcesSW ID number	
DisplayControl:	Text Box	
GUID:	{guid {9A067087-6EED-4415-917E-DC93F14AB131}}	
OrdinalPosition:	17	
Required:	True	
SourceField:	LOCLINK	
SourceTable:	LocationalData_SourcesSW	
LatDeg	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	DMS Latitude Degrees	
DisplayControl:	Text Box	
OrdinalPosition:	18	
Required:	False	
SourceField:	LatDeg	

SourceTable:	LocationalData_SourcesSW		
LatMin		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	DMS Latitude Minutes		
DisplayControl:	Text Box		
OrdinalPosition:	19		
Required:	False		
SourceField:	LatMin		
SourceTable:	LocationalData_SourcesSW		
LatSec		Double	8
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	4		
Description:	DMS Latitude Seconds		
DisplayControl:	Text Box		
OrdinalPosition:	20		
Required:	False		
SourceField:	LatSec		
SourceTable:	LocationalData_SourcesSW		
LongDeg		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	DMS Longitude Degrees		
DisplayControl:	Text Box		
OrdinalPosition:	21		
Required:	False		
SourceField:	LongDeg		
SourceTable:	LocationalData_SourcesSW		
LongMin		Long Integer	4
AllowZeroLength:	False		

AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: DMS longitude Minutes
 DisplayControl: Text Box
 OrdinalPosition: 22
 Required: False
 SourceField: LongMin
 SourceTable: LocationalData_SourcesSW

LongSec Double 8

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: 4
 Description: DMS Longitude Seconds
 DisplayControl: Text Box
 OrdinalPosition: 23
 Required: False
 SourceField: LongSec
 SourceTable: LocationalData_SourcesSW

Lastupdate Date With Time 8

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2196
 DataUpdatable: False
 Description: Date of Last Update
 Format: General Date
 GUID: {guid {6F18BDEB-8782-450C-81AA-3BF6581F6CD0}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 24
 Required: False
 SourceField: Lastupdate
 SourceTable: LocationalData_SourcesSW

CurrentUpdateUser Short Text 50

AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length

CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Current User At Time of Update
 DisplayControl: Text Box
 GUID: {guid {9C509DA2-D416-4F48-A8D0-CFF9E91837EC}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 25
 Required: False
 SourceField: CurrentUpdateUser
 SourceTable: LocationalData_SourcesSW
 UnicodeCompression: True

DateCreated Date With Time 8


AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date that record was created.
 Format: General Date
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 26
 Required: False
 SourceField: DateCreated
 SourceTable: LocationalData_SourcesSW

CreatedBy Short Text 50

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Created by when the record is created
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 27
 Required: False
 SourceField: CreatedBy
 SourceTable: LocationalData_SourcesSW
 UnicodeCompression: True

Relationships

SourcesSWLocationalData_SourcesSW



Attributes: Not Enforced, Inherited, Left Join
 RelationshipType: One-To-Many (External)

Table Indexes

Name	Number of Fields
LLSOURCECODE	1
Clustered:	False
DistinctCount:	5
Foreign:	False
IgnoreNulls:	False
Name:	LLSOURCECODE
Primary:	False
Required:	False
Unique:	False
Fields:	
LLSOURCECODE	Ascending
LOCID	1
Clustered:	False
DistinctCount:	47
Foreign:	False
IgnoreNulls:	False
Name:	LOCID
Primary:	False
Required:	False
Unique:	False
Fields:	
LOCID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	47
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
LOCID	Ascending

User Permissions

admin
 aizaz

andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:51 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	Filter:	([Lookup_LLCOLLECTIONMET H].[ODScollmethcode]="028")
FilterOnLoad:	False	GUID:	{guid {4213FDE7-81EB-4FE5- 9AA4-5A565D0DF65E}}
HideNewField:	False	LastUpdated:	11/5/2014 6:19:51 PM
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	-1	SourceTableName:	LocationalData_Storage
TotalsRow:	False	Updatable:	False

Columns

Name	Type	Size
LOCID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal locational record identifier	
GUID:	{guid {A0652644-7D91-48D7-9D7D-A6C04276AF45}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	LOCID	
SourceTable:	LocationalData_Storage	
TextAlign:	General	
LATDECDEG	Short Text	25
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1350	
DataUpdatable:	False	
Description:	Either Lat and Long in Decimal Degrees format= SDD.DDDDDD Coordinate representation indicating a location on the surface of the earth, using the earth's Equator as the origin, reported in decimal degrees.	
DisplayControl:	Text Box	
GUID:	{guid {EADCD03D-DF83-4881-AC98-2D2246F97E6D}}	
IMEMode:	0	
IMESentenceMode:	3	

OrdinalPosition: 1
Required: False
SourceField: LATDECDEG
SourceTable: LocationalData_Storage
TextAlign: General
UnicodeCompression: False

LONGDECDEG Short Text 25

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 1545
DataUpdatable: False
Description: Either Lat and Long in Decimal Degrees format= SDDD.DDDDDD
Coordinate representation indicating a location on the surface of the
earth, using the Prime Meridian (Greenwich, England) as the origin,
reported in decimal degrees.
DisplayControl: Text Box
GUID: {guid {B5B612A4-BA63-4850-B335-BEF03A6C0916}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 2
Required: False
SourceField: LONGDECDEG
SourceTable: LocationalData_Storage
TextAlign: General
UnicodeCompression: False

LLVERTMEASURE Long Integer 4

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 1740
DataUpdatable: False
DecimalPlaces: Auto
Description: CON Vertical distance from the vertical datum to the land surface or
other measuring point, in meters.
DisplayControl: Text Box
GUID: {guid {35D342ED-E80D-4C27-9ABC-B8B6F1D50D76}}
OrdinalPosition: 3
Required: False
SourceField: LLVERTMEASURE
SourceTable: LocationalData_Storage
TextAlign: General

LLVERTCOLLECTIONMETHOD		Long Integer	4
AggregateType:	-1		
AllowValueListEdits:	False		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
BoundColumn:	1		
CollatingOrder:	General		
ColumnCount:	3		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2925		
ColumnWidths:	0;390;6330		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	OPT Code representing the method used to determine the vertical measure.		
DisplayControl:	Combo Box		
GUID:	{guid {B634E276-3A0C-4010-BA0A-8491E66DEB2A}}		
LimitToList:	True		
ListRows:	8		
ListWidth:	6720twip		
OrdinalPosition:	4		
Required:	False		
RowSource:	SELECT LLVERTCOLLMETH.ID, LLVERTCOLLMETH.ODSVertCollMethCode, LLVERTCOLLMETH.VerticalCollectionMethod FROM LLVERTCOLLMETH;		
RowSourceType:	Table/Query		
ShowOnlyRowSourceValues:	False		
SourceField:	LLVERTCOLLECTIONMETHOD		
SourceTable:	LocationalData_Storage		
TextAlign:	General		

LLVERTACCURACY		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1920		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	OPT Quantitative measurement of the amount of deviation from true value in the vertical measure (estimate of error). It describes the correctness of the vertical measure, in meters.		
DisplayControl:	Text Box		
GUID:	{guid {7F8A2D80-A288-42D1-B0D9-1A6CB100146B}}		
OrdinalPosition:	5		
Required:	False		
SourceField:	LLVERTACCURACY		

SourceTable:	LocationalData_Storage		
TextAlign:	General		
LLVERTDATUM		Long Integer	4
AggregateType:	-1		
AllowValueListEdits:	False		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
BoundColumn:	1		
CollatingOrder:	General		
ColumnCount:	3		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1575		
ColumnWidths:	0;405;2760		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	OPT VERTICAL REFERENCE DATUM CODE Code representing which national reference standard for vertical control established by the U.S. National Geodetic Survey (NGS) is used to determine the vertical measure.		
DisplayControl:	Combo Box		
GUID:	{guid {68169ED6-DD15-42C9-AC24-4C9210797944}}		
LimitToList:	True		
ListRows:	8		
ListWidth:	3165twip		
OrdinalPosition:	6		
Required:	False		
RowSource:	SELECT LLVERTDATUM.ID, LLVERTDATUM.ODSVertDatumCode, LLVERTDATUM.VertDatum FROM LLVERTDATUM;		
RowSourceType:	Table/Query		
ShowOnlyRowSourceValues:	False		
SourceField:	LLVERTDATUM		
SourceTable:	LocationalData_Storage		
TextAlign:	General		
LLCOLLECTIONMETH		Long Integer	4
AggregateType:	-1		
AllowValueListEdits:	False		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
BoundColumn:	1		
CollatingOrder:	General		
ColumnCount:	3		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2145		
ColumnWidths:	0;384;3492		
DataUpdatable:	False		
DecimalPlaces:	Auto		

Description: REQ Method used to determine the latitude/longitude. This represents the primary source of the data.

DisplayControl: Combo Box

GUID: {guid {EB29F3CC-BC05-4C73-88FE-7885715A4E83}}

LimitToList: True

ListRows: 8

ListWidth: 3876twip

OrdinalPosition: 7

Required: False

RowSource: SELECT LLCOLLECTIONMETHOD.ID, LLCOLLECTIONMETHOD.ODScollmethcode, LLCOLLECTIONMETHOD.CollectionMethod FROM LLCOLLECTIONMETHOD ORDER BY [ODScollmethcode];

RowSourceType: Table/Query

ShowOnlyRowSourceValues: False

SourceField: LLCOLLECTIONMETH

SourceTable: LocationalData_Storage

TextAlign: General

LLHORIZACCURACY Long Integer 4

AggregateType: -1

AllowZeroLength: False

AppendOnly: False

Attributes: Fixed Size

CollatingOrder: General

ColumnHidden: False

ColumnOrder: Default

ColumnWidth: 2040

DataUpdatable: False

DecimalPlaces: Auto

Description: REQ Describes the correctness of the lat/long measure in meters. Defined as the least accurate measurement, regardless whether lat or long.

DisplayControl: Text Box

GUID: {guid {19F3F1DB-1FBA-4436-BED3-B3FF84238FB8}}

OrdinalPosition: 8

Required: False

SourceField: LLHORIZACCURACY

SourceTable: LocationalData_Storage

TextAlign: General

LLHORIZDATUM Long Integer 4

AggregateType: -1

AllowValueListEdits: False

AllowZeroLength: False

AppendOnly: False

Attributes: Fixed Size

BoundColumn: 1

CollatingOrder: General

ColumnCount: 3

ColumnHeads: False

ColumnHidden: False

ColumnOrder: Default
 ColumnWidth: 1695
 ColumnWidths: 0;480;1080
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: REQ Reference standard for three dimensional and horizontal, lookup in table HorizDatumCodes
 DisplayControl: Combo Box
 GUID: {guid {A08DE4C4-5A97-46F3-BCBC-011B429B0CFA}}
 LimitToList: True
 ListRows: 8
 ListWidth: 1560twip
 OrdinalPosition: 9
 Required: False
 RowSource: SELECT LLHORIZDATUM.ID, LLHORIZDATUM.ODSHorizDatumCode, LLHORIZDATUM.HORIZDATUM FROM LLHORIZDATUM ORDER BY [ODSHorizDatumCode];
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: LLHORIZDATUM
 SourceTable: LocationalData_Storage
 TextAlign: General

LLDESCRIPTION Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 3
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1650
 ColumnWidths: 0;390;3465
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: REQ Reference Point Code, Category of the feature referenced by the latitude and longitude, lookup in table ReferencePoints
 DisplayControl: Combo Box
 GUID: {guid {C66A5CA7-2F9D-43C0-BAC7-81C450F69FF3}}
 LimitToList: True
 ListRows: 8
 ListWidth: 3855twip
 OrdinalPosition: 10
 Required: False
 RowSource: SELECT LLDESCRIPTION.ID, LLDESCRIPTION.ODSDescriptionCode, LLDESCRIPTION.LLDescription FROM LLDESCRIPTION;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: LLDESCRIPTION
 SourceTable: LocationalData_Storage
 TextAlign: General

LLSOURCESCALE		Long Integer	4
AggregateType:	-1		
AllowValueListEdits:	False		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
BoundColumn:	1		
CollatingOrder:	General		
ColumnCount:	3		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1725		
ColumnWidths:	0;270;3855		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	REQ Scale of the map used to determine the latitude and longitude coordinates.		
DisplayControl:	Combo Box		
GUID:	{guid {7722BAD3-8DA7-4072-B036-3F93F1B3F427}}		
LimitToList:	True		
ListRows:	8		
ListWidth:	4125twip		
OrdinalPosition:	11		
Required:	False		
RowSource:	SELECT LLSOURCESCALE.ID, LLSOURCESCALE.ODSSourceScale, LLSOURCESCALE.SourceScale FROM LLSOURCESCALE;		
RowSourceType:	Table/Query		
ShowOnlyRowSourceValues:	False		
SourceField:	LLSOURCESCALE		
SourceTable:	LocationalData_Storage		
TextAlign:	General		

LLGEOMETRICTYPE		Long Integer	4
AggregateType:	-1		
AllowValueListEdits:	False		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
BoundColumn:	1		
CollatingOrder:	General		
ColumnCount:	3		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1935		
ColumnWidths:	0;390;1470		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	REQ Value indicating whether the latitude and longitude coordinates represent a point, multiple points on a line, or an area.		
DisplayControl:	Combo Box		
GUID:	{guid {41DD3CED-F5FC-450D-8A67-8FF527B87128}}		
LimitToList:	True		

ListRows: 8
ListWidth: 1860twip
OrdinalPosition: 12
Required: False
RowSource: SELECT LLGEOMETRICTYPE.ID,
LLGEOMETRICTYPE.ODSGeometricCode,
LLGEOMETRICTYPE.GEOMETRICTYPE FROM LLGEOMETRICTYPE;
RowSourceType: Table/Query
ShowOnlyRowSourceValues: False
SourceField: LLGEOMETRICTYPE
SourceTable: LocationalData_Storage
TextAlign: General

LLCOLLECTIONDATE Date With Time 8

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 2115
DataUpdatable: False
Description: OPT Date when the latitude and longitude coordinates were determined.
GUID: {guid {910D4D33-C7E3-44EA-8C66-8E01D0F74B9A}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 13
Required: False
SourceField: LLCOLLECTIONDATE
SourceTable: LocationalData_Storage
TextAlign: General

LLSOURCECODE Long Integer 4

AggregateType: -1
AllowValueListEdits: False
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
BoundColumn: 1
CollatingOrder: General
ColumnCount: 3
ColumnHeads: False
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 1680
ColumnWidths: 0;360;3165
DataUpdatable: False
DecimalPlaces: Auto
Description: OPT Party responsible for collecting or otherwise providing the latitude and longitude.
DisplayControl: Combo Box
GUID: {guid {D19D54CB-3647-4B16-B8E0-B184E15B69DE}}

LimitToList: True
 ListRows: 8
 ListWidth: 3525twip
 OrdinalPosition: 14
 Required: False
 RowSource: SELECT LLSOURCECODE.ID, LLSOURCECODE.ODSSourceCode, LLSOURCECODE.SOURCECODE FROM LLSOURCECODE;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: LLSOURCECODE
 SourceTable: LocationalData_Storage
 TextAlign: General

LLVERIFICATIONMETHOD Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 3
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2565
 ColumnWidths: 0;360;4725
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: OPT A code representing the process by which the latitude and longitude coordinates have been verified by EPA, grantees, or contractors.
 DisplayControl: Combo Box
 GUID: {guid {A5924F94-8CD0-4B38-A452-789E3E18C4D2}}
 LimitToList: True
 ListRows: 8
 ListWidth: 5085twip
 OrdinalPosition: 15
 Required: False
 RowSource: SELECT LLVERIFICATIONMETHOD.ID, LLVERIFICATIONMETHOD.ODSVerificationMethodCode, LLVERIFICATIONMETHOD.VerificationMethod FROM LLVERIFICATIONMETHOD;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: LLVERIFICATIONMETHOD
 SourceTable: LocationalData_Storage
 TextAlign: General

LLCOMMENTS Long Text -

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False

Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: OPT Comments further describing the collection, processing, or interpretation of the latitude, longitude and/or vertical data.
 GUID: {guid {C3BBB415-7A33-4590-92CE-0F3442AB8C31}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 16
 Required: False
 SourceField: LLCOMMENTS
 SourceTable: LocationalData_Storage
 TextAlign: General
 UnicodeCompression: False

LOCLINK Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME Storage ID number
 DisplayControl: Text Box
 GUID: {guid {4EEA4A24-1B49-47A3-BC0B-3C969ADE4725}}
 OrdinalPosition: 17
 Required: True
 SourceField: LOCLINK
 SourceTable: LocationalData_Storage
 TextAlign: General

LatDeg Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: DMS Latitude Degrees
 DisplayControl: Text Box
 GUID: {guid {E8D379FD-0719-435C-8D9A-B51FC8CE92D2}}
 OrdinalPosition: 18

	Required:	False		
	SourceField:	LatDeg		
	SourceTable:	LocationalData_Storage		
	TextAlign:	General		
LatMin			Long Integer	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	Description:	DMS Latitude Minutes		
	DisplayControl:	Text Box		
	GUID:	{guid {1EC494C5-6346-4B58-9756-7E8D82D47AE1}}		
	OrdinalPosition:	19		
	Required:	False		
	SourceField:	LatMin		
	SourceTable:	LocationalData_Storage		
	TextAlign:	General		
LatSec			Double	8
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	4		
	Description:	DMS Latitude Seconds		
	DisplayControl:	Text Box		
	GUID:	{guid {1D1E7BD1-1E6B-4441-810C-34BC85F0FAC6}}		
	OrdinalPosition:	20		
	Required:	False		
	SourceField:	LatSec		
	SourceTable:	LocationalData_Storage		
	TextAlign:	General		
LongDeg			Long Integer	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		

	DecimalPlaces:	Auto	
	Description:	DMS Longitude Degrees	
	DisplayControl:	Text Box	
	GUID:	{guid {AB555D85-C064-4CCB-AD43-B50DCA589E07}}	
	OrdinalPosition:	21	
	Required:	False	
	SourceField:	LongDeg	
	SourceTable:	LocationalData_Storage	
	TextAlign:	General	
LongMin		Long Integer	4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	DMS longitude Minutes	
	DisplayControl:	Text Box	
	GUID:	{guid {D9B08F10-D495-4E13-97F9-BB12085BF7E2}}	
	OrdinalPosition:	22	
	Required:	False	
	SourceField:	LongMin	
	SourceTable:	LocationalData_Storage	
	TextAlign:	General	
LongSec		Double	8
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	4	
	Description:	DMS Longitude Seconds	
	DisplayControl:	Text Box	
	GUID:	{guid {86F13216-6187-4EF6-97B3-CAAB91905613}}	
	OrdinalPosition:	23	
	Required:	False	
	SourceField:	LongSec	
	SourceTable:	LocationalData_Storage	
	TextAlign:	General	
Lastupdate		Date With Time	8
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	

CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date of Last Update
 Format: General Date
 GUID: {guid {A9880732-81A4-41B2-807D-C50FB87EC877}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 24
 Required: False
 SourceField: Lastupdate
 SourceTable: LocationalData_Storage
 TextAlign: General

CurrentUpdateUser Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Current User At Time of Update
 DisplayControl: Text Box
 GUID: {guid {6F5BC336-AA5E-4EA2-8B75-9C657237353A}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 25
 Required: False
 SourceField: CurrentUpdateUser
 SourceTable: LocationalData_Storage
 TextAlign: General
 UnicodeCompression: True

DateCreated Date With Time 8


AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date that record was created.
 Format: General Date
 GUID: {guid {BA8AD49D-4614-4834-9F74-21BE1A0F0350}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 26
 Required: False

SourceField: DateCreated
 SourceTable: LocationalData_Storage
 TextAlign: General

CreatedBy Short Text 50
 AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Created by when the record is created
 DisplayControl: Text Box
 GUID: {guid {777C5FB5-2741-4530-ACD5-B9639D7CA815}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 27
 Required: False
 SourceField: CreatedBy
 SourceTable: LocationalData_Storage
 TextAlign: General
 UnicodeCompression: True

Relationships

StorageLocationalData_Storage



Attributes: Not Enforced, Inherited, Left Join
 RelationshipType: One-To-Many (External)

Table Indexes

Name	Number of Fields
LLSOURCECODE	1
Clustered:	False
DistinctCount:	5
Foreign:	False
IgnoreNulls:	False
Name:	LLSOURCECODE
Primary:	False
Required:	False
Unique:	False
Fields:	
LLSOURCECODE	Ascending
LOCID	1
Clustered:	False

DistinctCount:	371
Foreign:	False
IgnoreNulls:	False
Name:	LOCID
Primary:	False
Required:	False
Unique:	False
Fields:	
LOCID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	371
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
LOCID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	

navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:52 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	Filter:	([Lookup_LLCOLLECTIONMET H].[ODScollmethcode]="028")
FilterOnLoad:	False	GUID:	{guid {540636B8-EA70-42DA- BCF7-C23E03E5EFD2}}
HideNewField:	False	LastUpdated:	11/5/2014 6:19:52 PM
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	-1	SourceTableName:	LocationalData_TreatmentPlan ts
TotalsRow:	False	Updatable:	False

Columns

Name	Type	Size
LOCID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal locational record identifier	
GUID:	{guid {C6395216-09B4-4028-A5BD-F3B14B50AC56}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	LOCID	
SourceTable:	LocationalData_TreatmentPlants	
TextAlign:	General	
LATDECDEG	Short Text	25
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1350	
DataUpdatable:	False	
Description:	Either Lat and Long in Decimal Degrees format= SDD.DDDDDD Coordinate representation indicating a location on the surface of the earth, using the earth's Equator as the origin, reported in decimal degrees.	
DisplayControl:	Text Box	
GUID:	{guid {265B83AC-4C15-4FD1-857B-C490895DAA91}}	
IMEMode:	0	

IMESentenceMode: 3
 OrdinalPosition: 1
 Required: False
 SourceField: LATDECDEG
 SourceTable: LocationalData_TreatmentPlants
 TextAlign: General
 UnicodeCompression: False

LONGDECDEG Short Text 25

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1545
 DataUpdatable: False
 Description: Either Lat and Long in Decimal Degrees format= SDDD.DDDDDD
 Coordinate representation indicating a location on the surface of the
 earth, using the Prime Meridian (Greenwich, England) as the origin,
 reported in decimal degrees.
 DisplayControl: Text Box
 GUID: {guid {C15E2EE9-76FE-414E-B589-8962E905E8FA}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: LONGDECDEG
 SourceTable: LocationalData_TreatmentPlants
 TextAlign: General
 UnicodeCompression: False

LLVERTMEASURE Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1740
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: CON Vertical distance from the vertical datum to the land surface or
 other measuring point, in meters.
 DisplayControl: Text Box
 GUID: {guid {B15192D7-F0AD-4AC5-9887-7869D6F67EFB}}
 OrdinalPosition: 3
 Required: False
 SourceField: LLVERTMEASURE
 SourceTable: LocationalData_TreatmentPlants
 TextAlign: General

LLVERTCOLLECTIONMETHOD		Long Integer	4
AggregateType:	-1		
AllowValueListEdits:	False		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
BoundColumn:	1		
CollatingOrder:	General		
ColumnCount:	3		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2925		
ColumnWidths:	0;390;6330		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	OPT Code representing the method used to determine the vertical measure.		
DisplayControl:	Combo Box		
GUID:	{guid {74AFFC4C-F711-4EA9-BD8A-058A84374F23}}		
LimitToList:	True		
ListRows:	8		
ListWidth:	6720twip		
OrdinalPosition:	4		
Required:	False		
RowSource:	SELECT LLVERTCOLLMETH.ID, LLVERTCOLLMETH.ODSVertCollMethCode, LLVERTCOLLMETH.VerticalCollectionMethod FROM LLVERTCOLLMETH;		
RowSourceType:	Table/Query		
ShowOnlyRowSourceValues:	False		
SourceField:	LLVERTCOLLECTIONMETHOD		
SourceTable:	LocationalData_TreatmentPlants		
TextAlign:	General		

LLVERTACCURACY		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1920		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	OPT Quantitative measurement of the amount of deviation from true value in the vertical measure (estimate of error). It describes the correctness of the vertical measure, in meters.		
DisplayControl:	Text Box		
GUID:	{guid {354E1F10-22A4-4DBF-A102-A94E0808409B}}		
OrdinalPosition:	5		
Required:	False		
SourceField:	LLVERTACCURACY		

SourceTable:	LocationalData_TreatmentPlants		
TextAlign:	General		
LLVERTDATUM		Long Integer	4
AggregateType:	-1		
AllowValueListEdits:	False		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
BoundColumn:	1		
CollatingOrder:	General		
ColumnCount:	3		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1575		
ColumnWidths:	0;405;2760		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	OPT VERTICAL REFERENCE DATUM CODE Code representing which national reference standard for vertical control established by the U.S. National Geodetic Survey (NGS) is used to determine the vertical measure.		
DisplayControl:	Combo Box		
GUID:	{guid {F838CEF1-95BF-4DF9-8B10-2B595771C517}}		
LimitToList:	True		
ListRows:	8		
ListWidth:	3165twip		
OrdinalPosition:	6		
Required:	False		
RowSource:	SELECT LLVERTDATUM.ID, LLVERTDATUM.ODSVertDatumCode, LLVERTDATUM.VertDatum FROM LLVERTDATUM;		
RowSourceType:	Table/Query		
ShowOnlyRowSourceValues:	False		
SourceField:	LLVERTDATUM		
SourceTable:	LocationalData_TreatmentPlants		
TextAlign:	General		
LLCOLLECTIONMETH		Long Integer	4
AggregateType:	-1		
AllowValueListEdits:	False		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
BoundColumn:	1		
CollatingOrder:	General		
ColumnCount:	3		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2145		
ColumnWidths:	0;384;3492		
DataUpdatable:	False		
DecimalPlaces:	Auto		

Description: REQ Method used to determine the latitude/longitude. This represents the primary source of the data.
 DisplayControl: Combo Box
 GUID: {guid {E7CC0E20-DE9D-4672-8F54-B4FF7CCC78F1}}
 LimitToList: True
 ListRows: 8
 ListWidth: 3876twip
 OrdinalPosition: 7
 Required: False
 RowSource: SELECT LLCOLLECTIONMETHOD.ID, LLCOLLECTIONMETHOD.ODScollmethcode, LLCOLLECTIONMETHOD.CollectionMethod FROM LLCOLLECTIONMETHOD ORDER BY [ODScollmethcode];
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: LLCOLLECTIONMETH
 SourceTable: LocationalData_TreatmentPlants
 TextAlign: General

LLHORIZACCURACY Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2040
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: REQ Describes the correctness of the lat/long measure in meters. Defined as the least accurate measurement, regardless whether lat or long.
 DisplayControl: Text Box
 GUID: {guid {3255FC1F-FF4F-4B7D-A781-74A096A35C61}}
 OrdinalPosition: 8
 Required: False
 SourceField: LLHORIZACCURACY
 SourceTable: LocationalData_TreatmentPlants
 TextAlign: General

LLHORIZDATUM Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 3
 ColumnHeads: False
 ColumnHidden: False

ColumnOrder: Default
 ColumnWidth: 1695
 ColumnWidths: 0;480;1080
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: REQ Reference standard for three dimensional and horizontal, lookup in table HorizDatumCodes
 DisplayControl: Combo Box
 GUID: {guid {5DE3A709-115A-475A-956F-B8060409F5C0}}
 LimitToList: True
 ListRows: 8
 ListWidth: 1560twip
 OrdinalPosition: 9
 Required: False
 RowSource: SELECT LLHORIZDATUM.ID, LLHORIZDATUM.ODSHorizDatumCode, LLHORIZDATUM.HORIZDATUM FROM LLHORIZDATUM ORDER BY [ODSHorizDatumCode];
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: LLHORIZDATUM
 SourceTable: LocationalData_TreatmentPlants
 TextAlign: General

LLDESCRIPTION Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 3
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1650
 ColumnWidths: 0;390;3465
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: REQ Reference Point Code, Category of the feature referenced by the latitude and longitude, lookup in table ReferencePoints
 DisplayControl: Combo Box
 GUID: {guid {FFB74C3C-8C5F-417F-85A1-0685125F0FDD}}
 LimitToList: True
 ListRows: 8
 ListWidth: 3855twip
 OrdinalPosition: 10
 Required: False
 RowSource: SELECT LLDESCRIPTION.ID, LLDESCRIPTION.ODSDescriptionCode, LLDESCRIPTION.LLDescription FROM LLDESCRIPTION;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: LLDESCRIPTION
 SourceTable: LocationalData_TreatmentPlants
 TextAlign: General

LLSOURCESCALE		Long Integer	4
AggregateType:	-1		
AllowValueListEdits:	False		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
BoundColumn:	1		
CollatingOrder:	General		
ColumnCount:	3		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1725		
ColumnWidths:	0;270;3855		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	REQ Scale of the map used to determine the latitude and longitude coordinates.		
DisplayControl:	Combo Box		
GUID:	{guid {0A7DD6FC-6EA8-4560-8F91-6FF0452D42D9}}		
LimitToList:	True		
ListRows:	8		
ListWidth:	4125twip		
OrdinalPosition:	11		
Required:	False		
RowSource:	SELECT LLSOURCESCALE.ID, LLSOURCESCALE.ODSSourceScale, LLSOURCESCALE.SourceScale FROM LLSOURCESCALE;		
RowSourceType:	Table/Query		
ShowOnlyRowSourceValues:	False		
SourceField:	LLSOURCESCALE		
SourceTable:	LocationalData_TreatmentPlants		
TextAlign:	General		

LLGEOMETRICTYPE		Long Integer	4
AggregateType:	-1		
AllowValueListEdits:	False		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
BoundColumn:	1		
CollatingOrder:	General		
ColumnCount:	3		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1935		
ColumnWidths:	0;390;1470		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	REQ Value indicating whether the latitude and longitude coordinates represent a point, multiple points on a line, or an area.		
DisplayControl:	Combo Box		
GUID:	{guid {014BE62E-29DD-43E1-B353-C50C28575B82}}		
LimitToList:	True		

ListRows: 8
 ListWidth: 1860twip
 OrdinalPosition: 12
 Required: False
 RowSource: SELECT LLGEOMETRICTYPE.ID,
 LLGEOMETRICTYPE.ODSGeometricCode,
 LLGEOMETRICTYPE.GEOMETRICTYPE FROM LLGEOMETRICTYPE;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: LLGEOMETRICTYPE
 SourceTable: LocationalData_TreatmentPlants
 TextAlign: General

LLCOLLECTIONDATE Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2115
 DataUpdatable: False
 Description: OPT Date when the latitude and longitude coordinates were
 determined.
 GUID: {guid {A40DA84C-C193-4079-99E6-183FB586ADE4}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 13
 Required: False
 SourceField: LLCOLLECTIONDATE
 SourceTable: LocationalData_TreatmentPlants
 TextAlign: General

LLSOURCECODE Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 3
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1680
 ColumnWidths: 0;360;3165
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: OPT Party responsible for collecting or otherwise providing the
 latitude and longitude.
 DisplayControl: Combo Box
 GUID: {guid {8D356786-53B5-46AB-89BA-D8AF325242ED}}

LimitToList: True
 ListRows: 8
 ListWidth: 3525twip
 OrdinalPosition: 14
 Required: False
 RowSource: SELECT LLSOURCECODE.ID, LLSOURCECODE.ODSSourceCode,
 LLSOURCECODE.SOURCECODE FROM LLSOURCECODE;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: LLSOURCECODE
 SourceTable: LocationalData_TreatmentPlants
 TextAlign: General

LLVERIFICATIONMETHOD Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 3
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2565
 ColumnWidths: 0;360;4725
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: OPT A code representing the process by which the latitude and
 longitude coordinates have been verified by
 EPA, grantees, or contractors.
 DisplayControl: Combo Box
 GUID: {guid {378261AF-7BB3-4EFA-AEE5-5A5D7A30EB07}}
 LimitToList: True
 ListRows: 8
 ListWidth: 5085twip
 OrdinalPosition: 15
 Required: False
 RowSource: SELECT LLVERIFICATIONMETHOD.ID,
 LLVERIFICATIONMETHOD.ODSVerificationMethodCode,
 LLVERIFICATIONMETHOD.VerificationMethod FROM
 LLVERIFICATIONMETHOD;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: LLVERIFICATIONMETHOD
 SourceTable: LocationalData_TreatmentPlants
 TextAlign: General

LLCOMMENTS Long Text -

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False

Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: OPT Comments further describing the collection, processing, or interpretation of the latitude, longitude and/or vertical data.
 GUID: {guid {90C1ECDD-BDAC-463C-9B16-2BD0FB52BFE8}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 16
 Required: False
 SourceField: LLCOMMENTS
 SourceTable: LocationalData_TreatmentPlants
 TextAlign: General
 UnicodeCompression: False

LOCLINK Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME Treatment Plant ID number
 DisplayControl: Text Box
 GUID: {guid {BB87773C-4493-4E0F-81A9-5C2057D52E83}}
 OrdinalPosition: 17
 Required: True
 SourceField: LOCLINK
 SourceTable: LocationalData_TreatmentPlants
 TextAlign: General

LatDeg Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: DMS Latitude Degrees
 DisplayControl: Text Box
 GUID: {guid {8D1AC0D3-3970-4F7E-92FB-2A39628231D9}}
 OrdinalPosition: 18

	Required:	False		
	SourceField:	LatDeg		
	SourceTable:	LocationalData_TreatmentPlants		
	TextAlign:	General		
LatMin			Long Integer	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	Description:	DMS Latitude Minutes		
	DisplayControl:	Text Box		
	GUID:	{guid {48A92B5E-B1DC-4ED3-9605-F48F69FDDC35}}		
	OrdinalPosition:	19		
	Required:	False		
	SourceField:	LatMin		
	SourceTable:	LocationalData_TreatmentPlants		
	TextAlign:	General		
LatSec			Double	8
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	4		
	Description:	DMS Latitude Seconds		
	DisplayControl:	Text Box		
	GUID:	{guid {2561B896-D6B6-4790-B134-D4313F870C56}}		
	OrdinalPosition:	20		
	Required:	False		
	SourceField:	LatSec		
	SourceTable:	LocationalData_TreatmentPlants		
	TextAlign:	General		
LongDeg			Long Integer	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		

DecimalPlaces: Auto
 Description: DMS Longitude Degrees
 DisplayControl: Text Box
 GUID: {guid {2B441A64-05CB-4878-A2FA-0F188B273A1E}}
 OrdinalPosition: 21
 Required: False
 SourceField: LongDeg
 SourceTable: LocationalData_TreatmentPlants
 TextAlign: General

LongMin Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: DMS longitude Minutes
 DisplayControl: Text Box
 GUID: {guid {D9241232-9758-430B-A812-0595E3F6DF9C}}
 OrdinalPosition: 22
 Required: False
 SourceField: LongMin
 SourceTable: LocationalData_TreatmentPlants
 TextAlign: General

LongSec Double 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: 4
 Description: DMS Longitude Seconds
 DisplayControl: Text Box
 GUID: {guid {E368B1F9-E1EB-4AC1-9242-52B91B62D8AC}}
 OrdinalPosition: 23
 Required: False
 SourceField: LongSec
 SourceTable: LocationalData_TreatmentPlants
 TextAlign: General

Lastupdate Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size

CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date of Last Update
 Format: General Date
 GUID: {guid {8924D414-29E6-40AF-A32F-036213781C92}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 24
 Required: False
 SourceField: Lastupdate
 SourceTable: LocationalData_TreatmentPlants
 TextAlign: General

CurrentUpdateUser Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Current User At Time of Update
 DisplayControl: Text Box
 GUID: {guid {85ABDB1A-B53D-4260-BA4F-C1D5F9448EDD}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 25
 Required: False
 SourceField: CurrentUpdateUser
 SourceTable: LocationalData_TreatmentPlants
 TextAlign: General
 UnicodeCompression: True

DateCreated Date With Time 8


AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date that record was created.
 Format: General Date
 GUID: {guid {135E8FD9-5582-4C9C-8119-170103E9EE15}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 26
 Required: False

SourceField: DateCreated
 SourceTable: LocationalData_TreatmentPlants
 TextAlign: General

CreatedBy Short Text 50
 AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Created by when the record is created
 DisplayControl: Text Box
 GUID: {guid {1752F8F2-4E35-4D7C-BA0A-7ADBE95E8975}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 27
 Required: False
 SourceField: CreatedBy
 SourceTable: LocationalData_TreatmentPlants
 TextAlign: General
 UnicodeCompression: True

Relationships

TreatmentPlantsLocationalData_TreatmentPlants



Attributes: Not Enforced, Inherited
 RelationshipType: One-To-Many (External)

Table Indexes

Name	Number of Fields
LLSOURCECODE	1
Clustered:	False
DistinctCount:	5
Foreign:	False
IgnoreNulls:	False
Name:	LLSOURCECODE
Primary:	False
Required:	False
Unique:	False
Fields:	
LLSOURCECODE	Ascending
LOCID	1
Clustered:	False

DistinctCount:	216
Foreign:	False
IgnoreNulls:	False
Name:	LOCID
Primary:	False
Required:	False
Unique:	False
Fields:	
LOCID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	216
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
LOCID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	

navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

AlternateBackShade:	100	AlternateBackThemeColorIn	-1
AlternateBackTint:	100	BackShade:	100
BackTint:	100	DatasheetForeThemeColorIn	-1
DatasheetGridlinesThemeCol	-1	DateCreated:	3/1/2010 5:54:25 PM
DefaultView:	2	DisplayViewsOnSharePointSi	1
Filter:	([MCL_old].[contID]=1680406090)	FilterOnLoad:	False
GUID:	{guid {61C949EA-EB6D-498C-8DAB-1BDE165A3958}}	HideNewField:	False
LastUpdated:	6/19/2014 7:57:19 AM	NameMap:	Long binary data
OrderBy:	[MCL_old].[chemicalAliases] DESC, [MCL_old].[chem_name]	OrderByOn:	True
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	727	SubDataSheetName:	[Auto]
ThemeFontIndex:	-1	TotalsRow:	False
Updatable:	True		

Columns

Name	Type	Size
contID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	1695	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	internal DIME contaminant identifier, autonumber	
OrdinalPosition:	0	
Required:	False	
SourceField:	contID	
SourceTable:	MCL_old	
TextAlign:	General	
CptypeID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
BoundColumn:	1	
CollatingOrder:	General	
ColumnCount:	4	
ColumnHeads:	False	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1005	
ColumnWidths:	0;3456;576;3168	

CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal compliance point type identifier, lookup in table CompliancePointTypes
 DisplayControl: Text Box
 LimitToList: True
 ListRows: 20
 ListWidth: 7200twip
 OrdinalPosition: 1
 Required: False
 RowSource: SELECT CompliancePointTypes.CPtypeID, CompliancePointTypes.CPtype, CompliancePointTypes.chem_group, CompliancePointTypes.chem_group_name FROM CompliancePointTypes;
 RowSourceType: Table/Query
 SourceField: CPtypeID
 SourceTable: MCL_old
 TextAlign: General

chem_name Short Text 100

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 4920
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Chemical name
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: chem_name
 SourceTable: MCL_old
 TextAlign: General
 UnicodeCompression: True

chemicalAliases Short Text 140

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 4665
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Chemical aliases

DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: chemicalAliases
 SourceTable: MCL_old
 TextAlign: General
 UnicodeCompression: True

SortOrder Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 360
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: forced sort order numeral, controlled by DBA
 DisplayControl: Text Box
 OrdinalPosition: 4
 Required: False
 SourceField: SortOrder
 SourceTable: MCL_old
 TextAlign: General

rptContaminantGroup Short Text 50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 3135
 CurrencyLCID: 0
 DataUpdatable: False
 Description: CCR Contaminant Group text
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 5
 Required: False
 SourceField: rptContaminantGroup
 SourceTable: MCL_old
 TextAlign: General
 UnicodeCompression: True

rpt_Contaminant Short Text 100

AggregateType: -1
 AllowZeroLength: True

AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 2655
CurrencyLCID: 0
DataUpdatable: False
Description: CCR Name of Contaminant
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 6
Required: False
SourceField: rpt_Contaminant
SourceTable: MCL_old
TextAlign: General
UnicodeCompression: True

chem_code Short Text 50

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 1230
CurrencyLCID: 0
DataUpdatable: False
Description: FERS chemical code
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 7
Required: False
SourceField: chem_code
SourceTable: MCL_old
TextAlign: General
UnicodeCompression: False

CAS Number Short Text 50

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 2430
CurrencyLCID: 0
DataUpdatable: False
Description: CAS number
DisplayControl: Text Box
IMEMode: 0

IMESentenceMode: 3
 OrdinalPosition: 8
 Required: False
 SourceField: CAS Number
 SourceTable: MCL_old
 TextAlign: General
 UnicodeCompression: True

MCL_value Double 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1395
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Maximum Contaminant Level value in units selected (enforcable standard)
 DisplayControl: Text Box
 OrdinalPosition: 9
 Required: False
 SourceField: MCL_value
 SourceTable: MCL_old
 TextAlign: General

SecondaryStandard Double 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 615
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Secondary Standards set for some unregulated contaminants
 DisplayControl: Text Box
 OrdinalPosition: 10
 Required: False
 SourceField: SecondaryStandard
 SourceTable: MCL_old
 TextAlign: General

MCLG Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General

ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1785
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Maximum Contaminant Level Goal (non-enforcable public health goal)
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 11
 Required: False
 SourceField: MCLG
 SourceTable: MCL_old
 TextAlign: General
 UnicodeCompression: False

rpt_MCLG Double 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 915
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: CCR MCLG
 DisplayControl: Text Box
 OrdinalPosition: 12
 Required: False
 SourceField: rpt_MCLG
 SourceTable: MCL_old
 TextAlign: General

UnitMeasurement Short Text 50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 855
 CurrencyLCID: 0
 DataUpdatable: False
 Description: CCR Unit measurement
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 13
 Required: False
 SourceField: UnitMeasurement
 SourceTable: MCL_old

	TextAlign:	General	
	UnicodeCompression:	True	
rpt_units			Long Integer 4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	1050	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	units of MCL	
	DisplayControl:	Text Box	
	OrdinalPosition:	14	
	Required:	False	
	SourceField:	rpt_units	
	SourceTable:	MCL_old	
	TextAlign:	General	
CCRunit			Long Integer 4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	1050	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	units for CCR	
	DisplayControl:	Text Box	
	OrdinalPosition:	15	
	Required:	False	
	SourceField:	CCRunit	
	SourceTable:	MCL_old	
	TextAlign:	General	
CCRIinclude			Yes/No 1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	1230	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DisplayControl:	106	

Format: Yes/No
 OrdinalPosition: 16
 Required: False
 SourceField: CCRInclude
 SourceTable: MCL_old
 TextAlign: General

MCLeffectivedate Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1035
 CurrencyLCID: 0
 DataUpdatable: False
 Description: date of last MCL revision
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 17
 Required: False
 ShowDatePicker: For dates
 SourceField: MCLeffectivedate
 SourceTable: MCL_old
 TextAlign: General

formerMCLvalue Double 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1710
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: former MCL value
 DisplayControl: Text Box
 OrdinalPosition: 18
 Required: False
 SourceField: formerMCLvalue
 SourceTable: MCL_old
 TextAlign: General

TF Double 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False

ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Trigger Factor for detection flag (fraction of MCL which triggers increased monitoring)
 DisplayControl: Text Box
 OrdinalPosition: 19
 Required: False
 SourceField: TF
 SourceTable: MCL_old
 TextAlign: General

LikelyContamSource Long Text -

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 14025
 CurrencyLCID: 0
 DataUpdatable: False
 Description: CCR Likely Contaminant Source Text
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 20
 Required: False
 SourceField: LikelyContamSource
 SourceTable: MCL_old
 TextAlign: General
 TextFormat: Plain Text
 UnicodeCompression: True

PotHealthImpacts Long Text -

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 14025
 CurrencyLCID: 0
 DataUpdatable: False
 Description: CCR Potential Health Impacts Text
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 21
 Required: False
 SourceField: PotHealthImpacts
 SourceTable: MCL_old
 TextAlign: General

TextFormat:	Plain Text		
UnicodeCompression:	True		
PNtierEXCEPT		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1440		
CurrencyLCID:	0		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Public Notice Tier exception if different from Violation Type public notice tier		
DisplayControl:	Text Box		
OrdinalPosition:	22		
Required:	False		
SourceField:	PNtierEXCEPT		
SourceTable:	MCL_old		
TextAlign:	General		
Acute		Yes/No	1
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
Description:	Is this an acute contaminant?		
DisplayControl:	106		
Format:	Yes/No		
OrdinalPosition:	23		
Required:	False		
SourceField:	Acute		
SourceTable:	MCL_old		
TextAlign:	General		
DefinedDetectionLimit		Double	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		

DecimalPlaces: Auto
 Description: Legally-defined detection limit
 DisplayControl: Text Box
 OrdinalPosition: 24
 Required: False
 SourceField: DefinedDetectionLimit
 SourceTable: MCL_old
 TextAlign: General

Lastupdate Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1215
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Date of Last Update
 Format: General Date
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 25
 Required: False
 ShowDatePicker: For dates
 SourceField: Lastupdate
 SourceTable: MCL_old
 TextAlign: General

CurrentUpdateUser Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1965
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Current User At Time of Update
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 26
 Required: False
 SourceField: CurrentUpdateUser
 SourceTable: MCL_old
 TextAlign: General
 UnicodeCompression: True

DateCreated Date With Time 8

AggregateType: -1

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Date that record was created.
 Format: General Date
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 27
 Required: False
 ShowDatePicker: For dates
 SourceField: DateCreated
 SourceTable: MCL_old
 TextAlign: General

CreatedBy Short Text 50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Created by when the record is created
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 28
 Required: False
 SourceField: CreatedBy
 SourceTable: MCL_old
 TextAlign: General
 UnicodeCompression: True

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
chem_code	1
Clustered:	False
DistinctCount:	700
Foreign:	False
IgnoreNulls:	False
Name:	chem_code
Primary:	False
Required:	False
Unique:	False

Fields:	
chem_code	Ascending
CTypeID	1
Clustered:	False
DistinctCount:	32
Foreign:	False
IgnoreNulls:	False
Name:	CTypeID
Primary:	False
Required:	False
Unique:	False
Fields:	
CTypeID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	727
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
contID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	

linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	1/6/2014 4:08:02 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	Filter:	([MCLContaminantCompliancePointTypeAssoc].[contID]=8)
FilterOnLoad:	False	GUID:	{guid {846C9CEE-F771-440A-A827-37DBBA5158C2}}
HideNewField:	False	LastUpdated:	6/16/2014 5:42:02 PM
OrderBy:	[MCLContaminantCompliancePointTypeAssoc].[contID], [MCLContaminantCompliancePointTypeAssoc].[CPTTypeID]	OrderByOn:	True
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	729	TotalsRow:	False
Updatable:	True		

Columns

Name	Type	Size
GroupAssocID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal DIME Contaminant - Compliance Point Type Association ID	
OrdinalPosition:	0	
Required:	False	
SourceField:	GroupAssocID	
SourceTable:	MCLContaminantCompliancePointTypeAssoc	
TextAlign:	General	
contID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Internal DIME Contaminant ID, lookup in table MCLContaminantList	
DisplayControl:	Text Box	
OrdinalPosition:	1	
Required:	False	
SourceField:	contID	
SourceTable:	MCLContaminantCompliancePointTypeAssoc	
TextAlign:	General	

CPTTypeID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	internal DIME Compliance Point Type ID	
DisplayControl:	Text Box	
OrdinalPosition:	2	
Required:	False	
SourceField:	CPTTypeID	
SourceTable:	MCLContaminantCompliancePointTypeAssoc	
TextAlign:	General	
chem_code	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	SDWIS Chemical code	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	3	
Required:	False	
SourceField:	chem_code	
SourceTable:	MCLContaminantCompliancePointTypeAssoc	
TextAlign:	General	
UnicodeCompression:	True	

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
chem_code	1
Clustered:	False
DistinctCount:	700
Foreign:	False
IgnoreNulls:	False
Name:	chem_code
Primary:	False
Required:	False
Unique:	False
Fields:	
chem_code	Ascending

contID	1
Clustering:	False
DistinctCount:	700
Foreign:	False
IgnoreNulls:	False
Name:	contID
Primary:	False
Required:	False
Unique:	False
Fields:	
contID	Ascending
CTypeID	1
Clustering:	False
DistinctCount:	32
Foreign:	False
IgnoreNulls:	False
Name:	CTypeID
Primary:	False
Required:	False
Unique:	False
Fields:	
CTypeID	Ascending
GroupAssocID	1
Clustering:	False
DistinctCount:	729
Foreign:	False
IgnoreNulls:	False
Name:	GroupAssocID
Primary:	False
Required:	False
Unique:	False
Fields:	
GroupAssocID	Ascending
PrimaryKey	2
Clustering:	False
DistinctCount:	729
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
contID	Ascending
CTypeID	Ascending

User Permissions

- admin
- aizaz
- andrew
- bessie

chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

AlternateBackShade:	100	AlternateBackThemeColorIn	-1
AlternateBackTint:	100	BackShade:	100
BackTint:	100	DatasheetForeThemeColorIn	-1
DatasheetGridlinesThemeCol	-1	DateCreated:	1/6/2014 4:08:02 PM
DefaultView:	2	DisplayViewsOnSharePointSi	1
Filter:	([MCLContaminantList].[contID]=1680406083)	FilterOnLoad:	False
GUID:	{guid {17BFCBCE-3510-4F55-9F16-5D6DA926B4B9}}	HideNewField:	False
LastUpdated:	7/2/2014 11:27:41 AM	NameMap:	Long binary data
OrderBy:	[MCLContaminantList].[contID], [MCLContaminantList].[chemicalAliases] DESC, [MCLContaminantList].[chem_name]	OrderByOn:	True
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	700	SubDataSheetName:	[Auto]
ThemeFontIndex:	-1	TotalsRow:	False
Updatable:	True		

Columns

Name	Type	Size
contID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	1875	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	internal DIME contaminant identifier, autonumber	
OrdinalPosition:	0	
Required:	False	
SourceField:	contID	
SourceTable:	MCLContaminantList	
TextAlign:	General	
 chem_name	 Short Text	 100
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	4500	
CurrencyLCID:	0	

DataUpdatable: False
 Description: Chemical name
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 1
 Required: False
 SourceField: chem_name
 SourceTable: MCLContaminantList
 TextAlign: General
 UnicodeCompression: True

chemicalAliases Short Text 140

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 6045
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Chemical aliases
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: chemicalAliases
 SourceTable: MCLContaminantList
 TextAlign: General
 UnicodeCompression: True

SortOrder Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 360
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: forced sort order numeral, controlled by DBA
 DisplayControl: Text Box
 OrdinalPosition: 3
 Required: False
 SourceField: SortOrder
 SourceTable: MCLContaminantList
 TextAlign: General

rpt_Contaminant Short Text 100

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 2655
CurrencyLCID: 0
DataUpdatable: False
Description: CCR Name of Contaminant
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 4
Required: False
SourceField: rpt_Contaminant
SourceTable: MCLContaminantList
TextAlign: General
UnicodeCompression: True

chem_code Short Text 50

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 1230
CurrencyLCID: 0
DataUpdatable: False
Description: FERS chemical code
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 5
Required: False
SourceField: chem_code
SourceTable: MCLContaminantList
TextAlign: General
UnicodeCompression: False

CAS Number Short Text 50

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 2430
CurrencyLCID: 0
DataUpdatable: False
Description: CAS number

DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 6
 Required: False
 SourceField: CAS Number
 SourceTable: MCLContaminantList
 TextAlign: General
 UnicodeCompression: True

MCL_value Double 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1395
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Maximum Contaminant Level value in units selected (enforcable standard)
 DisplayControl: Text Box
 OrdinalPosition: 7
 Required: False
 SourceField: MCL_value
 SourceTable: MCLContaminantList
 TextAlign: General

SecondaryStandard Double 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 615
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Secondary Standards set for some unregulated contaminants
 DisplayControl: Text Box
 OrdinalPosition: 8
 Required: False
 SourceField: SecondaryStandard
 SourceTable: MCLContaminantList
 TextAlign: General

MCLG Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False

Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1785
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Maximum Contaminant Level Goal (non-enforcable public health goal)
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 9
 Required: False
 SourceField: MCLG
 SourceTable: MCLContaminantList
 TextAlign: General
 UnicodeCompression: False

rpt_MCLG Double 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 915
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: CCR MCLG
 DisplayControl: Text Box
 OrdinalPosition: 10
 Required: False
 SourceField: rpt_MCLG
 SourceTable: MCLContaminantList
 TextAlign: General

UnitMeasurement Short Text 50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 855
 CurrencyLCID: 0
 DataUpdatable: False
 Description: CCR Unit measurement
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 11
 Required: False

	SourceField:	UnitMeasurement	
	SourceTable:	MCLContaminantList	
	TextAlign:	General	
	UnicodeCompression:	True	
rpt_units		Long Integer	4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	1050	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	units of MCL	
	DisplayControl:	Text Box	
	OrdinalPosition:	12	
	Required:	False	
	SourceField:	rpt_units	
	SourceTable:	MCLContaminantList	
	TextAlign:	General	
CCRunit		Long Integer	4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	1050	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	units for CCR	
	DisplayControl:	Text Box	
	OrdinalPosition:	13	
	Required:	False	
	SourceField:	CCRunit	
	SourceTable:	MCLContaminantList	
	TextAlign:	General	
CCRInclude		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	1230	
	CurrencyLCID:	0	

DataUpdatable: False
 DisplayControl: 106
 Format: Yes/No
 OrdinalPosition: 14
 Required: False
 SourceField: CCRInclude
 SourceTable: MCLContaminantList
 TextAlign: General

MCLeffectivedate Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1035
 CurrencyLCID: 0
 DataUpdatable: False
 Description: date of last MCL revision
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 15
 Required: False
 ShowDatePicker: For dates
 SourceField: MCLeffectivedate
 SourceTable: MCLContaminantList
 TextAlign: General

formerMCLvalue Double 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1710
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: former MCL value
 DisplayControl: Text Box
 OrdinalPosition: 16
 Required: False
 SourceField: formerMCLvalue
 SourceTable: MCLContaminantList
 TextAlign: General

TF Double 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size

CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
CurrencyLCID: 0
DataUpdatable: False
DecimalPlaces: Auto
Description: Trigger Factor for detection flag (fraction of MCL which triggers increased monitoring)
DisplayControl: Text Box
OrdinalPosition: 17
Required: False
SourceField: TF
SourceTable: MCLContaminantList
TextAlign: General

LikelyContamSource Long Text -

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 14025
CurrencyLCID: 0
DataUpdatable: False
Description: CCR Likely Contaminant Source Text
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 18
Required: False
SourceField: LikelyContamSource
SourceTable: MCLContaminantList
TextAlign: General
TextFormat: Plain Text
UnicodeCompression: True

PotHealthImpacts Long Text -

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 14025
CurrencyLCID: 0
DataUpdatable: False
Description: CCR Potential Health Impacts Text
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 19
Required: False
SourceField: PotHealthImpacts

SourceTable:	MCLContaminantList		
TextAlign:	General		
TextFormat:	Plain Text		
UnicodeCompression:	True		
PNtierEXCEPT		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1440		
CurrencyLCID:	0		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Public Notice Tier exception if different from Violation Type public notice tier		
DisplayControl:	Text Box		
OrdinalPosition:	20		
Required:	False		
SourceField:	PNtierEXCEPT		
SourceTable:	MCLContaminantList		
TextAlign:	General		
Acute		Yes/No	1
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
Description:	Is this an acute contaminant?		
DisplayControl:	106		
Format:	Yes/No		
OrdinalPosition:	21		
Required:	False		
SourceField:	Acute		
SourceTable:	MCLContaminantList		
TextAlign:	General		
DefinedDetectionLimit		Double	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		

CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Legally-defined detection limit
 DisplayControl: Text Box
 OrdinalPosition: 22
 Required: False
 SourceField: DefinedDetectionLimit
 SourceTable: MCLContaminantList
 TextAlign: General

Lastupdate Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1215
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Date of Last Update
 Format: General Date
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 23
 Required: False
 ShowDatePicker: For dates
 SourceField: Lastupdate
 SourceTable: MCLContaminantList
 TextAlign: General

CurrentUpdateUser Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1965
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Current User At Time of Update
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 24
 Required: False
 SourceField: CurrentUpdateUser
 SourceTable: MCLContaminantList
 TextAlign: General
 UnicodeCompression: True

DateCreated	Date With Time	8
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	Date that record was created.	
Format:	General Date	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	25	
Required:	False	
ShowDatePicker:	For dates	
SourceField:	DateCreated	
SourceTable:	MCLContaminantList	
TextAlign:	General	

CreatedBy	Short Text	50
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	Created by when the record is created	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	26	
Required:	False	
SourceField:	CreatedBy	
SourceTable:	MCLContaminantList	
TextAlign:	General	
UnicodeCompression:	True	

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
chem_code	1
Clustered:	False
DistinctCount:	700
Foreign:	False
IgnoreNulls:	False
Name:	chem_code
Primary:	False
Required:	False

Unique:	False
Fields:	
chem_code	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	700
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
contID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	1/6/2014 4:08:02 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {4F5029B4-E832-4A86-86FF-1C6CD7169783}}	HideNewField:	False
LastUpdated:	1/6/2014 4:08:03 PM	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	27	TotalsRow:	False
Updatable:	True		

Columns

Name	Type	Size
OLDcontID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1710	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	0	
Required:	False	
SourceField:	OLDcontID	
SourceTable:	MCLcontIDchangelist	
TextAlign:	General	
NEWcontID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
OrdinalPosition:	1	
Required:	False	
SourceField:	NEWcontID	
SourceTable:	MCLcontIDchangelist	
TextAlign:	General	
ChemicalName	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	

CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 5145
 DataUpdatable: False
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: ChemicalName
 SourceTable: MCLcontIDchangelist
 TextAlign: General
 UnicodeCompression: True

Table Indexes

Name	Number of Fields
NEWcontID	1
Clustered:	False
DistinctCount:	19
Foreign:	False
IgnoreNulls:	False
Name:	NEWcontID
Primary:	False
Required:	False
Unique:	False
Fields:	
NEWcontID	Ascending
OLDcontID	1
Clustered:	False
DistinctCount:	27
Foreign:	False
IgnoreNulls:	False
Name:	OLDcontID
Primary:	False
Required:	False
Unique:	False
Fields:	
OLDcontID	Ascending

User Permissions

admin
 aizaz
 andrew
 bessie
 chris
 corine
 daria
 designer

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,
 Write Definition, Read Data, Insert Data, Update Data, Delete Data

dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

AlternateBackShade:	100	AlternateBackThemeColorIn	-1
AlternateBackTint:	100	BackShade:	100
BackTint:	100	DatasheetForeThemeColorIn	-1
DatasheetGridlinesThemeCol	-1	DateCreated:	1/7/2011 5:22:02 PM
DefaultView:	2	DisplayViewsOnSharePointSi	1
FilterOnLoad:	False	GUID:	{guid {B88A6EC0-120C-4407-8C8B-907D5897828E}}
HideNewField:	False	LastUpdated:	8/6/2014 4:00:58 PM
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	120	SubdatasheetName:	[Auto]
ThemeFontIndex:	-1	TotalsRow:	False
Updatable:	True		

Columns

Name	Type	Size
monitoringstatusID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	1170	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	internal monitoring status identifier	
OrdinalPosition:	0	
Required:	False	
SourceField:	monitoringstatusID	
SourceTable:	MonitoringStatus	
TextAlign:	General	
monitoringstatus	Short Text	50
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	2	
ColumnWidth:	3600	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	textual description of monitoring status	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	

	Required:	False		
	SourceField:	monitoringstatus		
	SourceTable:	MonitoringStatus		
	TextAlign:	General		
	UnicodeCompression:	True		
Freq			Short Text	50
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	3		
	ColumnWidth:	1710		
	CurrencyLCID:	0		
	DataUpdatable:	False		
	Description:	symbol for quarter month year daily		
	DisplayControl:	Text Box		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	2		
	Required:	False		
	SourceField:	Freq		
	SourceTable:	MonitoringStatus		
	TextAlign:	General		
	UnicodeCompression:	True		
monitoringfrequency			Double	8
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	4		
	ColumnWidth:	2760		
	CurrencyLCID:	0		
	DataUpdatable:	False		
	DecimalPlaces:	3		
	Description:	monitoring frequency in years and fractions of years		
	DisplayControl:	Text Box		
	Format:	Fixed		
	OrdinalPosition:	3		
	Required:	False		
	SourceField:	monitoringfrequency		
	SourceTable:	MonitoringStatus		
	TextAlign:	General		
MonFreqText			Short Text	20
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		

ColumnHidden: False
 ColumnOrder: 5
 ColumnWidth: 1665
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Monitoring frequency text description
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False
 SourceField: MonFreqText
 SourceTable: MonitoringStatus
 TextAlign: General
 UnicodeCompression: True

shortchemgroupName Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: 6
 ColumnWidth: 2715
 CurrencyLCID: 0
 DataUpdatable: False
 Description: text code for selection of subsets in lookup fields in compliancepoints tables
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 5
 Required: False
 SourceField: shortchemgroupName
 SourceTable: MonitoringStatus
 TextAlign: General
 UnicodeCompression: True

chem_group1 Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: 7
 ColumnWidth: 360
 CurrencyLCID: 0
 DataUpdatable: False
 Description: contaminant group code 1
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 6

Required:	False		
SourceField:	chem_group1		
SourceTable:	MonitoringStatus		
TextAlign:	General		
UnicodeCompression:	True		
chem_group2		Short Text	50
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	8		
ColumnWidth:	360		
CurrencyLCID:	0		
DataUpdatable:	False		
Description:	contaminant group code 2		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	7		
Required:	False		
SourceField:	chem_group2		
SourceTable:	MonitoringStatus		
TextAlign:	General		
UnicodeCompression:	True		
chem_group3		Short Text	50
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	9		
ColumnWidth:	360		
CurrencyLCID:	0		
DataUpdatable:	False		
Description:	contaminant group code 3		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	8		
Required:	False		
SourceField:	chem_group3		
SourceTable:	MonitoringStatus		
TextAlign:	General		
UnicodeCompression:	True		
chem_group4		Short Text	50
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		

CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: 10
 ColumnWidth: 360
 CurrencyLCID: 0
 DataUpdatable: False
 Description: contaminant group code 4
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 9
 Required: False
 SourceField: chem_group4
 SourceTable: MonitoringStatus
 TextAlign: General
 UnicodeCompression: True

Workbooktranslation Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: 11
 ColumnWidth: 1860
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: workbook status equivalent from old Excel Workbooks
 DisplayControl: Text Box
 OrdinalPosition: 10
 Required: False
 SourceField: Workbooktranslation
 SourceTable: MonitoringStatus
 TextAlign: General

CPTTypeID Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 2
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: 12
 ColumnWidth: 3765
 ColumnWidths: 0;2385
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Compliance Point Type identifier

DisplayControl: Combo Box
 LimitToList: True
 ListRows: 8
 ListWidth: 2385twip
 OrdinalPosition: 11
 Required: False
 RowSource: SELECT CompliancePointTypes.CPtypeID,
 CompliancePointTypes.CPtype FROM CompliancePointTypes;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: CPTypeID
 SourceTable: MonitoringStatus
 TextAlign: General

NumSamplesFactor Single 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: 13
 ColumnWidth: 1905
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: factor for determining the number of Lead and Copper samples
 required (1 or 0.5)
 DisplayControl: Text Box
 OrdinalPosition: 12
 Required: False
 SourceField: NumSamplesFactor
 SourceTable: MonitoringStatus
 TextAlign: General

Season Short Text 50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: 14
 ColumnWidth: 1665
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Season in which sampling is required to occur (Summer,
 Summer/Winter)
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 13
 Required: False
 SourceField: Season

SourceTable: MonitoringStatus
 TextAlign: General
 UnicodeCompression: True

WaiverType Short Text 50

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 1
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: 15
 ColumnWidth: Default
 ColumnWidths: 1440
 CurrencyLCID: 0
 DataUpdatable: False
 Description: "U" or "S" to distinguish type of waiver as "Use Waiver" or "Suseptibility Waiver"
 DisplayControl: Combo Box
 IMEMode: 0
 IMESentenceMode: 3
 LimitToList: False
 ListRows: 8
 ListWidth: 1440twip
 OrdinalPosition: 14
 Required: False
 RowSource: "U","S"
 RowSourceType: Value List
 ShowOnlyRowSourceValues: False
 SourceField: WaiverType
 SourceTable: MonitoringStatus
 TextAlign: General
 UnicodeCompression: True

DateCreated Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: 16
 ColumnWidth: 2235
 CurrencyLCID: 0
 DataUpdatable: False
 Format: General Date
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 15
 Required: False
 ShowDatePicker: For dates

SourceField: DateCreated
 SourceTable: MonitoringStatus
 TextAlign: General

Table Indexes

Name	Number of Fields
CPTTypeID	1
Clustered:	False
DistinctCount:	28
Foreign:	False
IgnoreNulls:	False
Name:	CPTTypeID
Primary:	False
Required:	False
Unique:	False
Fields:	
CPTTypeID	Ascending
NumSamplesFactor	1
Clustered:	False
DistinctCount:	3
Foreign:	False
IgnoreNulls:	False
Name:	NumSamplesFactor
Primary:	False
Required:	False
Unique:	False
Fields:	
NumSamplesFactor	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	120
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
monitoringstatusID	Ascending

User Permissions

- admin
- aizaz
- andrew
- bessie
- chris
- corine
- daria
- designer

dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	7/23/2007 12:57:04 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {1DD86DC0-05F1-4044-AA5E-8C25604B164E}}	HideNewField:	False
LastUpdated:	9/23/2013 5:56:48 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	12
SubDataSheetName:	[Auto]	TotalsRow:	False
Updatable:	True		

Columns

Name	Type	Size
ID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {C21E3164-A45B-4176-9638-33F8BCA2FC51}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	ID	
SourceTable:	Months	
TextAlign:	General	
numMonth	Integer	2
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	2	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	1	
Required:	False	
SourceField:	numMonth	
SourceTable:	Months	
TextAlign:	General	
Month	Short Text	12

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: 3
ColumnWidth: Default
DataUpdatable: False
DisplayControl: Text Box
GUID: {guid {81DCBB29-7D88-437A-9F5A-03CB01782FC2}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 2
Required: False
SourceField: Month
SourceTable: Months
TextAlign: General
UnicodeCompression: True

monthabbrev Short Text 4

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: 4
ColumnWidth: Default
DataUpdatable: False
DisplayControl: Text Box
GUID: {E4E8DB92-7EEA-45B7-BE06-B4C90429E6AE}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 3
Required: False
SourceField: monthabbrev
SourceTable: Months
TextAlign: General
UnicodeCompression: True

numericalmonthtext Short Text 2

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: 5
ColumnWidth: Default
DataUpdatable: False
DisplayControl: Text Box
GUID: {guid {A4274E17-53D2-4DAF-808F-14BC7EC310D8}}
IMEMode: 0
IMESentenceMode: 3

OrdinalPosition: 4
 Required: False
 SourceField: numericalmonthtext
 SourceTable: Months
 TextAlign: General
 UnicodeCompression: True

PeakMonthMode Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: 6
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 DisplayControl: Text Box
 OrdinalPosition: 5
 Required: False
 SourceField: PeakMonthMode
 SourceTable: Months
 TextAlign: General

QuarterNo Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: 7
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 DisplayControl: Text Box
 OrdinalPosition: 6
 Required: False
 SourceField: QuarterNo
 SourceTable: Months
 TextAlign: General

Table Indexes

Name	Number of Fields
ID	1
Clustered:	False
DistinctCount:	12
Foreign:	False
IgnoreNulls:	False
Name:	ID
Primary:	False
Required:	False
Unique:	True

Fields:	
ID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	12
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
numMonth	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	3/3/2010 4:39:55 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
HideNewField:	False	LastUpdated:	3/3/2010 4:40:03 PM
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	10
TotalsRow:	False	Updatable:	True

Columns

Name	Type	Size
NoteCatID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal DIME Notification Category identifier	
OrdinalPosition:	0	
Required:	False	
SourceField:	NoteCatID	
SourceTable:	NotificationCategories	
TextAlign:	General	
NotificationCategory	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	4635	
DataUpdatable:	False	
Description:	Notification Category	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	NotificationCategory	
SourceTable:	NotificationCategories	
TextAlign:	General	
UnicodeCompression:	True	
tablename	Short Text	50
AggregateType:	-1	
AllowZeroLength:	True	

AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2250
 DataUpdatable: False
 Description: What table does this notification relate to?
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: tablename
 SourceTable: NotificationCategories
 TextAlign: General
 UnicodeCompression: True

formname Short Text 50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: What form does this notification relate to?
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: formname
 SourceTable: NotificationCategories
 TextAlign: General
 UnicodeCompression: True

Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	10
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
NoteCatID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:52 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {6A80CF01-9CFC-4828-9377-4E5A9074B5C5}}	HideNewField:	False
LastUpdated:	11/5/2014 6:19:52 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	Notifications	TotalsRow:	False
Updatable:	False		

Columns

Name	Type	Size
noteID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal DIME Notification identifier	
GUID:	{guid {AA763F9F-2B6C-468A-A2DB-2E5E76F440C5}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	noteID	
SourceTable:	Notifications	
TextAlign:	General	
Userto	Short Text	50
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	userID who needs to respond	
DisplayControl:	Text Box	
GUID:	{guid {D5CA7ACF-AFFA-4297-AE42-60B46B9AC451}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	True	
SourceField:	Userto	

	SourceTable:	Notifications	
	TextAlign:	General	
	UnicodeCompression:	True	
NoteCat		Long Integer	4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	what type of notification? lookup in table NotificationCategories	
	DisplayControl:	Text Box	
	GUID:	{guid {517478D6-1E6D-4567-901C-4C2459DFF237}}	
	OrdinalPosition:	2	
	Required:	True	
	SourceField:	NoteCat	
	SourceTable:	Notifications	
	TextAlign:	General	
EventDate		Date With Time	8
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	When did the Event occur?	
	GUID:	{guid {07C0B52A-31E0-42EB-8695-6D2CFDA920C0}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	3	
	Required:	True	
	ShowDatePicker:	For dates	
	SourceField:	EventDate	
	SourceTable:	Notifications	
	TextAlign:	General	
message1		Short Text	255
	AggregateType:	-1	
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	

Description: Message #1, limited to 255 characters
 DisplayControl: Text Box
 GUID: {guid {A7574286-D5F0-46E7-B753-86DADC1181FC}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False
 SourceField: message1
 SourceTable: Notifications
 TextAlign: General
 UnicodeCompression: True

message2 Short Text 255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Message #2, limited to 255 characters
 DisplayControl: Text Box
 GUID: {guid {39C98FEB-3021-4D47-B8E9-173D2C4ABE39}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 5
 Required: False
 SourceField: message2
 SourceTable: Notifications
 TextAlign: General
 UnicodeCompression: True

FACID Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: What PWS does this notification relate to?
 DisplayControl: Text Box
 GUID: {guid {339D841D-3828-4FB1-8D71-0F14E0652A52}}
 OrdinalPosition: 6
 Required: True
 SourceField: FACID
 SourceTable: Notifications
 TextAlign: General

contactID Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: What contact does this notification relate to?
 DisplayControl: Text Box
 GUID: {guid {8B2142F1-1FC0-4F8B-99F3-33E618084716}}
 OrdinalPosition: 7
 Required: True
 SourceField: contactID
 SourceTable: Notifications
 TextAlign: General

GeneralID Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: What specific record does this notification relate to?
 DisplayControl: Text Box
 GUID: {A980152F-A6B4-422D-8E2C-2828CF892078}}
 OrdinalPosition: 8
 Required: True
 SourceField: GeneralID
 SourceTable: Notifications
 TextAlign: General

DateCreated Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2235
 DataUpdatable: False
 Description: Date and Time Created
 Format: General Date
 GUID: {guid {6758F525-017A-43EC-B159-CF99F7E59B98}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 9

Required: False
 ShowDatePicker: For dates
 SourceField: DateCreated
 SourceTable: Notifications
 TextAlign: General

CreatedBy Short Text 50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Created by User, who sent the Notification, Userfrom
 DisplayControl: Text Box
 GUID: {guid {08D4A4A4-DDE8-45B2-BA16-2988E52235AB}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 10
 Required: False
 SourceField: CreatedBy
 SourceTable: Notifications
 TextAlign: General
 UnicodeCompression: True

DateView Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date and Time Last Viewed
 Format: General Date
 GUID: {guid {7A6102B0-A18A-4231-8851-5DA54A2D16B1}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 11
 Required: False
 ShowDatePicker: For dates
 SourceField: DateView
 SourceTable: Notifications
 TextAlign: General

ViewUser Short Text 50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length

CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Last Viewed by
 DisplayControl: Text Box
 GUID: {guid {D667508D-FE23-4420-82AA-30B5BD9716C8}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 12
 Required: False
 SourceField: ViewUser
 SourceTable: Notifications
 TextAlign: General
 UnicodeCompression: True

EventId Short Text 175

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 GUID: {guid {C10A1AE2-D7CF-4D85-B8FA-997FD0116EDA}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 13
 Required: False
 SourceField: EventId
 SourceTable: Notifications
 TextAlign: General
 UnicodeCompression: True

Dismiss Yes/No 1

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Dismiss (Yes/No) allows user to hide notifications after reviewing.
 DisplayControl: 106
 Format: Yes/No
 OrdinalPosition: 14
 Required: False
 SourceField: Dismiss
 SourceTable: Notifications

TextAlign: General

Table Indexes

Name	Number of Fields
contactID	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	contactID
Primary:	False
Required:	False
Unique:	False
Fields:	
contactID	Ascending
EventId	1
Clustered:	False
DistinctCount:	397
Foreign:	False
IgnoreNulls:	False
Name:	EVEntId
Primary:	False
Required:	False
Unique:	False
Fields:	
EVEntId	Ascending
noteID	1
Clustered:	False
DistinctCount:	876
Foreign:	False
IgnoreNulls:	False
Name:	noteID
Primary:	False
Required:	False
Unique:	False
Fields:	
noteID	Ascending
PrimaryKey	5
Clustered:	False
DistinctCount:	874
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
Userto	Ascending
NoteCat	Ascending
EventDate	Ascending
FACID	Ascending
GeneralID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:52 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {A37DA13C-0F19-420D-BE4C-EBA964D7487D}}	HideNewField:	False
LastUpdated:	11/5/2014 6:19:52 PM	NameMap:	Long binary data
OrderBy:	[OperatorBestCertifications].[DateCreated] DESC	OrderByOn:	True
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	-1	SourceTableName:	OperatorBestCertifications
TotalsRow:	False	Updatable:	False

Columns

Name	Type	Size
OPbestCertID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal DIME Best Certification identifier	
OrdinalPosition:	0	
Required:	False	
SourceField:	OPbestCertID	
SourceTable:	OperatorBestCertifications	
TextAlign:	General	
ContactID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	internal DIME contact ID, lookup in table Contacts	
DisplayControl:	Text Box	
OrdinalPosition:	1	
Required:	True	
SourceField:	ContactID	
SourceTable:	OperatorBestCertifications	
TextAlign:	General	

CertificationType	Short Text	255
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2730	
DataUpdatable:	False	
Description:	Type of Certification	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	2	
Required:	True	
SourceField:	CertificationType	
SourceTable:	OperatorBestCertifications	
TextAlign:	General	
UnicodeCompression:	True	
certID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	BEST internal DIME certification ID, result of BestOperatorCertification function by contactID and Certification Type	
DisplayControl:	Text Box	
OrdinalPosition:	3	
Required:	True	
SourceField:	certID	
SourceTable:	OperatorBestCertifications	
TextAlign:	General	
Lastupdate	Date With Time	8
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Date of Last Update	
Format:	General Date	
IMEMode:	0	
IMESentenceMode:	3	

OrdinalPosition: 4
Required: False
ShowDatePicker: For dates
SourceField: Lastupdate
SourceTable: OperatorBestCertifications
TextAlign: General

CurrentUpdateUser Short Text 50

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Current User At Time of Update
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 5
Required: False
SourceField: CurrentUpdateUser
SourceTable: OperatorBestCertifications
TextAlign: General
UnicodeCompression: True

DateCreated Date With Time 8

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 2130
DataUpdatable: False
Description: Date record was created
Format: General Date
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 6
Required: False
ShowDatePicker: For dates
SourceField: DateCreated
SourceTable: OperatorBestCertifications
TextAlign: General

CreatedBy Short Text 50

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General

ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Created by user
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 7
 Required: False
 SourceField: CreatedBy
 SourceTable: OperatorBestCertifications
 TextAlign: General
 UnicodeCompression: True

Table Indexes

Name	Number of Fields
certID	1
Clustered:	False
DistinctCount:	317
Foreign:	False
IgnoreNulls:	False
Name:	certID
Primary:	False
Required:	False
Unique:	False
Fields:	
certID	Ascending
ContactID	1
Clustered:	False
DistinctCount:	196
Foreign:	False
IgnoreNulls:	False
Name:	ContactID
Primary:	False
Required:	False
Unique:	False
Fields:	
ContactID	Ascending
OPbestCertID	1
Clustered:	False
DistinctCount:	334
Foreign:	False
IgnoreNulls:	False
Name:	OPbestCertID
Primary:	False
Required:	False
Unique:	False
Fields:	
OPbestCertID	Ascending
PrimaryKey	1
Clustered:	False

DistinctCount:	334
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
OPbestCertID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:52 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	Filter:	([Organization].[OrganizationID]=991177823)
FilterOnLoad:	False	GUID:	{guid {651EA747-A8C8-414B-AAB4-0CB85D91DBB5}}
HideNewField:	False	LastUpdated:	11/5/2014 6:19:52 PM
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	-1	SourceTableName:	Organization
SubDataSheetName:	[Auto]	TotalsRow:	False
Updatable:	False		

Columns

Name	Type	Size
OrganizationID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal DIME Organization identifier	
GUID:	{guid {77BC15E2-796E-4D84-98B8-459A506B2D55}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	OrganizationID	
SourceTable:	Organization	
TextAlign:	General	
 ORGANIZATION_NAME	 Short Text	 50
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	4815	
DataUpdatable:	False	
Description:	Name of the organization	
DisplayControl:	Text Box	
GUID:	{guid {2EB4A42B-EDF6-480B-ABD9-A25D2BB5B91F}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	

Required: False
SourceField: ORGANIZATION_NAME
SourceTable: Organization
TextAlign: General
UnicodeCompression: True

OrgAddress1 Short Text 80

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 2235
DataUpdatable: False
Description: Organization Address line 1
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 2
Required: False
SourceField: OrgAddress1
SourceTable: Organization
TextAlign: General
UnicodeCompression: True

OrgAddress2 Short Text 80

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Organization Address line 2
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 3
Required: False
SourceField: OrgAddress2
SourceTable: Organization
TextAlign: General
UnicodeCompression: True

OrgCity Short Text 50

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False

ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Organization City
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False
 SourceField: OrgCity
 SourceTable: Organization
 TextAlign: General
 UnicodeCompression: True

OrgStateCode Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME State Code, lookup in table States
 DisplayControl: Text Box
 OrdinalPosition: 5
 Required: False
 SourceField: OrgStateCode
 SourceTable: Organization
 TextAlign: General

OrgZip Short Text 50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Organization Zip Code
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 6
 Required: False
 SourceField: OrgZip
 SourceTable: Organization
 TextAlign: General
 UnicodeCompression: True

OrgPhone Short Text 50

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Organization main phone number
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 7
Required: False
SourceField: OrgPhone
SourceTable: Organization
TextAlign: General
UnicodeCompression: True

OrgFax

Short Text

50

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Organization fax number
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 8
Required: False
SourceField: OrgFax
SourceTable: Organization
TextAlign: General
UnicodeCompression: True

OrgURL

Short Text

50

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Organization web address
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3

	OrdinalPosition:	9		
	Required:	False		
	SourceField:	OrgURL		
	SourceTable:	Organization		
	TextAlign:	General		
	UnicodeCompression:	True		
Area			Long Integer	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	Description:	internal DIME Area identifier, lookup in table ServiceAreas		
	DisplayControl:	Text Box		
	OrdinalPosition:	10		
	Required:	False		
	SourceField:	Area		
	SourceTable:	Organization		
	TextAlign:	General		
Lastupdate			Date With Time	8
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Date of Last Update		
	Format:	General Date		
	GUID:	{guid {827A2AF4-690F-4FE2-931F-31E762261303}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	11		
	Required:	False		
	ShowDatePicker:	For dates		
	SourceField:	Lastupdate		
	SourceTable:	Organization		
	TextAlign:	General		
CurrentUpdateUser			Short Text	50
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		

ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Current User At Time of Update
DisplayControl: Text Box
GUID: {guid {13FBED6B-829F-4027-8E8C-51BF324C642D}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 12
Required: False
SourceField: CurrentUpdateUser
SourceTable: Organization
TextAlign: General
UnicodeCompression: True

DateCreated Date With Time 8

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Date that record was created.
Format: General Date
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 13
Required: False
ShowDatePicker: For dates
SourceField: DateCreated
SourceTable: Organization
TextAlign: General


CreatedBy Short Text 50

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Created by when the record is created
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 14
Required: False
SourceField: CreatedBy
SourceTable: Organization
TextAlign: General

UnicodeCompression:	True		
StatusID		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	internal DIME Status identifier, lookup in table QAStatus		
DisplayControl:	Text Box		
OrdinalPosition:	15		
Required:	False		
SourceField:	StatusID		
SourceTable:	Organization		
TextAlign:	General		


Relationships

OrganizationContacts



Attributes: Not Enforced, Inherited
 RelationshipType: One-To-Many (External)

OrganizationFacility Information



Attributes: Not Enforced, Inherited
 RelationshipType: One-To-Many (External)

Table Indexes

Name	Number of Fields
NContactID	1
Clustered:	False
DistinctCount:	654
Foreign:	False
IgnoreNulls:	False
Name:	NContactID
Primary:	False
Required:	False

Unique:	False
Fields:	
OrganizationID	Ascending
ORGANIZATION_NAME	1
Clustered:	False
DistinctCount:	654
Foreign:	False
IgnoreNulls:	False
Name:	ORGANIZATION_NAME
Primary:	False
Required:	False
Unique:	True
Fields:	
ORGANIZATION_NAME	Ascending
OrgStateCode	1
Clustered:	False
DistinctCount:	11
Foreign:	False
IgnoreNulls:	False
Name:	OrgStateCode
Primary:	False
Required:	False
Unique:	False
Fields:	
OrgStateCode	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	654
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
OrganizationID	Ascending
StatusID	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	StatusID
Primary:	False
Required:	False
Unique:	False
Fields:	
StatusID	Ascending

User Permissions

admin
aizaz

andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:52 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {62929F1D-A535-4ACA-9F10-38E746AF54F1}}	HideNewField:	False
LastUpdated:	11/5/2014 6:19:52 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	OrganizationContact_Assoc	TotalsRow:	False
Updatable:	False		

Columns

Name	Type	Size
OrgConAssocID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1830	
DataUpdatable:	False	
Description:	internal DIME Organization / Contact Association identifier	
OrdinalPosition:	0	
Required:	False	
SourceField:	OrgConAssocID	
SourceTable:	OrganizationContact_Assoc	
TextAlign:	General	
OrganizationID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1800	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	internal DIME Organization identifier, lookup in table Organization	
DisplayControl:	Text Box	
OrdinalPosition:	1	
Required:	True	
SourceField:	OrganizationID	
SourceTable:	OrganizationContact_Assoc	
TextAlign:	General	

<p>ContactID</p> <p>AggregateType: -1</p> <p>AllowZeroLength: False</p> <p>AppendOnly: False</p> <p>Attributes: Fixed Size</p> <p>CollatingOrder: General</p> <p>ColumnHidden: False</p> <p>ColumnOrder: Default</p> <p>ColumnWidth: 1320</p> <p>DataUpdatable: False</p> <p>DecimalPlaces: Auto</p> <p>Description: internal DIME Contact identifier, lookup in table Contacts</p> <p>DisplayControl: Text Box</p> <p>OrdinalPosition: 2</p> <p>Required: True</p> <p>SourceField: ContactID</p> <p>SourceTable: OrganizationContact_Assoc</p> <p>TextAlign: General</p>	<p>Long Integer</p>	<p>4</p>
<p>RoleID</p> <p>AggregateType: -1</p> <p>AllowZeroLength: False</p> <p>AppendOnly: False</p> <p>Attributes: Fixed Size</p> <p>CollatingOrder: General</p> <p>ColumnHidden: False</p> <p>ColumnOrder: Default</p> <p>ColumnWidth: 1035</p> <p>DataUpdatable: False</p> <p>DecimalPlaces: Auto</p> <p>Description: internal DIME Role identifier, lookup in table OrgRoles</p> <p>DisplayControl: Text Box</p> <p>OrdinalPosition: 3</p> <p>Required: False</p> <p>SourceField: RoleID</p> <p>SourceTable: OrganizationContact_Assoc</p> <p>TextAlign: General</p>	<p>Long Integer</p>	<p>4</p>
<p>Lastupdate</p> <p>AggregateType: -1</p> <p>AllowZeroLength: False</p> <p>AppendOnly: False</p> <p>Attributes: Fixed Size</p> <p>CollatingOrder: General</p> <p>ColumnHidden: False</p> <p>ColumnOrder: Default</p> <p>ColumnWidth: Default</p> <p>DataUpdatable: False</p> <p>Description: Date of Last Update</p> <p>Format: General Date</p> <p>IMEMode: 0</p> <p>IMESentenceMode: 3</p> <p>OrdinalPosition: 4</p> <p>Required: False</p> <p>ShowDatePicker: For dates</p>	<p>Date With Time</p>	<p>8</p>

SourceField:	Lastupdate		
SourceTable:	OrganizationContact_Assoc		
TextAlign:	General		
CurrentUpdateUser		Short Text	50
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Current User At Time of Update		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	5		
Required:	False		
SourceField:	CurrentUpdateUser		
SourceTable:	OrganizationContact_Assoc		
TextAlign:	General		
UnicodeCompression:	True		
DateCreated		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Date that record was created.		
Format:	General Date		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	6		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	DateCreated		
SourceTable:	OrganizationContact_Assoc		
TextAlign:	General		
CreatedBy		Short Text	50
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		

DataUpdatable: False
 Description: Created by when the record is created
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 7
 Required: False
 SourceField: CreatedBy
 SourceTable: OrganizationContact_Assoc
 TextAlign: General
 UnicodeCompression: True

Table Indexes

Name	Number of Fields
ContactID	1
Clustered:	False
DistinctCount:	44
Foreign:	False
IgnoreNulls:	False
Name:	ContactID
Primary:	False
Required:	False
Unique:	False
Fields:	
ContactID	Ascending
OrganizationID	1
Clustered:	False
DistinctCount:	28
Foreign:	False
IgnoreNulls:	False
Name:	OrganizationID
Primary:	False
Required:	False
Unique:	False
Fields:	
OrganizationID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	45
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
OrgConAssocID	Ascending
RoleID	1
Clustered:	False
DistinctCount:	33
Foreign:	False
IgnoreNulls:	False

Name:	RoleID
Primary:	False
Required:	False
Unique:	False
Fields:	
RoleID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	

Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\ Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:52 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {44A28943-846E-4706- 8F33-4201758FB98B}}	HideNewField:	False
LastUpdated:	11/5/2014 6:19:52 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	OrgRoles	TotalsRow:	False
Updatable:	False		

Columns

Name	Type	Size
RoleID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal DIME Role identifier	
GUID:	{guid {06B1FD26-7F42-474C-AE1D-69E10D20F406}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	RoleID	
SourceTable:	OrgRoles	
TextAlign:	General	
Role	Short Text	255
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	4455	
DataUpdatable:	False	
Description:	Role a contact holds in an organization	
DisplayControl:	Text Box	
GUID:	{guid {0D391934-26E4-4C37-8B4E-7E5FC82B2E17}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	True	
SourceField:	Role	

SourceTable:	OrgRoles		
TextAlign:	General		
UnicodeCompression:	True		
RoleType		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Type of role, for sorting Roles in queries and reports. e.g. Operator, Management, etc.		
DisplayControl:	Text Box		
GUID:	{guid {B0903C99-C22F-4401-8514-E142F571A3D8}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	2		
Required:	False		
SourceField:	RoleType		
SourceTable:	OrgRoles		
TextAlign:	General		
UnicodeCompression:	True		
Lastupdate		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2130		
DataUpdatable:	False		
Description:	Date of Last Update		
Format:	General Date		
GUID:	{guid {DD43FC18-C8A8-44B9-B34C-E7EA772D851D}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	3		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	Lastupdate		
SourceTable:	OrgRoles		
TextAlign:	General		
CurrentUpdateUser		Short Text	50
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		

ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Current User At Time of Update
DisplayControl: Text Box
GUID: {guid {F373D5BA-5D51-488F-B818-0149BAEAE300}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 4
Required: False
SourceField: CurrentUpdateUser
SourceTable: OrgRoles
TextAlign: General
UnicodeCompression: True

DateCreated Date With Time 8

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 2130
DataUpdatable: False
Description: Date that record was created.
Format: General Date
GUID: {guid {38CEED66-924E-4BA9-852E-AF6DED5449A5}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 5
Required: False
ShowDatePicker: For dates
SourceField: DateCreated
SourceTable: OrgRoles
TextAlign: General

CreatedBy Short Text 50

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Created by when the record is created
DisplayControl: Text Box
GUID: {guid {0084268E-B470-4EED-99E8-AB23854F8C27}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 6
Required: False

SourceField: CreatedBy
SourceTable: OrgRoles
TextAlign: General
UnicodeCompression: True

Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	486
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
RoleID	Ascending
Role	1
Clustered:	False
DistinctCount:	486
Foreign:	False
IgnoreNulls:	False
Name:	Role
Primary:	False
Required:	False
Unique:	True
Fields:	
Role	Ascending

User Permissions

- admin
- aizaz
- andrew
- bessie
- chris
- corine
- daria
- designer
- dschmidt
- Emmanuelle
- everett
- guest
- helen
- hillary
- jack
- jamelya
- Jason
- jelani
- jennifer

jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

AlternateBackShade:	100	AlternateBackThemeColorIn	-1
AlternateBackTint:	100	Attributes:	Linked
BackShade:	100	BackTint:	100
Connect:	;DATABASE=C:\Users\kbanks\Dime_Local\DIME_be.mdb		DatasheetForeThemeColorIn -1
DatasheetGridlinesThemeCol	-1	DateCreated:	11/5/2014 6:19:52 PM
DefaultView:	2	DisplayViewsOnSharePointSi	1
Filter:	([OtherSubFacilities].[FACID]=312)	FilterOnLoad:	False
GUID:	{guid {8C53B08D-9569-426B-8906-70D52F3D7B9A}}	HideNewField:	False
LastUpdated:	11/5/2014 6:19:52 PM	NameMap:	Long binary data
OrderBy:	[OtherSubFacilities].[DateCreated] DESC	OrderByOn:	True
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	-1	SourceTableName:	OtherSubFacilities
ThemeFontIndex:	-1	TotalsRow:	False
Updatable:	False		

Columns

Name	Type	Size
OtherSubFacID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	internal DIME ID for other subfacility	
GUID:	{guid {E4617937-D391-43CB-9517-CC070045246D}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	OtherSubFacID	
SourceTable:	OtherSubFacilities	
TextAlign:	General	
FACID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	

DecimalPlaces: Auto
 Description: internal DIME ID for PWS which utilizes storage
 DisplayControl: Text Box
 GUID: {guid {2803CE06-C2E0-43B1-8A0E-AD118E1A042D}}
 OrdinalPosition: 1
 Required: False
 SourceField: FACID
 SourceTable: OtherSubFacilities
 TextAlign: General

UnivUniqueID Short Text 13

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: universally unique number for sources, treatment plants, entry points, storage, or distribution systems
 DisplayControl: Text Box
 GUID: {F6777B1A-16B5-4987-ADDE-A33D8EF4FE99}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: True
 SourceField: UnivUniqueID
 SourceTable: OtherSubFacilities
 TextAlign: General
 UnicodeCompression: False

OtherSubFacilityName Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Most recognized and used name for sub-facility
 DisplayControl: Text Box
 GUID: {guid {43744A21-611E-4B1C-8333-61B4F8139A89}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: OtherSubFacilityName
 SourceTable: OtherSubFacilities
 TextAlign: General

UnicodeCompression:	True		
StateSubFacID		Short Text	40
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
Description:	Primacy Agency's ID for the Sub FACILITY		
DisplayControl:	Text Box		
GUID:	{guid {13775A26-3F66-4371-9787-6417C4E1E680}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	4		
Required:	False		
SourceField:	StateSubFacID		
SourceTable:	OtherSubFacilities		
TextAlign:	General		
UnicodeCompression:	True		
FacTypeID		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
BoundColumn:	1		
CollatingOrder:	General		
ColumnCount:	4		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
ColumnWidths:	0;348;2304;1032		
CurrencyLCID:	0		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	internal DIME ID for sub-facility type, lookup in table FacType with category Piped, Other		
DisplayControl:	Text Box		
GUID:	{guid {BB79ED1B-CDCC-4B1A-8FBB-E32369B54211}}		
LimitToList:	True		
ListRows:	8		
ListWidth:	3684twip		
OrdinalPosition:	5		
Required:	False		
RowSource:	SELECT FacType.FacTypeID, FacType.ODScodeFacType, FacType.FacilityType, FacType.FacTypeCat FROM FacType WHERE (((FacType.FacTypeCat)="Other")) OR (((FacType.FacTypeCat)="Piping")) ORDER BY FacType.FacTypeCat, FacType.ODScodeFacType;		
RowSourceType:	Table/Query		

SourceField:	FacTypeID		
SourceTable:	OtherSubFacilities		
TextAlign:	General		
SubFacActivity		Long Integer	4
AggregateType:	-1		
AllowValueListEdits:	False		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
BoundColumn:	1		
CollatingOrder:	General		
ColumnCount:	3		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
ColumnWidths:	0;990;1710		
CurrencyLCID:	0		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	internal DIME ID for SourceUseStatus		
DisplayControl:	Combo Box		
GUID:	{guid {8296FE16-3E1B-4E3D-984A-CE545AB40433}}		
LimitToList:	True		
ListRows:	8		
ListWidth:	2700twip		
OrdinalPosition:	6		
Required:	False		
RowSource:	SELECT SourceUseStatus.ID, SourceUseStatus.SourceUseStatus, SourceUseStatus.SDWISAvailability FROM SourceUseStatus;		
RowSourceType:	Table/Query		
ShowOnlyRowSourceValues:	False		
SourceField:	SubFacActivity		
SourceTable:	OtherSubFacilities		
TextAlign:	General		
SubFacActivityDate		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
Description:	Date that sub-facility was activated or deactivated		
GUID:	{guid {34EC0D0C-6F54-453D-8F0D-B228DBB16F99}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	7		
Required:	False		
ShowDatePicker:	For dates		

SourceField:	SubFacActivityDate		
SourceTable:	OtherSubFacilities		
TextAlign:	General		
SubFacDescription		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
Description:	Description of the sub-facility, including any relevant engineering data		
DisplayControl:	Text Box		
GUID:	{guid {D20E25A6-3396-4536-ABC9-5201A1148934}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	8		
Required:	False		
SourceField:	SubFacDescription		
SourceTable:	OtherSubFacilities		
TextAlign:	General		
UnicodeCompression:	True		
SubFacCapacity		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Maximum facility capacity in gpm		
DisplayControl:	Text Box		
GUID:	{guid {2F08D198-C41A-4F85-9C57-B9CD03119DAF}}		
OrdinalPosition:	9		
Required:	False		
SourceField:	SubFacCapacity		
SourceTable:	OtherSubFacilities		
TextAlign:	General		
SubFacInflowPipeDiameter		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		

ColumnOrder: Default
ColumnWidth: Default
CurrencyLCID: 0
DataUpdatable: False
DecimalPlaces: Auto
Description: Diameter of the inflow piping, inches
DisplayControl: Text Box
GUID: {guid {9F2E7EDC-54AF-428D-BBB4-342BFED7A3A0}}
OrdinalPosition: 10
Required: False
SourceField: SubFacInflowPipeDiameter
SourceTable: OtherSubFacilities
TextAlign: General

SubFacNumberInflowPipes Long Integer 4

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
CurrencyLCID: 0
DataUpdatable: False
DecimalPlaces: Auto
Description: Number of pipes in a sub facility (or number of pipes coming into a common header)
DisplayControl: Text Box
GUID: {guid {AAC39F3A-A28C-48D3-83FB-89FF7B8E81B2}}
OrdinalPosition: 11
Required: False
SourceField: SubFacNumberInflowPipes
SourceTable: OtherSubFacilities
TextAlign: General

SubFacOutflowPipeDiameter Long Integer 4

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
CurrencyLCID: 0
DataUpdatable: False
DecimalPlaces: Auto
Description: Diameter of the outflow piping, inches
DisplayControl: Text Box
GUID: {guid {EA2AD865-3B13-4599-8573-3D273F26A66C}}
OrdinalPosition: 12
Required: False
SourceField: SubFacOutflowPipeDiameter
SourceTable: OtherSubFacilities

TextAlign:	General		
SubFacNumberOutflowPipes		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Number of pipes flowing out of a subfacility		
DisplayControl:	Text Box		
GUID:	{guid {29FB4161-C906-4A68-9FB9-B63267318AA5}}		
OrdinalPosition:	13		
Required:	False		
SourceField:	SubFacNumberOutflowPipes		
SourceTable:	OtherSubFacilities		
TextAlign:	General		
SubFacPipematerials		Long Integer	4
AggregateType:	-1		
AllowValueListEdits:	False		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
BoundColumn:	1		
CollatingOrder:	General		
ColumnCount:	2		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
ColumnWidths:	0;2532		
CurrencyLCID:	0		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	internal DIME ID for Piping materials, lookup in table PipingMaterialTypes		
DisplayControl:	Combo Box		
GUID:	{guid {79836668-7532-4503-8461-CDFCAAFC699A}}		
LimitToList:	True		
ListRows:	8		
ListWidth:	2532twip		
OrdinalPosition:	14		
Required:	False		
RowSource:	SELECT PipingMaterialTypes.PipingMatID, PipingMaterialTypes.PipingMaterialName FROM PipingMaterialTypes ORDER BY [PipingMatID];		
RowSourceType:	Table/Query		
ShowOnlyRowSourceValues:	False		
SourceField:	SubFacPipematerials		
SourceTable:	OtherSubFacilities		

TextAlign:	General		
PlugFlowLength		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Plug Flow length in feet		
DisplayControl:	Text Box		
GUID:	{guid {80AFBB8C-8918-4F04-AADA-C7DEC1514A6C}}		
OrdinalPosition:	15		
Required:	False		
SourceField:	PlugFlowLength		
SourceTable:	OtherSubFacilities		
TextAlign:	General		
PlugFlowDiameter		Single	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Plug Flow Diameter in Inches		
DisplayControl:	Text Box		
GUID:	{guid {0E2503B5-2A19-488A-80B8-60BA4F44E568}}		
OrdinalPosition:	16		
Required:	False		
SourceField:	PlugFlowDiameter		
SourceTable:	OtherSubFacilities		
TextAlign:	General		
PlugFlowVolume		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		

DecimalPlaces: Auto
 Description: Plug Flow volume in gallons
 DisplayControl: Text Box
 GUID: {guid {5DC198D8-92C2-41C4-BF2B-EF038F25E597}}
 OrdinalPosition: 17
 Required: False
 SourceField: PlugFlowVolume
 SourceTable: OtherSubFacilities
 TextAlign: General

PlugflowTimeofTravel Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Plug Flow time of travel in minutes
 DisplayControl: Text Box
 GUID: {guid {CFDBD657-37A2-457A-B280-3805177CECD2}}
 OrdinalPosition: 18
 Required: False
 SourceField: PlugflowTimeofTravel
 SourceTable: OtherSubFacilities
 TextAlign: General

FlowsTo_Other Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: indicates flow to next point in PWS, universally unique identifier from union of entry points, treatment plants, storage, or distribution system
 DisplayControl: Text Box
 GUID: {guid {8A0037B0-88DA-43E9-9192-7F4C09887226}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 19
 Required: False
 SourceField: FlowsTo_Other
 SourceTable: OtherSubFacilities
 TextAlign: General
 UnicodeCompression: True

Lastupdate	Date With Time	8
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2460	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	Date of Last Update	
Format:	General Date	
GUID:	{guid {D4D70FE0-69E3-4866-8A54-EEE1FA527669}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	20	
Required:	False	
ShowDatePicker:	For dates	
SourceField:	Lastupdate	
SourceTable:	OtherSubFacilities	
TextAlign:	General	

CurrentUpdateUser	Short Text	50
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	Current User At Time of Update	
DisplayControl:	Text Box	
GUID:	{guid {688CA28D-37B2-4DE7-9B78-313C576B3D8F}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	21	
Required:	False	
SourceField:	CurrentUpdateUser	
SourceTable:	OtherSubFacilities	
TextAlign:	General	
UnicodeCompression:	True	

DateCreated	Date With Time	8
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2160	

CurrencyLCID: 0
 DataUpdatable: False
 Description: Date that record was created.
 Format: Short Date
 GUID: {guid {D446EBB9-6992-43CF-B5F4-C49474E78D88}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 22
 Required: False
 ShowDatePicker: For dates
 SourceField: DateCreated
 SourceTable: OtherSubFacilities
 TextAlign: General

CreatedBy Short Text 50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Created by when the record is created
 DisplayControl: Text Box
 GUID: {guid {43EC9998-0A21-43D2-8EE0-58E7485FF49B}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 23
 Required: False
 SourceField: CreatedBy
 SourceTable: OtherSubFacilities
 TextAlign: General
 UnicodeCompression: True

StatusID Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME Status identifier, lookup in table QASStatus
 DisplayControl: Text Box
 GUID: {guid {FDC6C018-DFC4-40C4-A86A-4B896AAF3EEB}}
 OrdinalPosition: 24
 Required: False
 SourceField: StatusID

SourceTable: OtherSubFacilities
 TextAlign: General

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
FacTypeID	1
Clustered:	False
DistinctCount:	4
Foreign:	False
IgnoreNulls:	False
Name:	FacTypeID
Primary:	False
Required:	False
Unique:	False
Fields:	
FacTypeID	Ascending
OtherSubFacID	1
Clustered:	False
DistinctCount:	133
Foreign:	False
IgnoreNulls:	False
Name:	OtherSubFacID
Primary:	False
Required:	False
Unique:	True
Fields:	
OtherSubFacID	Ascending
PrimaryKey	2
Clustered:	False
DistinctCount:	133
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
FACID	Ascending
UnivUniqueID	Ascending
StateSubFacID	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	StateSubFacID
Primary:	False
Required:	False
Unique:	False
Fields:	
StateSubFacID	Ascending
StatusID	1
Clustered:	False

DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	StatusID
Primary:	False
Required:	False
Unique:	False
Fields:	
StatusID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	8/13/2007 4:11:09 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {98C2FE2D-6EF1-41E1-9560-CE027B0E22C4}}	HideNewField:	False
LastUpdated:	11/8/2010 5:35:01 PM	NameMap:	Long binary data
OrderBy:	[Owner Type].[ID]	OrderByOn:	True
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	17	SubDataSheetName:	[Auto]
TotalsRow:	False	Updatable:	True

Columns

Name	Type	Size
ID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	internal DIME owner type code	
DisplayControl:	Text Box	
GUID:	{guid {0CA73BD8-DBC4-491F-A179-0E4661A04811}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	ID	
SourceTable:	Owner Type	
TextAlign:	General	
OWNER_TYPE_CODE	Short Text	50
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2760	
DataUpdatable:	False	
Description:	Owner Type Code description	
DisplayControl:	Text Box	
GUID:	{guid {0C348757-266C-40F5-8CFB-A9E623652F7C}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	OWNER_TYPE_CODE	

SourceTable:	Owner Type		
TextAlign:	General		
UnicodeCompression:	True		
SDWIS_CD		Short Text	50
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	SDWIS-Fed owner type code		
DisplayControl:	Text Box		
GUID:	{guid {6E14FA24-2316-49AA-8C8E-25A5C0B68D59}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	2		
Required:	False		
SourceField:	SDWIS_CD		
SourceTable:	Owner Type		
TextAlign:	General		
UnicodeCompression:	True		
DWINS_CD		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1500		
DataUpdatable:	False		
Description:	Drinking Water Infrastructure Needs Survey Code		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	3		
Required:	False		
SourceField:	DWINS_CD		
SourceTable:	Owner Type		
TextAlign:	General		
UnicodeCompression:	True		

Table Indexes

Name	Number of Fields
ID	1
Clustered:	False
DistinctCount:	17
Foreign:	False
IgnoreNulls:	False

Name:	ID
Primary:	False
Required:	False
Unique:	False
Fields:	
ID	Ascending
OWNER_TYPE_CODE	1
Clustered:	False
DistinctCount:	17
Foreign:	False
IgnoreNulls:	False
Name:	OWNER_TYPE_CODE
Primary:	False
Required:	False
Unique:	False
Fields:	
OWNER_TYPE_CODE	Ascending
SDWISpwsOwnerTypeCode	1
Clustered:	False
DistinctCount:	6
Foreign:	False
IgnoreNulls:	False
Name:	SDWISpwsOwnerTypeCode
Primary:	False
Required:	False
Unique:	False
Fields:	
SDWIS_CD	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	

judy
karl
kirk
lawonda
linda
max
michael
myrt
navajo
raymond
roberto
roger
sara
test

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	7/23/2007 12:57:04 PM	DefaultView:	2
GUID:	{guid {8F9D0531-8DFF-4F56-AF64-CB9FC91FA14C}}	LastUpdated:	7/23/2007 12:57:26 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	7
SubDataSheetName:	[Auto]	Updatable:	True

Columns

Name	Type	Size
phonetypeID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	phone type identifier	
GUID:	{guid {66D17E24-5D5D-49C5-89F3-DBEEA19C46EB}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	phonetypeID	
SourceTable:	phonetypes	
phonetype	Short Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	phone type description	
DisplayControl:	Text Box	
GUID:	{guid {EDFD8719-3025-40A2-BE8D-66E970C2C1D4}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	phonetype	
SourceTable:	phonetypes	
UnicodeCompression:	True	

Table Indexes

Name	Number of Fields
phonetypeID	1

Clustered:	False
DistinctCount:	7
Foreign:	False
IgnoreNulls:	False
Name:	phonetypeID
Primary:	False
Required:	False
Unique:	False
Fields:	
phonetypeID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	7
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
phonetypeID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	

myrt
navajo
raymond
roberto
roger
sara
test

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated: 7/23/2007 12:57:04 PM DefaultView: 2
 GUID: {guid {63A214BD-2983-4D15-88B0-175B36DCC21D}} LastUpdated: 7/23/2007 12:57:26 PM
 NameMap: Long binary data OrderByOn: False
 Orientation: Left-to-Right RecordCount: 10
 Updatable: True

Columns

Name	Type	Size
PipingMatID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal DIME piping material type ID	
GUID:	{guid {B14A2D08-598F-48CB-B174-DA985D15527F}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	PipingMatID	
SourceTable:	PipingMaterialTypes	
PipingMaterialName	Short Text	50
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	3495	
DataUpdatable:	False	
Description:	Name or names of piping material or mix of piping materials or unknown	
DisplayControl:	Text Box	
GUID:	{guid {0D2CCD25-01E2-488E-91D2-97BA93322EA8}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	PipingMaterialName	
SourceTable:	PipingMaterialTypes	
UnicodeCompression:	True	

Table Indexes

Name	Number of Fields
PipingMatID	1

Clustered:	False
DistinctCount:	10
Foreign:	False
IgnoreNulls:	False
Name:	PipingMatID
Primary:	False
Required:	False
Unique:	False
Fields:	
PipingMatID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	10
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
PipingMatID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	

myrt
navajo
raymond
roberto
roger
sara
test

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	1/5/2009 11:27:16 AM	DefaultView:	2
LastUpdated:	1/5/2009 2:15:49 PM	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	5
Updatable:	True		

Columns

Name	Type	Size
PNTTypeID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal DIME PNTYPE identifier	
OrdinalPosition:	0	
Required:	False	
SourceField:	PNTTypeID	
SourceTable:	PNTypes	
PNTYPE	Short Text	50
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	4710	
DataUpdatable:	False	
Description:	Public Notice Type	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	PNTYPE	
SourceTable:	PNTypes	
UnicodeCompression:	True	

Table Indexes

Name	Number of Fields
PNTTypeID	1
Clustered:	False
DistinctCount:	5
Foreign:	False
IgnoreNulls:	False

Name:	PNTTypeID
Primary:	False
Required:	False
Unique:	False
Fields:	
PNTTypeID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	5
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
PNTTypeID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	

roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\ Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:52 PM	DefaultView:	2
GUID:	{guid {F2671C5B-7FF0-4423- B24B-8AC2093679EA}}	LastUpdated:	11/5/2014 6:19:52 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	PNVioAssoc	Updatable:	False

Columns

Name	Type	Size
PNVioID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal DIME Public Notice/CCR associations to Violations identifier	
GUID:	{guid {BACB491D-E3F9-4855-8FC0-F25196F19379}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	PNVioID	
SourceTable:	PNVioAssoc	
PNID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1575	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	internal DIME PN/CCR identifier, lookup in table Public Notices	
DisplayControl:	Text Box	
GUID:	{guid {7A36CA6B-437A-4F99-8BCC-A981552453C9}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	PNID	
SourceTable:	PNVioAssoc	
vioID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	

ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1290
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME ID for violations, lookup in table Violations, violation ID reported in Public Notice
 DisplayControl: Text Box
 GUID: {guid {0623FB28-D3DC-4164-957C-70E7C1CEE87}}
 OrdinalPosition: 2
 Required: False
 SourceField: vioID
 SourceTable: PNVioAssoc

comment Short Text 50

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: comment for related public notice/CCR and the associated violation
 DisplayControl: Text Box
 GUID: {guid {110C0B7D-882A-4B4F-96D2-07C70B493FDF}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: comment
 SourceTable: PNVioAssoc
 UnicodeCompression: True

Lastupdate Date With Time 8

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2205
 DataUpdatable: False
 Description: Date of Last Update
 Format: General Date
 GUID: {guid {ED994964-3E0E-4742-8908-531936F21AE6}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False
 SourceField: Lastupdate
 SourceTable: PNVioAssoc

CurrentUpdateUser Short Text 50

AllowZeroLength: False

AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1830
 DataUpdatable: False
 Description: Current User At Time of Update
 DisplayControl: Text Box
 GUID: {guid {EEFB285A-3304-4BDE-B36B-51647F571A44}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 5
 Required: False
 SourceField: CurrentUpdateUser
 SourceTable: PNVioAssoc
 UnicodeCompression: True

DateCreated Date With Time 8

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2100
 DataUpdatable: False
 DefaultValue: =Now()
 Description: automatically entered on update of record- should be changed to DateCreated
 Format: General Date
 GUID: {guid {896E5CA1-AEDE-40DE-A4A8-940D122C8ED4}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 6
 Required: False
 SourceField: DateCreated
 SourceTable: PNVioAssoc


CreatedBy Short Text 50

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: created by user
 DisplayControl: Text Box
 GUID: {guid {846B9A2D-8619-42BD-A3D8-2575521ADA98}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 7
 Required: False

SourceField:	CreatedBy		
SourceTable:	PNVioAssoc		
UnicodeCompression:	True		
OldVioId		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
OrdinalPosition:	8		
Required:	False		
SourceField:	OldVioId		
SourceTable:	PNVioAssoc		


Relationships

PublicNoticesPNVioAssoc



Attributes: Not Enforced, Inherited
 RelationshipType: One-To-Many (External)

ViolationsPNVioAssoc



Attributes: Not Enforced, Inherited
 RelationshipType: One-To-Many (External)

Table Indexes

Name	Number of Fields
PNID	1
Clustered:	False
DistinctCount:	626
Foreign:	False
IgnoreNulls:	False
Name:	PNID
Primary:	False
Required:	False
Unique:	False

Fields:	
PNID	Ascending
PNVioAssocID	1
Clustered:	False
DistinctCount:	3286
Foreign:	False
IgnoreNulls:	False
Name:	PNVioAssocID
Primary:	False
Required:	False
Unique:	False
Fields:	
PNVioID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	3286
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
PNVioID	Ascending
vioID	1
Clustered:	False
DistinctCount:	3027
Foreign:	False
IgnoreNulls:	False
Name:	vioID
Primary:	False
Required:	False
Unique:	False
Fields:	
vioID	Ascending

User Permissions

- admin
- aizaz
- andrew
- bessie
- chris
- corine
- daria
- designer
- dschmidt
- Emmanuelle
- everett
- guest
- helen
- hillary

jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

AlternateBackShade:	100	AlternateBackThemeColorIn	-1
AlternateBackTint:	100	Attributes:	Linked
BackShade:	100	BackTint:	100
Connect:	;DATABASE=C:\Users\kbanks\Dime_Local\DIME_be.mdb		DatasheetForeThemeColorIn -1
DatasheetGridlinesThemeCol	-1	DateCreated:	11/5/2014 6:19:52 PM
DefaultView:	2	DisplayViewsOnSharePointSi	1
FilterOnLoad:	False	GUID:	{guid {65DCC6E3-4A79-4171-9883-328CA8CB0A6B}}
HideNewField:	False	LastUpdated:	11/5/2014 6:19:52 PM
NameMap:	Long binary data	OrderBy:	[PoliticalEntities].[POContactID] DESC, [PoliticalEntities].[LocalName], [PoliticalEntities].[ID]
OrderByOn:	True	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	PoliticalEntities	SubDataSheetName:	[Auto]
ThemeFontIndex:	-1	TotalsRow:	False
Updatable:	False		

Columns

Name	Type	Size
ID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1365	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	internal DIME Government ID	
GUID:	{guid {119B6AEB-ECB4-4FB8-96D3-62B9524D2CE7}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	ID	
SourceTable:	PoliticalEntities	
TextAlign:	General	
LocalName	Short Text	100
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	3315	
CurrencyLCID:	0	

DataUpdatable: False
 Description: Local Government Name (what they call themselves)
 DisplayControl: Text Box
 GUID: {guid {68BED8EF-1B60-44FC-86D6-35728BDDFF89C}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 1
 Required: False
 SourceField: LocalName
 SourceTable: PoliticalEntities
 TextAlign: General
 UnicodeCompression: True

GovernmentName Short Text 100

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 3105
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Official US government Name (what a bureaucrat calls them)
 DisplayControl: Text Box
 GUID: {guid {DFCF5195-2729-4BFD-B08A-5A34FEB84C31}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: GovernmentName
 SourceTable: PoliticalEntities
 TextAlign: General
 UnicodeCompression: True

FIPSTRIBAL Short Text 3

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 3210
 CurrencyLCID: 0
 DataUpdatable: False
 Description: A code value that represents an Indian reservation or Alaska remote village, if any, being served by a public water system in whole or in part.
 DisplayControl: Text Box
 GUID: {guid {5ABFC0AB-A57B-4C39-9D92-084CD5B31DDE}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False

SourceField: FIPSTRIBAL
 SourceTable: PoliticalEntities
 TextAlign: General
 UnicodeCompression: True

STATESERVED Short Text 2

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: C A coded value that represents the U.S. Postal Service (USPS) State abbreviation in which the city served by a Water system is located.
 DisplayControl: Text Box
 GUID: {5836CFDF-E348-4C66-B7AD-D63DE627647E}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False
 SourceField: STATESERVED
 SourceTable: PoliticalEntities
 TextAlign: General
 UnicodeCompression: False

CITYSERVED Short Text 40

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: C The city served by the water system.
 DisplayControl: Text Box
 GUID: {40056359-76D0-4E85-B134-1CAC02C3CC68}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 5
 Required: False
 SourceField: CITYSERVED
 SourceTable: PoliticalEntities
 TextAlign: General
 UnicodeCompression: False

FIPSCOUNTY Short Text 5

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: C The county served by the water system.
 DisplayControl: Text Box
 GUID: {guid {70C1EA5F-77C1-4832-AA62-73CF70380515}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 6
 Required: False
 SourceField: FIPSCOUNTY
 SourceTable: PoliticalEntities
 TextAlign: General
 UnicodeCompression: False

ZIPSERVED

Short Text

5

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: O The zip code of the population served by the water system.
 DisplayControl: Text Box
 GUID: {guid {7914129E-054C-4E1A-B883-0A57C781748F}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 7
 Required: False
 SourceField: ZIPSERVED
 SourceTable: PoliticalEntities
 TextAlign: General
 UnicodeCompression: False

Leader

Long Integer

4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 Caption: Leader
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1590

CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: lookup in qryConUser, ContactID of designated Leader
 DisplayControl: Text Box
 GUID: {guid {8673857C-65EE-4479-A2E3-6A2E64A96EFF}}
 OrdinalPosition: 8
 Required: False
 SourceField: Leader
 SourceTable: PoliticalEntities
 TextAlign: General

EnvContact Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 Caption: Environmental Contact
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: lookup in qryConUser, ContactID of designated Environmental Contact
 DisplayControl: Text Box
 GUID: {guid {A9B3035A-A1AA-47B0-BDF3-D4D1B79AE323}}
 OrdinalPosition: 9
 Required: False
 SourceField: EnvContact
 SourceTable: PoliticalEntities
 TextAlign: General

envstaff1 Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Environmental Staff1
 DisplayControl: Text Box
 GUID: {guid {AC58ADA1-C00F-4B8A-9F48-9A33ED50EDF5}}
 OrdinalPosition: 10
 Required: False
 SourceField: envstaff1
 SourceTable: PoliticalEntities
 TextAlign: General

envstaff2 AggregateType: -1 AllowZeroLength: False AppendOnly: False Attributes: Fixed Size CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default CurrencyLCID: 0 DataUpdatable: False DecimalPlaces: Auto Description: Environmental Staff2 DisplayControl: Text Box GUID: {guid {28A0231A-7764-48BD-B5D5-7DC8BB2358A3}} OrdinalPosition: 11 Required: False SourceField: envstaff2 SourceTable: PoliticalEntities TextAlign: General	Long Integer	4
envstaff3 AggregateType: -1 AllowZeroLength: False AppendOnly: False Attributes: Fixed Size CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default CurrencyLCID: 0 DataUpdatable: False DecimalPlaces: Auto Description: Environmental Staff3 DisplayControl: Text Box GUID: {guid {18F53784-3209-4D16-BB82-FA9CF8D854C1}} OrdinalPosition: 12 Required: False SourceField: envstaff3 SourceTable: PoliticalEntities TextAlign: General	Long Integer	4
guestflag AggregateType: -1 AllowZeroLength: False AppendOnly: False Attributes: Fixed Size CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default CurrencyLCID: 0 DataUpdatable: False Description: flag for making mailing labels for Government, Leader, and/or Environmental Contacts DisplayControl: 106	Yes/No	1

Format: Yes/No
 GUID: {guid {0D0F2BDD-7E27-4275-AC3A-8B651233C4A5}}
 OrdinalPosition: 13
 Required: False
 SourceField: guestflag
 SourceTable: PoliticalEntities
 TextAlign: General

POContactID Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: record creator/owner, set to "designer" for common
 DisplayControl: Text Box
 GUID: {guid {97B163FA-A13E-4709-B054-36FF14AA9452}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 14
 Required: False
 SourceField: POContactID
 SourceTable: PoliticalEntities
 TextAlign: General
 UnicodeCompression: False

AltGovtName Short Text 255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 3795
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Tribal Program Office's version of each tribename into that field
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 15
 Required: False
 SourceField: AltGovtName
 SourceTable: PoliticalEntities
 TextAlign: General
 UnicodeCompression: True

Lastupdate Date With Time 8

AggregateType: -1

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2730
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Date of Last Update
 Format: General Date
 GUID: {guid {91A4E497-2200-4AC3-A2B0-CCEF8C5ECF9C}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 16
 Required: False
 ShowDatePicker: For dates
 SourceField: Lastupdate
 SourceTable: PoliticalEntities
 TextAlign: General

CurrentUpdateUser Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Current User At Time of Update
 DisplayControl: Text Box
 GUID: {guid {1F6F7261-876F-4288-9892-F97B986D2637}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 17
 Required: False
 SourceField: CurrentUpdateUser
 SourceTable: PoliticalEntities
 TextAlign: General
 UnicodeCompression: True

DateCreated Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False

Description: Date that record was created.
 Format: Short Date
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 18
 Required: False
 ShowDatePicker: For dates
 SourceField: DateCreated
 SourceTable: PoliticalEntities
 TextAlign: General

CreatedBy Short Text 50


AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Created by when the record is created
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 19
 Required: False
 SourceField: CreatedBy
 SourceTable: PoliticalEntities
 TextAlign: General
 UnicodeCompression: True

StatusID Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME Status identifier, lookup in table QASstatus
 DisplayControl: Text Box
 OrdinalPosition: 20
 Required: False
 SourceField: StatusID
 SourceTable: PoliticalEntities
 TextAlign: General


Relationships

ContactsPoliticalEntities



Attributes: Not Enforced, Inherited
 RelationshipType: One-To-Many (External)

PoliticalEntitiesFacility Information



Attributes: Not Enforced, Inherited
 RelationshipType: One-To-Many (External)

Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	155
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
ID	Ascending
StatusID	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	StatusID
Primary:	False
Required:	False
Unique:	False
Fields:	
StatusID	Ascending

User Permissions

admin
 aizaz
 andrew

bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\ Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:52 PM	DefaultView:	2
GUID:	{guid {8CD4C1D6-8400-4FB0- AB60-8085F0958B04}}	LastUpdated:	11/5/2014 6:19:52 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	PotentialContaminantSources	Updatable:	False

Columns

Name	Type	Size
PotentialContamID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal DIME identifier for Potential Contaminant Source	
GUID:	{guid {DCF7F484-161D-4D6A-92DB-B9C3DDD1CFF4}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	PotentialContamID	
SourceTable:	PotentialContaminantSources	
PotentialContaminantSource	Short Text	255
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	4350	
DataUpdatable:	False	
Description:	Name of the Potential Contaminant Source	
DisplayControl:	Text Box	
GUID:	{guid {1B970796-1612-42EA-84FC-CA1F4AAA7203}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	PotentialContaminantSource	
SourceTable:	PotentialContaminantSources	
UnicodeCompression:	True	
PCSDescription	Long Text	-
AllowZeroLength:	True	
AppendOnly:	False	

Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Description of Potential Contaminant Source in Detail
 GUID: {guid {6817EB5F-0FCC-42EA-942D-3C7E39F2318C}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: PCSDescription
 SourceTable: PotentialContaminantSources
 UnicodeCompression: True

PCSRisks Long Text -

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Description of the risks for contamination with this potential contaminant source present
 GUID: {guid {478AA176-275B-4600-B3EB-A54F570F2422}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: PCSRisks
 SourceTable: PotentialContaminantSources
 UnicodeCompression: True

PCSMitigation Long Text -

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Description of the standard mitigation practice which can minimize or remove the threat.
 GUID: {guid {B50340F2-33CA-4B4A-95D6-A7ADE20DE1DF}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False
 SourceField: PCSMitigation
 SourceTable: PotentialContaminantSources
 UnicodeCompression: True

DateCreated	Date With Time	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Date that record was created.	
Format:	Short Date	
GUID:	{guid {AA2EA44D-146A-47C1-8B86-397838813357}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	5	
Required:	False	
SourceField:	DateCreated	
SourceTable:	PotentialContaminantSources	


CreatedBy	Short Text	50
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Created by when the record is created	
DisplayControl:	Text Box	
GUID:	{guid {53FF391A-E80D-4DC1-866B-238B50AA64D5}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	6	
Required:	False	
SourceField:	CreatedBy	
SourceTable:	PotentialContaminantSources	
UnicodeCompression:	True	

Lastupdate	Date With Time	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Date of Last Update	
Format:	General Date	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	7	
Required:	False	
SourceField:	Lastupdate	

SourceTable:	PotentialContaminantSources	
CurrentUpdateUser	Short Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Current User At Time of Update	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	8	
Required:	False	
SourceField:	CurrentUpdateUser	
SourceTable:	PotentialContaminantSources	
UnicodeCompression:	True	

Relationships

PotentialContaminantSourcesSWAPPotentialContamAssignments



Attributes: Not Enforced, Inherited
 RelationshipType: One-To-Many (External)

Table Indexes

Name	Number of Fields
PotentialContamID	1
Clustered:	False
DistinctCount:	65
Foreign:	False
IgnoreNulls:	False
Name:	PotentialContamID
Primary:	False
Required:	False
Unique:	False
Fields:	
PotentialContamID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	65
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey

Primary:	True
Required:	True
Unique:	True
Fields:	
PotentialContamID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data

Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\ Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:52 PM	DefaultView:	2
GUID:	{guid {E3EC3612-F4B2-46DD- A9F6-09DEFFF5EA5C}}	LastUpdated:	11/5/2014 6:19:52 PM
NameMap:	Long binary data	OrderByOn:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	PublicNotices	SubDataSheetName:	[Auto]
Updatable:	False		

Columns

Name	Type	Size
PNID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	510	
DataUpdatable:	False	
Description:	internal DIME PN/CCR identifier, autonumber	
GUID:	{guid {FBF877AE-1341-4A4E-81C4-FAD60A830B7F}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	PNID	
SourceTable:	PublicNotices	
FACID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
BoundColumn:	1	
CollatingOrder:	General	
ColumnCount:	3	
ColumnHeads:	False	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2385	
ColumnWidths:	0;1844;1440	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	internal Public Water System (PWS) identifier	
DisplayControl:	Combo Box	
GUID:	{guid {27271AC1-77E3-4046-B7AF-A9DDB1EC4521}}	
LimitToList:	True	
ListRows:	20	
ListWidth:	3284twip	
OrdinalPosition:	1	
Required:	False	

RowSource: SELECT [Facility Information].FACID, [Facility Information].PWSSNAME, [Facility Information].ALTERNATE_ST_NUM FROM [Facility Information];
RowSourceType: Table/Query
SourceField: FACID
SourceTable: PublicNotices

PNtype Long Integer 4

AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 3000
DataUpdatable: False
DecimalPlaces: Auto
Description: Public Notice Type, lookup in value list: Tier 1 Public Notice, Tier 2 Public Notice, Tier 3 Public Notice, Consumer Confidence Report
DisplayControl: Text Box
GUID: {guid {9DE24F8A-5250-4AB6-A0C8-CAEDFBD1CAA6}}
OrdinalPosition: 2
Required: False
SourceField: PNtype
SourceTable: PublicNotices

CCRYear Long Integer 4

AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
BoundColumn: 1
Caption: CCRYear
CollatingOrder: General
ColumnCount: 3
ColumnHeads: False
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 720
ColumnWidths: 0;1440;1440
DataUpdatable: False
DecimalPlaces: Auto
Description: Data year for Consumer Confidence Report
DisplayControl: Combo Box
GUID: {guid {B8EFC4BA-F068-4C19-833E-E975B3A103F2}}
LimitToList: True
ListRows: 8
ListWidth: 2880twip
OrdinalPosition: 3
Required: False
RowSource: SELECT Years.ID, Years.Year, Years.[CCR due date] FROM Years;
RowSourceType: Table/Query
SourceField: CCRYear
SourceTable: PublicNotices

PNTier	Short Text	50
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Public Notice tier, defaulted based upon violation type, but may be changed by Project Officer.	
DisplayControl:	Text Box	
GUID:	{guid {8E244686-5BFA-4A24-A5A8-11D5CC52FB1C}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	4	
Required:	False	
SourceField:	PNTier	
SourceTable:	PublicNotices	
UnicodeCompression:	True	
DATE_POSTED	Date With Time	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DefaultValue:	=Date()	
Description:	Date public notice or consumer confidence report was delivered/posted by the PWS.	
Format:	Short Date	
GUID:	{guid {75358E26-7CA0-4DF2-9EFC-BD4CF500CA0F}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	5	
Required:	False	
SourceField:	DATE_POSTED	
SourceTable:	PublicNotices	
DATE_RECEIVED	Date With Time	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1800	
DataUpdatable:	False	
DefaultValue:	=Date()	
Description:	Date public notice requirement for this violation is met (copy of PN, Certification or both at discretion of Project Officer. Also may be met	

by a qualifying CCR)
Format: Short Date
GUID: {guid {617FADDE-8930-4F39-A064-903CFEB7D930}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 6
Required: False
SourceField: DATE_RECEIVED
SourceTable: PublicNotices

PNDueDate Date With Time 8

AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Date public notice is required
GUID: {guid {93BB2FCE-15A6-4E3B-8A00-2787746FFCD6}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 7
Required: False
SourceField: PNDueDate
SourceTable: PublicNotices

DatePNrequested Date With Time 8

AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Date public notice was sent to this PWS or requested of the PWS by primacy agency.
GUID: {guid {99C6428E-95CB-4057-ADD4-F6181718791A}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 8
Required: False
SourceField: DatePNrequested
SourceTable: PublicNotices

DatePNissued Date With Time 8

AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default

DataUpdatable: False
 Description: Date public notice issued and posted by primacy agency for PWS where PWS can not or will not comply with PN requirement
 GUID: {guid {4D448B14-BD8D-4087-AD2F-A1B598D3C297}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 9
 Required: False
 SourceField: DatePNissued
 SourceTable: PublicNotices

proofpublicationreceived Yes/No 1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Was an acceptable Certification of Delivery received?
 DisplayControl: 106
 Format: Yes/No
 GUID: {guid {8B46E40E-1F4F-41F4-ABB4-E373AC1F9575}}
 OrdinalPosition: 10
 Required: False
 SourceField: proofpublicationreceived
 SourceTable: PublicNotices

qualityacceptable Yes/No 1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Was the PN/CCR of acceptable quality?
 DisplayControl: 106
 Format: Yes/No
 GUID: {guid {FE31C3FE-D63D-432A-9D68-2422DFD7C302}}
 OrdinalPosition: 11
 Required: False
 SourceField: qualityacceptable
 SourceTable: PublicNotices

EventID Short Text 175
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default

DataUpdatable: False
 Description: Eventid
 DisplayControl: Text Box
 GUID: {guid {BF1FC331-D979-4673-9273-8BD2CF21F40A}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 12
 Required: False
 SourceField: EventID
 SourceTable: PublicNotices
 UnicodeCompression: True

PNcomment Long Text -

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Comment on Public Notice or Consumer Confidence Report
 GUID: {guid {320CAF30-6B52-4F9A-A8AA-D47D2D427F23}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 13
 Required: False
 SourceField: PNcomment
 SourceTable: PublicNotices
 UnicodeCompression: True

webaddress Short Text 255

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: World Wide Web address for PN or CCR posted online
 DisplayControl: Text Box
 GUID: {guid {CE908A7B-199D-437C-BDAF-E8628FE204E0}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 14
 Required: False
 SourceField: webaddress
 SourceTable: PublicNotices
 UnicodeCompression: True

Lastupdate Date With Time 8

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size

CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 2205
DataUpdatable: False
Description: Date of Last Update
Format: General Date
GUID: {guid {29245F6A-FB86-4BA9-B7C8-50AF67B4EE9A}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 15
Required: False
SourceField: Lastupdate
SourceTable: PublicNotices

CurrentUpdateUser Short Text 50

AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 1830
DataUpdatable: False
Description: Current User At Time of Update
DisplayControl: Text Box
GUID: {guid {91473038-8A05-4F28-89BC-8C878DA7617D}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 16
Required: False
SourceField: CurrentUpdateUser
SourceTable: PublicNotices
UnicodeCompression: True

ReceivedBy Short Text 50

AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: user receiving data
DisplayControl: Text Box
GUID: {guid {BCF17DEE-D3A8-416F-8501-BC9F6D72AB49}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 17
Required: False
SourceField: ReceivedBy
SourceTable: PublicNotices
UnicodeCompression: True

DateCreated Date With Time 8

AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 2205
DataUpdatable: False
DefaultValue: =Now()
Description: automatically entered on update of record
Format: General Date
GUID: {guid {7E65D528-4DDD-4FCA-BC94-41E18F262083}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 18
Required: False
SourceField: DateCreated
SourceTable: PublicNotices

CreatedBy Short Text 50

AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: user who created the record
DisplayControl: Text Box
GUID: {guid {40549425-4D9C-4673-8396-00A11AD0BFA5}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 19
Required: False
SourceField: CreatedBy
SourceTable: PublicNotices
UnicodeCompression: True

DateQA Date With Time 8

AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 2205
DataUpdatable: False
Description: date of qa
Format: General Date
GUID: {guid {9FA2B7EE-6CE3-47F4-8FB3-2959A8FB9F31}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 20


	Required:	False		
	SourceField:	DateQA		
	SourceTable:	PublicNotices		
QAUser			Short Text	50
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	qa user		
	DisplayControl:	Text Box		
	GUID:	{guid {C2CC808D-BF9D-49C4-86E7-DFE2A308453C}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	21		
	Required:	False		
	SourceField:	QAUser		
	SourceTable:	PublicNotices		
	UnicodeCompression:	True		
DateView			Date With Time	8
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	date of view		
	Format:	General Date		
	GUID:	{guid {05C6C557-8D37-4B33-9C35-2F3CD83031A1}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	22		
	Required:	False		
	SourceField:	DateView		
	SourceTable:	PublicNotices		
ViewUser			Short Text	50
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Last Viewed by		
	DisplayControl:	Text Box		
	GUID:	{guid {B54993C9-17E6-408B-B542-5BF6B2F64C55}}		

IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 23
 Required: False
 SourceField: ViewUser
 SourceTable: PublicNotices
 UnicodeCompression: True

StatusID Long Integer 4
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME Status identifier, lookup in table QAStatus
 DisplayControl: Text Box
 GUID: {guid {D2A1DBFE-F980-47D8-834D-26C5493F112F}}
 OrdinalPosition: 24
 Required: False
 SourceField: StatusID
 SourceTable: PublicNotices

Relationships

PublicNoticesPNVioAssoc



Attributes: Not Enforced, Inherited
 RelationshipType: One-To-Many (External)

Table Indexes

Name	Number of Fields
CCRID	1
Clustered:	False
DistinctCount:	3172
Foreign:	False
IgnoreNulls:	False
Name:	CCRID
Primary:	False
Required:	False
Unique:	False
Fields:	
PNID	Ascending
FACID	1
Clustered:	False

DistinctCount:	314
Foreign:	False
IgnoreNulls:	False
Name:	FACID
Primary:	False
Required:	False
Unique:	False
Fields:	
FACID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	3172
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
PNID	Ascending
StatusID	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	StatusID
Primary:	False
Required:	False
Unique:	False
Fields:	
StatusID	Ascending

User Permissions

admin
 aizaz
 andrew
 bessie
 chris
 corine
 daria
 designer
 dschmidt
 Emmanuelle
 everett
 guest
 helen
 hillary
 jack
 jamelya
 Jason
 jelani

jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\ Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:52 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {5D3562B6-E9EF-4F7C- 9CF7-11D6FDEA4B0D}}	HideNewField:	False
LastUpdated:	11/5/2014 6:19:52 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	PumpingFacilities	TotalsRow:	False
Updatable:	False		

Columns

Name	Type	Size
PumpID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
GUID:	{guid {9E97BAD3-808C-488D-8069-0D5CCEF3C387}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	PumpID	
SourceTable:	PumpingFacilities	
TextAlign:	General	
FACID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	internal ID for PWS which utilizes source	
DisplayControl:	Text Box	
GUID:	{guid {F5AA7F70-3F93-4220-A902-2D81AA65F93E}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	FACID	
SourceTable:	PumpingFacilities	
TextAlign:	General	

UnivUniqueID	Short Text	5
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	universally unique identifier	
DisplayControl:	Text Box	
GUID:	{guid {7419C3B9-3BA2-47DE-B413-ABF18368165F}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	2	
Required:	True	
SourceField:	UnivUniqueID	
SourceTable:	PumpingFacilities	
TextAlign:	General	
UnicodeCompression:	True	
PUMP_NUM	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	sequential (per PWS) number for source	
DisplayControl:	Text Box	
Format:	000	
GUID:	{guid {4971CDE1-3F15-4256-BA7C-D9BA4A6676BB}}	
OrdinalPosition:	3	
Required:	False	
SourceField:	PUMP_NUM	
SourceTable:	PumpingFacilities	
TextAlign:	General	
PumpingfacilityName	Short Text	50
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Most recognized and used source name	
DisplayControl:	Text Box	

GUID: {guid {2C7CA177-D9FE-49D4-BB62-2863CB339AB0}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False
 SourceField: PumpingfacilityName
 SourceTable: PumpingFacilities
 TextAlign: General
 UnicodeCompression: True

FacTypeID Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 4
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 ColumnWidths: 0;348;2304;1031
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME ID for sub-facility type, lookup in table FacType with category Piped, Other
 DisplayControl: Text Box
 GUID: {guid {EAA31F2C-49BE-479A-93DF-8E57E9B90D32}}
 LimitToList: True
 ListRows: 8
 ListWidth: 3683twip
 OrdinalPosition: 5
 Required: False
 RowSource: SELECT Factype.FactypeID, Factype.ODScodeFactype, Factype.FacilityType, Factype.FacTypeCat FROM Factype WHERE (((Factype.FacTypeCat)="pump")) ORDER BY Factype.FacTypeCat, Factype.ODScodeFactype;
 RowSourceType: Table/Query
 SourceField: FacTypeID
 SourceTable: PumpingFacilities
 TextAlign: General

ACTIVITY_STATUS_PUMP Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 Caption: ACTIVITY_STATUS_SOURCE
 CollatingOrder: General
 ColumnCount: 2
 ColumnHeads: False

ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 ColumnWidths: 0;1065
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: activity status for pumping facility, lookup in table SourceUseStatus, which contains proper SDWIS codes
 DisplayControl: Combo Box
 GUID: {guid {98C5AA87-3D0D-47BC-8EFB-EF00723B21E7}}
 LimitToList: True
 ListRows: 8
 ListWidth: 1065twip
 OrdinalPosition: 6
 Required: False
 RowSource: SELECT SourceUseStatus.ID, SourceUseStatus.SourceUseStatus FROM SourceUseStatus;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: ACTIVITY_STATUS_PUMP
 SourceTable: PumpingFacilities
 TextAlign: General

SOURCE_RECORD_TYPE Long Integer 4
 AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 Caption: SOURCE_RECORD_TYPE
 CollatingOrder: General
 ColumnCount: 3
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 ColumnWidths: 0;1440;1440
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Type of source record for SDWIS-Fed inventory purposes, lookup in table B1RTYPE
 DisplayControl: Combo Box
 GUID: {guid {655F5D89-275C-428D-890C-2CE1C6E8DC3B}}
 LimitToList: True
 ListRows: 8
 ListWidth: 2880twip
 OrdinalPosition: 7
 Required: False
 RowSource: SELECT B1RTYPE.ID, B1RTYPE.[Source Type], B1RTYPE.[SDWIS Code] FROM B1RTYPE;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: SOURCE_RECORD_TYPE
 SourceTable: PumpingFacilities

TextAlign:	General		
PUMPINGFAC_TYPE		Long Integer	4
AggregateType:	-1		
AllowValueListEdits:	False		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
BoundColumn:	1		
Caption:	SOURCE_TYPE		
CollatingOrder:	General		
ColumnCount:	2		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
ColumnWidths:	0;1710		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Type of pumping facility, lookup in table PumpingTypes		
DisplayControl:	Combo Box		
GUID:	{guid {A4AB1FA4-E6ED-4B03-A90F-3437A13F68AB}}		
LimitToList:	True		
ListRows:	8		
ListWidth:	1710twip		
OrdinalPosition:	8		
Required:	False		
RowSource:	SELECT SourceTypes.ID, SourceTypes.SourceType FROM SourceTypes;		
RowSourceType:	Table/Query		
ShowOnlyRowSourceValues:	False		
SourceField:	PUMPINGFAC_TYPE		
SourceTable:	PumpingFacilities		
TextAlign:	General		
PUMP_CAPACITY		Integer	2
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Capacity of pumping facility in gallons per minute		
DisplayControl:	Text Box		
GUID:	{guid {796CE5A8-BF23-4B8B-8823-F80E575E0407}}		
OrdinalPosition:	9		
Required:	False		
SourceField:	PUMP_CAPACITY		
SourceTable:	PumpingFacilities		
TextAlign:	General		

lastinspected_PUMP	Date With Time	8
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	date of last inspection of pump or pumping facility	
GUID:	{guid {C1A3D8A3-0A3A-43A2-ABF7-F7EAA8BA1605}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	10	
Required:	False	
ShowDatePicker:	For dates	
SourceField:	lastinspected_PUMP	
SourceTable:	PumpingFacilities	
TextAlign:	General	

PUMP_rating	Short Text	50
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Capacity at which pump(s) was last rated.	
DisplayControl:	Text Box	
GUID:	{guid {99A58152-3596-497C-A284-34AB4843F148}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	11	
Required:	False	
SourceField:	PUMP_rating	
SourceTable:	PumpingFacilities	
TextAlign:	General	
UnicodeCompression:	True	

PUMP_horsepower	Short Text	50
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	combined or single horsepower for pump facility or individual pump	
DisplayControl:	Text Box	

GUID: {guid {683D4357-3669-48D6-B4D2-97831F5EC2E4}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 12
 Required: False
 SourceField: PUMP_horsepower
 SourceTable: PumpingFacilities
 TextAlign: General
 UnicodeCompression: True

LatitudePump Double 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Latitude of pumping facility in decimal degrees
 DisplayControl: Text Box
 GUID: {guid {D4668150-5E4D-4BD7-A604-9741E02BA72E}}
 OrdinalPosition: 13
 Required: False
 SourceField: LatitudePump
 SourceTable: PumpingFacilities
 TextAlign: General

LongitudePump Double 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Longitude of pumping facility in decimal degrees
 DisplayControl: Text Box
 GUID: {guid {FD086457-AA68-4808-8F6F-4AF843FEDBED}}
 OrdinalPosition: 14
 Required: False
 SourceField: LongitudePump
 SourceTable: PumpingFacilities
 TextAlign: General

ACTIVITY_DATE_PUMP Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size

CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Date pumping facility came into active service OR date pumping facility stopped being used
GUID: {guid {DF24294D-2D21-421A-9042-F94E601F8BDB}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 15
Required: False
ShowDatePicker: For dates
SourceField: ACTIVITY_DATE_PUMP
SourceTable: PumpingFacilities
TextAlign: General

ACTIVITY_RSN_TXT_PUMP Short Text 50

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Reason for activity of pumping facility
DisplayControl: Text Box
GUID: {guid {F1F91F36-0388-4E7D-AC10-A5A4347139A0}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 16
Required: False
SourceField: ACTIVITY_RSN_TXT_PUMP
SourceTable: PumpingFacilities
TextAlign: General
UnicodeCompression: True

MEMO_TEXT_PUMP Short Text 255

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Memo text for pumping facility, notes about pumping facility
DisplayControl: Text Box
GUID: {guid {7BDF6A7C-51B0-4FA8-82AD-6ECE81FB0B58}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 17

Required: False
 SourceField: MEMO_TEXT_PUMP
 SourceTable: PumpingFacilities
 TextAlign: General
 UnicodeCompression: True

Metered? Yes/No 1

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Is the pumping facility metered? (Yes/No)
 DisplayControl: 106
 Format: Yes/No
 GUID: {guid {3BB6B696-F321-4619-89F3-139731AEA9EA}}
 OrdinalPosition: 18
 Required: False
 SourceField: Metered?
 SourceTable: PumpingFacilities
 TextAlign: General

Backup? Yes/No 1

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Is there a backup pump on hand?
 DisplayControl: 106
 Format: Yes/No
 GUID: {guid {4754E62C-22E1-4812-8DE1-5A8F84CD9603}}
 OrdinalPosition: 19
 Required: False
 SourceField: Backup?
 SourceTable: PumpingFacilities
 TextAlign: General

FlowsTo_PF Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default

DataUpdatable: False
 Description: indicates flow to next point in PWS, universally unique identifier from union of entry points, treatment plants, storage, or distribution system
 DisplayControl: Text Box
 GUID: {guid {D012183E-B8E7-41F4-83D7-4A6D3A2A4BBB}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 20
 Required: False
 SourceField: FlowsTo_PF
 SourceTable: PumpingFacilities
 TextAlign: General
 UnicodeCompression: True

Lastupdate Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date of Last Update
 Format: General Date
 GUID: {guid {7AC6958D-E073-44ED-848F-FD1BB24DE243}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 21
 Required: False
 ShowDatePicker: For dates
 SourceField: Lastupdate
 SourceTable: PumpingFacilities
 TextAlign: General

CurrentUpdateUser Short Text 50


AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Current User At Time of Update
 DisplayControl: Text Box
 GUID: {guid {57ED3E21-0D79-4C82-9465-D4EE1A3F4793}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 22
 Required: False
 SourceField: CurrentUpdateUser
 SourceTable: PumpingFacilities

TextAlign:	General		
UnicodeCompression:	True		
DateCreated		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Date that record was created.		
Format:	Short Date		
GUID:	{guid {6442CD93-7154-4669-A5C1-3547AB2F8FC8}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	23		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	DateCreated		
SourceTable:	PumpingFacilities		
TextAlign:	General		
CreatedBy		Short Text	50
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Created by when the record is created		
DisplayControl:	Text Box		
GUID:	{guid {0CA4BAE9-05A7-4D5E-97E8-C552B01EDA69}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	24		
Required:	False		
SourceField:	CreatedBy		
SourceTable:	PumpingFacilities		
TextAlign:	General		
UnicodeCompression:	True		
StatusID		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		

ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME Status identifier, lookup in table QAStatus
 DisplayControl: Text Box
 GUID: {guid {D9FDA143-0AB5-4186-A02F-E58AD5F64AC9}}
 OrdinalPosition: 25
 Required: False
 SourceField: StatusID
 SourceTable: PumpingFacilities
 TextAlign: General


Relationships

Facility InformationPumpingFacilities



Attributes: Not Enforced, Inherited
 RelationshipType: One-To-Many (External)

PumpingFacilitiesLocationalData_Pumping



Attributes: Not Enforced, Inherited, Left Join
 RelationshipType: One-To-Many (External)

Table Indexes

Name	Number of Fields
PrimaryKey	2
Clustered:	False
DistinctCount:	226
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
FACID	Ascending
UnivUniqueID	Ascending
PumpID	1
Clustered:	False
DistinctCount:	226
Foreign:	False

IgnoreNulls:	False
Name:	PumpID
Primary:	False
Required:	False
Unique:	True
Fields:	
PumpID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
--------	----------------------------------------------------------------------------------------------------------------------------------------------

DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:52 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {7DCEA9C3-C0DC-49F6-AE09-53B544836579}}	HideNewField:	False
LastUpdated:	11/5/2014 6:19:52 PM	NameMap:	Long binary data
OrderBy:	[Lookup_FACID].[PWSSNAME]	OrderByOn:	True
	[PWSnumberList].[PWSIDnumber]		
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	-1	SourceTableName:	PWSnumberList
SubDataSheetName:	[Auto]	TotalsRow:	False
Updatable:	False		

Columns

Name	Type	Size
PWSlistID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal DIME PWSlist identifier, autonumber	
GUID:	{guid {D7C3CE7A-EDFA-498C-815D-C7E40749DD15}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	PWSlistID	
SourceTable:	PWSnumberList	
PWSIDnumber	Short Text	7
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1830	
DataUpdatable:	False	
Description:	list of available numbers, includes current assignments to actual public water systems and numbers once given to historical or possible public water systems. With ample space in data set available, no need to use any previously used numbers for a new PWS.	
DisplayControl:	Text Box	
GUID:	{guid {DE9EFB2D-343B-49BA-A44A-9F145CA77A24}}	

IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 1
 Required: False
 SourceField: PWSIDnumber
 SourceTable: PWSnumberList
 UnicodeCompression: True

FACID Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 3
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2070
 ColumnWidths: 0;2880;864
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME Facility Information identifier, lookup in table Facility Information. This field will only be non-null if there is an active or inactive PWS in the database.
 DisplayControl: Combo Box
 GUID: {guid {D06DED3A-AACF-4664-A70E-9DFD43736487}}
 LimitToList: True
 ListRows: 30
 ListWidth: 3888twip
 OrdinalPosition: 2
 Required: False
 RowSource: SELECT [Facility Information].FACID, [Facility Information].PWSSNAME, [Facility Information].ALTERNATE_ST_NUM FROM [Facility Information] ORDER BY [Facility Information].ALTERNATE_ST_NUM;
 RowSourceType: Table/Query
 SourceField: FACID
 SourceTable: PWSnumberList

watersysname Short Text 100

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 3525
 DataUpdatable: False
 Description: potential water system name, or alternate or historical name of system. If FACID is not null, PWSSNAME and other Facility Information table information is available through FACID.

DisplayControl: Text Box
 GUID: {guid {1F7CF3F3-60F9-4A37-B57E-3945C71D5DF7}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: watersysname
 SourceTable: PWSnumberList
 UnicodeCompression: True

listcomment Short Text 150

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: comment about number or status of potential PWS.
 DisplayControl: Text Box
 GUID: {guid {F094518A-0ED9-41CD-88B8-83C504501BD5}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False
 SourceField: listcomment
 SourceTable: PWSnumberList
 UnicodeCompression: True

DateUsed Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date PO used Id Number used for filtering out used numbers.
 Format: Short Date
 GUID: {guid {1253D15C-C7FE-4157-B771-FCBBC9CD159B}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 5
 Required: False
 SourceField: DateUsed
 SourceTable: PWSnumberList

POContactID Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False

Attributes: Variable Length
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 1
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 ColumnWidths: 1215
 DataUpdatable: False
 Description: lookup in table Users. same data as POContactID. Used to reserve numbers for use in certain geographical areas. Also serves to indicate current program manager bailiwicks.
 DisplayControl: Combo Box
 GUID: {guid {9E3EAF0E-0430-4A1D-83BD-DA13D8D46AA7}}
 IMEMode: 0
 IMESentenceMode: 3
 LimitToList: False
 ListRows: 20
 ListWidth: 1215twip
 OrdinalPosition: 6
 Required: False
 RowSource: SELECT Users.POcontactID FROM Users GROUP BY Users.POcontactID;
 RowSourceType: Table/Query
 SourceField: POContactID
 SourceTable: PWSnumberList
 UnicodeCompression: True

Lastupdate Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1800
 DataUpdatable: False
 Description: Date of Last Update
 Format: General Date
 GUID: {guid {D89BAD45-5138-4922-9291-9CF2D88BAE31}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 7
 Required: False
 SourceField: Lastupdate
 SourceTable: PWSnumberList

CurrentUpdateUser Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length

CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Current User At Time of Update
 DisplayControl: Text Box
 GUID: {guid {B8C8E7DA-9AE5-4B45-B215-76F3A107FFD4}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 8
 Required: False
 SourceField: CurrentUpdateUser
 SourceTable: PWSnumberList
 UnicodeCompression: True

DateCreated Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date record was created
 Format: General Date
 GUID: {guid {67990307-9B32-40EF-8DC0-F7498AC4F178}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 9
 Required: False
 SourceField: DateCreated
 SourceTable: PWSnumberList

CreatedBy Short Text 50

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Created by user
 DisplayControl: Text Box
 GUID: {guid {2FE6119F-B7BD-48B5-8618-9374E576F65A}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 10
 Required: False
 SourceField: CreatedBy
 SourceTable: PWSnumberList
 UnicodeCompression: True

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
FACID	1
Clustered:	False
DistinctCount:	438
Foreign:	False
IgnoreNulls:	False
Name:	FACID
Primary:	False
Required:	False
Unique:	False
Fields:	
FACID	Ascending
POContactID	1
Clustered:	False
DistinctCount:	10
Foreign:	False
IgnoreNulls:	False
Name:	POContactID
Primary:	False
Required:	False
Unique:	False
Fields:	
POContactID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	2136
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
PWSlistID	Ascending
PWSlistID	1
Clustered:	False
DistinctCount:	2136
Foreign:	False
IgnoreNulls:	False
Name:	PWSlistID
Primary:	False
Required:	False
Unique:	False
Fields:	
PWSlistID	Ascending

User Permissions

admin

aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:52 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {F5BDA98F-67D0-43B3-919D-326459B11748}}	HideNewField:	False
LastUpdated:	11/5/2014 6:19:52 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	QALog	TotalsRow:	False
Updatable:	False		

Columns

Name	Type	Size
LogID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal DIME Log identifier	
GUID:	{guid {62AAA5A3-1CB3-48F0-8AA4-6C05EDD4C29D}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	LogID	
SourceTable:	QALog	
TextAlign:	General	
FACID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	internal DIME PWS identifier, lookup in table Facility Information	
DisplayControl:	Text Box	
GUID:	{guid {ED47D692-F24F-4299-B516-2A1BF3EED448}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	FACID	
SourceTable:	QALog	

TextAlign:	General		
DateReceived		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Date that lab report was received		
GUID:	{guid {1A405B91-764C-4BC2-8390-863DD802C4EF}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	2		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	DateReceived		
SourceTable:	QALog		
TextAlign:	General		
SampleDate		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Date Sampled		
Format:	Short Date		
GUID:	{guid {5C292B49-FB92-4718-8951-67E70310BAE3}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	3		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	SampleDate		
SourceTable:	QALog		
TextAlign:	General		
Samp_Mo		Long Integer	4
AggregateType:	-1		
AllowValueListEdits:	False		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
BoundColumn:	1		
Caption:	Compliance Month		
CollatingOrder:	General		
ColumnCount:	2		

ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 ColumnWidths: 0;764
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: defaults automatically to month of sample date, PO may override
 DisplayControl: Text Box
 GUID: {guid {CA3105D0-B273-423F-A07C-5F0164D31D95}}
 LimitToList: True
 ListRows: 8
 ListWidth: 764twip
 OrdinalPosition: 4
 Required: False
 RowSource: SELECT DISTINCTROW Months.ID, Months.Month FROM Months;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: Samp_Mo
 SourceTable: QALog
 TextAlign: General

Samp_Yr Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 Caption: Year
 CollatingOrder: General
 ColumnCount: 2
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 ColumnWidths: 0;540
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: defaults automatically to year of sample date, PO may override
 DisplayControl: Text Box
 GUID: {guid {4B540A27-9954-46F2-A97E-CC7D52583E57}}
 LimitToList: True
 ListRows: 8
 ListWidth: 540twip
 OrdinalPosition: 5
 Required: False
 RowSource: SELECT Years.ID, Years.Year FROM Years;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: Samp_Yr
 SourceTable: QALog
 TextAlign: General

CPTypID Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME Compliance Point type identifier, lookup in table CompliancePointTypes
 DisplayControl: Text Box
 GUID: {guid {22EC07D7-CE95-48E8-AF0D-8FB2ED033910}}
 OrdinalPosition: 6
 Required: False
 SourceField: CPTTypeID
 SourceTable: QALog
 TextAlign: General

UnivUniqueID Short Text 5

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Universally Unique Identifier for sample location
 DisplayControl: Text Box
 GUID: {guid {08EBBEF2-4749-4346-BD96-D0FA8C6244DA}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 7
 Required: False
 SourceField: UnivUniqueID
 SourceTable: QALog
 TextAlign: General
 UnicodeCompression: True

SampleLocation Short Text 255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Sample Location as reported
 DisplayControl: Text Box
 GUID: {guid {FC6B0AC0-5935-44EF-BFD1-499FE828F450}}

	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	8		
	Required:	False		
	SourceField:	SampleLocation		
	SourceTable:	QALog		
	TextAlign:	General		
	UnicodeCompression:	True		
Special			Yes/No	1
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Is this Special Y/N?		
	DisplayControl:	106		
	Format:	Yes/No		
	GUID:	{guid {BBE30DAB-866E-4BAD-8F44-865302CAB237}}		
	OrdinalPosition:	9		
	Required:	False		
	SourceField:	Special		
	SourceTable:	QALog		
	TextAlign:	General		
InvalidID			Long Integer	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	Description:	Invalid Code, Null if valid sample result		
	DisplayControl:	Text Box		
	GUID:	{guid {53751E8E-4FD2-4145-B60F-04E2FE9C625A}}		
	OrdinalPosition:	10		
	Required:	False		
	SourceField:	InvalidID		
	SourceTable:	QALog		
	TextAlign:	General		
Composite			Yes/No	1
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		

ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Is this a Composite Sample?
 DisplayControl: 106
 Format: Yes/No
 GUID: {guid {A5C26085-60FF-4F2D-83B8-5924F5747B7A}}
 OrdinalPosition: 11
 Required: False
 SourceField: Composite
 SourceTable: QALog
 TextAlign: General

CompositeType Short Text 50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: If it is Composite, Which Type, by Location or by Date?
 DisplayControl: Text Box
 GUID: {guid {7FBE4A5B-3201-4F61-A53E-43D941138093}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 12
 Required: False
 SourceField: CompositeType
 SourceTable: QALog
 TextAlign: General
 UnicodeCompression: True

NumSampReq Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: number of samples required
 DisplayControl: Text Box
 OrdinalPosition: 13
 Required: False
 SourceField: NumSampReq
 SourceTable: QALog
 TextAlign: General

<p>NumAnalytes</p> <p>AggregateType: -1</p> <p>AllowZeroLength: False</p> <p>AppendOnly: False</p> <p>Attributes: Fixed Size</p> <p>CollatingOrder: General</p> <p>ColumnHidden: False</p> <p>ColumnOrder: Default</p> <p>ColumnWidth: 1695</p> <p>DataUpdatable: False</p> <p>DecimalPlaces: Auto</p> <p>Description: If CPType is other than LCR or TCR, the number of analytes reported</p> <p>DisplayControl: Text Box</p> <p>GUID: {guid {046898F1-1A6C-4558-B981-9E33A3FD7E65}}</p> <p>OrdinalPosition: 14</p> <p>Required: False</p> <p>SourceField: NumAnalytes</p> <p>SourceTable: QALog</p> <p>TextAlign: General</p>	<p>Long Integer</p>	<p>4</p>
<p>NumLeadCopperSamples</p> <p>AggregateType: -1</p> <p>AllowZeroLength: False</p> <p>AppendOnly: False</p> <p>Attributes: Fixed Size</p> <p>CollatingOrder: General</p> <p>ColumnHidden: False</p> <p>ColumnOrder: Default</p> <p>ColumnWidth: 1035</p> <p>DataUpdatable: False</p> <p>DecimalPlaces: Auto</p> <p>Description: If CPType is Lead and Copper Rule, then the number of Lead and Copper Samples</p> <p>DisplayControl: Text Box</p> <p>GUID: {guid {BA03A499-5F09-438E-8E63-C9A0E3B41003}}</p> <p>OrdinalPosition: 15</p> <p>Required: False</p> <p>SourceField: NumLeadCopperSamples</p> <p>SourceTable: QALog</p> <p>TextAlign: General</p>	<p>Long Integer</p>	<p>4</p>
<p>NumTCRRoutineSamples</p> <p>AggregateType: -1</p> <p>AllowZeroLength: False</p> <p>AppendOnly: False</p> <p>Attributes: Fixed Size</p> <p>CollatingOrder: General</p> <p>ColumnHidden: False</p> <p>ColumnOrder: Default</p> <p>ColumnWidth: Default</p> <p>DataUpdatable: False</p> <p>DecimalPlaces: Auto</p> <p>Description: If CpType is Total Coliform Rule, then the number of routine sample results submitted with the same Sample Month and Sample Year for given PWS</p>	<p>Long Integer</p>	<p>4</p>

	DisplayControl:	Text Box	
	GUID:	{guid {528CEB42-498C-476B-B581-8B707A4968DF}}	
	OrdinalPosition:	16	
	Required:	False	
	SourceField:	NumTCRRoutineSamples	
	SourceTable:	QALog	
	TextAlign:	General	
ActualNumTCRRoutineSamples		Long Integer	4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	actual num of samples routine	
	DisplayControl:	Text Box	
	OrdinalPosition:	17	
	Required:	False	
	SourceField:	ActualNumTCRRoutineSamples	
	SourceTable:	QALog	
	TextAlign:	General	
NumTCRRRepeatSamples		Long Integer	4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	If CpType is Total Coliform Rule, then the number of repeat sample results submitted with the same Sample Month and Sample Year for given PWS	
	DisplayControl:	Text Box	
	GUID:	{guid {5C7304CB-A0AF-4D33-8704-E0E43D3B7DD6}}	
	OrdinalPosition:	18	
	Required:	False	
	SourceField:	NumTCRRRepeatSamples	
	SourceTable:	QALog	
	TextAlign:	General	
ActualNumTCRRRepeatSamples		Long Integer	4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	

CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: actual num of samples repeat
 DisplayControl: Text Box
 OrdinalPosition: 19
 Required: False
 SourceField: ActualNumTCRRepeatSamples
 SourceTable: QALog
 TextAlign: General

NumGWRSourceSamples Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: If CpType is Total Coliform Rule, then the number of GWR source sample results submitted with the same Sample Month and Sample Year for given PWS
 DisplayControl: Text Box
 GUID: {guid {69F77290-B2AD-447D-BFDB-919B2F7C5F11}}
 OrdinalPosition: 20
 Required: False
 SourceField: NumGWRSourceSamples
 SourceTable: QALog
 TextAlign: General

ActualNumGWRSourceSamples Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Actual number of GWR source sample results
 DisplayControl: Text Box
 OrdinalPosition: 21
 Required: False
 SourceField: ActualNumGWRSourceSamples
 SourceTable: QALog
 TextAlign: General

NumTCRTCposRout AggregateType: -1 AllowZeroLength: False AppendOnly: False Attributes: Fixed Size CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False DecimalPlaces: Auto Description: If CpType is Total Coliform Rule, the number of total coliform positive routine results from the total. DisplayControl: Text Box GUID: {guid {7E202CB3-AD4B-4DFB-AE0D-5F82A454E238}} OrdinalPosition: 22 Required: False SourceField: NumTCRTCposRout SourceTable: QALog TextAlign: General	Long Integer	4
NumTCRFCposRout AggregateType: -1 AllowZeroLength: False AppendOnly: False Attributes: Fixed Size CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False DecimalPlaces: Auto Description: If CpType is Total Coliform Rule, the number of fecal coliform positive routine results from the total. DisplayControl: Text Box GUID: {guid {850BF2B6-A533-43D8-B0D8-42FE916F6025}} OrdinalPosition: 23 Required: False SourceField: NumTCRFCposRout SourceTable: QALog TextAlign: General	Long Integer	4
NumTCRTCposRepeat AggregateType: -1 AllowZeroLength: False AppendOnly: False Attributes: Fixed Size CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False DecimalPlaces: Auto Description: If CpType is Total Coliform Rule, the number of total coliform positive	Long Integer	4

	repeat results from the total.		
DisplayControl:	Text Box		
GUID:	{guid {6815D9F2-8586-4766-A9B8-9D90F0C1A7DE}}		
OrdinalPosition:	24		
Required:	False		
SourceField:	NumTCRTCposRepeat		
SourceTable:	QALog		
TextAlign:	General		
NumTCRFCposRepeat		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	If CpType is Total Coliform Rule, the number of fecal coliform positive repeat results from the total.		
DisplayControl:	Text Box		
GUID:	{guid {BD4EEAD8-2376-468E-BBCD-1C866AB9C6A7}}		
OrdinalPosition:	25		
Required:	False		
SourceField:	NumTCRFCposRepeat		
SourceTable:	QALog		
TextAlign:	General		
ActualNumTCRTCposRout		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	If CpType is Total Coliform Rule, the number of total coliform positive routine results from the total.		
DisplayControl:	Text Box		
OrdinalPosition:	26		
Required:	False		
SourceField:	ActualNumTCRTCposRout		
SourceTable:	QALog		
TextAlign:	General		
ActualNumTCRFCposRout		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		

Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: If CpType is Total Coliform Rule, the number of fecal coliform positive routine results from the total.
 DisplayControl: Text Box
 OrdinalPosition: 27
 Required: False
 SourceField: ActualNumTCRFCposRout
 SourceTable: QALog
 TextAlign: General

ActualNumTCRTCposRepeat Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: If CpType is Total Coliform Rule, the number of total coliform positive repeat results from the total.
 DisplayControl: Text Box
 OrdinalPosition: 28
 Required: False
 SourceField: ActualNumTCRTCposRepeat
 SourceTable: QALog
 TextAlign: General

ActualNumTCRFCposRepeat Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: If CpType is Total Coliform Rule, the number of fecal coliform positive repeat results from the total.
 DisplayControl: Text Box
 OrdinalPosition: 29
 Required: False
 SourceField: ActualNumTCRFCposRepeat
 SourceTable: QALog

TextAlign:	General		
NumGWRSourceFCpos		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	If CpType is Total Coliform Rule, then the number of GWR source sample positive for FC from the total.		
DisplayControl:	Text Box		
GUID:	{guid {32CDE0D6-87AB-4260-8DC7-E5747AF89F34}}		
OrdinalPosition:	30		
Required:	False		
SourceField:	NumGWRSourceFCpos		
SourceTable:	QALog		
TextAlign:	General		
NumTCRSpecialSamples		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	If CpType is Total Coliform Rule, then the number of special sample results submitted with the same Sample Month and Sample Year for given PWS		
DisplayControl:	Text Box		
GUID:	{guid {2E670403-EE48-4E7A-8034-94528B2B2CEB}}		
OrdinalPosition:	31		
Required:	False		
SourceField:	NumTCRSpecialSamples		
SourceTable:	QALog		
TextAlign:	General		
NumTCRInvalidSamples		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		

ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: If CpType is Total Coliform Rule, then the number of invalid sample results submitted with the same Sample Month and Sample Year for given PWS
 DisplayControl: Text Box
 GUID: {guid {91F42F8E-6658-4BAC-8A5B-F2B555CA2C67}}
 OrdinalPosition: 32
 Required: False
 SourceField: NumTCRInvalidSamples
 SourceTable: QALog
 TextAlign: General

LogComment Short Text 255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Comment for Dataset
 DisplayControl: Text Box
 GUID: {guid {AD9BCFCA-7509-41C5-BAF2-49C15F4AFE8E}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 33
 Required: False
 SourceField: LogComment
 SourceTable: QALog
 TextAlign: General
 UnicodeCompression: True

Lastupdate Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date of Last Update
 Format: General Date
 GUID: {guid {A920FA59-B3C1-4149-B3B8-53B77FA02798}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 34
 Required: False
 ShowDatePicker: For dates

SourceField:	Lastupdate		
SourceTable:	QALog		
TextAlign:	General		
CurrentUpdateUser		Short Text	50
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Current User At Time of Update		
DisplayControl:	Text Box		
GUID:	{guid {EBE8753C-9C2B-4A9F-8709-86CC24258E24}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	35		
Required:	False		
SourceField:	CurrentUpdateUser		
SourceTable:	QALog		
TextAlign:	General		
UnicodeCompression:	True		
DateCreated		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2205		
DataUpdatable:	False		
Description:	Date record was created		
Format:	General Date		
GUID:	{guid {B3A2C55B-8BCA-4EAD-A84A-528D6DEE0E93}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	36		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	DateCreated		
SourceTable:	QALog		
TextAlign:	General		
CreatedBy		Short Text	50
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		

ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Created by user
 DisplayControl: Text Box
 GUID: {guid {C54C0649-A53E-4BAD-A5E2-D10A3319C8CF}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 37
 Required: False
 SourceField: CreatedBy
 SourceTable: QALog
 TextAlign: General
 UnicodeCompression: True

Table Indexes

Name	Number of Fields
InvalidID	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	InvalidID
Primary:	False
Required:	False
Unique:	False
Fields:	
InvalidID	Ascending
LogID	1
Clustered:	False
DistinctCount:	11624
Foreign:	False
IgnoreNulls:	False
Name:	LogID
Primary:	False
Required:	False
Unique:	False
Fields:	
LogID	Ascending
NumAnalytes	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	NumAnalytes
Primary:	False
Required:	False
Unique:	False
Fields:	
NumAnalytes	Ascending
NumGWRSourceFCpos	1
Clustered:	False

DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	NumGWRSourceFCpos
Primary:	False
Required:	False
Unique:	False
Fields:	
NumGWRSourceFCpos	Ascending
NumGWRSourceSamples	1
Clustered:	False
DistinctCount:	9
Foreign:	False
IgnoreNulls:	False
Name:	NumGWRSourceSamples
Primary:	False
Required:	False
Unique:	False
Fields:	
NumGWRSourceSamples	Ascending
NumLeadCopperSamples	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	NumLeadCopperSamples
Primary:	False
Required:	False
Unique:	False
Fields:	
NumLeadCopperSamples	Ascending
NumSampReq	1
Clustered:	False
DistinctCount:	17
Foreign:	False
IgnoreNulls:	False
Name:	NumSampReq
Primary:	False
Required:	False
Unique:	False
Fields:	
NumSampReq	Ascending
NumTCRFCposRepeat	1
Clustered:	False
DistinctCount:	2
Foreign:	False
IgnoreNulls:	False
Name:	NumTCRFCposRepeat
Primary:	False
Required:	False
Unique:	False
Fields:	
NumTCRFCposRepeat	Ascending

NumTCRFCposRepeat1	1
Clustered:	False
DistinctCount:	4
Foreign:	False
IgnoreNulls:	False
Name:	NumTCRFCposRepeat1
Primary:	False
Required:	False
Unique:	False
Fields:	
ActualNumTCRFCposRepeat	Ascending
NumTCRFCposRout	1
Clustered:	False
DistinctCount:	4
Foreign:	False
IgnoreNulls:	False
Name:	NumTCRFCposRout
Primary:	False
Required:	False
Unique:	False
Fields:	
NumTCRFCposRout	Ascending
NumTCRFCposRout1	1
Clustered:	False
DistinctCount:	4
Foreign:	False
IgnoreNulls:	False
Name:	NumTCRFCposRout1
Primary:	False
Required:	False
Unique:	False
Fields:	
ActualNumTCRFCposRout	Ascending
NumTCRInvalidSamples	1
Clustered:	False
DistinctCount:	2
Foreign:	False
IgnoreNulls:	False
Name:	NumTCRInvalidSamples
Primary:	False
Required:	False
Unique:	False
Fields:	
NumTCRInvalidSamples	Ascending
NumTCRRepeatSamples	1
Clustered:	False
DistinctCount:	23
Foreign:	False
IgnoreNulls:	False
Name:	NumTCRRepeatSamples
Primary:	False
Required:	False
Unique:	False

Fields:	
NumTCRRRepeatSamples	Ascending
NumTCRRoutineSamples	1
Clustered:	False
DistinctCount:	32
Foreign:	False
IgnoreNulls:	False
Name:	NumTCRRoutineSamples
Primary:	False
Required:	False
Unique:	False
Fields:	
NumTCRRoutineSamples	Ascending
NumTCRSpecialSamples	1
Clustered:	False
DistinctCount:	11
Foreign:	False
IgnoreNulls:	False
Name:	NumTCRSpecialSamples
Primary:	False
Required:	False
Unique:	False
Fields:	
NumTCRSpecialSamples	Ascending
NumTCRTCposRepeat	1
Clustered:	False
DistinctCount:	12
Foreign:	False
IgnoreNulls:	False
Name:	NumTCRTCposRepeat
Primary:	False
Required:	False
Unique:	False
Fields:	
NumTCRTCposRepeat	Ascending
NumTCRTCposRepeat1	1
Clustered:	False
DistinctCount:	14
Foreign:	False
IgnoreNulls:	False
Name:	NumTCRTCposRepeat1
Primary:	False
Required:	False
Unique:	False
Fields:	
ActualNumTCRTCposRepeat	Ascending
NumTCRTCposRout	1
Clustered:	False
DistinctCount:	9
Foreign:	False
IgnoreNulls:	False
Name:	NumTCRTCposRout
Primary:	False

Required:	False
Unique:	False
Fields:	
NumTCRTCposRout	Ascending
NumTCRTCposRout1	1
Clustered:	False
DistinctCount:	9
Foreign:	False
IgnoreNulls:	False
Name:	NumTCRTCposRout1
Primary:	False
Required:	False
Unique:	False
Fields:	
ActualNumTCRTCposRout	Ascending
PrimaryKey	4
Clustered:	False
DistinctCount:	11624
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
FACID	Ascending
CPTYPEID	Ascending
Samp_Yr	Ascending
Samp_Mo	Ascending
UnivUniqueID	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	UnivUniqueID
Primary:	False
Required:	False
Unique:	False
Fields:	
UnivUniqueID	Ascending

User Permissions

- admin
- aizaz
- andrew
- bessie
- chris
- corine
- daria
- designer
- dschmidt

Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\ Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:52 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {DB24D4EF-5D04-40A6- A74C-82C43E95F1BA}}	HideNewField:	False
LastUpdated:	11/5/2014 6:19:52 PM	NameMap:	Long binary data
OrderBy:	[QALog_Chem],[QADate] DESC	OrderByOn:	True
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	-1	SourceTableName:	QALog_Chem
TotalsRow:	False	Updatable:	False

Columns

Name	Type	Size
LogID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal DIME Log identifier	
GUID:	{guid {A277D8BE-A0B1-4033-B3B5-69DFBC6E805B}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	LogID	
SourceTable:	QALog_Chem	
TextAlign:	General	
 FACID	 Long Integer	 4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	internal DIME PWS identifier, lookup in table Facility Information	
DisplayControl:	Text Box	
GUID:	{guid {C408E77B-5D6E-45A6-84D0-F863D4B7F7B1}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	FACID	

SourceTable:	QALog_Chem		
TextAlign:	General		
DateReceived		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2580		
DataUpdatable:	False		
Description:	Date that lab report was received		
GUID:	{guid {8A925EA2-FEC9-41B2-9B3E-14C2155C89F5}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	2		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	DateReceived		
SourceTable:	QALog_Chem		
TextAlign:	General		
SampleDate		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Date Sampled		
Format:	Short Date		
GUID:	{guid {58E0B87E-478E-47D5-B002-524BC04BA1B2}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	3		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	SampleDate		
SourceTable:	QALog_Chem		
TextAlign:	General		
CPTTypeID		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		

DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME Compliance Point type identifier, lookup in table CompliancePointTypes
 DisplayControl: Text Box
 GUID: {guid {A9392F1E-500D-4855-99B2-732350BB373C}}
 OrdinalPosition: 4
 Required: False
 SourceField: CPTTypeID
 SourceTable: QALog_Chem
 TextAlign: General

UnivUniqueID Short Text 5

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1140
 DataUpdatable: False
 Description: Universally Unique Identifier for sample location
 DisplayControl: Text Box
 GUID: {guid {E4A213DC-5069-4562-A9B1-3C19551DFD77}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 5
 Required: False
 SourceField: UnivUniqueID
 SourceTable: QALog_Chem
 TextAlign: General
 UnicodeCompression: True

SampleLocation Short Text 255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2130
 DataUpdatable: False
 Description: Sample Location as reported
 DisplayControl: Text Box
 GUID: {guid {CC93C8C6-A760-4159-BD3B-F7083C2FB269}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 6
 Required: False
 SourceField: SampleLocation
 SourceTable: QALog_Chem
 TextAlign: General
 UnicodeCompression: True

Special		Yes/No	1
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Is this Special Y/N?		
DisplayControl:	106		
Format:	Yes/No		
GUID:	{guid {F1F7FFC1-6E9F-45F4-9108-6A07104E5534}}		
OrdinalPosition:	7		
Required:	False		
SourceField:	Special		
SourceTable:	QALog_Chem		
TextAlign:	General		
InvalidID		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Invalid Code, Null if valid sample result		
DisplayControl:	Text Box		
GUID:	{39349C31-A379-46A6-AA75-04D491ED0E26}}		
OrdinalPosition:	8		
Required:	False		
SourceField:	InvalidID		
SourceTable:	QALog_Chem		
TextAlign:	General		
Composite		Yes/No	1
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Is this a Composite Sample?		
DisplayControl:	106		
Format:	Yes/No		
GUID:	{guid {A076C2DB-B4DB-44D0-BA5E-02BD92CA2836}}		
OrdinalPosition:	9		

Required:	False		
SourceField:	Composite		
SourceTable:	QALog_Chem		
TextAlign:	General		
CompositeType		Short Text	50
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	If it is Composite, Which Type, by Location or by Date?		
DisplayControl:	Text Box		
GUID:	{guid {EF6D099D-3580-42C3-8D50-96EE02ECBC27}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	10		
Required:	False		
SourceField:	CompositeType		
SourceTable:	QALog_Chem		
TextAlign:	General		
UnicodeCompression:	True		
NumAnalytes		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1695		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	the number of analytes reported or the number of samoles if PBCU		
DisplayControl:	Text Box		
GUID:	{guid {7D32071B-4EF3-4740-8559-92E2D53BACD5}}		
OrdinalPosition:	11		
Required:	False		
SourceField:	NumAnalytes		
SourceTable:	QALog_Chem		
TextAlign:	General		
LogComment		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		

ColumnWidth: Default
DataUpdatable: False
Description: Comment for Dataset
DisplayControl: Text Box
GUID: {guid {D0DCC2EA-6F1F-4D3B-BBEA-0234A8B2EF85}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 12
Required: False
SourceField: LogComment
SourceTable: QALog_Chem
TextAlign: General
UnicodeCompression: True

QADate Date With Time 8

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Date and Time of QA check
GUID: {guid {AE4B479C-7C44-4B86-9119-164E51F78F98}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 13
Required: False
ShowDatePicker: For dates
SourceField: QADate
SourceTable: QALog_Chem
TextAlign: General

QAUser Short Text 255

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: User who performed QA check
DisplayControl: Text Box
GUID: {guid {4C32D807-A4B2-4DEE-8133-DFE5B3047086}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 14
Required: False
SourceField: QAUser
SourceTable: QALog_Chem
TextAlign: General

UnicodeCompression:	True		
EventID		Short Text	100
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	4950		
DataUpdatable:	False		
Description:	Same eventid used in the chemical table		
DisplayControl:	Text Box		
GUID:	{guid {CA71DD0E-0059-4FEA-B43F-67EEDE9F242A}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	15		
Required:	False		
SourceField:	EventID		
SourceTable:	QALog_Chem		
TextAlign:	General		
UnicodeCompression:	True		
AssignedDate		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1845		
DataUpdatable:	False		
Format:	Short Date		
GUID:	{guid {EB159C91-EFFE-4194-9EA4-B26ED0702211}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	16		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	AssignedDate		
SourceTable:	QALog_Chem		
TextAlign:	General		
AssignedUser		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2010		
DataUpdatable:	False		

	DecimalPlaces:	Auto		
	DisplayControl:	Text Box		
	GUID:	{guid {7DBDD00E-0447-4A90-ACB6-6E50C8AEFF7F}}		
	OrdinalPosition:	17		
	Required:	False		
	SourceField:	AssignedUser		
	SourceTable:	QALog_Chem		
	TextAlign:	General		
LabID			Long Integer	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	Caption:	LabID		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	Description:	internal DIME identifier for Analytical laboratory. Lookup in table Laboratories.		
	DisplayControl:	Text Box		
	GUID:	{2F236921-AAFD-41C6-ABAC-A49179C74093}}		
	OrdinalPosition:	18		
	Required:	False		
	SourceField:	LabID		
	SourceTable:	QALog_Chem		
	TextAlign:	General		
ExistsInChemData			Yes/No	1
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	3570		
	DataUpdatable:	False		
	Description:	update this field once the record is entered in chemical data		
	DisplayControl:	106		
	Format:	Yes/No		
	GUID:	{guid {2031E543-9475-48F0-88E5-4E0C5B2EFA78}}		
	OrdinalPosition:	19		
	Required:	False		
	SourceField:	ExistsInChemData		
	SourceTable:	QALog_Chem		
	TextAlign:	General		
QAQlogCompleted			Yes/No	1
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		

Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: 106
 Format: Yes/No
 GUID: {guid {BC1079F9-4EA9-4FC3-96DA-D6CB8AB589C4}}
 OrdinalPosition: 20
 Required: False
 SourceField: QALogCompleted
 SourceTable: QALog_Chem
 TextAlign: General

ActualNumSamples Integer 2

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 DisplayControl: Text Box
 GUID: {guid {F73C50FE-45EF-4E40-A774-FB0F626D6FBD}}
 OrdinalPosition: 21
 Required: False
 SourceField: ActualNumSamples
 SourceTable: QALog_Chem
 TextAlign: General

Lastupdate Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2940
 DataUpdatable: False
 Description: Date of Last Update
 Format: General Date
 GUID: {guid {B8C94BE8-12AA-4C3F-9124-0EAB93A975CC}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 22
 Required: False
 ShowDatePicker: For dates
 SourceField: Lastupdate
 SourceTable: QALog_Chem
 TextAlign: General

CurrentUpdateUser		Short Text	50
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Current User At Time of Update		
DisplayControl:	Text Box		
GUID:	{guid {3E1B2F8C-576E-4152-B708-07479F0636F4}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	23		
Required:	False		
SourceField:	CurrentUpdateUser		
SourceTable:	QALog_Chem		
TextAlign:	General		
UnicodeCompression:	True		

DateCreated		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	3240		
DataUpdatable:	False		
Description:	Date record was created		
Format:	General Date		
GUID:	{guid {565CA495-66C8-4AC7-8E5D-140463986DBE}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	24		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	DateCreated		
SourceTable:	QALog_Chem		
TextAlign:	General		

CreatedBy		Short Text	50
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Created by user		

DisplayControl: Text Box
 GUID: {guid {66F81630-742D-4CFD-A35B-50473D3D4FE2}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 25
 Required: False
 SourceField: CreatedBy
 SourceTable: QALog_Chem
 TextAlign: General
 UnicodeCompression: True

ActualCPTTypeID Integer 2

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME Compliance Point type identifier, lookup in table CompliancePointTypes
 DisplayControl: Text Box
 GUID: {6B1F2881-7E42-40BC-AC9A-562202A1490B}}
 OrdinalPosition: 26
 Required: False
 SourceField: ActualCPTTypeID
 SourceTable: QALog_Chem
 TextAlign: General

ActualUnivUniqueID Short Text 6

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Universally Unique Identifier for sample location
 DisplayControl: Text Box
 GUID: {guid {BCE1A624-D801-4E4D-B572-635E805AC6DF}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 27
 Required: False
 SourceField: ActualUnivUniqueID
 SourceTable: QALog_Chem
 TextAlign: General
 UnicodeCompression: True

ActualSampleLocation Short Text 255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Sample Location as reported
 DisplayControl: Text Box
 GUID: {guid {632A38F4-33CF-4316-A81B-9FDAAB9BD7B3}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 28
 Required: False
 SourceField: ActualSampleLocation
 SourceTable: QALog_Chem
 TextAlign: General
 UnicodeCompression: True

ActualSampleDate Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2025
 DataUpdatable: False
 Description: Date Sampled
 Format: Short Date
 GUID: {guid {EA3DAF6F-7AD6-4CAB-9E67-5D92A7FC8B9D}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 29
 Required: False
 ShowDatePicker: For dates
 SourceField: ActualSampleDate
 SourceTable: QALog_Chem
 TextAlign: General

OldRec Yes/No 1

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: data without eventid
 DisplayControl: 106

Format: Yes/No
 GUID: {guid {947F94D4-7F3E-4040-8DA2-C12D035830CA}}
 OrdinalPosition: 30
 Required: False
 SourceField: OldRec
 SourceTable: QALog_Chem
 TextAlign: General

DateEntered Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2865
 DataUpdatable: False
 Description: date entered by the daa entry person
 GUID: {guid {B8656E21-63F8-4E8A-AAEE-BAF161AAEE22}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 31
 Required: False
 ShowDatePicker: For dates
 SourceField: DateEntered
 SourceTable: QALog_Chem
 TextAlign: General

PrintFlag Yes/No 1

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: 106
 Format: Yes/No
 GUID: {guid {07D72C56-D3B2-4A08-B92C-F81D20E6B7EB}}
 OrdinalPosition: 32
 Required: False
 SourceField: PrintFlag
 SourceTable: QALog_Chem
 TextAlign: General

PriorityFlag Yes/No 1

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False

ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: 106
 Format: Yes/No
 GUID: {guid {627B808B-42A8-4376-9C73-03598496C406}}
 OrdinalPosition: 33
 Required: False
 SourceField: PriorityFlag
 SourceTable: QALog_Chem
 TextAlign: General

DataEnteredBy Short Text 255
 AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2760
 DataUpdatable: False
 Description: User Name who made the chemical entry
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 34
 Required: False
 SourceField: DataEnteredBy
 SourceTable: QALog_Chem
 TextAlign: General
 UnicodeCompression: True

Table Indexes

Name	Number of Fields
LogID	1
Clustered:	False
DistinctCount:	19126
Foreign:	False
IgnoreNulls:	False
Name:	LogID
Primary:	False
Required:	False
Unique:	True
Fields:	
LogID	Ascending

User Permissions

admin
 aizaz

andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	3/18/2009 6:24:55 AM	DefaultView:	2
LastUpdated:	3/18/2009 6:24:55 AM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	7	Updatable:	True

Columns

Name	Type	Size
StatusID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal DIME Status identifier	
OrdinalPosition:	0	
Required:	False	
SourceField:	StatusID	
SourceTable:	QAStatus	
Status	Short Text	50
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Short Status Name	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	Status	
SourceTable:	QAStatus	
UnicodeCompression:	True	
StatusDesc	Short Text	255
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	4485	
DataUpdatable:	False	

Description: Status Description
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: StatusDesc
 SourceTable: QAStatus
 UnicodeCompression: True

DateCreated Date With Time 8

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2325
 DataUpdatable: False
 Description: Date Created
 Format: General Date
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: DateCreated
 SourceTable: QAStatus

Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	7
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
StatusID	Ascending
StatusID	1
Clustered:	False
DistinctCount:	7
Foreign:	False
IgnoreNulls:	False
Name:	StatusID
Primary:	False
Required:	False
Unique:	False
Fields:	
StatusID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	7/23/2007 12:57:04 PM	DefaultView:	2
GUID:	{guid {C430F2AF-38C5-4C1D-85DF-46C3415D19B0}}	LastUpdated:	7/23/2007 12:57:27 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	4
SubDataSheetName:	[Auto]	Updatable:	True

Columns

Name	Type	Size
qtrID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	unique internal quarter identifier	
DisplayControl:	Text Box	
GUID:	{guid {D469B8A7-ECB5-4E74-84BB-BB678AD0C830}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	qtrID	
SourceTable:	Quarters	
quarter	Short Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	name of calendar year quarter (first, second, etc.)	
DisplayControl:	Text Box	
GUID:	{guid {A0610456-D9E1-470B-B8BA-0508DDBB0236}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	quarter	
SourceTable:	Quarters	
UnicodeCompression:	True	
quarterdesc	Short Text	50
AllowZeroLength:	False	
AppendOnly:	False	

Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: description of quarter
 DisplayControl: Text Box
 GUID: {guid {88592D98-DFBC-48A4-9396-0C0CF95C0CA1}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: quarterdesc
 SourceTable: Quarters
 UnicodeCompression: True

qtrbeginday Long Integer 4

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: begin day of quarter
 DisplayControl: Text Box
 GUID: {guid {CBF46B73-C109-4246-A671-743D3AB4A582}}
 OrdinalPosition: 3
 Required: False
 SourceField: qtrbeginday
 SourceTable: Quarters

qtrbeginmonth Long Integer 4

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 Caption: qtrbeginmonth
 CollatingOrder: General
 ColumnCount: 2
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 ColumnWidths: 0;810
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: begin month of quarter
 DisplayControl: Combo Box
 GUID: {guid {04F2697A-8DCB-4D52-A66C-8DBFF26933B6}}
 LimitToList: True
 ListRows: 8

ListWidth: 810twip
 OrdinalPosition: 4
 Required: False
 RowSource: SELECT Months.ID, Months.Month FROM Months;
 RowSourceType: Table/Query
 SourceField: qtrbeginmonth
 SourceTable: Quarters

qtrendday Long Integer 4

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: end day of quarter
 DisplayControl: Text Box
 GUID: {guid {3DC1190D-A348-4F78-BD45-BF7B9253863B}}
 OrdinalPosition: 5
 Required: False
 SourceField: qtrendday
 SourceTable: Quarters

qtrendmonth Long Integer 4

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 Caption: qtrend
 CollatingOrder: General
 ColumnCount: 2
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1170
 ColumnWidths: 0;810
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: end month of quarter
 DisplayControl: Combo Box
 GUID: {guid {5B81CB32-EECB-4688-919B-C14F50153BBD}}
 LimitToList: True
 ListRows: 8
 ListWidth: 810twip
 OrdinalPosition: 6
 Required: False
 RowSource: SELECT Months.ID, Months.Month FROM Months;
 RowSourceType: Table/Query
 SourceField: qtrendmonth
 SourceTable: Quarters

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	name of federal fiscal year quarter
DisplayControl:	Text Box
GUID:	{guid {1053239E-2534-4C92-9187-4A91E630BA47}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	7
Required:	False
SourceField:	FYquarter
SourceTable:	Quarters
UnicodeCompression:	True

Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	4
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
qtrID	Ascending
qtrID	1
Clustered:	False
DistinctCount:	4
Foreign:	False
IgnoreNulls:	False
Name:	qtrID
Primary:	False
Required:	False
Unique:	False
Fields:	
qtrID	Ascending

User Permissions

- admin
- aizaz
- andrew
- bessie
- chris

corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

AlternateBackShade:	100	AlternateBackThemeColorIn	-1
AlternateBackTint:	100	Attributes:	Linked
BackShade:	100	BackTint:	100
Connect:	;DATABASE=C:\Users\kbanks\Dime_Local\DIME RAA.mdb		DatasheetForeThemeColorIn -1
DatasheetGridlinesThemeCol	-1	DateCreated:	11/5/2014 6:19:53 PM
DefaultView:	2	DisplayViewsOnSharePointSi	1
Filter:	([RAA].[CompliancePointID]=28862)		FilterOnLoad: False
GUID:	{guid {1CE0F5D4-10EB-4CE3-990E-2F8B6FCBFF9C}}	HideNewField:	False
LastUpdated:	11/5/2014 6:19:53 PM	NameMap:	Long binary data
OrderBy:	[RAA].[Lastupdate] DESC, [RAA].[DateCreated] DESC, [RAA].[QuarterEnddate] DESC, [RAA].[MCLgreaterRAASince] DESC, [RAA].[NeedtoRecalculate], [RAA].[RAA] DESC, [RAA].[DontCalc]	OrderByOn:	True
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	-1	SourceTableName:	RAA
ThemeFontIndex:	-1	TotalsRow:	False
Updatable:	False		

Columns

Name	Type	Size
CompliancePointID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1305	
CurrencyLCID:	0	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	internal DIME Compliance Point identifier, lookup in table Compliance Points	
DisplayControl:	Text Box	
OrdinalPosition:	0	
Required:	True	
ResultType:	0	
SourceField:	CompliancePointID	
SourceTable:	RAA	
TextAlign:	General	

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1725
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Last day of quarter from which the RAA is calculated, found with QuarterLastDay(SampleDate)
 Format: Short Date
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 1
 Required: True
 ResultType: 0
 ShowDatePicker: For dates
 SourceField: QuarterEnddate
 SourceTable: RAA
 TextAlign: General

RAA

Double

8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 3165
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Running Annual Average, recalculated as per RAA guidance periodically when data associated with CompliancePointID is changed, as indicated by Checkbox
 DisplayControl: Text Box
 OrdinalPosition: 2
 Required: False
 ResultType: 0
 SourceField: RAA
 SourceTable: RAA
 TextAlign: General

NeedtoRecalculate

Yes/No

1

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False

ColumnOrder: Default
 ColumnWidth: 1620
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Flag that indicates this RAA needs to be recalculated.
 DisplayControl: 106
 Format: Yes/No
 OrdinalPosition: 3
 Required: False
 ResultType: 0
 SourceField: NeedtoRecalculate
 SourceTable: RAA
 TextAlign: General

Lastupdate Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2655
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Date of Last Update
 Format: General Date
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False
 ResultType: 0
 ShowDatePicker: For dates
 SourceField: Lastupdate
 SourceTable: RAA
 TextAlign: General

CurrentUpdateUser Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1035
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Current User At Time of Update
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 5
 Required: False
 ResultType: 0

SourceField: CurrentUpdateUser
SourceTable: RAA
TextAlign: General
UnicodeCompression: True

DateCreated Date With Time 8

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 2550
CurrencyLCID: 0
DataUpdatable: False
Description: Date that record was created.
Format: General Date
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 6
Required: False
ResultType: 0
ShowDatePicker: For dates
SourceField: DateCreated
SourceTable: RAA
TextAlign: General

CreatedBy Short Text 50

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
CurrencyLCID: 0
DataUpdatable: False
Description: Created by user
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 7
Required: False
ResultType: 0
SourceField: CreatedBy
SourceTable: RAA
TextAlign: General
UnicodeCompression: True

DontCalc Yes/No 1

AggregateType: -1
AllowZeroLength: False
AppendOnly: False

Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 DisplayControl: 106
 Format: Yes/No
 OrdinalPosition: 8
 Required: False
 ResultType: 0
 SourceField: DontCalc
 SourceTable: RAA
 TextAlign: General

MCLgreaterRAASince Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: number represents the quarter has been passed since the first instance
 DisplayControl: Text Box
 OrdinalPosition: 9
 Required: False
 ResultType: 0
 SourceField: MCLgreaterRAASince
 SourceTable: RAA
 TextAlign: General

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
PrimaryKey	2
Clustered:	False
DistinctCount:	1828934
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
CompliancePointID	Ascending
QuarterEnddate	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	7/23/2007 12:57:04 PM	DefaultView:	2
GUID:	{guid {F12D9EF6-DB63-4E45-BB4E-B98E4BF39189}}	LastUpdated:	7/23/2007 12:57:28 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	2
SubDataSheetName:	[Auto]	Updatable:	True

Columns

Name	Type	Size
ID	Long Integer	4
AllowZeroLength: False AppendOnly: False Attributes: Fixed Size, Auto-Increment CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False GUID: {guid {8C07293B-768A-4E9D-958C-993054C7C8D1}} OrdinalPosition: 0 Required: False SourceField: ID SourceTable: ResultCodes		
ResultDescription	Short Text	25
AllowZeroLength: False AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: 1800 DataUpdatable: False Description: Simplified result DisplayControl: Text Box GUID: {guid {6F5E937E-84A4-4BE0-A8C2-AA657E762230}} IMEMode: 0 IMESentenceMode: 3 OrdinalPosition: 1 Required: False SourceField: ResultDescription SourceTable: ResultCodes UnicodeCompression: True		
Equivalents	Short Text	50
AllowZeroLength: False AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False		

ColumnOrder:	Default
ColumnWidth:	1770
DataUpdatable:	False
Description:	Equivalent results
DisplayControl:	Text Box
GUID:	{guid {72E0AFFD-0CE2-45F8-B25A-9283A3BAEAD4}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	2
Required:	False
SourceField:	Equivalentents
SourceTable:	ResultCodes
UnicodeCompression:	True

Table Indexes

Name	Number of Fields
ID	1
Clustered:	False
DistinctCount:	2
Foreign:	False
IgnoreNulls:	False
Name:	ID
Primary:	False
Required:	False
Unique:	True
Fields:	
ResultDescription	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	2
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
ID	Ascending

User Permissions

- admin
- aizaz
- andrew
- bessie
- chris
- corine
- daria
- designer
- dschmidt
- Emmanuelle

everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\ Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:52 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {CF3E25AF-8A58-4BA0- 89DA-EE2A9257F95F}}	HideNewField:	False
LastUpdated:	11/5/2014 6:19:52 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	Samples	TotalsRow:	False
Updatable:	False		

Columns

Name	Type	Size
SAMPLESID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal DIME Sample identifier	
GUID:	{guid {52C2CF13-D2A4-4A7D-9C70-A9EB58F69B2C}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	SAMPLESID	
SourceTable:	Samples	
TextAlign:	General	
FACID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	internal DIME Public Water System identifier	
DisplayControl:	Text Box	
GUID:	{guid {D68A28A8-7680-470C-B100-5711255E2193}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	FACID	
SourceTable:	Samples	

TextAlign:	General		
SAMPLEID		Short Text	20
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	3852		
DataUpdatable:	False		
Description:	REQUIRED SDWIS SAMPLEID, 20 characters, universally unique. DIME format: "0400042" & "PB" & "1/1/2005" & "b" [optional]		
DisplayControl:	Text Box		
GUID:	{guid {CF583D0E-DC2D-4E65-9BB3-1D3A94B11B00}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	2		
Required:	False		
SourceField:	SAMPLEID		
SourceTable:	Samples		
TextAlign:	General		
UnicodeCompression:	False		
SubFacilityUUID		Short Text	20
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1584		
DataUpdatable:	False		
Description:	DIME Universally Unique ID		
DisplayControl:	Text Box		
GUID:	{guid {F462D688-7C09-4793-AADB-353ABC0C0A4A}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	3		
Required:	False		
SourceField:	SubFacilityUUID		
SourceTable:	Samples		
TextAlign:	General		
UnicodeCompression:	False		
SAMPLECOLLDATE		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		

ColumnWidth: 1956
DataUpdatable: False
Description: Date sample was collected
GUID: {guid {3AB18A18-1BE6-49BB-8CE9-C41C2C803652}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 4
Required: False
ShowDatePicker: For dates
SourceField: SAMPLECOLLDATE
SourceTable: Samples
TextAlign: General

SAMPLEMONBEGINDATE Date With Time 8

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Monitoring period begin date
GUID: {guid {A6B65EF0-40F1-42CC-9FE0-07A8E2CCD584}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 5
Required: False
ShowDatePicker: For dates
SourceField: SAMPLEMONBEGINDATE
SourceTable: Samples
TextAlign: General

SAMPLEMONENDDATE Date With Time 8

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Monitoring period end date
GUID: {guid {ED2ED521-1ECC-4B08-8F80-349E9257513A}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 6
Required: False
ShowDatePicker: For dates
SourceField: SAMPLEMONENDDATE
SourceTable: Samples
TextAlign: General

FACWATERTYPE		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	A code value which indicates the type of source from which an unregulated contaminant monitoring sample was taken.		
DisplayControl:	Text Box		
GUID:	{guid {6F5205A1-E617-4AAD-BBF6-D68A585EBE28}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	7		
Required:	False		
SourceField:	FACWATERTYPE		
SourceTable:	Samples		
TextAlign:	General		
UnicodeCompression:	False		

SAMPLECOMPOSITEQTY		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	number of samples in composite (if applicable)		
DisplayControl:	Text Box		
GUID:	{guid {85C4E344-345B-45B7-80B3-C6C40FFEDCE1}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	8		
Required:	False		
SourceField:	SAMPLECOMPOSITEQTY		
SourceTable:	Samples		
TextAlign:	General		
UnicodeCompression:	False		

SRCTRRCODE		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		

Description: source water treatment code
 DisplayControl: Text Box
 GUID: {guid {D35326C4-10E7-47EB-A4A4-CCC1323D5A47}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 9
 Required: False
 SourceField: SRCTRTCODE
 SourceTable: Samples
 TextAlign: General
 UnicodeCompression: False

SAMPLESTATEASGNID Short Text 20

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2292
 DataUpdatable: False
 Description: EventID, used to link Samples table to the Chemicals table, allowing for updates to Samples table when Chemicals changes.
 DisplayControl: Text Box
 GUID: {CE9A7999-2128-43F1-833A-763B84F35BE4}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 10
 Required: False
 SourceField: SAMPLESTATEASGNID
 SourceTable: Samples
 TextAlign: General
 UnicodeCompression: False

FIRSTREPORTEDDATE Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2268
 DataUpdatable: False
 Description: Date that Sample and Result was first reported to ODS
 GUID: {guid {B9C10705-3175-4572-99D3-B18A7C412619}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 11
 Required: False
 ShowDatePicker: For dates
 SourceField: FIRSTREPORTEDDATE
 SourceTable: Samples
 TextAlign: General

contid		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	internal DIME contaminant code		
DisplayControl:	Text Box		
GUID:	{guid {B7CD4C0F-33BF-4D6A-B38D-542F3BA7350F}}		
OrdinalPosition:	12		
Required:	False		
SourceField:	contid		
SourceTable:	Samples		
TextAlign:	General		
SAMPLANALMETHOD		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2124		
DataUpdatable:	False		
Description:	analytical method code		
DisplayControl:	Text Box		
GUID:	{guid {779FEF08-1191-48BF-A3D4-5D39A3134712}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	13		
Required:	False		
SourceField:	SAMPLANALMETHOD		
SourceTable:	Samples		
TextAlign:	General		
UnicodeCompression:	False		
RESULTSIGN		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1356		
DataUpdatable:	False		
Description:	= or <		
DisplayControl:	Text Box		
GUID:	{guid {5C6F9E43-D155-44AB-91F7-0AD79414A677}}		

IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 14
 Required: False
 SourceField: RESULTSIGN
 SourceTable: Samples
 TextAlign: General
 UnicodeCompression: False

NumericalResult Double 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1548
 DataUpdatable: False
 DecimalPlaces: 8
 Description: numerical result of sample analysis
 DisplayControl: Text Box
 GUID: {guid {7A509A72-26C6-4153-8222-F79E79197F4C}}
 OrdinalPosition: 15
 Required: False
 SourceField: NumericalResult
 SourceTable: Samples
 TextAlign: General

UNITMEASURE Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 3
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1524
 ColumnWidths: 0;2655;1380
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME Units identifier, lookup in table Units
 DisplayControl: Combo Box
 GUID: {guid {30B91D3C-FDE5-495E-BC87-19B7A791382C}}
 LimitToList: True
 ListRows: 8
 ListWidth: 4035twip
 OrdinalPosition: 16
 Required: False
 RowSource: SELECT Units.NumUnitID, Units.UnitDescription,
 Units.UnitAbbreviation FROM Units ORDER BY [UnitAbbreviation];
 RowSourceType: Table/Query

ShowOnlyRowSourceValues: False
SourceField: UNITMEASURE
SourceTable: Samples
TextAlign: General

PbCuMilestone Long Integer 4

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
Description: internal DIME PbCu Milestone identifier, lookup in table LeadCopperMilestones
DisplayControl: Text Box
GUID: {guid {AD7B29FE-7782-4883-AE25-A17FD59F6ADB}}
OrdinalPosition: 17
Required: False
SourceField: PbCuMilestone
SourceTable: Samples
TextAlign: General

DateCreated Date With Time 8

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 2025
DataUpdatable: False
Description: Date that record was added to the table
GUID: {guid {A9C79A95-81C8-49C2-B596-0A2FAE318DE3}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 18
Required: False
ShowDatePicker: For dates
SourceField: DateCreated
SourceTable: Samples
TextAlign: General

Lastupdate Date With Time 8

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default

ColumnWidth: 2025
 DataUpdatable: False
 Description: Date of Last Update
 Format: General Date
 GUID: {guid {5BE856E3-0558-4162-AA96-7D2A8AABB736}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 19
 Required: False
 ShowDatePicker: For dates
 SourceField: Lastupdate
 SourceTable: Samples
 TextAlign: General

CurrentUpdateUser Short Text 50
 AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1824
 DataUpdatable: False
 Description: Current User At Time of Update
 DisplayControl: Text Box
 GUID: {guid {71A1802A-8750-4298-A742-D4F96B868366}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 20
 Required: False
 SourceField: CurrentUpdateUser
 SourceTable: Samples
 TextAlign: General
 UnicodeCompression: True

Table Indexes

Name	Number of Fields
contid	1
Clustered:	False
DistinctCount:	2
Foreign:	False
IgnoreNulls:	False
Name:	contid
Primary:	False
Required:	False
Unique:	False
Fields:	
contid	Ascending
FACID	1
Clustered:	False
DistinctCount:	366
Foreign:	False

IgnoreNulls:	False
Name:	FACID
Primary:	False
Required:	False
Unique:	False
Fields:	
FACID	Ascending
NumericalResult	1
Clustered:	False
DistinctCount:	1310
Foreign:	False
IgnoreNulls:	False
Name:	NumericalResult
Primary:	False
Required:	False
Unique:	False
Fields:	
NumericalResult	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	4200
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
SAMPLESID	Ascending
SAMPLEID	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	SAMPLEID
Primary:	False
Required:	False
Unique:	False
Fields:	
SAMPLEID	Ascending
SAMPLESID	1
Clustered:	False
DistinctCount:	4200
Foreign:	False
IgnoreNulls:	False
Name:	SAMPLESID
Primary:	False
Required:	False
Unique:	False
Fields:	
SAMPLESID	Ascending
SAMPLESTATEASGNID	1
Clustered:	False

DistinctCount:	2056
Foreign:	False
IgnoreNulls:	False
Name:	SAMPLESTATEASGNID
Primary:	False
Required:	False
Unique:	False
Fields:	
SAMPLESTATEASGNID	Ascending
SRCTRTCODE	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	SRCTRTCODE
Primary:	False
Required:	False
Unique:	False
Fields:	
SRCTRTCODE	Ascending
SubFacilityUUID	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	SubFacilityUUID
Primary:	False
Required:	False
Unique:	False
Fields:	
SubFacilityUUID	Ascending

User Permissions

- admin
- aizaz
- andrew
- bessie
- chris
- corine
- daria
- designer
- dschmidt
- Emmanuelle
- everett
- guest
- helen
- hillary
- jack
- jamelya
- Jason
- jelani

jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	7/23/2007 12:57:05 PM	DefaultView:	2
GUID:	{guid {C3E55739-42B1-4BF1-A204-1E5083377473}}	LastUpdated:	12/2/2009 4:00:31 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	5
Updatable:	True		

Columns

Name	Type	Size
ID	Long Integer	4
AllowZeroLength: False AppendOnly: False Attributes: Fixed Size, Auto-Increment CollatingOrder: General ColumnHidden: False ColumnOrder: 1 ColumnWidth: Default DataUpdatable: False GUID: {guid {6B834782-C4BF-420B-B8B6-0FA109ECD461}} OrdinalPosition: 0 Required: False SourceField: ID SourceTable: sampletypes		
sampletype	Short Text	50
AllowZeroLength: True AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: 1935 DataUpdatable: False DisplayControl: Text Box GUID: {guid {F07C7834-D092-4195-8794-C3428A37BB0C}} IMEMode: 0 IMESentenceMode: 3 OrdinalPosition: 1 Required: False SourceField: sampletype SourceTable: sampletypes UnicodeCompression: True		
AAtypeCode	Short Text	50
AllowZeroLength: True AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default		

ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {6DC92FBA-F9E1-422E-843F-F07FB2AE62CD}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	2
Required:	False
SourceField:	AAtypeCode
SourceTable:	sampletypes
UnicodeCompression:	True

Table Indexes

Name	Number of Fields
AAtypeCode	1
Clustered:	False
DistinctCount:	3
Foreign:	False
IgnoreNulls:	False
Name:	AAtypeCode
Primary:	False
Required:	False
Unique:	False
Fields:	
AAtypeCode	Ascending
ID	1
Clustered:	False
DistinctCount:	5
Foreign:	False
IgnoreNulls:	False
Name:	ID
Primary:	False
Required:	False
Unique:	False
Fields:	
ID	Ascending

User Permissions

- admin
- aizaz
- andrew
- bessie
- chris
- corine
- daria
- designer
- dschmidt
- Emmanuelle
- everett
- guest

helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

AlternateBackShade:	100	AlternateBackThemeColorIn	-1
AlternateBackTint:	100	Attributes:	Linked
BackShade:	100	BackTint:	100
Connect:	;DATABASE=C:\Users\kbanks\Dime_Local\DIME_be.mdb		
DatasheetGridlinesThemeCol	-1	DateCreated:	11/5/2014 6:19:52 PM
DefaultView:	2	DisplayViewsOnSharePointSi	1
Filter:	([Lookup_FACID].[ALTERNATE_FILTER].[ST_NUM]="0400029")		
FilterOnLoad:	False		
GUID:	{guid {8216D9BF-CC4C-4633-8256-3A90D78DCCF9}}	HideNewField:	False
LastUpdated:	11/5/2014 6:19:52 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	SanitarySurveys	SubDataSheetName:	[Auto]
ThemeFontIndex:	-1	TotalsRow:	False
Updatable:	False		

Columns

Name	Type	Size
SanitarySurveyID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	internal ID, key field of table tblSanitarySurvey	
GUID:	{guid {5041E575-20A7-4EC3-9A64-5AA8B715E81F}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	SanitarySurveyID	
SourceTable:	SanitarySurveys	
TextAlign:	General	
FACID	Long Integer	4
AggregateType:	-1	
AllowValueListEdits:	False	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
BoundColumn:	1	
Caption:	FACID	
CollatingOrder:	General	
ColumnCount:	3	
ColumnHeads:	False	

ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 ColumnWidths: 0;1008;2880
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal ID, key field of table Facility Information
 DisplayControl: Combo Box
 GUID: {guid {7B289018-EB81-4A0F-8AF3-45A484F43282}}
 LimitToList: True
 ListRows: 25
 ListWidth: 3888twip
 OrdinalPosition: 1
 Required: False
 RowSource: SELECT [Facility Information].FACID, [Facility Information].ALTERNATE_ST_NUM, [Facility Information].PWSSNAME FROM [Facility Information];
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: FACID
 SourceTable: SanitarySurveys
 TextAlign: General

InspectionDate Date With Time 8
 AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Date of sanitary survey inspection, if multiple days, use date of completion
 Format: General Date
 GUID: {guid {F65F79C4-2F75-48CE-943C-098BEC575892}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: InspectionDate
 SourceTable: SanitarySurveys
 TextAlign: General

InspectionType Long Integer 4
 AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General

ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
CurrencyLCID: 0
DataUpdatable: False
DecimalPlaces: Auto
Description: connected to a lookup table lkpInspectionType
DisplayControl: Text Box
GUID: {guid {7ADBD131-C956-4C14-AE5F-3C1CC33553C1}}
OrdinalPosition: 3
Required: False
SourceField: InspectionType
SourceTable: SanitarySurveys
TextAlign: General

ConsultationDate Date With Time 8

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
CurrencyLCID: 0
DataUpdatable: False
Description: Consultation Date
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 4
Required: False
SourceField: ConsultationDate
SourceTable: SanitarySurveys
TextAlign: General

DatePlanSubmitted Date With Time 8

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
CurrencyLCID: 0
DataUpdatable: False
Description: Date Plan Submitted
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 5
Required: False
SourceField: DatePlanSubmitted
SourceTable: SanitarySurveys
TextAlign: General

PrimaryInspector		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
BoundColumn:	1		
Caption:	PrimaryInspector		
CollatingOrder:	General		
ColumnCount:	3		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1770		
ColumnWidths:	0;2880		
CurrencyLCID:	0		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	lookup in table Contacts		
DisplayControl:	Text Box		
GUID:	{guid {B06F2DC6-76BC-4D56-A55B-45B80A55CCF3}}		
LimitToList:	True		
ListRows:	25		
ListWidth:	2880twip		
OrdinalPosition:	6		
Required:	False		
RowSource:	SELECT qryConwithHistorical.ContactID, qryConwithHistorical.LASTFIRST FROM qryConwithHistorical;		
RowSourceType:	Table/Query		
SourceField:	PrimaryInspector		
SourceTable:	SanitarySurveys		
TextAlign:	General		

SecondaryInspector		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
Caption:	SecondaryInspector		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	885		
CurrencyLCID:	0		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	lookup in table Contacts		
DisplayControl:	Text Box		
GUID:	{guid {BCCE211E-8D8E-48F5-8D5D-21C2FCCF01DE}}		
OrdinalPosition:	7		
Required:	False		
SourceField:	SecondaryInspector		
SourceTable:	SanitarySurveys		
TextAlign:	General		

PrimarySystemRep		Long Integer	4
------------------	--	--------------	---

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 Caption: PrimarySystemRep
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 885
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: lookup in table Contacts
 DisplayControl: Text Box
 GUID: {guid {60A3420C-BA9B-4FAF-8B72-6C4DC6545680}}
 OrdinalPosition: 8
 Required: False
 SourceField: PrimarySystemRep
 SourceTable: SanitarySurveys
 TextAlign: General

SecondarySystemRep Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 Caption: SecondarySystemRep
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 885
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: lookup in table Contacts
 DisplayControl: Text Box
 GUID: {guid {A62853CF-E8EF-4D95-B065-7BBDB22DA53C}}
 OrdinalPosition: 9
 Required: False
 SourceField: SecondarySystemRep
 SourceTable: SanitarySurveys
 TextAlign: General

PrimaryLocalRep Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 Caption: PrimaryLocalRep
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 885
 CurrencyLCID: 0
 DataUpdatable: False

DecimalPlaces: Auto
 Description: lookup in table Contacts
 DisplayControl: Text Box
 GUID: {guid {A2BCD5AB-F7B5-4385-8CDC-AE5D1FB9061C}}
 OrdinalPosition: 10
 Required: False
 SourceField: PrimaryLocalRep
 SourceTable: SanitarySurveys
 TextAlign: General

SecondaryLocalRep Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 Caption: SecondaryLocalRep
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 885
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: lookup in table Contacts
 DisplayControl: Text Box
 GUID: {guid {63DB336F-56F9-474A-98F4-D3EE5E903A41}}
 OrdinalPosition: 11
 Required: False
 SourceField: SecondaryLocalRep
 SourceTable: SanitarySurveys
 TextAlign: General

SSNotes Long Text -

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1320
 CurrencyLCID: 0
 DataUpdatable: False
 Description: General notes about the sanitary survey (most important issues or impressions)
 GUID: {guid {7508CDE9-41E0-488E-8950-464C2003F794}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 12
 Required: False
 SourceField: SSNotes
 SourceTable: SanitarySurveys
 TextAlign: General
 UnicodeCompression: True

AvgResidentPop		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Average full-time resident population of PWS		
DisplayControl:	Text Box		
GUID:	{guid {E8E5DBA8-6BF5-4DD9-AA67-88CD2CE329AB}}		
OrdinalPosition:	13		
Required:	False		
SourceField:	AvgResidentPop		
SourceTable:	SanitarySurveys		
TextAlign:	General		
AvgNonTransPop		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Average daily non-transient population of PWS (such as the number of employees + students at a college)		
DisplayControl:	Text Box		
GUID:	{guid {9CC11B11-5FE9-4C50-8A61-E58C6FA29B1F}}		
OrdinalPosition:	14		
Required:	False		
SourceField:	AvgNonTransPop		
SourceTable:	SanitarySurveys		
TextAlign:	General		
AvgTransPop		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
DecimalPlaces:	Auto		

Description: Average daily transient population of PWS (such as average number of daily visitors to a casino)
 DisplayControl: Text Box
 GUID: {guid {61DFE273-DFE6-4C42-A826-F3650AACB5FB}}
 OrdinalPosition: 15
 Required: False
 SourceField: AvgTransPop
 SourceTable: SanitarySurveys
 TextAlign: General

OffAvgResidentPop Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Off-season (if applicable) Average full-time resident population of PWS
 DisplayControl: Text Box
 GUID: {guid {D9954077-DF24-4D10-8D58-A33291E17874}}
 OrdinalPosition: 16
 Required: False
 SourceField: OffAvgResidentPop
 SourceTable: SanitarySurveys
 TextAlign: General

OffAvgNonTransPop Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Off-season (if applicable) Average daily non-transient population of PWS (such as the number of employees + students at a college)
 DisplayControl: Text Box
 GUID: {guid {23F47B7A-8C1E-4220-8D7E-A461C9E0BFD4}}
 OrdinalPosition: 17
 Required: False
 SourceField: OffAvgNonTransPop
 SourceTable: SanitarySurveys
 TextAlign: General

OffAvgTransPop Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Off-season (if applicable) Average daily transient population of PWS (such as average number of daily visitors to a casino)
 DisplayControl: Text Box
 GUID: {guid {F8AA65A1-0F27-440D-961D-0E1C3020B0C9}}
 OrdinalPosition: 18
 Required: False
 SourceField: OffAvgTransPop
 SourceTable: SanitarySurveys
 TextAlign: General

NumberOffSeasonMonths Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: number of months considered off-season for an averaged population, default to 0 and therefore Avg populations determine final population
 DisplayControl: Text Box
 GUID: {guid {F62BF9C3-C145-4F4F-9B52-CFC19135006B}}
 OrdinalPosition: 19
 Required: False
 SourceField: NumberOffSeasonMonths
 SourceTable: SanitarySurveys
 TextAlign: General

SSserviceconnections Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False

DecimalPlaces: Auto
 Description: number of service connections reported to surveyor during inspection.
 DisplayControl: Text Box
 GUID: {guid {52A329FC-83E1-4665-90D4-C6D2A0C75FC9}}
 OrdinalPosition: 20
 Required: False
 SourceField: SServiceconnections
 SourceTable: SanitarySurveys
 TextAlign: General

SystemClassbySurveyor Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 2
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 ColumnWidths: 0;2955
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: lookup in table SystemClassifications
 DisplayControl: Combo Box
 GUID: {guid {3C54FF52-DEAA-4052-9A8D-E56F2E9EF582}}
 LimitToList: True
 ListRows: 8
 ListWidth: 2955twip
 OrdinalPosition: 21
 Required: False
 RowSource: SELECT FacilityClassifications.sysclassID,
 FacilityClassifications.Classification FROM FacilityClassifications;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: SystemClassbySurveyor
 SourceTable: SanitarySurveys
 TextAlign: General

ConsecutiveConnection Yes/No 1

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: did the surveyor observe a consecutive connection? (including

trucked sources of purchased water)
 DisplayControl: 106
 Format: Yes/No
 GUID: {guid {FC38E56C-A8C5-47AF-ABF1-19C431EA2D10}}
 OrdinalPosition: 22
 Required: False
 SourceField: ConsecutiveConnection
 SourceTable: SanitarySurveys
 TextAlign: General

ConsecutiveConnectionPWSID Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: 9-digit PWS ID# (State, Territorial or Tribal) (typed)
 DisplayControl: Text Box
 GUID: {guid {252A38BD-4155-4F68-8AC3-716652B3B798}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 23
 Required: False
 SourceField: ConsecutiveConnectionPWSID
 SourceTable: SanitarySurveys
 TextAlign: General
 UnicodeCompression: True

RateRecordkeeping Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: rate their SDWA data recordkeeping status 5=totally complete,
 4=nearly complete, 3=mostly complete, 2=half there half not,
 1=pretty much minimum, 0=Nothing
 DisplayControl: Text Box
 GUID: {guid {1715EDD6-EB11-48BE-AFD5-EA1F8D4400DB}}
 OrdinalPosition: 24
 Required: False
 SourceField: RateRecordkeeping
 SourceTable: SanitarySurveys
 TextAlign: General

NotificationDate		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
Description:	Date system operator notified of deficiencies.		
Format:	General Date		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	25		
Required:	False		
SourceField:	NotificationDate		
SourceTable:	SanitarySurveys		
TextAlign:	General		

FinalReportDate		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
Description:	Date report is finalized		
Format:	General Date		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	26		
Required:	False		
SourceField:	FinalReportDate		
SourceTable:	SanitarySurveys		
TextAlign:	General		

Lastupdate		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2145		
CurrencyLCID:	0		
DataUpdatable:	False		
Description:	Date of Last Update		
Format:	General Date		

GUID: {guid {ED8D845F-6697-42BB-AE5C-C35B02EED1DB}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 27
 Required: False
 SourceField: Lastupdate
 SourceTable: SanitarySurveys
 TextAlign: General

CurrentUpdateUser Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Current User At Time of Update
 DisplayControl: Text Box
 GUID: {guid {3CE1A391-5F4F-46FC-9109-5BB03D4D72AD}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 28
 Required: False
 SourceField: CurrentUpdateUser
 SourceTable: SanitarySurveys
 TextAlign: General
 UnicodeCompression: True

DATE_RECEIVED Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 DefaultValue: =Date()
 Description: date lab report received by EPA
 Format: Short Date
 GUID: {guid {EEBC4666-87D7-4498-A199-D4AA7E0AA6B1}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 29
 Required: False
 SourceField: DATE_RECEIVED
 SourceTable: SanitarySurveys
 TextAlign: General

ReceivedBy		Short Text	50
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
Description:	QA		
DisplayControl:	Text Box		
GUID:	{guid {5DAA0F6F-9439-4BC7-8300-118F94D6FCAA}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	30		
Required:	False		
SourceField:	ReceivedBy		
SourceTable:	SanitarySurveys		
TextAlign:	General		
UnicodeCompression:	True		

DateCreated		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2145		
CurrencyLCID:	0		
DataUpdatable:	False		
DefaultValue:	=Now()		
Description:	automatically entered on update of record		
Format:	General Date		
GUID:	{guid {C624C254-286F-4A9E-AA15-E3D757C377BF}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	31		
Required:	False		
SourceField:	DateCreated		
SourceTable:	SanitarySurveys		
TextAlign:	General		

CreatedBy		Short Text	50
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		

CurrencyLCID: 0
DataUpdatable: False
Description: Created by User
DisplayControl: Text Box
GUID: {guid {70BA34AC-EB58-4BFD-8B62-FE164CB3C678}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 32
Required: False
SourceField: CreatedBy
SourceTable: SanitarySurveys
TextAlign: General
UnicodeCompression: True

DateQA Date With Time 8

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 2145
CurrencyLCID: 0
DataUpdatable: False
Description: date of qa
Format: General Date
GUID: {guid {C28EFC3A-557A-4D86-A6DB-C019928DB12B}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 33
Required: False
SourceField: DateQA
SourceTable: SanitarySurveys
TextAlign: General


QAUser Short Text 50

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
CurrencyLCID: 0
DataUpdatable: False
Description: qa user
DisplayControl: Text Box
GUID: {guid {7055673D-9583-49B4-8886-6F40CD4A3A9B}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 34
Required: False
SourceField: QAUser

SourceTable:	SanitarySurveys		
TextAlign:	General		
UnicodeCompression:	True		
StatusID		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	internal DIME Status identifier, lookup in table QAStatus		
DisplayControl:	Text Box		
GUID:	{guid {AE93C261-D118-4E85-8E0C-77AF36A74345}}		
OrdinalPosition:	35		
Required:	False		
SourceField:	StatusID		
SourceTable:	SanitarySurveys		

Relationships

Facility InformationSanitarySurveys



Attributes: Not Enforced, Inherited
 RelationshipType: One-To-Many (External)

Table Indexes

Name	Number of Fields
FACID	1
Clustered:	False
DistinctCount:	409
Foreign:	False
IgnoreNulls:	False
Name:	FACID
Primary:	False
Required:	False
Unique:	False
Fields:	
FACID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	1294
Foreign:	False
IgnoreNulls:	False

Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
SanitarySurveyID	Ascending
SanitarySurveyID	1
Clustered:	False
DistinctCount:	1294
Foreign:	False
IgnoreNulls:	False
Name:	SanitarySurveyID
Primary:	False
Required:	False
Unique:	True
Fields:	
SanitarySurveyID	Ascending

User Permissions

- admin
 - aizaz
 - andrew
 - bessie
 - chris
 - corine
 - daria
 - designer
 - dschmidt
 - Emmanuelle
 - everett
 - guest
 - helen
 - hillary
 - jack
 - jamelya
 - Jason
 - jelani
 - jennifer
 - jimh
 - judy
 - karl
 - kirk
 - lawonda
 - linda
 - max
 - michael
 - myrt
 - navajo
 - raymond
 - roberto
- Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

AlternateBackShade:	100	AlternateBackThemeColorIn	-1
AlternateBackTint:	100	Attributes:	Linked
BackShade:	100	BackTint:	100
Connect:	;DATABASE=C:\Users\kbanks\Dime_Local\DIME_be.mdb	DatasheetForeThemeColorIn	-1
DatasheetGridlinesThemeCol	-1	DateCreated:	11/5/2014 6:19:52 PM
DefaultView:	2	DisplayViewsOnSharePointSi	1
FilterOnLoad:	False	GUID:	{guid {41B29C8D-AE7A-40F2-BC3B-161A1F05E645}}
HideNewField:	False	LastUpdated:	11/5/2014 6:19:52 PM
NameMap:	Long binary data	OrderBy:	ServiceAreas.POcontactID
OrderByOn:	True	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	ServiceAreas	SubDataSheetName:	[Auto]
ThemeFontIndex:	-1	TotalsRow:	False
Updatable:	False		

Columns

Name	Type	Size
UnitID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1305	
CurrencyLCID:	0	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	internal DIME Service Area identifier	
DisplayControl:	Text Box	
GUID:	{guid {234D081C-5847-4D74-9C3C-4A1B10D20418}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	UnitID	
SourceTable:	ServiceAreas	
TextAlign:	General	
ServiceAreaName	Short Text	255
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2370	
CurrencyLCID:	0	

DataUpdatable: False
 Description: Name of Service Area Field Office
 DisplayControl: Text Box
 GUID: {guid {C47B5C58-4B9F-4F01-B7A9-D75A4EC4A813}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 1
 Required: False
 SourceField: ServiceAreaName
 SourceTable: ServiceAreas
 TextAlign: General
 UnicodeCompression: False

ServiceArea Short Text 255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1530
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Name of Service Area
 DisplayControl: Text Box
 GUID: {guid {7176FF82-630F-4C75-A694-1DACAC5FDC3E}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: ServiceArea
 SourceTable: ServiceAreas
 TextAlign: General
 UnicodeCompression: True

District Short Text 255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1725
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Name of District
 DisplayControl: Text Box
 GUID: {guid {80D93729-3668-455F-A66A-667A2210916A}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: District

SourceTable:	ServiceAreas		
TextAlign:	General		
UnicodeCompression:	True		
ServiceAreaDirector		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	270		
CurrencyLCID:	0		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Service Area Director, internal DIME contact identifier, lookup in table Contacts		
DisplayControl:	Text Box		
GUID:	{guid {097CB64C-A0E1-4331-B2FE-1FDF75CC74FE}}		
OrdinalPosition:	4		
Required:	False		
SourceField:	ServiceAreaDirector		
SourceTable:	ServiceAreas		
TextAlign:	General		
DistrictEngineer		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	270		
CurrencyLCID:	0		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	District Engineer, internal DIME contact identifier, lookup in table Contacts		
DisplayControl:	Text Box		
GUID:	{guid {23309408-00E7-44BA-89BB-ADFD4C08A0EC}}		
OrdinalPosition:	5		
Required:	False		
SourceField:	DistrictEngineer		
SourceTable:	ServiceAreas		
TextAlign:	General		
FieldEngineer		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		

ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 270
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Field Engineer, internal DIME contact identifier, lookup in table Contacts
 DisplayControl: Text Box
 GUID: {guid {7F6CFF6B-71CF-469D-8825-500A2061C1E5}}
 OrdinalPosition: 6
 Required: False
 SourceField: FieldEngineer
 SourceTable: ServiceAreas
 TextAlign: General

FieldHealthOfficer Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 270
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Field Health Officer, internal DIME contact identifier, lookup in table Contacts
 DisplayControl: Text Box
 GUID: {guid {577C169D-9101-483B-B22A-4C23F2093D1B}}
 OrdinalPosition: 7
 Required: False
 SourceField: FieldHealthOfficer
 SourceTable: ServiceAreas
 TextAlign: General

DIZone Short Text 255

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2130
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Name of Implementation Zone
 DisplayControl: Text Box
 GUID: {guid {B372294F-0CEC-4D20-BA7A-C6D9637A79C6}}
 IMEMode: 0
 IMESentenceMode: 3

OrdinalPosition: 8
 Required: False
 SourceField: DIZone
 SourceTable: ServiceAreas
 TextAlign: General
 UnicodeCompression: False

POcontactID Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Name of Project Officer (PO)
 DisplayControl: Text Box
 GUID: {guid {4BBFCE0C-3B36-4BC0-9B60-6C7FF42E5CD9}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 9
 Required: False
 SourceField: POcontactID
 SourceTable: ServiceAreas
 TextAlign: General
 UnicodeCompression: False

PrimaryCircuitRider Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2235
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Primary Circuit Rider, internal DIME contact identifier, lookup in table Contacts
 DisplayControl: Text Box
 GUID: {guid {81D421E7-1F89-4167-B397-5394F0DF3248}}
 OrdinalPosition: 10
 Required: False
 SourceField: PrimaryCircuitRider
 SourceTable: ServiceAreas
 TextAlign: General

SecondaryCircuitRider Long Integer 4

AggregateType: -1
 AllowZeroLength: False

AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2475
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Secondary Circuit Rider, internal DIME contact identifier, lookup in table Contacts
 DisplayControl: Text Box
 GUID: {guid {62AB83ED-E5EF-4119-8B2F-070139104160}}
 OrdinalPosition: 11
 Required: False
 SourceField: SecondaryCircuitRider
 SourceTable: ServiceAreas
 TextAlign: General

artificialorder Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 720
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: sorting order
 DisplayControl: Text Box
 GUID: {guid {0F611A53-0A69-4923-A98E-826C8DAF3CBF}}
 OrdinalPosition: 12
 Required: False
 SourceField: artificialorder
 SourceTable: ServiceAreas
 TextAlign: General

color1 Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: MS Access color code, primary (State) color
 DisplayControl: Text Box
 GUID: {guid {8380D0AD-62FB-4461-8BF7-14C8EE4B1898}}
 Required: False
 SourceField: color1
 SourceTable: ServiceAreas
 TextAlign: General

	OrdinalPosition:	13		
	Required:	False		
	SourceField:	color1		
	SourceTable:	ServiceAreas		
	TextAlign:	General		
color2			Long Integer	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	CurrencyLCID:	0		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	Description:	MS Access color code, secondary color		
	DisplayControl:	Text Box		
	GUID:	{guid {6DFCF630-A850-4199-AEAC-4C8C906251C3}}		
	OrdinalPosition:	14		
	Required:	False		
	SourceField:	color2		
	SourceTable:	ServiceAreas		
	TextAlign:	General		
color3			Long Integer	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	CurrencyLCID:	0		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	Description:	MS Access color code, stripe color (equal to color2, if no stripe desired)		
	DisplayControl:	Text Box		
	GUID:	{guid {3C1EC62D-FC28-438B-8C1A-12181A93615D}}		
	OrdinalPosition:	15		
	Required:	False		
	SourceField:	color3		
	SourceTable:	ServiceAreas		
	TextAlign:	General		
AreaAddress1			Short Text	80
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		

ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
CurrencyLCID: 0
DataUpdatable: False
Description: Organization Address line 1
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 16
Required: False
SourceField: AreaAddress1
SourceTable: ServiceAreas
TextAlign: General
UnicodeCompression: True

AreaAddress2 Short Text 80

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
CurrencyLCID: 0
DataUpdatable: False
Description: Organization Address line 2
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 17
Required: False
SourceField: AreaAddress2
SourceTable: ServiceAreas
TextAlign: General
UnicodeCompression: True

AreaCity Short Text 50

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
CurrencyLCID: 0
DataUpdatable: False
Description: Organization City
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 18
Required: False

SourceField:	AreaCity		
SourceTable:	ServiceAreas		
TextAlign:	General		
UnicodeCompression:	True		
AreaStateCode		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	internal DIME State Code, lookup in table States		
DisplayControl:	Text Box		
OrdinalPosition:	19		
Required:	False		
SourceField:	AreaStateCode		
SourceTable:	ServiceAreas		
TextAlign:	General		
AreaZip		Short Text	50
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
Description:	Organization Zip Code		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	20		
Required:	False		
SourceField:	AreaZip		
SourceTable:	ServiceAreas		
TextAlign:	General		
UnicodeCompression:	True		
AreaPhone		Short Text	50
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		

ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Organization main phone number
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 21
 Required: False
 SourceField: AreaPhone
 SourceTable: ServiceAreas
 TextAlign: General
 UnicodeCompression: True

AreaFax Short Text 50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Organization fax number
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 22
 Required: False
 SourceField: AreaFax
 SourceTable: ServiceAreas
 TextAlign: General
 UnicodeCompression: True

AreaURL Short Text 50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Organization web address
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 23
 Required: False
 SourceField: AreaURL
 SourceTable: ServiceAreas

TextAlign:	General		
UnicodeCompression:	True		
Lastupdate		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
Description:	Date of Last Update		
Format:	General Date		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	24		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	Lastupdate		
SourceTable:	ServiceAreas		
TextAlign:	General		
CurrentUpdateUser		Short Text	50
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
Description:	Current User At Time of Update		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	25		
Required:	False		
SourceField:	CurrentUpdateUser		
SourceTable:	ServiceAreas		
TextAlign:	General		
UnicodeCompression:	True		
DateCreated		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		

ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Date that record was created.
 Format: General Date
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 26
 Required: False
 ShowDatePicker: For dates
 SourceField: DateCreated
 SourceTable: ServiceAreas
 TextAlign: General

CreatedBy Short Text 50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Created by when the record is created
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 27
 Required: False
 SourceField: CreatedBy
 SourceTable: ServiceAreas
 TextAlign: General
 UnicodeCompression: True

Table Indexes

Name	Number of Fields
OrgStateCode	1
Clustered:	False
DistinctCount:	3
Foreign:	False
IgnoreNulls:	False
Name:	OrgStateCode
Primary:	False
Required:	False
Unique:	False
Fields:	
AreaStateCode	Ascending
POcontactID	1
Clustered:	False
DistinctCount:	7
Foreign:	False

	IgnoreNulls:	False
	Name:	POcontactID
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	POcontactID	Ascending
PrimaryKey		1
	Clustered:	False
	DistinctCount:	35
	Foreign:	False
	IgnoreNulls:	False
	Name:	PrimaryKey
	Primary:	True
	Required:	True
	Unique:	True
	Fields:	
	UnitID	Ascending
UnitID		1
	Clustered:	False
	DistinctCount:	35
	Foreign:	False
	IgnoreNulls:	False
	Name:	UnitID
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	UnitID	Ascending

User Permissions

- admin
- aizaz
- andrew
- bessie
- chris
- corine
- daria
- designer
- dschmidt
- Emmanuelle
- everett
- guest
- helen
- hillary
- jack
- jamelya
- Jason
- jelani
- jennifer
- jimh

judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\ Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:52 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	Filter:	([SourcesGW].[FACID]=103)
FilterOnLoad:	False	GUID:	{guid {9146628C-E61E-4802- 94BB-CB029A750CC1}}
HideNewField:	False	LastUpdated:	11/5/2014 6:19:52 PM
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	-1	SourceTableName:	SourcesGW
SubDataSheetName:	[Auto]	TotalsRow:	False
Updatable:	False		

Columns

Name	Type	Size
SOURCEID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal ID for source	
GUID:	{guid {4F514215-A42F-4391-8915-FE4C5372F3F4}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	SOURCEID	
SourceTable:	SourcesGW	
TextAlign:	General	
FACID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
BoundColumn:	1	
CollatingOrder:	General	
ColumnCount:	3	
ColumnHeads:	False	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1665	
ColumnWidths:	0;795;2535	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	internal ID for PWS which utilizes source	
DisplayControl:	Text Box	

GUID: {guid {84C03B42-2D29-4DCC-8CA6-FCB54DCD713E}}
 LimitToList: True
 ListRows: 8
 ListWidth: 3330twip
 OrdinalPosition: 1
 Required: False
 RowSource: SELECT [Facility Information].[FACID], [Facility Information].[PWSSNAME], [Facility Information].[ALTERNATE_ST_NUM] FROM [Facility Information];
 RowSourceType: Table/Query
 SourceField: FACID
 SourceTable: SourcesGW
 TextAlign: General

SOURCE_NUM Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: sequential (per PWS) number for source
 DisplayControl: Text Box
 Format: 000
 GUID: {guid {F13EB85F-A43F-43AC-AE12-DC25397E4A1B}}
 OrdinalPosition: 2
 Required: False
 SourceField: SOURCE_NUM
 SourceTable: SourcesGW
 TextAlign: General

UnivUniqueID Short Text 5

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: universally unique identifier
 DisplayControl: Text Box
 GUID: {guid {476C776F-5E85-405C-8B9B-32183893260A}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: True
 SourceField: UnivUniqueID
 SourceTable: SourcesGW

TextAlign:	General		
UnicodeCompression:	True		
Source Name		Short Text	50
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2670		
DataUpdatable:	False		
Description:	Most recognized and used source name		
DisplayControl:	Text Box		
GUID:	{guid {4788EC7F-A094-42EB-B8A7-BBF1AA1374FD}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	4		
Required:	False		
SourceField:	Source Name		
SourceTable:	SourcesGW		
TextAlign:	General		
UnicodeCompression:	True		
FacTypeID		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
BoundColumn:	1		
CollatingOrder:	General		
ColumnCount:	4		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
ColumnWidths:	0;348;2304;1031		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	internal DIME ID for sub-facility type, lookup in table FacType with category Piped, Other		
DisplayControl:	Text Box		
GUID:	{guid {C33D5ECC-08E6-4DC5-AE71-9F3B4BBA76DB}}		
LimitToList:	True		
ListRows:	8		
ListWidth:	3683twip		
OrdinalPosition:	5		
Required:	False		
RowSource:	SELECT Factype.FacTypeID, Factype.ODScodeFacType, Factype.FacilityType, Factype.FacTypeCat FROM Factype WHERE (((Factype.FacTypeCat)="groundwater" Or (Factype.FacTypeCat)="sources")) ORDER BY Factype.FacTypeCat, Factype.ODScodeFacType;		
RowSourceType:	Table/Query		
SourceField:	FacTypeID		

	SourceTable:	SourcesGW		
	TextAlign:	General		
Alias1			Short Text	50
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	1st alternate name for source		
	DisplayControl:	Text Box		
	GUID:	{guid {1079730C-0020-4027-88A3-C6BE892B5068}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	6		
	Required:	False		
	SourceField:	Alias1		
	SourceTable:	SourcesGW		
	TextAlign:	General		
	UnicodeCompression:	True		
Alias2			Short Text	50
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	2nd alternate name for source		
	DisplayControl:	Text Box		
	GUID:	{guid {52117085-292C-4A38-A903-9ACB207CD60C}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	7		
	Required:	False		
	SourceField:	Alias2		
	SourceTable:	SourcesGW		
	TextAlign:	General		
	UnicodeCompression:	True		
Alias3			Short Text	50
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		

ColumnWidth: Default
 DataUpdatable: False
 Description: 3rd alternate name for source
 DisplayControl: Text Box
 GUID: {guid {AF7FA80F-6BFF-4762-A65B-D6E3E618C81A}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 8
 Required: False
 SourceField: Alias3
 SourceTable: SourcesGW
 TextAlign: General
 UnicodeCompression: True

Alias4 Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: 4th alternate name for source
 DisplayControl: Text Box
 GUID: {guid {E2F1CC15-D947-4174-A8E7-2CF01B8A0077}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 9
 Required: False
 SourceField: Alias4
 SourceTable: SourcesGW
 TextAlign: General
 UnicodeCompression: True

ACTIVITY_STATUS_SOURCE Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 Caption: ACTIVITY_STATUS_SOURCE
 CollatingOrder: General
 ColumnCount: 2
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2835
 ColumnWidths: 0;1065
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: activity status for source, lookup in table SourceUseStatus, which contains proper SDWIS codes
 DisplayControl: Combo Box

GUID: {guid {5BC54A4D-AEAE-4334-9B91-1E0C6D698339}}
LimitToList: True
ListRows: 8
ListWidth: 1065twip
OrdinalPosition: 10
Required: False
RowSource: SELECT SourceUseStatus.ID, SourceUseStatus.SourceUseStatus
FROM SourceUseStatus;
RowSourceType: Table/Query
ShowOnlyRowSourceValues: False
SourceField: ACTIVITY_STATUS_SOURCE
SourceTable: SourcesGW
TextAlign: General

SOURCE_RECORD_TYPE Long Integer 4

AggregateType: -1
AllowValueListEdits: False
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
BoundColumn: 1
Caption: SOURCE_RECORD_TYPE
CollatingOrder: General
ColumnCount: 3
ColumnHeads: False
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
ColumnWidths: 0;1440;1440
DataUpdatable: False
DecimalPlaces: Auto
Description: Type of source record for SDWIS-Fed inventory purposes, lookup in
table B1RTYPE
DisplayControl: Combo Box
GUID: {guid {BCEAEA0B-2EBD-43DE-8B4A-A7712E24C803}}
LimitToList: True
ListRows: 8
ListWidth: 2880twip
OrdinalPosition: 11
Required: False
RowSource: SELECT B1RTYPE.ID, B1RTYPE.[Source Type], B1RTYPE.[SDWIS
Code] FROM B1RTYPE;
RowSourceType: Table/Query
ShowOnlyRowSourceValues: False
SourceField: SOURCE_RECORD_TYPE
SourceTable: SourcesGW
TextAlign: General

SOURCE_TYPE Long Integer 4

AggregateType: -1
AllowValueListEdits: False
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size

BoundColumn: 1
 Caption: SOURCE_TYPE
 CollatingOrder: General
 ColumnCount: 2
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 ColumnWidths: 0;1710
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Type of source, lookup in table SourceTypes
 DisplayControl: Combo Box
 GUID: {guid {E8EC1259-CDB1-4913-B449-763F98E96175}}
 LimitToList: True
 ListRows: 8
 ListWidth: 1710twip
 OrdinalPosition: 12
 Required: False
 RowSource: SELECT SourceTypes.ID, SourceTypes.SourceType FROM SourceTypes;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: SOURCE_TYPE
 SourceTable: SourcesGW
 TextAlign: General

ConsecutivePWS Short Text 9

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: If the Source is Consecutive, the 9-digit PWS# for the supplying PWS is required information.
 DisplayControl: Text Box
 GUID: {guid {AA796B87-73A1-4BEF-87EC-B2BC60F4BD28}}
 IMEMode: 0
 IMESentenceMode: 3
 InputMask: aaaaaaaaa;#
 OrdinalPosition: 13
 Required: False
 SourceField: ConsecutivePWS
 SourceTable: SourcesGW
 TextAlign: General
 UnicodeCompression: True

SELLERTRTCODE Short Text 50

AggregateType: -1
 AllowValueListEdits: False

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 BoundColumn: 2
 CollatingOrder: General
 ColumnCount: 2
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 ColumnWidths: 1440;240
 DataUpdatable: False
 Description: If the Source is Consecutive (purchased) this code indicates whether the seller is or is not treating the source.
 DisplayControl: Text Box
 GUID: {guid {E192EA48-E77E-4AD7-80F9-907E0B15048B}}
 IMEMode: 0
 IMESentenceMode: 3
 LimitToList: True
 ListRows: 8
 ListWidth: 1680twip
 OrdinalPosition: 14
 Required: False
 RowSource: "Filtered";"F";"No - Not Treated";"N";"Yes - Is Treated";"Y"
 RowSourceType: Value List
 ShowOnlyRowSourceValues: False
 SourceField: SELLERTRTCODE
 SourceTable: SourcesGW
 TextAlign: General
 UnicodeCompression: True

SOURCE_DEPTH Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Depth of source in feet
 DisplayControl: Text Box
 GUID: {guid {DBAE4C49-EF5D-4887-B562-E25A27F951A3}}
 OrdinalPosition: 15
 Required: False
 SourceField: SOURCE_DEPTH
 SourceTable: SourcesGW
 TextAlign: General

SOURCE_CAPACITY Integer 2

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False

Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Capacity of source in gallons per minute
 DisplayControl: Text Box
 GUID: {guid {76BB7C8D-0F67-48BA-810D-5F83EA4A6195}}
 OrdinalPosition: 16
 Required: False
 SourceField: SOURCE_CAPACITY
 SourceTable: SourcesGW
 TextAlign: General

CASING_DIAMETER Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Diameter of Casing in inches
 DisplayControl: Text Box
 OrdinalPosition: 17
 Required: False
 SourceField: CASING_DIAMETER
 SourceTable: SourcesGW
 TextAlign: General

OUTLET_DIAMETER Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Diameter of outlet pipe in inches
 DisplayControl: Text Box
 OrdinalPosition: 18
 Required: False
 SourceField: OUTLET_DIAMETER
 SourceTable: SourcesGW
 TextAlign: General

CASING_HEIGHT Long Integer 4

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
Description: Height of top of casing above pad or ground in inches
DisplayControl: Text Box
OrdinalPosition: 19
Required: False
SourceField: CASING_HEIGHT
SourceTable: SourcesGW
TextAlign: General

WorkingPressure_HIGH Long Integer 4

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
Description: High Working Pressure in psi
DisplayControl: Text Box
OrdinalPosition: 20
Required: False
SourceField: WorkingPressure_HIGH
SourceTable: SourcesGW
TextAlign: General

WorkingPressure_LOW Long Integer 4

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
Description: Low Working Pressure in psi
DisplayControl: Text Box
OrdinalPosition: 21
Required: False
SourceField: WorkingPressure_LOW
SourceTable: SourcesGW
TextAlign: General

HORSEPOWER		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Well pump power rating in HP		
DisplayControl:	Text Box		
OrdinalPosition:	22		
Required:	False		
SourceField:	HORSEPOWER		
SourceTable:	SourcesGW		
TextAlign:	General		
STATIC_DEPTH		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Static water level depth of well in feet		
DisplayControl:	Text Box		
OrdinalPosition:	23		
Required:	False		
SourceField:	STATIC_DEPTH		
SourceTable:	SourcesGW		
TextAlign:	General		
PUMPING_DEPTH		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Pumping water level depth of well in feet		
DisplayControl:	Text Box		
OrdinalPosition:	24		
Required:	False		
SourceField:	PUMPING_DEPTH		
SourceTable:	SourcesGW		

TextAlign:	General		
PUMP_DEPTH		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Depth of PUMP in feet		
DisplayControl:	Text Box		
OrdinalPosition:	25		
Required:	False		
SourceField:	PUMP_DEPTH		
SourceTable:	SourcesGW		
TextAlign:	General		
GROUT_DEPTH		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Depth of Grout in feet		
DisplayControl:	Text Box		
OrdinalPosition:	26		
Required:	False		
SourceField:	GROUT_DEPTH		
SourceTable:	SourcesGW		
TextAlign:	General		
LatitudeGW		Double	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Latitude of source in decimal degrees		
DisplayControl:	Text Box		
GUID:	{guid {DC0ECFA7-4F4D-47CC-BFBC-66058DF5AE7B}}		
OrdinalPosition:	27		

Required: False
 SourceField: LatitudeGW
 SourceTable: SourcesGW
 TextAlign: General

LongitudeGW Double 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Longitude of source in decimal degrees
 DisplayControl: Text Box
 GUID: {guid {8D70DB7D-6A14-44ED-9C35-D7DE40DEA91C}}
 OrdinalPosition: 28
 Required: False
 SourceField: LongitudeGW
 SourceTable: SourcesGW
 TextAlign: General

ACTIVITY_DATE_SOURCE Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date source came into active service OR date source stopped being used
 GUID: {guid {6C5054E0-2481-49C5-BDE3-BACF158DD9AC}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 29
 Required: False
 ShowDatePicker: For dates
 SourceField: ACTIVITY_DATE_SOURCE
 SourceTable: SourcesGW
 TextAlign: General

ACTIVITY_RSN_TXT_SOURCE Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default

ColumnWidth: Default
 DataUpdatable: False
 Description: Reason for activity of source
 DisplayControl: Text Box
 GUID: {guid {F6B7A8EF-0640-4289-A887-BB63744692E9}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 30
 Required: False
 SourceField: ACTIVITY_RSN_TXT_SOURCE
 SourceTable: SourcesGW
 TextAlign: General
 UnicodeCompression: True

START_MONTH_SRC Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 Caption: START_MONTH_SRC
 CollatingOrder: General
 ColumnCount: 2
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 ColumnWidths: 0;810
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Start of season for use of source month, lookup in table months
 DisplayControl: Combo Box
 GUID: {guid {14769B54-2380-4DC7-B87D-736DC4EDBB33}}
 LimitToList: True
 ListRows: 8
 ListWidth: 810twip
 OrdinalPosition: 31
 Required: False
 RowSource: SELECT Months.ID, Months.Month FROM Months;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: START_MONTH_SRC
 SourceTable: SourcesGW
 TextAlign: General

START_DAY_SRC Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default

DataUpdatable: False
 DecimalPlaces: Auto
 Description: Start of season for use of source day
 DisplayControl: Text Box
 GUID: {guid {F1AD4FF3-74A4-4F47-9950-3A7480937890}}
 OrdinalPosition: 32
 Required: False
 SourceField: START_DAY_SRC
 SourceTable: SourcesGW
 TextAlign: General

END_MONTH_SRC Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 Caption: END_MONTH_SRC
 CollatingOrder: General
 ColumnCount: 2
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 ColumnWidths: 0;810
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: End of season for use of source month, lookup in table months
 DisplayControl: Combo Box
 GUID: {guid {B205F042-9B7D-4BAA-A467-B019EBB97D0A}}
 LimitToList: True
 ListRows: 8
 ListWidth: 810twip
 OrdinalPosition: 33
 Required: False
 RowSource: SELECT Months.ID, Months.Month FROM Months;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: END_MONTH_SRC
 SourceTable: SourcesGW
 TextAlign: General

END_DAY_SRC Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: 0
 Description: End of season for use of source day

DisplayControl: GUID: OrdinalPosition: Required: SourceField: SourceTable: TextAlign:	Text Box {guid {C92D8DBD-0C2F-49A4-9722-29E19320377D}} 34 False END_DAY_SRC SourcesGW General		
MEMO_TEXT_SRC AggregateType: AllowZeroLength: AppendOnly: Attributes: CollatingOrder: ColumnHidden: ColumnOrder: ColumnWidth: DataUpdatable: Description: DisplayControl: GUID: IMEMode: IMESentenceMode: OrdinalPosition: Required: SourceField: SourceTable: TextAlign: UnicodeCompression:	-1 False False Variable Length General False Default Default False Memo text for source, notes about source Text Box {guid {DCD43DF2-424E-4ECA-8F42-C8AC460342AD}} 0 3 35 False MEMO_TEXT_SRC SourcesGW General True	Short Text	255
Metered? AggregateType: AllowZeroLength: AppendOnly: Attributes: CollatingOrder: ColumnHidden: ColumnOrder: ColumnWidth: DataUpdatable: Description: DisplayControl: Format: GUID: OrdinalPosition: Required: SourceField: SourceTable: TextAlign:	-1 False False Fixed Size General False Default Default False Is the source metered? (Yes/No) 106 Yes/No {guid {9121BFE7-A9BE-4582-8F17-6DB2F9B32416}} 36 False Metered? SourcesGW General	Yes/No	1
SOURCE_SCREEN AggregateType: AllowZeroLength: AppendOnly: Attributes:	-1 False False Fixed Size	Long Integer	4

CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Length of screen of source in feet
 DisplayControl: Text Box
 GUID: {guid {68F061EA-7D12-4728-BFA3-92BBE73B16B8}}
 OrdinalPosition: 37
 Required: False
 SourceField: SOURCE_SCREEN
 SourceTable: SourcesGW
 TextAlign: General

SOURCE_SCREEN_DEPTH Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Depth of screen of source in feet
 DisplayControl: Text Box
 GUID: {guid {4C5389CC-3C6E-4008-9590-4E02A23885DC}}
 OrdinalPosition: 38
 Required: False
 SourceField: SOURCE_SCREEN_DEPTH
 SourceTable: SourcesGW
 TextAlign: General

SOURCE_DEPTH_SI Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Depth of source in meters
 DisplayControl: Text Box
 GUID: {guid {0A4D28F2-1319-4A0C-AEC8-5B26EAAD464A}}
 OrdinalPosition: 39
 Required: False
 SourceField: SOURCE_DEPTH_SI
 SourceTable: SourcesGW
 TextAlign: General

SOURCE_SCREEN_SI		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Length of screen of source in meters		
DisplayControl:	Text Box		
GUID:	{guid {84BA8306-5B20-49D1-A8EC-43508184D9B0}}		
OrdinalPosition:	40		
Required:	False		
SourceField:	SOURCE_SCREEN_SI		
SourceTable:	SourcesGW		
TextAlign:	General		
SOURCE_SCREEN_DEPTH_SI		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Depth of screen of source in meters		
DisplayControl:	Text Box		
GUID:	{guid {85DDEB1A-628F-4F02-A68E-31C93CADB9EC}}		
OrdinalPosition:	41		
Required:	False		
SourceField:	SOURCE_SCREEN_DEPTH_SI		
SourceTable:	SourcesGW		
TextAlign:	General		
SOURCE_CAPACITY_SI		Integer	2
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Source capacity in liters/second		
DisplayControl:	Text Box		
GUID:	{guid {8C4208B6-301C-4E4C-A7BC-97E9E842C9A4}}		
OrdinalPosition:	42		

Required: False
 SourceField: SOURCE_CAPACITY_SI
 SourceTable: SourcesGW
 TextAlign: General

FlowsTo_gw Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: indicates flow to next point in PWS, universally unique identifier from union of entry points, treatment plants, storage, or distribution system
 DisplayControl: Text Box
 GUID: {guid {1213E712-82B2-4CF0-8D2C-B9D0E94069AD}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 43
 Required: False
 SourceField: FlowsTo_gw
 SourceTable: SourcesGW
 TextAlign: General
 UnicodeCompression: True

Lastupdate Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2385
 DataUpdatable: False
 Description: Date of Last Update
 Format: General Date
 GUID: {guid {3B905A7E-097E-44EB-8DAC-0AC2E54298A8}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 44
 Required: False
 ShowDatePicker: For dates
 SourceField: Lastupdate
 SourceTable: SourcesGW
 TextAlign: General

CurrentUpdateUser Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length

CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Current User At Time of Update
DisplayControl: Text Box
GUID: {guid {E8F7D33C-E54E-479B-93B3-ADDA329C9D8}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 45
Required: False
SourceField: CurrentUpdateUser
SourceTable: SourcesGW
TextAlign: General
UnicodeCompression: True

DateCreated Date With Time 8

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 2250
DataUpdatable: False
DefaultValue: =Now()
Description: automatically entered on update of record
Format: General Date
GUID: {guid {ADA62BA7-2CEE-4E02-AB3D-5D494F02384B}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 46
Required: False
ShowDatePicker: For dates
SourceField: DateCreated
SourceTable: SourcesGW
TextAlign: General

CreatedBy Short Text 50

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Created By User
DisplayControl: Text Box
GUID: {guid {E2BE1488-465E-49A2-9719-07739782FBF4}}
IMEMode: 0
IMESentenceMode: 3

	OrdinalPosition:	47	
	Required:	False	
	SourceField:	CreatedBy	
	SourceTable:	SourcesGW	
	TextAlign:	General	
	UnicodeCompression:	True	
StatusID			Long Integer 4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	internal DIME Status identifier, lookup in table QAStatus	
	DisplayControl:	Text Box	
	GUID:	{guid {6C384A18-DDCE-4F3A-92F6-5E63F90C8FEF}}	
	OrdinalPosition:	48	
	Required:	False	
	SourceField:	StatusID	
	SourceTable:	SourcesGW	
	TextAlign:	General	
OldId			Long Integer 4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	GUID:	{guid {6C7BE9E9-F425-4953-A707-0D656BD0E7DF}}	
	OrdinalPosition:	49	
	Required:	False	
	SourceField:	OldId	
	SourceTable:	SourcesGW	
	TextAlign:	General	

Table Indexes

Name	Number of Fields
FACID	1
Clustered:	False
DistinctCount:	421
Foreign:	False
IgnoreNulls:	False
Name:	FACID

	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	FACID	Ascending
OldId		1
	Clustered:	False
	DistinctCount:	749
	Foreign:	False
	IgnoreNulls:	False
	Name:	OldId
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	OldId	Ascending
PrimaryKey		1
	Clustered:	False
	DistinctCount:	1025
	Foreign:	False
	IgnoreNulls:	False
	Name:	PrimaryKey
	Primary:	True
	Required:	True
	Unique:	True
	Fields:	
	SOURCEID	Ascending

User Permissions

- admin
- aizaz
- andrew
- bessie
- chris
- corine
- daria
- designer
- dschmidt
- Emmanuelle
- everett
- guest
- helen
- hillary
- jack
- jamelya
- Jason
- jelani
- jennifer
- jimh
- judy
- karl

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,

	Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\ Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:52 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {A3579C31-D3EC-11D8- 822F-00B0D0531229}}	HideNewField:	False
LastUpdated:	11/5/2014 6:19:52 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	SourcesSW	SubDataSheetName:	[Auto]
TotalsRow:	False	Updatable:	False

Columns

Name	Type	Size
SOURCEID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal ID for source	
GUID:	{guid {A3579C32-D3EC-11D8-822F-00B0D0531229}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	SOURCEID	
SourceTable:	SourcesSW	
TextAlign:	General	
 SOURCE_NUM	 Long Integer	 4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	sequential (per PWS) number for source	
DisplayControl:	Text Box	
Format:	000	
GUID:	{guid {A3579C34-D3EC-11D8-822F-00B0D0531229}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	SOURCE_NUM	

	SourceTable:	SourcesSW	
	TextAlign:	General	
FACID		Long Integer	4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	3	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	1665	
	ColumnWidths:	0;795;2535	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	internal ID for PWS which utilizes source	
	DisplayControl:	Text Box	
	GUID:	{guid {A3579C33-D3EC-11D8-822F-00B0D0531229}}	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	3330twip	
	OrdinalPosition:	2	
	Required:	False	
	RowSource:	SELECT [Facility Information].[FACID], [Facility Information].[PWSSNAME], [Facility Information].[ALTERNATE_ST_NUM] FROM [Facility Information];	
	RowSourceType:	Table/Query	
	SourceField:	FACID	
	SourceTable:	SourcesSW	
	TextAlign:	General	
UnivUniqueID		Short Text	5
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	universally unique identifier	
	DisplayControl:	Text Box	
	GUID:	{guid {A3579C35-D3EC-11D8-822F-00B0D0531229}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	3	
	Required:	True	
	SourceField:	UnivUniqueID	
	SourceTable:	SourcesSW	
	TextAlign:	General	

UnicodeCompression:	True		
Source Name		Short Text	50
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Most recognized and used source name		
DisplayControl:	Text Box		
GUID:	{guid {A3579C36-D3EC-11D8-822F-00B0D0531229}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	4		
Required:	False		
SourceField:	Source Name		
SourceTable:	SourcesSW		
TextAlign:	General		
UnicodeCompression:	True		
FacTypeID		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
BoundColumn:	1		
CollatingOrder:	General		
ColumnCount:	4		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
ColumnWidths:	0;348;2304;1031		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	internal DIME ID for sub-facility type, lookup in table FacType with category Piped, Other		
DisplayControl:	Text Box		
GUID:	{guid {7149214E-457B-430A-8EF4-97063AA76309}}		
LimitToList:	True		
ListRows:	8		
ListWidth:	3683twip		
OrdinalPosition:	5		
Required:	False		
RowSource:	SELECT FacType.FacTypeID, FacType.ODScodeFacType, FacType.FacilityType, FacType.FacTypeCat FROM FacType WHERE (((FacType.FacTypeCat)="Surface" Or (FacType.FacTypeCat)="Sources")) ORDER BY FacType.FacTypeCat, FacType.ODScodeFacType;		
RowSourceType:	Table/Query		
SourceField:	FacTypeID		
SourceTable:	SourcesSW		

	TextAlign:	General		
Alias1			Short Text	50
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	1st alternate name for source		
	DisplayControl:	Text Box		
	GUID:	{guid {A3579C37-D3EC-11D8-822F-00B0D0531229}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	6		
	Required:	False		
	SourceField:	Alias1		
	SourceTable:	SourcesSW		
	TextAlign:	General		
	UnicodeCompression:	True		
Alias2			Short Text	50
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	2nd alternate name for source		
	DisplayControl:	Text Box		
	GUID:	{guid {A3579C38-D3EC-11D8-822F-00B0D0531229}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	7		
	Required:	False		
	SourceField:	Alias2		
	SourceTable:	SourcesSW		
	TextAlign:	General		
	UnicodeCompression:	True		
Alias3			Short Text	50
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		

DataUpdatable: False
 Description: 3rd alternate name for source
 DisplayControl: Text Box
 GUID: {guid {A3579C39-D3EC-11D8-822F-00B0D0531229}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 8
 Required: False
 SourceField: Alias3
 SourceTable: SourcesSW
 TextAlign: General
 UnicodeCompression: True

Alias4 Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: 4th alternate name for source
 DisplayControl: Text Box
 GUID: {guid {A3579C3A-D3EC-11D8-822F-00B0D0531229}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 9
 Required: False
 SourceField: Alias4
 SourceTable: SourcesSW
 TextAlign: General
 UnicodeCompression: True

ACTIVITY_STATUS_SOURCE Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 Caption: ACTIVITY_STATUS_SOURCE
 CollatingOrder: General
 ColumnCount: 2
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2835
 ColumnWidths: 0;1065
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: activity status for source, lookup in table SourceUseStatus, which contains proper SDWIS codes
 DisplayControl: Combo Box
 GUID: {guid {A3579C3B-D3EC-11D8-822F-00B0D0531229}}

LimitToList: True
 ListRows: 8
 ListWidth: 1065twip
 OrdinalPosition: 10
 Required: False
 RowSource: SELECT SourceUseStatus.ID, SourceUseStatus.SourceUseStatus
 FROM SourceUseStatus;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: ACTIVITY_STATUS_SOURCE
 SourceTable: SourcesSW
 TextAlign: General

SOURCE_RECORD_TYPE Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 Caption: SOURCE_RECORD_TYPE
 CollatingOrder: General
 ColumnCount: 3
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 ColumnWidths: 0;1440;1440
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Type of source record for SDWIS-Fed inventory purposes, lookup in
 table B1RTYPE
 DisplayControl: Combo Box
 GUID: {guid {A3579C3C-D3EC-11D8-822F-00B0D0531229}}
 LimitToList: True
 ListRows: 8
 ListWidth: 2880twip
 OrdinalPosition: 11
 Required: False
 RowSource: SELECT B1RTYPE.ID, B1RTYPE.[Source Type], B1RTYPE.[SDWIS
 Code] FROM B1RTYPE;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: SOURCE_RECORD_TYPE
 SourceTable: SourcesSW
 TextAlign: General

SOURCE_TYPE Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1

Caption: SOURCE_TYPE
 CollatingOrder: General
 ColumnCount: 2
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 ColumnWidths: 0;1710
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Type of source, lookup in table SourceTypes
 DisplayControl: Combo Box
 GUID: {guid {A3579C3D-D3EC-11D8-822F-00B0D0531229}}
 LimitToList: True
 ListRows: 8
 ListWidth: 1710twip
 OrdinalPosition: 12
 Required: False
 RowSource: SELECT SourceTypes.ID, SourceTypes.SourceType FROM SourceTypes;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: SOURCE_TYPE
 SourceTable: SourcesSW
 TextAlign: General

ConsecutivePWS Short Text 9

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: If the Source is Consecutive, the 9-digit PWS# for the supplying PWS is required information.
 DisplayControl: Text Box
 GUID: {guid {63D929FB-08CB-11D9-8230-00B0D0531229}}
 IMEMode: 0
 IMESentenceMode: 3
 InputMask: aaaaaaaaa;;#
 OrdinalPosition: 13
 Required: False
 SourceField: ConsecutivePWS
 SourceTable: SourcesSW
 TextAlign: General
 UnicodeCompression: True

SELLERTRTCODE Short Text 50

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: True

AppendOnly: False
 Attributes: Variable Length
 BoundColumn: 2
 CollatingOrder: General
 ColumnCount: 2
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 ColumnWidths: 1440;239
 DataUpdatable: False
 Description: If the Source is Consecutive (purchased) this code indicates whether the seller is or is not treating the source.
 DisplayControl: Text Box
 GUID: {guid {78159DED-2C28-4F1C-A5C8-8CF6C2D5A871}}
 IMEMode: 0
 IMESentenceMode: 3
 LimitToList: True
 ListRows: 8
 ListWidth: 1679twip
 OrdinalPosition: 14
 Required: False
 RowSource: "Filtered";"F";"No - Not Treated";"N";"Yes - Is Treated";"Y"
 RowSourceType: Value List
 ShowOnlyRowSourceValues: False
 SourceField: SELLERTRTCODE
 SourceTable: SourcesSW
 TextAlign: General
 UnicodeCompression: True

SOURCE_CAPACITY Integer 2

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Capacity of source in gallons per minute
 DisplayControl: Text Box
 GUID: {guid {A3579C3E-D3EC-11D8-822F-00B0D0531229}}
 OrdinalPosition: 15
 Required: False
 SourceField: SOURCE_CAPACITY
 SourceTable: SourcesSW
 TextAlign: General

LatitudeSW Double 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size

CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
Description: Latitude of source in decimal degrees
DisplayControl: Text Box
GUID: {guid {A3579C3F-D3EC-11D8-822F-00B0D0531229}}
OrdinalPosition: 16
Required: False
SourceField: LatitudeSW
SourceTable: SourcesSW
TextAlign: General

LongitudeSW Double 8

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
Description: Longitude of source in decimal degrees
DisplayControl: Text Box
GUID: {guid {A3579C40-D3EC-11D8-822F-00B0D0531229}}
OrdinalPosition: 17
Required: False
SourceField: LongitudeSW
SourceTable: SourcesSW
TextAlign: General

ACTIVITY_DATE_SOURCE Date With Time 8

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Date source came into active service OR date source stopped being used
GUID: {guid {A3579C41-D3EC-11D8-822F-00B0D0531229}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 18
Required: False
ShowDatePicker: For dates
SourceField: ACTIVITY_DATE_SOURCE
SourceTable: SourcesSW
TextAlign: General

ACTIVITY_RSN_TXT_SOURCE		Short Text	50
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Reason for activity of source		
DisplayControl:	Text Box		
GUID:	{guid {A3579C42-D3EC-11D8-822F-00B0D0531229}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	19		
Required:	False		
SourceField:	ACTIVITY_RSN_TXT_SOURCE		
SourceTable:	SourcesSW		
TextAlign:	General		
UnicodeCompression:	True		

START_MONTH_SRC		Long Integer	4
AggregateType:	-1		
AllowValueListEdits:	False		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
BoundColumn:	1		
Caption:	START_MONTH_SRC		
CollatingOrder:	General		
ColumnCount:	2		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
ColumnWidths:	0;810		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Start of season for use of source month, lookup in table months		
DisplayControl:	Combo Box		
GUID:	{guid {A3579C43-D3EC-11D8-822F-00B0D0531229}}		
LimitToList:	True		
ListRows:	8		
ListWidth:	810twip		
OrdinalPosition:	20		
Required:	False		
RowSource:	SELECT Months.ID, Months.Month FROM Months;		
RowSourceType:	Table/Query		
ShowOnlyRowSourceValues:	False		
SourceField:	START_MONTH_SRC		
SourceTable:	SourcesSW		
TextAlign:	General		

START_DAY_SRC		Long Integer	4
---------------	--	--------------	---

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Start of season for use of source day
 DisplayControl: Text Box
 GUID: {guid {A3579C44-D3EC-11D8-822F-00B0D0531229}}
 OrdinalPosition: 21
 Required: False
 SourceField: START_DAY_SRC
 SourceTable: SourcesSW
 TextAlign: General

END_MONTH_SRC Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 Caption: END_MONTH_SRC
 CollatingOrder: General
 ColumnCount: 2
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 ColumnWidths: 0;810
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: End of season for use of source month, lookup in table months
 DisplayControl: Combo Box
 GUID: {guid {A3579C45-D3EC-11D8-822F-00B0D0531229}}
 LimitToList: True
 ListRows: 8
 ListWidth: 810twip
 OrdinalPosition: 22
 Required: False
 RowSource: SELECT Months.ID, Months.Month FROM Months;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: END_MONTH_SRC
 SourceTable: SourcesSW
 TextAlign: General

END_DAY_SRC Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False

Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: 0
 Description: End of season for use of source day
 DisplayControl: Text Box
 GUID: {guid {A3579C46-D3EC-11D8-822F-00B0D0531229}}
 OrdinalPosition: 23
 Required: False
 SourceField: END_DAY_SRC
 SourceTable: SourcesSW
 TextAlign: General

MEMO_TEXT_SRC Short Text 255

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Memo text for source, notes about source
 DisplayControl: Text Box
 GUID: {guid {5DA1E3CD-B0ED-45DA-A22F-426DD42AA6A7}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 24
 Required: False
 SourceField: MEMO_TEXT_SRC
 SourceTable: SourcesSW
 TextAlign: General
 UnicodeCompression: True

Metered? Yes/No 1

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Is the source metered? (Yes/No)
 DisplayControl: 106
 Format: Yes/No
 GUID: {guid {A3579C48-D3EC-11D8-822F-00B0D0531229}}
 OrdinalPosition: 25
 Required: False
 SourceField: Metered?

SourceTable:	SourcesSW		
TextAlign:	General		
SOURCE_CAPACITY_SI		Integer	2
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Source capacity in liters/second		
DisplayControl:	Text Box		
GUID:	{guid {A3579C49-D3EC-11D8-822F-00B0D0531229}}		
OrdinalPosition:	26		
Required:	False		
SourceField:	SOURCE_CAPACITY_SI		
SourceTable:	SourcesSW		
TextAlign:	General		
FlowsTo_sw		Short Text	50
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	indicates flow to next point in PWS, universally unique identifier from union of entry points, treatment plants, storage, or distribution system		
DisplayControl:	Text Box		
GUID:	{guid {A3579C52-D3EC-11D8-822F-00B0D0531229}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	27		
Required:	False		
SourceField:	FlowsTo_sw		
SourceTable:	SourcesSW		
TextAlign:	General		
UnicodeCompression:	True		
Lastupdate		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		

DataUpdatable: False
 Description: Date of Last Update
 Format: General Date
 GUID: {guid {A3579C53-D3EC-11D8-822F-00B0D0531229}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 28
 Required: False
 ShowDatePicker: For dates
 SourceField: Lastupdate
 SourceTable: SourcesSW
 TextAlign: General

CurrentUpdateUser Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Current User At Time of Update
 DisplayControl: Text Box
 GUID: {guid {A3579C54-D3EC-11D8-822F-00B0D0531229}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 29
 Required: False
 SourceField: CurrentUpdateUser
 SourceTable: SourcesSW
 TextAlign: General
 UnicodeCompression: True


DateCreated Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DefaultValue: =Now()
 Description: automatically entered on update of record
 Format: General Date
 GUID: {guid {C8C9F1DA-F5E6-4098-B829-885B54C9D7CA}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 30
 Required: False
 ShowDatePicker: For dates
 SourceField: DateCreated

SourceTable:	SourcesSW		
TextAlign:	General		
CreatedBy		Short Text	50
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Created By User		
DisplayControl:	Text Box		
GUID:	{guid {A39A23C9-9DDB-486A-A84D-44DD89EFC31D}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	31		
Required:	False		
SourceField:	CreatedBy		
SourceTable:	SourcesSW		
TextAlign:	General		
UnicodeCompression:	True		
StatusID		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	internal DIME Status identifier, lookup in table QAStatus		
DisplayControl:	Text Box		
GUID:	{guid {8CD578DA-332A-49A6-B6E0-3EC14EAC6BAA}}		
OrdinalPosition:	32		
Required:	False		
SourceField:	StatusID		
SourceTable:	SourcesSW		
TextAlign:	General		


Relationships

Facility InformationSourcesSW



Attributes: Not Enforced, Inherited
 RelationshipType: One-To-Many (External)

SourcesSWLocationalData_SourcesSW



Attributes: Not Enforced, Inherited, Left Join
 RelationshipType: One-To-Many (External)

Table Indexes

Name	Number of Fields
PrimaryKey	2
Clustered:	False
DistinctCount:	71
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
FACID	Ascending
UnivUniqueID	Ascending
SOURCEID	1
Clustered:	False
DistinctCount:	71
Foreign:	False
IgnoreNulls:	False
Name:	SOURCEID
Primary:	False
Required:	False
Unique:	True
Fields:	
SOURCEID	Ascending

User Permissions

admin
 aizaz

andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	2/25/2011 4:19:51 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {C482DD9F-11E1-436C-932D-0454E79CD417}}	HideNewField:	False
LastUpdated:	2/25/2011 4:21:10 PM	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	4	TotalsRow:	False
Updatable:	True		

Columns

Name	Type	Size
SDWISSourceTreatCode	Short Text	1
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	SDWIS Seller Source Treatment Code	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	0	
Required:	False	
SourceField:	SDWISSourceTreatCode	
SourceTable:	SourceTreatCodes	
TextAlign:	General	
UnicodeCompression:	True	
SourceTreatmentDesc	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	3090	
DataUpdatable:	False	
Description:	Seller Source Treatment Description	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	SourceTreatmentDesc	
SourceTable:	SourceTreatCodes	

TextAlign: General
 UnicodeCompression: True

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
PrimaryKey	1
Clustered:	False
DistinctCount:	4
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
SDWISSourceTreatCode	Ascending
SDWISSourceTreatCode	1
Clustered:	False
DistinctCount:	4
Foreign:	False
IgnoreNulls:	False
Name:	SDWISSourceTreatCode
Primary:	False
Required:	False
Unique:	False
Fields:	
SDWISSourceTreatCode	Ascending

User Permissions

- admin
- aizaz
- andrew
- bessie
- chris
- corine
- daria
- designer
- dschmidt
- Emmanuelle
- everett
- guest
- helen
- hillary
- jack
- jamelya
- Jason
- jelani
- jennifer
- jimh
- judy

karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	7/23/2007 12:57:05 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {81E42E84-C1BF-47C9-8210-E3D18CEE4D38}}	HideNewField:	False
LastUpdated:	9/27/2010 2:52:15 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	6
SubDataSheetName:	[Auto]	TotalsRow:	False
Updatable:	True		

Columns

Name	Type	Size
ID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	3225	
DataUpdatable:	False	
GUID:	{guid {7DC974DF-A7EF-42EA-BFB7-AE9CD013F980}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	ID	
SourceTable:	SourceTypes	
TextAlign:	General	
SourceType	Short Text	50
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	3465	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {733EBBF9-8FD5-4169-BDC9-8340BF623BCF}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	SourceType	
SourceTable:	SourceTypes	
TextAlign:	General	
UnicodeCompression:	True	

SourceTypeCode		Short Text	50
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1350		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {132A7B08-41C2-4F8B-9912-D2257886F85B}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	2		
Required:	False		
SourceField:	SourceTypeCode		
SourceTable:	SourceTypes		
TextAlign:	General		
UnicodeCompression:	True		

SourceWaterType		Short Text	2
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	3		
Required:	False		
SourceField:	SourceWaterType		
SourceTable:	SourceTypes		
TextAlign:	General		
UnicodeCompression:	True		

Table Indexes

Name	Number of Fields
ID	1
Clustered:	False
DistinctCount:	6
Foreign:	False
IgnoreNulls:	False
Name:	ID
Primary:	False
Required:	False
Unique:	False

Fields:	
ID	Ascending
SourceTypeCode	1
Clustered:	False
DistinctCount:	6
Foreign:	False
IgnoreNulls:	False
Name:	SourceTypeCode
Primary:	False
Required:	False
Unique:	False
Fields:	
SourceTypeCode	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	7/23/2007 12:57:05 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {47928DBD-DF76-4851-AF34-75EF8B6C10F8}}	HideNewField:	False
LastUpdated:	5/10/2013 6:21:17 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	7
TotalsRow:	False	Updatable:	True

Columns

Name	Type	Size
ID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
GUID:	{guid {671FC98D-10FF-4473-BA98-E1BAB2171C22}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	ID	
SourceTable:	SourceUseStatus	
TextAlign:	General	
SourceUseStatus	Short Text	50
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1965	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {5D136FDE-F40B-4D1D-9D73-E5CC4BBA2497}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	SourceUseStatus	
SourceTable:	SourceUseStatus	
TextAlign:	General	
UnicodeCompression:	True	
SDWISAvailability	Short Text	50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2220
 DataUpdatable: False
 DisplayControl: Text Box
 GUID: {guid {0D4B082F-8D9B-4B15-990F-3DB08912C2E8}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: SDWISAvailability
 SourceTable: SourceUseStatus
 TextAlign: General
 UnicodeCompression: True

SDWISCode Short Text 50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 GUID: {guid {0FA67A4B-2B70-44DE-9A8D-0D1EF3FBC51C}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: SDWISCode
 SourceTable: SourceUseStatus
 TextAlign: General
 UnicodeCompression: True

SDWISAvailabilityCode Short Text 50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 GUID: {guid {27F3E410-4262-4D9F-AAE6-71E43F008843}}
 IMEMode: 0
 IMESentenceMode: 3

OrdinalPosition: 4
 Required: False
 SourceField: SDWISAvailabilityCode
 SourceTable: SourceUseStatus
 TextAlign: General
 UnicodeCompression: True

CUPSSCode Short Text 255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2385
 DataUpdatable: False
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 5
 Required: False
 SourceField: CUPSSCode
 SourceTable: SourceUseStatus
 TextAlign: General
 UnicodeCompression: True

Table Indexes

Name	Number of Fields
CUPSSCode	1
Clustered:	False
DistinctCount:	4
Foreign:	False
IgnoreNulls:	False
Name:	CUPSSCode
Primary:	False
Required:	False
Unique:	False
Fields:	
CUPSSCode	Ascending
ID	1
Clustered:	False
DistinctCount:	7
Foreign:	False
IgnoreNulls:	False
Name:	ID
Primary:	False
Required:	False
Unique:	False
Fields:	
ID	Ascending
SDWISAvailabilityCode	1
Clustered:	False

DistinctCount:	5
Foreign:	False
IgnoreNulls:	False
Name:	SDWISAvailabilityCode
Primary:	False
Required:	False
Unique:	False
Fields:	
SDWISAvailabilityCode	Ascending
SDWISCode	1
Clustered:	False
DistinctCount:	2
Foreign:	False
IgnoreNulls:	False
Name:	SDWISCode
Primary:	False
Required:	False
Unique:	False
Fields:	
SDWISCode	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	

navajo
raymond
roberto
roger
sara
test

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	7/23/2007 12:57:05 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	Filter:	([States].[StateAbbrev]="UT")
FilterOnLoad:	False	GUID:	{guid {9CF896A0-AD1F-49A4-B436-5E3723566B81}}
HideNewField:	False	LastUpdated:	3/10/2014 4:17:44 PM
NameMap:	Long binary data	OrderBy:	[States].[ID], [States].[StateAbbrev]
OrderByOn:	True	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	56
TotalsRow:	False	Updatable:	True

Columns

Name	Type	Size
ID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal DIME State identifier	
GUID:	{guid {7F47298A-092D-40F9-84D2-C25AE204D4EA}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	ID	
SourceTable:	States	
TextAlign:	General	
StateName	Short Text	50
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2100	
DataUpdatable:	False	
Description:	Full name of State, or primacy agency	
DisplayControl:	Text Box	
GUID:	{guid {2A6244B8-9076-4204-821D-63DF5449CC28}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	StateName	
SourceTable:	States	

TextAlign:	General		
UnicodeCompression:	True		
StateAbbrev		Short Text	50
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1725		
DataUpdatable:	False		
Description:	Abbreviated state name, also used as 1st two digits of 9-digit national PWS ID#, indicating jurisdiction		
DisplayControl:	Text Box		
GUID:	{guid {EB2DD245-57D4-4294-AF0F-788680E9D1A1}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	2		
Required:	False		
SourceField:	StateAbbrev		
SourceTable:	States		
TextAlign:	General		
UnicodeCompression:	True		
FIPSstatecode		Short Text	50
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	FIPS State code (two digit, text)		
DisplayControl:	Text Box		
GUID:	{guid {88E4A20E-1D8C-40B3-89B2-B42664EA44AD}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	3		
Required:	False		
SourceField:	FIPSstatecode		
SourceTable:	States		
TextAlign:	General		
UnicodeCompression:	True		
Ordering priority		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		

ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	integer for display order
DisplayControl:	Text Box
GUID:	{guid {574ABF9C-1F94-47AA-AFAA-AFE8FA7E6940}}
OrdinalPosition:	4
Required:	False
SourceField:	Ordering priority
SourceTable:	States
TextAlign:	General

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
FIPSstatecode	1
Clustered:	False
DistinctCount:	56
Foreign:	False
IgnoreNulls:	False
Name:	FIPSstatecode
Primary:	False
Required:	False
Unique:	False
Fields:	
FIPSstatecode	Ascending
ID	1
Clustered:	False
DistinctCount:	56
Foreign:	False
IgnoreNulls:	False
Name:	ID
Primary:	False
Required:	False
Unique:	False
Fields:	
ID	Ascending

User Permissions

- admin
- aizaz
- andrew
- bessie
- chris
- corine
- daria
- designer
- dschmidt
- Emmanuelle
- everett

guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:52 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {2A43DE78-1364-4B47-A307-1F9DEA0B7437}}	HideNewField:	False
LastUpdated:	11/5/2014 6:19:52 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	Storage	TotalsRow:	False
Updatable:	False		

Columns

Name	Type	Size
StorageID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	Default	
DataUpdatable:	False	
GUID:	{guid {FF71B539-FF76-4744-90C8-96C09AF93CCD}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	StorageID	
SourceTable:	Storage	
TextAlign:	General	
FACID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	internal DIME ID for PWS which utilizes storage	
DisplayControl:	Text Box	
GUID:	{guid {A3DB6BB7-D1F2-4306-8006-15F46E2C737D}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	FACID	
SourceTable:	Storage	
TextAlign:	General	

UnivUniqueID		Short Text	5
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	universally unique number for sources, treatment plants, entry points, storage, or distribution systems		
DisplayControl:	Text Box		
GUID:	{guid {60E0F291-D059-4E7A-A3FB-93F46B7330D9}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	2		
Required:	True		
SourceField:	UnivUniqueID		
SourceTable:	Storage		
TextAlign:	General		
UnicodeCompression:	False		

storageName		Short Text	50
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Most recognized and used storage name		
DisplayControl:	Text Box		
GUID:	{guid {ED87A24A-E19F-48E1-AF67-6061F71E865F}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	3		
Required:	False		
SourceField:	storageName		
SourceTable:	Storage		
TextAlign:	General		
UnicodeCompression:	True		

FacTypeID		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
BoundColumn:	1		
CollatingOrder:	General		
ColumnCount:	4		
ColumnHeads:	False		
ColumnHidden:	False		

ColumnOrder: Default
 ColumnWidth: Default
 ColumnWidths: 0;348;2304;1030
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME ID for sub-facility type, lookup in table FacType with category Piped, Other
 DisplayControl: Text Box
 GUID: {guid {C2DD9E06-261C-4BA8-AE7E-1875F2D64235}}
 LimitToList: True
 ListRows: 8
 ListWidth: 3683twip
 OrdinalPosition: 4
 Required: False
 RowSource: SELECT FacType.FacTypeID, FacType.ODScodeFacType, FacType.FacilityType, FacType.FacTypeCat FROM FacType WHERE (((FacType.FacTypeCat)="Storage")) ORDER BY FacType.FacTypeCat, FacType.ODScodeFacType;
 RowSourceType: Table/Query
 SourceField: FacTypeID
 SourceTable: Storage
 TextAlign: General

Storage_Capacity Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: total storage capacity
 DisplayControl: Text Box
 GUID: {guid {172806E9-EEB8-467A-9209-9A11681F5657}}
 OrdinalPosition: 5
 Required: False
 SourceField: Storage_Capacity
 SourceTable: Storage
 TextAlign: General

Storage_HEIGHT Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto

Description: Height of cylindrical tank in feet (to top of working water level)
 DisplayControl: Text Box
 OrdinalPosition: 6
 Required: False
 SourceField: Storage_HEIGHT
 SourceTable: Storage
 TextAlign: General

Storage_DIAMETER Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Diameter of cylindrical tank in feet (interior)
 DisplayControl: Text Box
 OrdinalPosition: 7
 Required: False
 SourceField: Storage_DIAMETER
 SourceTable: Storage
 TextAlign: General

storagecapacityunits Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 Caption: storagecapacityunits
 CollatingOrder: General
 ColumnCount: 2
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 ColumnWidths: 0;975
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: liters or gallons, lookup in table volumetric units
 DisplayControl: Combo Box
 GUID: {guid {99CA5944-D954-4334-9788-901632676C9C}}
 LimitToList: True
 ListRows: 8
 ListWidth: 975twip
 OrdinalPosition: 8
 Required: False
 RowSource: SELECT volumetricunits.ID, volumetricunits.UnitName FROM
 volumetricunits;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False

SourceField:	storagecapacityunits		
SourceTable:	Storage		
TextAlign:	General		
Storage_norm_demand		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Needed (calculated) storage capacity for normal operation in gallons		
DisplayControl:	Text Box		
GUID:	{guid {984879DF-FB6D-4664-8A0D-0AD8E04933BA}}		
OrdinalPosition:	9		
Required:	False		
SourceField:	Storage_norm_demand		
SourceTable:	Storage		
TextAlign:	General		
Storage_emerg_demand		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Needed (calc) storage capacity for emergency in gallons		
DisplayControl:	Text Box		
GUID:	{guid {D49F73F7-B1AB-4206-8908-F978A1BBB3C8}}		
OrdinalPosition:	10		
Required:	False		
SourceField:	Storage_emerg_demand		
SourceTable:	Storage		
TextAlign:	General		
MinimumLevelCT		Single	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		

	Description:	Minimum level of tank for adequate CT (feet)	
	DisplayControl:	Text Box	
	OrdinalPosition:	11	
	Required:	False	
	SourceField:	MinimumLevelCT	
	SourceTable:	Storage	
	TextAlign:	General	
BaffleFactor		Double	8
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	Baffling Factor assigned to tank for CT calculations	
	DisplayControl:	Text Box	
	OrdinalPosition:	12	
	Required:	False	
	SourceField:	BaffleFactor	
	SourceTable:	Storage	
	TextAlign:	General	
BaffleFactor_user		Short Text	255
	AggregateType:	-1	
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	User approving Baffling Factor	
	DisplayControl:	Text Box	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	13	
	Required:	False	
	SourceField:	BaffleFactor_user	
	SourceTable:	Storage	
	TextAlign:	General	
	UnicodeCompression:	True	
BaffleFactor_date		Date With Time	8
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	

ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date User approved Baffling Factor
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 14
 Required: False
 ShowDatePicker: For dates
 SourceField: BaffleFactor_date
 SourceTable: Storage
 TextAlign: General

MaximumHourlyFlow Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Maximum Hourly Flow for CT
 DisplayControl: Text Box
 OrdinalPosition: 15
 Required: False
 SourceField: MaximumHourlyFlow
 SourceTable: Storage
 TextAlign: General

WaterTypeinStorage Short Text 255

AggregateType: -1
 AllowValueListEdits: True
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 1
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Water Type in storage (raw, treated, finished)
 DisplayControl: Combo Box
 IMEMode: 0
 IMESentenceMode: 3
 LimitToList: False
 ListRows: 16
 ListWidth: 0twip
 OrdinalPosition: 16
 Required: False

RowSource: "Raw";"Treated";"Finished"
 RowSourceType: Value List
 ShowOnlyRowSourceValues: False
 SourceField: WaterTypeinStorage
 SourceTable: Storage
 TextAlign: General
 UnicodeCompression: True

CanBeIsolated Yes/No 1

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Is this storage tank plumbed so that the PWS can function while the tank is out of service? Can it be valved off?
 DisplayControl: 106
 Format: Yes/No
 GUID: {guid {B1AC92FE-C352-4C7D-8F38-9E3815749180}}
 OrdinalPosition: 17
 Required: False
 SourceField: CanBeIsolated
 SourceTable: Storage
 TextAlign: General

Floating Yes/No 1

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Is this storage tank connected to the distribution system as a "floating" tank, defined as flows to and from the distribution system.
 DisplayControl: 106
 Format: Yes/No
 GUID: {guid {06B5D3A7-6F9B-46E7-A65D-545323CF45D8}}
 OrdinalPosition: 18
 Required: False
 SourceField: Floating
 SourceTable: Storage
 TextAlign: General

ACTIVITY_STATUS_STORAGE Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False

AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 Caption: ACTIVITY_STATUS_STORAGE
 CollatingOrder: General
 ColumnCount: 2
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 ColumnWidths: 0;1065
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: activity status for storage tank, lookup in table SourceUseStatus, which contains proper SDWIS codes
 DisplayControl: Combo Box
 GUID: {guid {C8A570EF-BC6A-4A79-B1EF-B471DD8161AB}}
 LimitToList: True
 ListRows: 8
 ListWidth: 1065twip
 OrdinalPosition: 19
 Required: False
 RowSource: SELECT SourceUseStatus.ID, SourceUseStatus.SourceUseStatus FROM SourceUseStatus;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: ACTIVITY_STATUS_STORAGE
 SourceTable: Storage
 TextAlign: General

ACTIVITY_DATE_STORAGE Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date storage tank came into active service OR date storage tank stopped being used
 GUID: {guid {580B038F-2267-481A-BD44-615CBC3BAD60}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 20
 Required: False
 ShowDatePicker: For dates
 SourceField: ACTIVITY_DATE_STORAGE
 SourceTable: Storage
 TextAlign: General

ACTIVITY_RSN_TXT_STORAGE Short Text 50

AggregateType: -1

AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Reason for activity of storage tank
 DisplayControl: Text Box
 GUID: {guid {A90CBA0C-1849-45A7-AE4C-E6E3DCA045DC}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 21
 Required: False
 SourceField: ACTIVITY_RSN_TXT_STORAGE
 SourceTable: Storage
 TextAlign: General
 UnicodeCompression: True

MEMO_TEXT_storage Short Text 255

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Memo text for storage, notes about storage
 DisplayControl: Text Box
 GUID: {BEE36BD5-07E7-4442-B4A4-B0E136973695}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 22
 Required: False
 SourceField: MEMO_TEXT_storage
 SourceTable: Storage
 TextAlign: General
 UnicodeCompression: True

FlowsTo_sto Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: indicates flow to next point in PWS, universally unique identifier from union of entry points, treatment plants, storage, or distribution system
 DisplayControl: Text Box
 GUID: {guid {88A256F6-C69A-4CAC-BE8E-4870219D688B}}}

IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 23
Required: False
SourceField: FlowsTo_sto
SourceTable: Storage
TextAlign: General
UnicodeCompression: True

Lastupdate Date With Time 8

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 2385
DataUpdatable: False
Description: Date of Last Update
Format: General Date
GUID: {guid {ABB3FDBF-2FF8-46A9-9574-4848073B5E8F}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 24
Required: False
ShowDatePicker: For dates
SourceField: Lastupdate
SourceTable: Storage
TextAlign: General

CurrentUpdateUser Short Text 50

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Current User At Time of Update
DisplayControl: Text Box
GUID: {guid {9AFF9352-67AA-41E1-8C11-1BECF9ACD41E}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 25
Required: False
SourceField: CurrentUpdateUser
SourceTable: Storage
TextAlign: General
UnicodeCompression: True

DateCreated Date With Time 8

AggregateType: -1

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DefaultValue: =Now()
 Description: automatically entered on update of record
 Format: General Date
 GUID: {guid {62E73946-B665-40D3-A4E0-E6CAB5B8B539}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 26
 Required: False
 ShowDatePicker: For dates
 SourceField: DateCreated
 SourceTable: Storage
 TextAlign: General

CreatedBy Short Text 50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Created by User
 DisplayControl: Text Box
 GUID: {guid {FC25690F-5B45-4E3B-AC5E-5263F84A4F86}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 27
 Required: False
 SourceField: CreatedBy
 SourceTable: Storage
 TextAlign: General
 UnicodeCompression: True

StatusID Long Integer 4


AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME Status identifier, lookup in table QAStatus

DisplayControl: Text Box
 GUID: {guid {76A1E5F6-C1F7-4F90-A099-EA7D20050B6E}}
 OrdinalPosition: 28
 Required: False
 SourceField: StatusID
 SourceTable: Storage
 TextAlign: General

OldStorageID Long Integer 4
 AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Old ids random--need to be deleted later
 DisplayControl: Text Box
 GUID: {guid {6D2FB511-915C-4119-91F1-590F055C1CE6}}
 OrdinalPosition: 29
 Required: False
 SourceField: OldStorageID
 SourceTable: Storage
 TextAlign: General


Relationships

Facility InformationStorage



Attributes: Not Enforced, Inherited
 RelationshipType: One-To-Many (External)

StorageLocationalData_Storage



Attributes: Not Enforced, Inherited, Left Join
 RelationshipType: One-To-Many (External)

Table Indexes

Name	Number of Fields
PrimaryKey	2

Clustered:	False
DistinctCount:	723
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
FACID	Ascending
UnivUniqueID	Ascending
StorageID	1
Clustered:	False
DistinctCount:	723
Foreign:	False
IgnoreNulls:	False
Name:	StorageID
Primary:	False
Required:	False
Unique:	True
Fields:	
StorageID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	

michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\ Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:52 PM	DefaultView:	2
GUID:	{guid {A571C3AB-D590-40D2- 8EC9-03ACDCDBF01D}}	LastUpdated:	11/5/2014 6:19:52 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	SWAP	SubDataSheetName:	[Auto]
Updatable:	False		

Columns

Name	Type	Size
SWAPID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal SWAP identifier	
GUID:	{guid {77835D98-5C9A-4553-9E0A-2573EA1C2EEC}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	SWAPID	
SourceTable:	SWAP	
SWAPGroup	Short Text	50
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1575	
DataUpdatable:	False	
Description:	User defined label for SWAP	
DisplayControl:	Text Box	
GUID:	{guid {3875B4ED-B884-4633-A410-AB92C01532CC}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	SWAPGroup	
SourceTable:	SWAP	
UnicodeCompression:	True	
Assessmentdate	Date With Time	8
AllowZeroLength:	False	

AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date Source Water Assessment was completed
 GUID: {guid {F167A2F7-5500-473D-A40F-FDB7AAD110A2}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: Assessmentdate
 SourceTable: SWAP

Awarddate Date With Time 8

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date Source Water Assessment funding was awarded, if applicable
 Format: Short Date
 GUID: {guid {2268E8AE-681A-471A-BA43-3F3E30781188}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: Awarddate
 SourceTable: SWAP

DelineationMethod Short Text 30

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 1
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2490
 ColumnWidths: 1890
 DataUpdatable: False
 Description: Method of SWAP delineation
 DisplayControl: Combo Box
 GUID: {guid {72366B79-99FE-418E-AB19-3226BB5C03FF}}
 IMEMode: 0
 IMESentenceMode: 3
 LimitToList: False
 ListRows: 8

ListWidth: 1890twip
OrdinalPosition: 4
Required: False
RowSource: "Arbitrary Fixed Radius";"Calculated Fixed Radius";"Topographical Method";"Uniform Flow Equation"
RowSourceType: Value List
SourceField: DelineationMethod
SourceTable: SWAP
UnicodeCompression: True

ProtectionMeasures Long Text -

AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: List of protection measures in place or planned for
GUID: {guid {9E78086E-F414-4433-B85A-A6CED2822D22}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 5
Required: False
SourceField: ProtectionMeasures
SourceTable: SWAP
UnicodeCompression: True

StatusProtectionMeasures Long Text -

AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 3315
DataUpdatable: False
Description: Status of protection measures listed above.
GUID: {guid {54B1C748-A2D7-4C14-BCAC-230D5C957504}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 6
Required: False
SourceField: StatusProtectionMeasures
SourceTable: SWAP
UnicodeCompression: True

EnvironmentalResults Long Text -

AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default

ColumnWidth: Default
 DataUpdatable: False
 Description: List of Environmental Results (migrate from ER tables in grants, as available)
 GUID: {guid {BD1750D7-6221-4108-9D40-2E9916265A27}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 7
 Required: False
 SourceField: EnvironmentalResults
 SourceTable: SWAP
 UnicodeCompression: True

OnsiteWastewater Yes/No 1

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Is there an onsite wastewater treatment system?
 DisplayControl: 106
 Format: Yes/No
 GUID: {guid {225E3741-0891-4976-A7D1-F5F8DF2BB627}}
 OrdinalPosition: 8
 Required: False
 SourceField: OnsiteWastewater
 SourceTable: SWAP

OnsiteWastewaterID Short Text 50

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Onsite Wastewater Treatment system ID#
 DisplayControl: Text Box
 GUID: {guid {F5EADF94-62D8-4A4F-AEEA-496B436DE4BD}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 9
 Required: False
 SourceField: OnsiteWastewaterID
 SourceTable: SWAP
 UnicodeCompression: True

PastSwapSatisfactory Yes/No 1

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size

CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Was past SWAP performance satisfactory?
DisplayControl: 106
Format: Yes/No
GUID: {guid {13FB04D4-4DC7-4441-B105-A9FC72F1E71A}}
OrdinalPosition: 10
Required: False
SourceField: PastSwapSatisfactory
SourceTable: SWAP

Lastupdate Date With Time 8

AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Date of Last Update
Format: General Date
GUID: {guid {320411EA-C9CB-4F0F-BDF4-5BC6A6A489FC}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 11
Required: False
SourceField: Lastupdate
SourceTable: SWAP

CurrentUpdateUser Short Text 50

AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Current User At Time of Update
DisplayControl: Text Box
GUID: {guid {F8B9CF23-3098-4C40-8791-27C565637FC0}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 12
Required: False
SourceField: CurrentUpdateUser
SourceTable: SWAP
UnicodeCompression: True

DateCreated Date With Time 8

AllowZeroLength: False

AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DefaultValue: =Now()
 Description: automatically entered on update of record
 Format: General Date
 GUID: {guid {2A3B9569-3007-45A3-A35D-A2922DDF7DB6}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 13
 Required: False
 SourceField: DateCreated
 SourceTable: SWAP

CreatedBy Short Text 50


AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Created by User
 DisplayControl: Text Box
 GUID: {guid {A765AAD5-1F4C-4D7C-9F75-F9F7711840D5}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 14
 Required: False
 SourceField: CreatedBy
 SourceTable: SWAP
 UnicodeCompression: True

StatusID Long Integer 4

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME Status identifier, lookup in table QAStatus
 DisplayControl: Text Box
 GUID: {guid {649CC6E7-1EC9-4C25-811A-D08BC9F60C85}}
 OrdinalPosition: 15
 Required: False
 SourceField: StatusID
 SourceTable: SWAP


Relationships

SWAPSWAPAssociations



Attributes: Not Enforced, Inherited
 RelationshipType: One-To-Many (External)

SWAPSWAPPotentialContamAssignments



Attributes: Not Enforced, Inherited
 RelationshipType: One-To-Many (External)

Table Indexes

Name	Number of Fields
OnsiteWastewaterID	1
Clustered:	False
DistinctCount:	2
Foreign:	False
IgnoreNulls:	False
Name:	OnsiteWastewaterID
Primary:	False
Required:	False
Unique:	False
Fields:	
OnsiteWastewaterID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	8
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
SWAPID	Ascending
StatusID	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	StatusID

Primary:	False
Required:	False
Unique:	False
Fields:	
StatusID	Ascending
SWAPID	1
Clustered:	False
DistinctCount:	8
Foreign:	False
IgnoreNulls:	False
Name:	SWAPID
Primary:	False
Required:	False
Unique:	False
Fields:	
SWAPID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

sara
test

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:52 PM	DefaultView:	2
GUID:	{guid {1EA9B8DF-CA1A-4E4D-AEBB-9205CDFC0660}}	LastUpdated:	11/5/2014 6:19:52 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	SWAPAssociations	Updatable:	False

Columns

Name	Type	Size
SWAPAssocID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal DIME identifier for SWAP<>Source relationship	
GUID:	{guid {82D28CA3-B85B-44AF-8349-6CC42FC55825}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	SWAPAssocID	
SourceTable:	SWAPAssociations	
SWAPID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
BoundColumn:	1	
CollatingOrder:	General	
ColumnCount:	1	
ColumnHeads:	False	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
ColumnWidths:	720	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	internal DIME identifier for SWAP	
DisplayControl:	Combo Box	
GUID:	{guid {4C291ED6-2279-4EA2-841D-D51CEA86AA23}}	
LimitToList:	False	
ListRows:	8	
ListWidth:	720twip	
OrdinalPosition:	1	
Required:	True	
RowSource:	SELECT SWAP.SWAPID, SWAP.SWAPGroup FROM SWAP ORDER BY SWAP.SWAPGroup;	

	RowSourceType:	Table/Query	
	SourceField:	SWAPID	
	SourceTable:	SWAPAssociations	
FACID		Long Integer	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	3	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	3870	
	ColumnWidths:	0;2880;864	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	internal DIME identifier for PWS	
	DisplayControl:	Combo Box	
	GUID:	{guid {29CCA028-68BF-49C2-8253-8382B0FB8557}}	
	LimitToList:	True	
	ListRows:	25	
	ListWidth:	3744twip	
	OrdinalPosition:	2	
	Required:	True	
	RowSource:	SELECT [Facility Information].FACID, [Facility Information].PWSSNAME, [Facility Information].ALTERNATE_ST_NUM FROM [Facility Information] ORDER BY [Facility Information].ALTERNATE_ST_NUM;	
	RowSourceType:	Table/Query	
	SourceField:	FACID	
	SourceTable:	SWAPAssociations	
UnivUniqueID		Short Text	5
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	1320	
	DataUpdatable:	False	
	Description:	User defined ID for source	
	DisplayControl:	Text Box	
	GUID:	{guid {D1802BEB-BAEE-48CC-AC09-407A61F44165}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	3	
	Required:	True	
	SourceField:	UnivUniqueID	
	SourceTable:	SWAPAssociations	
	UnicodeCompression:	True	

Lastupdate	Date With Time	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Date of Last Update	
Format:	General Date	
GUID:	{guid {1680F068-520F-4342-8774-86045B5D6C6D}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	4	
Required:	False	
SourceField:	Lastupdate	
SourceTable:	SWAPAssociations	


CurrentUpdateUser	Short Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Current User At Time of Update	
DisplayControl:	Text Box	
GUID:	{guid {D354B0EB-16DA-4425-AB13-DC0DD3FA6262}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	5	
Required:	False	
SourceField:	CurrentUpdateUser	
SourceTable:	SWAPAssociations	
UnicodeCompression:	True	

DateCreated	Date With Time	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DefaultValue:	=Now()	
Description:	automatically entered on update of record	
Format:	General Date	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	6	
Required:	False	

SourceField:	DateCreated		
SourceTable:	SWAPAssociations		
CreatedBy		Short Text	50
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Created by User		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	7		
Required:	False		
SourceField:	CreatedBy		
SourceTable:	SWAPAssociations		
UnicodeCompression:	True		
StatusID		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	internal DIME Status identifier, lookup in table QAStatus		
DisplayControl:	Text Box		
OrdinalPosition:	8		
Required:	False		
SourceField:	StatusID		
SourceTable:	SWAPAssociations		


Relationships

Facility InformationSWAPAssociations



Attributes: Not Enforced, Inherited
 RelationshipType: One-To-Many (External)

SWAPSWAPAssociations



Attributes: Not Enforced, Inherited
 RelationshipType: One-To-Many (External)

Table Indexes

Name	Number of Fields
FACID	1
Clustered:	False
DistinctCount:	6
Foreign:	False
IgnoreNulls:	False
Name:	FACID
Primary:	False
Required:	False
Unique:	False
Fields:	
FACID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	19
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
SWAPAssocID	Ascending
StatusID	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	StatusID
Primary:	False
Required:	False
Unique:	False
Fields:	
StatusID	Ascending
SWAPAssocID	1
Clustered:	False
DistinctCount:	19
Foreign:	False
IgnoreNulls:	False
Name:	SWAPAssocID
Primary:	False

	Required:	False
	Unique:	False
	Fields:	
	SWAPAssocID	Ascending
SWAPID		1
	Clustered:	False
	DistinctCount:	5
	Foreign:	False
	IgnoreNulls:	False
	Name:	SWAPID
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	SWAPID	Ascending
UnivUniqueID		1
	Clustered:	False
	DistinctCount:	4
	Foreign:	False
	IgnoreNulls:	False
	Name:	UnivUniqueID
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	UnivUniqueID	Ascending

User Permissions

- admin
- aizaz
- andrew
- bessie
- chris
- corine
- daria
- designer
- dschmidt
- Emmanuelle
- everett
- guest
- helen
- hillary
- jack
- jamelya
- Jason
- jelani
- jennifer
- jimh
- judy
- karl

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\ Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:52 PM	DefaultView:	2
GUID:	{guid {1C70BE16-6AA2-41A6- AF06-D44B67107BF9}}	LastUpdated:	11/5/2014 6:19:52 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	SWAPPotentialContamAssignm ents	Updatable:	False

Columns

Name	Type	Size
SWAPCONTAMID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal DIME identifier for SWAP-Potential Contaminant Source relationship (1 to many)	
GUID:	{guid {399587A5-5C40-4F7D-9D61-68266D2709C0}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	SWAPCONTAMID	
SourceTable:	SWAPPotentialContamAssignments	
SWAPID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	internal DIME identifier for SWAP record, lookup in table SWAP	
DisplayControl:	Text Box	
GUID:	{guid {FC9DD3D6-A502-44E0-AF78-BA028164F65D}}	
OrdinalPosition:	1	
Required:	True	
SourceField:	SWAPID	
SourceTable:	SWAPPotentialContamAssignments	
PotentialContamID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	

Attributes: Fixed Size
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 2
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 ColumnWidths: 0;2640
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME identifier for Potential Contaminant, lookup in table Potential Contaminant Sources
 DisplayControl: Combo Box
 GUID: {guid {B4330A7D-F73F-426C-99EC-6ED439C9CB42}}
 LimitToList: True
 ListRows: 8
 ListWidth: 2640twip
 OrdinalPosition: 2
 Required: True
 RowSource: SELECT PotentialContaminantSources.PotentialContamID, PotentialContaminantSources.PotentialContaminantSource FROM PotentialContaminantSources ORDER BY [PotentialContaminantSource];
 RowSourceType: Table/Query
 SourceField: PotentialContamID
 SourceTable: SWAPPotentialContamAssignments

ReportedPriorityRank Short Text 50

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: reported rank or priority of contaminant mitigation with respect the assigned SWAPID
 DisplayControl: Text Box
 GUID: {guid {4921DFDD-A072-437A-8399-398A42107BFC}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: ReportedPriorityRank
 SourceTable: SWAPPotentialContamAssignments
 UnicodeCompression: True

TimeofTravel Short Text 50

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length

BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 1
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 ColumnWidths: 1440
 DataUpdatable: False
 Description: 2 or 10 year or Entire Watershed?
 DisplayControl: Combo Box
 GUID: {guid {C51D38CE-EE0E-43AE-90AF-8B99B5807967}}
 IMEMode: 0
 IMESentenceMode: 3
 LimitToList: False
 ListRows: 8
 ListWidth: 1440twip
 OrdinalPosition: 4
 Required: False
 RowSource: "2-year";"10-year";"Watershed"
 RowSourceType: Value List
 SourceField: TimeofTravel
 SourceTable: SWAPPotentialContamAssignments
 UnicodeCompression: True

SWAPPCSmemo Long Text -

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: commentary regarding the actual potectial contaminant source in the source water protection area of the associated water source.
 GUID: {guid {EF2B24BD-315E-449A-B9E4-173A366A6132}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 5
 Required: False
 SourceField: SWAPPCSmemo
 SourceTable: SWAPPotentialContamAssignments
 UnicodeCompression: True

StatusID Long Integer 4

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto

Description: internal DIME Status identifier, lookup in table QAStatus
 DisplayControl: Text Box
 OrdinalPosition: 6
 Required: False
 SourceField: StatusID
 SourceTable: SWAPPotentialContamAssignments

Lastupdate Date With Time 8

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date of Last Update
 Format: General Date
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 7
 Required: False
 SourceField: Lastupdate
 SourceTable: SWAPPotentialContamAssignments

CurrentUpdateUser Short Text 50

AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Current User At Time of Update
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 8
 Required: False
 SourceField: CurrentUpdateUser
 SourceTable: SWAPPotentialContamAssignments
 UnicodeCompression: True

DateCreated Date With Time 8


AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DefaultValue: =Now()
 Description: automatically entered on update of record

Format: General Date
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 9
 Required: False
 SourceField: DateCreated
 SourceTable: SWAPPotentialContamAssignments

CreatedBy Short Text 50
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Created by User
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 10
 Required: False
 SourceField: CreatedBy
 SourceTable: SWAPPotentialContamAssignments
 UnicodeCompression: True


Relationships

PotentialContaminantSourcesSWAPPotentialContamAssignments



Attributes: Not Enforced, Inherited
 RelationshipType: One-To-Many (External)

SWAPSWAPPotentialContamAssignments



Attributes: Not Enforced, Inherited
 RelationshipType: One-To-Many (External)

Table Indexes

Name	Number of Fields
PotentialContamID	1
Clustered:	False

	DistinctCount:	24
	Foreign:	False
	IgnoreNulls:	False
	Name:	PotentialContamID
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	PotentialContamID	Ascending
PrimaryKey		1
	Clustered:	False
	DistinctCount:	41
	Foreign:	False
	IgnoreNulls:	False
	Name:	PrimaryKey
	Primary:	True
	Required:	True
	Unique:	True
	Fields:	
	SWAPCONTAMID	Ascending
StatusID		1
	Clustered:	False
	DistinctCount:	1
	Foreign:	False
	IgnoreNulls:	False
	Name:	StatusID
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	StatusID	Ascending
SWAPCONTAMID		1
	Clustered:	False
	DistinctCount:	41
	Foreign:	False
	IgnoreNulls:	False
	Name:	SWAPCONTAMID
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	SWAPCONTAMID	Ascending
SWAPID		1
	Clustered:	False
	DistinctCount:	11
	Foreign:	False
	IgnoreNulls:	False
	Name:	SWAPID
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	SWAPID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\ Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:52 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {6D5DDD4C-F1C3-4965- 996D-E24E1391FF8B}}	HideNewField:	False
LastUpdated:	11/5/2014 6:19:52 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	SWTRinventory	TotalsRow:	False
Updatable:	False		

Columns

Name	Type	Size
FACID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	internal PWS identifier, lookup in table Facility Information	
DisplayControl:	Text Box	
GUID:	{guid {A72ED9BE-A8C9-439F-BDA3-537DB099A458}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	FACID	
SourceTable:	SWTRinventory	
TextAlign:	General	
UnivUniqueID	Short Text	50
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal DIME identifier for Treatment Plant	
DisplayControl:	Text Box	
GUID:	{guid {15CD4795-1FB7-4479-91F9-0FE51600A15C}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	

Required: False
 SourceField: UnivUniqueID
 SourceTable: SWTRinventory
 TextAlign: General
 UnicodeCompression: True

Number of Filters Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: the total number of filters utilized for a given Treatment Plant
 DisplayControl: Text Box
 GUID: {guid {DD19B363-E111-426B-9D87-6618E50D5D84}}
 OrdinalPosition: 2
 Required: False
 SourceField: Number of Filters
 SourceTable: SWTRinventory
 TextAlign: General

IFERequired Yes/No 1

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Individual Filter Effluent turbidity measurement required? (3 or more)
 DisplayControl: 106
 Format: Yes/No
 GUID: {guid {DC6108FB-43EB-41FC-9F56-6B6E6296D628}}
 OrdinalPosition: 3
 Required: False
 SourceField: IFERequired
 SourceTable: SWTRinventory
 TextAlign: General

LOGinactivationGiardia Single 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default

DataUpdatable: False
DecimalPlaces: Auto
Description: LOG inactivation of Giardia required, based upon required treatment (minimum 1-log inactivation of Giardia)
DisplayControl: Text Box
GUID: {guid {7E65BEF3-5A30-4109-83AA-8343EE13B0B0}}
OrdinalPosition: 4
Required: False
SourceField: LOGinactivationGiardia
SourceTable: SWTRinventory
TextAlign: General

LOGinactivationViruses Single 4

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
Description: LOG inactivation of Viruses required, based upon required treatment
DisplayControl: Text Box
GUID: {guid {BAF6D424-7123-4668-BB67-CB3C25CF00A5}}
OrdinalPosition: 5
Required: False
SourceField: LOGinactivationViruses
SourceTable: SWTRinventory
TextAlign: General

LOGinactivationCrypto Single 4

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
Description: LOG inactivation of Cryptosporidium required, based upon required treatment
DisplayControl: Text Box
GUID: {guid {5D84D2D9-D7A3-4EF0-943C-F4E2A4D99B3C}}
OrdinalPosition: 6
Required: False
SourceField: LOGinactivationCrypto
SourceTable: SWTRinventory
TextAlign: General

LOGremovalCredited Single 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: LOG removal credited, based upon installed treatment
 DisplayControl: Text Box
 GUID: {guid {E3A769E9-0C24-488E-A5DC-1E035A076EFF}}
 OrdinalPosition: 7
 Required: False
 SourceField: LOGremovalCredited
 SourceTable: SWTRinventory
 TextAlign: General

LOGinactivationCredited Single 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: LOG inactivation credited, based upon installed treatment
 DisplayControl: Text Box
 GUID: {F3FE0970-D526-46B1-98EF-016877B13062}}
 OrdinalPosition: 8
 Required: False
 SourceField: LOGinactivationCredited
 SourceTable: SWTRinventory
 TextAlign: General

BIN_LT2 Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: The BIN number for the Long Term 2 Surface Water Treatment Rule
 DisplayControl: Text Box
 GUID: {guid {211CD3AD-4D6D-4688-A07A-A5740A295382}}
 OrdinalPosition: 9
 Required: False

SourceField: BIN_LT2
 SourceTable: SWTRinventory
 TextAlign: General

BIN_DETERMINATION_DATE Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: The date the BIN number was determined for the Long Term 2 Surface Water Treatment Rule
 GUID: {guid {ECB8C5B5-AE45-4400-B620-70044A5CA6D9}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 10
 Required: False
 ShowDatePicker: For dates
 SourceField: BIN_DETERMINATION_DATE
 SourceTable: SWTRinventory
 TextAlign: General

BIN_STATUS Short Text 255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: The status of the BIN determination for the Long Term 2 Surface Water Treatment Rule.
 DisplayControl: Text Box
 GUID: {guid {B2DDD567-E2DD-49D2-BF29-FD526AB99E28}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 11
 Required: False
 SourceField: BIN_STATUS
 SourceTable: SWTRinventory
 TextAlign: General
 UnicodeCompression: True

MinimumCTTemp Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size

CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: The minimum contact time temperature.
 DisplayControl: Text Box
 GUID: {guid {DFE2B3AA-29DC-4E33-AE9B-4D96094C9BF8}}
 OrdinalPosition: 12
 Required: False
 SourceField: MinimumCTTemp
 SourceTable: SWTRinventory
 TextAlign: General

MinimumClres Double 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: The minimum contact time chlorine residual.
 DisplayControl: Text Box
 GUID: {guid {F4DF841C-FDC3-47FB-BE59-EF01199F95E0}}
 OrdinalPosition: 13
 Required: False
 SourceField: MinimumClres
 SourceTable: SWTRinventory
 TextAlign: General

MinimumCTtime Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: The minimum contact time time of travel (in minutes).
 DisplayControl: Text Box
 GUID: {guid {8CB65491-4AFD-45FA-AED9-01C35547F979}}
 OrdinalPosition: 14
 Required: False
 SourceField: MinimumCTtime
 SourceTable: SWTRinventory
 TextAlign: General

MaximumCTpH		Single	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	The maximum contact time pH.		
DisplayControl:	Text Box		
GUID:	{71495ED5-8FFE-4517-B9E8-C7253574C9EB}}		
OrdinalPosition:	15		
Required:	False		
SourceField:	MaximumCTpH		
SourceTable:	SWTRinventory		
TextAlign:	General		
PeakFlowVolume		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Peak Flow Volume		
DisplayControl:	Text Box		
GUID:	{ACC28E0A-9C2F-4FE1-BFB8-40996F4C5704}}		
OrdinalPosition:	16		
Required:	False		
SourceField:	PeakFlowVolume		
SourceTable:	SWTRinventory		
TextAlign:	General		
MinimumCTVolume		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	The minimum contact time volume.		
DisplayControl:	Text Box		
GUID:	{376FD249-9EC8-4F4B-954C-3FA780E402D0}}		
OrdinalPosition:	17		

Required:	False		
SourceField:	MinimumCTVolume		
SourceTable:	SWTRinventory		
TextAlign:	General		
CTrequired		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	in minutes, the CT required based upon volume, time of transit, pH, Temperature disinfection residual		
DisplayControl:	Text Box		
GUID:	{guid {BA058E7F-F960-4117-A666-14E5EF28417A}}		
OrdinalPosition:	18		
Required:	False		
SourceField:	CTrequired		
SourceTable:	SWTRinventory		
TextAlign:	General		
ContinuousTurbidityMeasurements		Yes/No	1
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Is turbidity measured continuously?		
DisplayControl:	106		
Format:	Yes/No		
GUID:	{guid {FC8AAB8B-8448-46C9-99BE-0152D31931B9}}		
OrdinalPosition:	19		
Required:	False		
SourceField:	ContinuousTurbidityMeasurements		
SourceTable:	SWTRinventory		
TextAlign:	General		
DateofLastpHCalibration		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		

DataUpdatable: False
Description: Date of last pH equipment calibration, defaulted from SWTRInventory
Format: Short Date
GUID: {guid {44131149-88C2-41FE-B8DD-7D5D15623516}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 20
Required: False
ShowDatePicker: For dates
SourceField: DateofLastpHCalibration
SourceTable: SWTRInventory
TextAlign: General

FreqReqpH Long Integer 4

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
Description: Frequency of required equipment calibration (determined by type of equipment), in months
DisplayControl: Text Box
GUID: {guid {C862DE05-E067-4C36-A14B-6F3295A00E45}}
OrdinalPosition: 21
Required: False
SourceField: FreqReqpH
SourceTable: SWTRInventory
TextAlign: General

DateofLastTemperatureCalibration Date With Time 8

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Date of last Temperature equipment calibration, defaulted from SWTRInventory
Format: Short Date
GUID: {guid {87FF338F-C013-4310-90D2-48DB0E787093}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 22
Required: False
ShowDatePicker: For dates
SourceField: DateofLastTemperatureCalibration
SourceTable: SWTRInventory

TextAlign:	General		
FreqReqTemp		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Frequency of required equipment calibration (determined by type of equipment), in months		
DisplayControl:	Text Box		
GUID:	{guid {F346D666-A4A2-4F50-AA65-7586B970240C}}		
OrdinalPosition:	23		
Required:	False		
SourceField:	FreqReqTemp		
SourceTable:	SWTRinventory		
TextAlign:	General		
DateofLastTurbidityCalibration		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Date of last Turbidity equipment calibration, defaulted from SWTRInventory		
Format:	Short Date		
GUID:	{guid {451DD7E5-863B-4536-9A38-7D5C02EAE857}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	24		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	DateofLastTurbidityCalibration		
SourceTable:	SWTRinventory		
TextAlign:	General		
FreqReqTurb		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		

ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Frequency of required equipment calibration (determined by type of equipment), in months
 DisplayControl: Text Box
 GUID: {guid {721B0538-721E-49A3-B44C-4935F21AD6F4}}
 OrdinalPosition: 25
 Required: False
 SourceField: FreqReqTurb
 SourceTable: SWTRInventory
 TextAlign: General

DateofLastDisinfectant1Calibration Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date of last Disinfectant 1 equipment calibration, defaulted from SWTRInventory
 Format: Short Date
 GUID: {guid {C1E35869-90FC-4C29-954B-A052A6D3183F}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 26
 Required: False
 ShowDatePicker: For dates
 SourceField: DateofLastDisinfectant1Calibration
 SourceTable: SWTRInventory
 TextAlign: General

FreqReqDis1 Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Frequency of required equipment calibration (determined by type of equipment), in months
 DisplayControl: Text Box
 GUID: {guid {F69254CD-F902-40E6-BB8A-34EDFEBE0E59}}
 OrdinalPosition: 27
 Required: False
 SourceField: FreqReqDis1

SourceTable: TextAlign:	SWTRInventory General		
DateofLastDisinfectant2Calibration		Date With Time	8
AggregateType: AllowZeroLength: AppendOnly: Attributes: CollatingOrder: ColumnHidden: ColumnOrder: ColumnWidth: DataUpdatable: Description: Format: GUID: IMEMode: IMESentenceMode: OrdinalPosition: Required: ShowDatePicker: SourceField: SourceTable: TextAlign:	-1 False False Fixed Size General False Default Default False Date of last Disinfectant 2 equipment calibration, defaulted from SWTRInventory Short Date {guid {EC6F0F57-133D-4583-B7C0-683DBA30BF35}} 0 3 28 False For dates DateofLastDisinfectant2Calibration SWTRInventory General		
FreqReqDis2		Long Integer	4
AggregateType: AllowZeroLength: AppendOnly: Attributes: CollatingOrder: ColumnHidden: ColumnOrder: ColumnWidth: DataUpdatable: DecimalPlaces: Description: DisplayControl: GUID: OrdinalPosition: Required: SourceField: SourceTable: TextAlign:	-1 False False Fixed Size General False Default Default False Auto Frequency of required equipment calibration (determined by type of equipment), in months Text Box {guid {2771A9A0-E440-44D5-A514-85460542FF30}} 29 False FreqReqDis2 SWTRInventory General		
FILTER_TYPE		Short Text	255
AggregateType: AllowValueListEdits: AllowZeroLength: AppendOnly: Attributes: BoundColumn:	-1 True True False Variable Length 1		

CollatingOrder: General
 ColumnCount: 1
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Unfiltered (UF), Conventional Filtration (CF), Direct Filtration (DF), Diatomaecious Earth (DE), Other(OT)
 DisplayControl: Combo Box
 GUID: {guid {883A412A-517A-4180-9A72-0208CA398BE6}}
 IMEMode: 0
 IMESentenceMode: 3
 LimitToList: False
 ListRows: 16
 ListWidth: 0twip
 OrdinalPosition: 30
 Required: False
 RowSource: "Unfiltered (UF)";"Conventional Filtration (CF)";"Direct Filtration (DF)";"Diatomaecious Earth (DE)";"Other(OT)"
 RowSourceType: Value List
 ShowOnlyRowSourceValues: False
 SourceField: FILTER_TYPE
 SourceTable: SWTRinventory
 TextAlign: General
 UnicodeCompression: True

Approvedfiltration Yes/No 1

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Is the type of filtration approved?
 DisplayControl: 106
 Format: Yes/No
 GUID: {guid {34D81AF1-A57C-4C92-90D7-7B8D0A9A5424}}
 OrdinalPosition: 31
 Required: False
 SourceField: Approvedfiltration
 SourceTable: SWTRinventory
 TextAlign: General

AdditiveRequired Yes/No 1

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default

ColumnWidth: Default
 DataUpdatable: False
 Description: Is there a polymer or other chemical additive required?
 DisplayControl: 106
 Format: Yes/No
 GUID: {guid {67F436CD-BD2D-42C9-A08E-10D320178B05}}
 OrdinalPosition: 32
 Required: False
 SourceField: AdditiveRequired
 SourceTable: SWTRinventory
 TextAlign: General

Comment Long Text -

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Comment for SWTR Inventory
 GUID: {guid {5A1D3B60-37A8-49DE-8385-225C0D4F49C5}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 33
 Required: False
 SourceField: Comment
 SourceTable: SWTRinventory
 TextAlign: General
 TextFormat: Plain Text
 UnicodeCompression: True

InventoryType Short Text 255

AggregateType: -1
 AllowValueListEdits: True
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 1
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2310
 DataUpdatable: False
 Description: Type of Treatment Inventory Record: Surface Water, GUDI, GWR Compliance, Mixed
 DisplayControl: Combo Box
 GUID: {guid {551A2949-17F2-4A7B-A6D8-86F28F055A5F}}
 IMEMode: 0
 IMESentenceMode: 3
 LimitToList: False
 ListRows: 16

ListWidth: 0twip
OrdinalPosition: 34
Required: False
RowSource: "Surface Water";"GUDI";"GWR Compliance";"Mixed"
RowSourceType: Value List
ShowOnlyRowSourceValues: False
SourceField: InventoryType
SourceTable: SWTRinventory
TextAlign: General
UnicodeCompression: True

FBR_ALTERNATE_RETURN_LOC_DATE Date With Time 8

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: The date that the water system requested an alternate location for return of the filter backwash.
GUID: {guid {6E12B69F-86EC-4C18-A101-C584C300F56F}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 35
Required: False
ShowDatePicker: For dates
SourceField: FBR_ALTERNATE_RETURN_LOC_DATE
SourceTable: SWTRinventory
TextAlign: General

FBR_ALTERNATE_RETURN_LOC_RQS Short Text 255

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: The status of a request from the water system to request an alternate location for return of the filter backwash.
DisplayControl: Text Box
GUID: {guid {DC0F0D1C-4C2E-4272-ACEC-45D0E9373F73}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 36
Required: False
SourceField: FBR_ALTERNATE_RETURN_LOC_RQS
SourceTable: SWTRinventory
TextAlign: General
UnicodeCompression: True

<p>FBR_COMMENTS</p> <p>AggregateType: -1 AllowZeroLength: True AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False Description: A memo field into which a user may enter comments about the Filter Backwash Recycled Rule. GUID: {guid {E94ACD41-2CB3-4A44-ABA5-EC0A56FEC6AD}} IMEMode: 0 IMESentenceMode: 3 OrdinalPosition: 37 Required: False SourceField: FBR_COMMENTS SourceTable: SWTRinventory TextAlign: General TextFormat: Plain Text UnicodeCompression: True</p>	<p>Long Text</p>	<p>-</p>
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------	----------

<p>FBR_CORRECTIVE_ACTION_DATE</p> <p>AggregateType: -1 AllowZeroLength: False AppendOnly: False Attributes: Fixed Size CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False Description: The date that the water system achieved the corrective action required for the filter backwash. GUID: {guid {E666F57B-C495-45A7-BF7A-7941A1DBECE9}} IMEMode: 0 IMESentenceMode: 3 OrdinalPosition: 38 Required: False ShowDatePicker: For dates SourceField: FBR_CORRECTIVE_ACTION_DATE SourceTable: SWTRinventory TextAlign: General</p>	<p>Date With Time</p>	<p>8</p>
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------	----------

<p>FBR_CORRECTIVE_ACTION_RQS</p> <p>AggregateType: -1 AllowZeroLength: True AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default</p>	<p>Short Text</p>	<p>255</p>
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------	------------

DataUpdatable: False
 Description: The status of corrective action by the water system as required by the primacy agency after review of the schematic of the filter backwash flow in the treatment plant.
 DisplayControl: Text Box
 GUID: {guid {AFFC2AF6-C6EB-4592-B8C3-8292E547ED7A}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 39
 Required: False
 SourceField: FBR_CORRECTIVE_ACTION_RQS
 SourceTable: SWTRinventory
 TextAlign: General
 UnicodeCompression: True

FBR_SCHEMATIC_RCVD_DATE Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date primacy agency received treatment plant schematic to demonstrate the percentage of filter backwash that is returned to the treatment plant influent.
 GUID: {guid {105D9261-5DB4-4C1A-93C6-1DF69FD95ED9}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 40
 Required: False
 ShowDatePicker: For dates
 SourceField: FBR_SCHEMATIC_RCVD_DATE
 SourceTable: SWTRinventory
 TextAlign: General

FBR_SCHEMATIC_RVWD_DATE Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date primacy agency completes review of treatment plant schematic and determines the percentage of filter backwash that is returned to the treatment plant influent.
 GUID: {guid {EAFB6AB3-A043-4732-AA42-DAAF4F5F6C}}
 IMEMode: 0

IMESentenceMode: 3
 OrdinalPosition: 41
 Required: False
 ShowDatePicker: For dates
 SourceField: FBR_SCHEMATIC_RVWD_DATE
 SourceTable: SWTRinventory
 TextAlign: General

FBR_SCHEMATIC_STATUS Short Text 255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Under the Filter Backwash Rule, a water system is required to submit a schematic of this treatment plant to the primacy agency for review to demonstrate the percentage of filter backwash that is returned to the treatment plant influent.
 DisplayControl: Text Box
 GUID: {guid {851B1228-062D-414F-A49C-3A3D45AF5B7A}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 42
 Required: False
 SourceField: FBR_SCHEMATIC_STATUS
 SourceTable: SWTRinventory
 TextAlign: General
 UnicodeCompression: True

Lastupdate Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date of Last Update
 Format: General Date
 GUID: {guid {4FD139E9-1C0E-42A1-8313-78BD2071B69A}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 43
 Required: False
 ShowDatePicker: For dates
 SourceField: Lastupdate
 SourceTable: SWTRinventory

TextAlign:	General		
CurrentUpdateUser		Short Text	50
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Current User At Time of Update		
DisplayControl:	Text Box		
GUID:	{guid {42094F66-817D-4D50-B5CC-5BAEE14B73F}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	44		
Required:	False		
SourceField:	CurrentUpdateUser		
SourceTable:	SWTRinventory		
TextAlign:	General		
UnicodeCompression:	True		
DateCreated		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DefaultValue:	=Now()		
Description:	automatically entered on update of record		
Format:	General Date		
GUID:	{guid {9DD3C76C-7C59-4047-93C1-01914A1468B9}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	45		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	DateCreated		
SourceTable:	SWTRinventory		
TextAlign:	General		
CreatedBy		Short Text	50
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		

ColumnWidth: Default
 DataUpdatable: False
 Description: Created by User
 DisplayControl: Text Box
 GUID: {guid {AE21EBF7-E6C6-4F3C-A10E-8042DCC64F5F}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 46
 Required: False
 SourceField: CreatedBy
 SourceTable: SWTRinventory
 TextAlign: General
 UnicodeCompression: True

StatusID Long Integer 4


AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME Status identifier, lookup in table QAStatus
 DisplayControl: Text Box
 GUID: {guid {A5933BD4-2FC9-473A-8776-074CEBCDBF61}}
 OrdinalPosition: 47
 Required: False
 SourceField: StatusID
 SourceTable: SWTRinventory
 TextAlign: General

SWTRinventoryID Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size, Auto-Increment
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 GUID: {guid {41967A99-40C5-4D6D-81AD-B940EE396C4C}}
 OrdinalPosition: 48
 Required: False
 SourceField: SWTRinventoryID
 SourceTable: SWTRinventory
 TextAlign: General

Relationships

SWTRinventorySWTRmonitoring



Attributes: Not Enforced, Inherited
 RelationshipType: One-To-Many (External)

Table Indexes

Name	Number of Fields
Number of Filters	1
Clustered:	False
DistinctCount:	3
Foreign:	False
IgnoreNulls:	False
Name:	Number of Filters
Primary:	False
Required:	False
Unique:	False
Fields:	
Number of Filters	Ascending
PrimaryKey	2
Clustered:	False
DistinctCount:	4
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
FACID	Ascending
UnivUniqueID	Ascending
PWSS ID	1
Clustered:	False
DistinctCount:	4
Foreign:	False
IgnoreNulls:	False
Name:	PWSS ID
Primary:	False
Required:	False
Unique:	False
Fields:	
FACID	Ascending
StatusID	1
Clustered:	False
DistinctCount:	1
Foreign:	False

IgnoreNulls:	False
Name:	StatusID
Primary:	False
Required:	False
Unique:	False
Fields:	
StatusID	Ascending
SWTRinventoryID	1
Clustered:	False
DistinctCount:	4
Foreign:	False
IgnoreNulls:	False
Name:	SWTRinventoryID
Primary:	False
Required:	False
Unique:	False
Fields:	
SWTRinventoryID	Ascending
UnivUniqueID	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	UnivUniqueID
Primary:	False
Required:	False
Unique:	False
Fields:	
UnivUniqueID	Ascending

User Permissions

- admin
- aizaz
- andrew
- bessie
- chris
- corine
- daria
- designer
- dschmidt
- Emmanuelle
- everett
- guest
- helen
- hillary
- jack
- jamelya
- Jason
- jelani
- jennifer
- jimh

judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\ Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:52 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {694BE10F-873A-4D33- 8107-352FFEB45441}}	HideNewField:	False
LastUpdated:	11/5/2014 6:19:52 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	SWTRmonitoring	TotalsRow:	False
Updatable:	False		

Columns

Name	Type	Size
SWTRmonID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal DIME SWTR Monitoring Identifier	
GUID:	{guid {06DD8BD0-635E-4805-89B2-600D983CA040}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	SWTRmonID	
SourceTable:	SWTRmonitoring	
TextAlign:	General	
FACID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	internal PWS identifier, lookup in table Facility Information	
DisplayControl:	Text Box	
GUID:	{guid {D6AF2112-4896-4873-AE8B-1FA5B07CCCEA}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	FACID	
SourceTable:	SWTRmonitoring	

TextAlign:	General		
UnivUniqueID		Short Text	50
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	internal DIME identifier for Treatment Plant		
DisplayControl:	Text Box		
GUID:	{guid {49A7ED9D-9023-4FB8-8EEF-8FB9FDC4AF68}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	2		
Required:	False		
SourceField:	UnivUniqueID		
SourceTable:	SWTRmonitoring		
TextAlign:	General		
UnicodeCompression:	True		
DateMonitoringReportSubmitted		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Must Submit by 10th of month (Violation 36)		
Format:	Short Date		
GUID:	{guid {F52A9FD9-4853-48B1-971E-8F8BD95504C1}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	3		
Required:	True		
ShowDatePicker:	For dates		
SourceField:	DateMonitoringReportSubmitted		
SourceTable:	SWTRmonitoring		
TextAlign:	General		
ReportPeriodBegin		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		

DataUpdatable: False
 Description: First day of reporting period
 GUID: {guid {3B049E2A-1913-4AF2-B53E-7C74C0CE78E8}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False
 ShowDatePicker: For dates
 SourceField: ReportPeriodBegin
 SourceTable: SWTRmonitoring
 TextAlign: General

ReportPeriodEnd Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Last day of reporting period
 GUID: {guid {B999AC5D-B3F9-4EB6-BAAB-39F3E89D34B9}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 5
 Required: False
 ShowDatePicker: For dates
 SourceField: ReportPeriodEnd
 SourceTable: SWTRmonitoring
 TextAlign: General

IFeturbidityExcursions1ntu2months Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: How many consecutive recordings >1.0 NTU, taken 15 minutes apart, over 2 consecutive months? (Violation 29)
 DisplayControl: Text Box
 GUID: {guid {6AEBF09C-8E1D-4321-9EA5-4E8E7E9169CE}}
 OrdinalPosition: 6
 Required: False
 SourceField: IFeturbidityExcursions1ntu2months
 SourceTable: SWTRmonitoring
 TextAlign: General

IFeturbidityExcursions2ntu2months Long Integer 4

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
Description: How many consecutive recordings >2.0 NTU, taken 15 minutes apart, over 2 consecutive months? (Violation 29)
DisplayControl: Text Box
GUID: {guid {66D34970-3C36-4D54-9A8B-152E04F98B40}}
OrdinalPosition: 7
Required: False
SourceField: IFEturbidityExcursions2ntu2months
SourceTable: SWTRmonitoring
TextAlign: General

IFEturbidityExcursions1ntu3months Long Integer 4

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
Description: How many consecutive recordings >1.0 NTU, taken 15 minutes apart, over three consecutive months? (Violation 29)
DisplayControl: Text Box
GUID: {guid {4AE82B01-6D6F-4DC1-AA38-2371AA2F4340}}
OrdinalPosition: 8
Required: False
SourceField: IFEturbidityExcursions1ntu3months
SourceTable: SWTRmonitoring
TextAlign: General

IFEturbidityExcursionspoint5ntuafter4hrs Long Integer 4

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
Description: How many consecutive recordings >0.5 NTU, taken 15 minutes apart, 4 hours after filter brought back on line, pop>9999? (Violation 29)

DisplayControl: Text Box
 GUID: {guid {855351F1-DDFD-47E3-9870-D368B619E094}}
 OrdinalPosition: 9
 Required: False
 SourceField: IFETurbidityExcursionspoint5ntuafter4hrs
 SourceTable: SWTRmonitoring
 TextAlign: General

CFETurbidityExceeded Yes/No 1

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Was CFE Turbidity exceeded >5% of the time? (must be below 0.3 NTU/ Slow sand and DE 0.5 NTU)? (Violation 44)
 DisplayControl: 106
 Format: Yes/No
 GUID: {guid {333627F4-77EF-4DED-99D3-3ED4CF30F9E0}}
 OrdinalPosition: 10
 Required: False
 SourceField: CFETurbidityExceeded
 SourceTable: SWTRmonitoring
 TextAlign: General

CFETurbidityReported Yes/No 1

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Frequency of CFE Turbidity required was reported, based upon operation? (Violation 38)
 DisplayControl: 106
 Format: Yes/No
 GUID: {guid {862803DF-AE13-4CE4-9A73-622C1E09D80A}}
 OrdinalPosition: 11
 Required: False
 SourceField: CFETurbidityReported
 SourceTable: SWTRmonitoring
 TextAlign: General

CFEHighTurbidityExceeded Yes/No 1

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False

Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Did CFE turbidity exceed 1 NTU for direct or conventional or exceed 5 NTU for slow sand or DE (taken every 4 hours)? (Violation 43)
 DisplayControl: 106
 Format: Yes/No
 GUID: {guid {6253F9E5-0C06-4F94-A970-3BBBF724274F}}
 OrdinalPosition: 12
 Required: False
 SourceField: CFEHighTurbidityExceeded
 SourceTable: SWTRmonitoring
 TextAlign: General

UninterruptedDisinfection Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: For this monitoring period, how many times was there an interruption in disinfection greater than 15 minutes.
 DisplayControl: Text Box
 GUID: {guid {ABB90789-A88E-4139-80BB-20C360AC2554}}
 OrdinalPosition: 13
 Required: False
 SourceField: UninterruptedDisinfection
 SourceTable: SWTRmonitoring
 TextAlign: General

MinimumDisinfectionresidualatEPDS Single 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: For this monitoring period, record the minimum disinfection residual value reported at the Entry point to the Distribution system
 DisplayControl: Text Box
 GUID: {guid {4A1B3106-F060-4CA9-B461-2B59F3EBE54B}}
 OrdinalPosition: 14

	Required:	False		
	SourceField:	MinimumDisinfectionresidualatEPDS		
	SourceTable:	SWTRmonitoring		
	TextAlign:	General		
LowestVolume			Long Integer	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	Description:	For this monitoring period, record the minimum volume for CT calculations. (in gallons) (Violation 41)		
	DisplayControl:	Text Box		
	GUID:	{guid {40A96E38-066E-4D3B-A1E8-63DE49851CB7}}		
	OrdinalPosition:	15		
	Required:	False		
	SourceField:	LowestVolume		
	SourceTable:	SWTRmonitoring		
	TextAlign:	General		
Maximumflowrate			Long Integer	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	Description:	For this monitoring period, record the maximum flowrate for CT calculations. (in GPD)		
	DisplayControl:	Text Box		
	GUID:	{guid {34092DE9-9A9B-49E4-8E95-9385F62AFAC6}}		
	OrdinalPosition:	16		
	Required:	False		
	SourceField:	Maximumflowrate		
	SourceTable:	SWTRmonitoring		
	TextAlign:	General		
pH			Single	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		

ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
Description: From Daily results at Point of chlorination, report the maximum result for this monitoring period.
DisplayControl: Text Box
GUID: {guid {A3F89447-8577-42AA-A070-E705A52A2187}}
OrdinalPosition: 17
Required: False
SourceField: pH
SourceTable: SWTRmonitoring
TextAlign: General

Temperature Single 4

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
Description: From Daily results at Point of chlorination, report the minimum result for this monitoring period.
DisplayControl: Text Box
GUID: {guid {EB64CF19-E9C5-40FC-8785-247BFFE3270E}}
OrdinalPosition: 18
Required: False
SourceField: Temperature
SourceTable: SWTRmonitoring
TextAlign: General

CTbelowminimumCount Long Integer 4

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
Description: Number of times during reporting period that CT calculation was below the minimum.
DisplayControl: Text Box
GUID: {guid {1C197FEB-CCEA-40D6-B2D6-AD7AD9639B60}}
OrdinalPosition: 19
Required: False
SourceField: CTbelowminimumCount
SourceTable: SWTRmonitoring

TextAlign:	General		
DateofLastpHCalibration		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1860		
DataUpdatable:	False		
Description:	Date of last pH equipment calibration, defaulted from SWTRInventory		
Format:	Short Date		
GUID:	{guid {4DAF86BE-6A2E-44B2-B827-03C60FEA0D07}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	20		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	DateofLastpHCalibration		
SourceTable:	SWTRmonitoring		
TextAlign:	General		
DateofLastTemperatureCalibration		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Date of last Temperature equipment calibration, defaulted from SWTRInventory		
Format:	Short Date		
GUID:	{guid {33B3A499-E848-4D7C-8B8C-7165C2459075}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	21		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	DateofLastTemperatureCalibration		
SourceTable:	SWTRmonitoring		
TextAlign:	General		
DateofLastTurbidityCalibration		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		

ColumnWidth: Default
DataUpdatable: False
Description: Date of last Turbidity equipment calibration, defaulted from SWTRInventory
Format: Short Date
GUID: {guid {C09DC363-C725-4052-A1DB-B5B181521736}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 22
Required: False
ShowDatePicker: For dates
SourceField: DateofLastTurbidityCalibration
SourceTable: SWTRmonitoring
TextAlign: General

DateofLastDisinfectant1Calibration Date With Time 8

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Date of last Disinfectant 1 equipment calibration, defaulted from SWTRInventory
Format: Short Date
GUID: {guid {A5CC2180-B6DD-4BCF-AA97-EE794A4A4498}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 23
Required: False
ShowDatePicker: For dates
SourceField: DateofLastDisinfectant1Calibration
SourceTable: SWTRmonitoring
TextAlign: General

DateofLastDisinfectant2Calibration Date With Time 8

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Date of last Disinfectant 2 equipment calibration, defaulted from SWTRInventory
Format: Short Date
GUID: {guid {28FCA889-3D72-4813-9AC4-AE211D1DCB3B}}
IMEMode: 0
IMESentenceMode: 3

OrdinalPosition: 24
 Required: False
 ShowDatePicker: For dates
 SourceField: DateofLastDisinfectant2Calibration
 SourceTable: SWTRmonitoring
 TextAlign: General

RequiredTreatmentinUse Yes/No 1

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: For this monitoring period, was all required treatment (including failure to filter) in use at all times? (Vio 42)
 DisplayControl: 106
 Format: Yes/No
 GUID: {64287106-277F-417E-A9D1-E3B6135722D7}
 OrdinalPosition: 25
 Required: False
 SourceField: RequiredTreatmentinUse
 SourceTable: SWTRmonitoring
 TextAlign: General

Comment Long Text -

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Comment on SWTR Monitoring Report
 GUID: {F78E4675-9859-4C77-A74F-67CAB829B276}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 26
 Required: False
 SourceField: Comment
 SourceTable: SWTRmonitoring
 TextAlign: General
 TextFormat: Plain Text
 UnicodeCompression: True

Lastupdate Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size

CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date of Last Update
 Format: General Date
 GUID: {guid {D0500272-1D57-40BB-8329-9282178DCB34}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 27
 Required: False
 ShowDatePicker: For dates
 SourceField: Lastupdate
 SourceTable: SWTRmonitoring
 TextAlign: General

CurrentUpdateUser Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Current User At Time of Update
 DisplayControl: Text Box
 GUID: {guid {8F8D3A29-1FE9-44F3-A0E9-0A8F383237CB}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 28
 Required: False
 SourceField: CurrentUpdateUser
 SourceTable: SWTRmonitoring
 TextAlign: General
 UnicodeCompression: True

DATE_RECEIVED Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DefaultValue: =Date()
 Description: date lab report received by EPA
 Format: Short Date
 GUID: {guid {5A9252EB-0BB2-4189-8F01-7FB68D7A54B4}}
 IMEMode: 0
 IMESentenceMode: 3

OrdinalPosition: 29
Required: False
ShowDatePicker: For dates
SourceField: DATE_RECEIVED
SourceTable: SWTRmonitoring
TextAlign: General

ReceivedBy Short Text 50

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: QA
DisplayControl: Text Box
GUID: {guid {45753AA9-22F2-4616-BD73-9F88605087FE}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 30
Required: False
SourceField: ReceivedBy
SourceTable: SWTRmonitoring
TextAlign: General
UnicodeCompression: True

DateCreated Date With Time 8

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 2190
DataUpdatable: False
DefaultValue: =Now()
Description: automatically entered on update of record
Format: General Date
GUID: {guid {84793E81-9777-4648-91B6-F97BC9ED612F}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 31
Required: False
ShowDatePicker: For dates
SourceField: DateCreated
SourceTable: SWTRmonitoring
TextAlign: General

CreatedBy Short Text 50

AggregateType: -1
AllowZeroLength: True

AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Created By User
 DisplayControl: Text Box
 GUID: {guid {1846ABDA-1EA8-4802-B232-D70492E20B19}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 32
 Required: False
 SourceField: CreatedBy
 SourceTable: SWTRmonitoring
 TextAlign: General
 UnicodeCompression: True

DateQA

Date With Time

8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: date of qa
 Format: General Date
 GUID: {guid {48EE7C76-16B2-4A6D-8AD3-827A2207A500}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 33
 Required: False
 ShowDatePicker: For dates
 SourceField: DateQA
 SourceTable: SWTRmonitoring
 TextAlign: General

QAUser

Short Text

50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: qa user
 DisplayControl: Text Box
 GUID: {guid {9AB6A16C-FB59-46C8-BF9B-A64A9DFE59E2}}
 IMEMode: 0

IMESentenceMode: 3
OrdinalPosition: 34
Required: False
SourceField: QAUser
SourceTable: SWTRmonitoring
TextAlign: General
UnicodeCompression: True

DateView Date With Time 8

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: date of view
Format: General Date
GUID: {guid {81E09847-ACEC-4B88-A136-75ACB101421D}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 35
Required: False
ShowDatePicker: For dates
SourceField: DateView
SourceTable: SWTRmonitoring
TextAlign: General

ViewUser Short Text 50

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Last Viewed by
DisplayControl: Text Box
GUID: {guid {70624C30-30EA-4F81-9142-56566F56EFC0}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 36
Required: False
SourceField: ViewUser
SourceTable: SWTRmonitoring
TextAlign: General
UnicodeCompression: True


StatusID Long Integer 4

AggregateType: -1
AllowZeroLength: False

AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME Status identifier, lookup in table QAStatus
 DisplayControl: Text Box
 GUID: {guid {D8357E99-E34E-48FD-8B16-31FD84836C3A}}
 OrdinalPosition: 37
 Required: False
 SourceField: StatusID
 SourceTable: SWTRmonitoring
 TextAlign: General

Relationships

SWTRinventorySWTRmonitoring



Attributes: Not Enforced, Inherited
 RelationshipType: One-To-Many (External)

Table Indexes

Name	Number of Fields
FACID	1
Clustered:	False
DistinctCount:	16
Foreign:	False
IgnoreNulls:	False
Name:	FACID
Primary:	False
Required:	False
Unique:	False
Fields:	
FACID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	17
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True

Fields:	
SWTRmonID	Ascending
StatusID	1
Clustering:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	StatusID
Primary:	False
Required:	False
Unique:	False
Fields:	
StatusID	Ascending
SWTRmonID	1
Clustering:	False
DistinctCount:	17
Foreign:	False
IgnoreNulls:	False
Name:	SWTRmonID
Primary:	False
Required:	False
Unique:	False
Fields:	
SWTRmonID	Ascending
UnivUniqueID	1
Clustering:	False
DistinctCount:	6
Foreign:	False
IgnoreNulls:	False
Name:	UnivUniqueID
Primary:	False
Required:	False
Unique:	False
Fields:	
UnivUniqueID	Ascending

User Permissions

- admin
- aizaz
- andrew
- bessie
- chris
- corine
- daria
- designer
- dschmidt
- Emmanuelle
- everett
- guest
- helen
- hillary

jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:52 PM	GUID:	{guid {959FC668-1D47-11D9-8230-00B0D0531229}}
LastUpdated:	11/5/2014 6:19:52 PM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	-1	SourceTableName:	TProviders
Updatable:	False		


Columns

Name	Type	Size
Taid	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	585	
DataUpdatable:	False	
Description:	internal DIME Technical Assistance Provider identifier	
GUID:	{guid {959FC669-1D47-11D9-8230-00B0D0531229}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	Taid	
SourceTable:	TProviders	
Taprovider	Short Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	3735	
DataUpdatable:	False	
Description:	Name of Technical Assistance Provider	
DisplayControl:	Text Box	
GUID:	{guid {959FC66A-1D47-11D9-8230-00B0D0531229}}	
OrdinalPosition:	2	
Required:	False	
SourceField:	Taprovider	
SourceTable:	TProviders	
UnicodeCompression:	True	
ProviderCat	Short Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	

ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	2850
DataUpdatable:	False
Description:	Provider Category
DisplayControl:	Text Box
GUID:	{guid {959FC66B-1D47-11D9-8230-00B0D0531229}}
OrdinalPosition:	3
Required:	False
SourceField:	ProviderCat
SourceTable:	TProviders
UnicodeCompression:	True

Relationships

TProviderstblActions



Attributes:	Not Enforced, Inherited, Right Join
RelationshipType:	One-To-Many (External)

Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	10
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
TAid	Ascending
TAid	1
Clustered:	False
DistinctCount:	10
Foreign:	False
IgnoreNulls:	False
Name:	TAid
Primary:	False
Required:	False
Unique:	False
Fields:	
TAid	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

AlternateBackShade:	100	AlternateBackThemeColorIn	-1
AlternateBackTint:	100	Attributes:	Linked
BackShade:	100	BackTint:	100
Connect:	;DATABASE=C:\Users\kbanks\Dime_Local\DIME_be.mdb		DatasheetForeThemeColorIn -1
DatasheetGridlinesThemeCol	-1	DateCreated:	11/5/2014 6:19:52 PM
DefaultView:	2	DisplayViewsOnSharePointSi	1
Filter:	([tblActions].[ActionDesc]="Variance/Exemption issued")		FilterOnLoad: False
GUID:	{guid {D9CD8AF8-1C1A-460F-B404-664324D8C7BB}}	HideNewField:	False
LastUpdated:	11/5/2014 6:19:52 PM	NameMap:	Long binary data
OrderBy:	[tblActions].[SDWISactionID], [tblActions].[DateCreated] DESC, [tblActions].[StatusID] DESC	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	-1	SourceTableName:	tblActions
SubDataSheetName:	[Auto]	ThemeFontIndex:	-1
TotalsRow:	False	Updatable:	False

Columns

Name	Type	Size
ActionID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	internal DIME action identifier, Autonumber	
GUID:	{guid {0FAD35C0-F09D-48F5-A073-34A5A18306EA}}	
OrdinalPosition:	0	
Required:	False	
ResultType:	0	
SourceField:	ActionID	
SourceTable:	tblActions	
TextAlign:	General	
VioID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	

ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME violation identifier, lookup in table Violations
 DisplayControl: Text Box
 GUID: {guid {247C1C36-A9CC-49E0-AF9F-F52C8B9776B1}}
 OrdinalPosition: 1
 Required: False
 ResultType: 0
 SourceField: VioID
 SourceTable: tblActions
 TextAlign: General

ActionDesc Short Text 255

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 1
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 3285
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Action description lookup in table Action Types
 DisplayControl: Combo Box
 GUID: {56B792C3-3E23-47E8-AC32-42F1A2C727B0}}
 IMEMode: 0
 IMESentenceMode: 3
 LimitToList: False
 ListRows: 8
 ListWidth: 0twip
 OrdinalPosition: 2
 Required: False
 ResultType: 0
 RowSource: SELECT [Action Types].ActionDesc FROM [Action Types];
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: ActionDesc
 SourceTable: tblActions
 TextAlign: General
 UnicodeCompression: False

Comments Long Text -

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False

ColumnOrder: Default
ColumnWidth: 4110
CurrencyLCID: 0
DataUpdatable: False
Description: Action comments
GUID: {guid {A642E96D-CDB0-4FB1-BA28-C5F4F834FF62}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 3
Required: False
ResultType: 0
SourceField: Comments
SourceTable: tblActions
TextAlign: General
TextFormat: Plain Text
UnicodeCompression: True

ActionDate Date With Time 8

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
CurrencyLCID: 0
DataUpdatable: False
Description: Date action is taken, default to today, may be set to other date
Format: Short Date
GUID: {guid {5F4C0264-0B14-4ECA-A809-74569CB94AD7}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 4
Required: False
ResultType: 0
ShowDatePicker: For dates
SourceField: ActionDate
SourceTable: tblActions
TextAlign: General

DimeUploadDate Date With Time 8

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 2715
CurrencyLCID: 0
DataUpdatable: False
Description: date that action was successfully uploaded from DIME
IMEMode: 0
IMESentenceMode: 3

OrdinalPosition: 5
Required: False
ResultType: 0
ShowDatePicker: For dates
SourceField: DimeUploadDate
SourceTable: tblActions
TextAlign: General

TAid

Long Integer

4

AggregateType: -1
AllowValueListEdits: False
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
BoundColumn: 1
Caption: Provider
CollatingOrder: General
ColumnCount: 3
ColumnHeads: False
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
ColumnWidths: 0;3075;2370
CurrencyLCID: 0
DataUpdatable: False
DecimalPlaces: Auto
Description: Organization providing Technical Assistance or taking action
DisplayControl: Combo Box
GUID: {guid {959FC686-1D47-11D9-8230-00B0D0531229}}
LimitToList: True
ListRows: 8
ListWidth: 5445twip
OrdinalPosition: 6
Required: False
ResultType: 0
RowSource: SELECT TProviders.TAid, TProviders.TAprovider,
TProviders.ProviderCat FROM TProviders;
RowSourceType: Table/Query
ShowOnlyRowSourceValues: False
SourceField: TAid
SourceTable: tblActions
TextAlign: General

FACID

Long Integer

4

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
CurrencyLCID: 0
DataUpdatable: False
DecimalPlaces: Auto

Description: internal DIME PWS identifier, lookup in table Facility Information
 DisplayControl: Text Box
 GUID: {guid {CF56E36E-54F8-4DC1-B75D-68F85DBF43EA}}
 OrdinalPosition: 7
 Required: False
 ResultType: 0
 SourceField: FACID
 SourceTable: tblActions
 TextAlign: General

SDWISactionID Short Text 20

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 3660
 CurrencyLCID: 0
 DataUpdatable: False
 Description: SDWIS Fed unique action ID, created at time of upload preparation, returned to DIME once upload successful, Format FYXXXXX
 DisplayControl: Text Box
 GUID: {417F3A52-39F3-4E3B-8864-1EC9BEAB0759}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 8
 Required: False
 ResultType: 0
 SourceField: SDWISactionID
 SourceTable: tblActions
 TextAlign: General
 UnicodeCompression: True

actionuploadDate Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2955
 CurrencyLCID: 0
 DataUpdatable: False
 Description: date that action was successfully uploaded to SDWIS-Fed
 Format: Short Date
 GUID: {6E321DCD-82E0-4560-9355-387210D0024C}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 9
 Required: False
 ResultType: 0
 ShowDatePicker: For dates

SourceField: actionuploadDate
SourceTable: tblActions
TextAlign: General

ComplianceMonth Long Integer 4

AggregateType: -1
AllowValueListEdits: False
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
BoundColumn: 1
Caption: Compliance Month
CollatingOrder: General
ColumnCount: 2
ColumnHeads: False
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
ColumnWidths: 0;764
CurrencyLCID: 0
DataUpdatable: False
DecimalPlaces: Auto
Description: defaults automatically to month of sample date, PO may override
DisplayControl: Combo Box
GUID: {guid {959FC66E-1D47-11D9-8230-00B0D0531229}}
LimitToList: True
ListRows: 8
ListWidth: 764twip
OrdinalPosition: 10
Required: False
ResultType: 0
RowSource: SELECT DISTINCTROW Months.ID, Months.Month FROM Months;
RowSourceType: Table/Query
ShowOnlyRowSourceValues: False
SourceField: ComplianceMonth
SourceTable: tblActions
TextAlign: General

ComplianceYear Long Integer 4

AggregateType: -1
AllowValueListEdits: False
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
BoundColumn: 1
Caption: Year
CollatingOrder: General
ColumnCount: 2
ColumnHeads: False
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
ColumnWidths: 0;540
CurrencyLCID: 0
DataUpdatable: False

DecimalPlaces: Auto
 Description: defaults automatically to year of sample date, PO may override
 DisplayControl: Combo Box
 GUID: {guid {959FC66F-1D47-11D9-8230-00B0D0531229}}
 LimitToList: True
 ListRows: 8
 ListWidth: 540twip
 OrdinalPosition: 11
 Required: False
 ResultType: 0
 RowSource: SELECT Years.ID, Years.Year FROM Years;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: ComplianceYear
 SourceTable: tblActions
 TextAlign: General

FollowupMeasurement Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 2
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 ColumnWidths: 0;2975
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Type of follow-up measurement to evaluate the result of compliance assistance, lookup in table ICISMeasurements
 DisplayControl: Combo Box
 GUID: {guid {9F6D3D84-9137-4708-A9F9-0385F3F4FC71}}
 LimitToList: True
 ListRows: 8
 ListWidth: 2975twip
 OrdinalPosition: 12
 Required: False
 ResultType: 0
 RowSource: SELECT ICISMeasurements.ICISmeasureID, ICISMeasurements.ICISMeasurement FROM ICISMeasurements ORDER BY [ICISmeasureID];
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: FollowupMeasurement
 SourceTable: tblActions
 TextAlign: General

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Did the respondent report an increase in understanding due to the compliance assistance?
 DisplayControl: 106
 Format: Yes/No
 GUID: {guid {21FF2502-D6DD-4F57-9A23-857B4C8AFADD}}
 OrdinalPosition: 13
 Required: False
 ResultType: 0
 SourceField: IncreasedUnderstanding
 SourceTable: tblActions
 TextAlign: General

ChangeManagementPractices Yes/No 1

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Did the respondent report a change in management practices as a result of the compliance assistance?
 DisplayControl: 106
 Format: Yes/No
 GUID: {guid {3149A6F4-B28C-4DF8-A403-AED4F4AC57FA}}
 OrdinalPosition: 14
 Required: False
 ResultType: 0
 SourceField: ChangeManagementPractices
 SourceTable: tblActions
 TextAlign: General

PrimaryChangeReported Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 2

ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 ColumnWidths: 0;6588
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: What is the primary change reported by the respondent? lookup in table ICISChanges
 DisplayControl: Combo Box
 GUID: {guid {697EA549-CC47-44D0-B885-3B58FE512279}}
 LimitToList: True
 ListRows: 8
 ListWidth: 6588twip
 OrdinalPosition: 15
 Required: False
 ResultType: 0
 RowSource: SELECT ICISChanges.ICISChangeID, ICISChanges.ICISChangeReported FROM ICISChanges;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: PrimaryChangeReported
 SourceTable: tblActions
 TextAlign: General

Lastupdate Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Date of Last Update
 Format: General Date
 GUID: {guid {FFE86B4C-A3A4-4D20-A20D-CA6354D58226}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 16
 Required: False
 ResultType: 0
 ShowDatePicker: For dates
 SourceField: Lastupdate
 SourceTable: tblActions
 TextAlign: General

CurrentUpdateUser Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length

CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Current User At Time of Update
 DisplayControl: Text Box
 GUID: {guid {08AF6022-8F12-4AF8-AADD-44E374E41B39}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 17
 Required: False
 ResultType: 0
 SourceField: CurrentUpdateUser
 SourceTable: tblActions
 TextAlign: General
 UnicodeCompression: True

DateCreated Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2355
 CurrencyLCID: 0
 DataUpdatable: False
 DefaultValue: =Now()
 Description: automatically entered on update of record
 Format: General Date
 GUID: {guid {708CE6FD-8E4F-4B06-91C1-F6723E1A4739}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 18
 Required: False
 ResultType: 0
 ShowDatePicker: For dates
 SourceField: DateCreated
 SourceTable: tblActions
 TextAlign: General

CreatedBy Short Text 50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False

Description: Created by User
 DisplayControl: Text Box
 GUID: {guid {BD8DAFD0-0B30-4DD5-ABFA-E896FD9EA82D}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 19
 Required: False
 ResultType: 0
 SourceField: CreatedBy
 SourceTable: tblActions
 TextAlign: General
 UnicodeCompression: True

StatusID Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME Status identifier, lookup in table QAStatus
 DisplayControl: Text Box
 GUID: {guid {9CE47DAD-5794-49EC-AC2C-3E74CE320F02}}
 OrdinalPosition: 20
 Required: False
 ResultType: 0
 SourceField: StatusID
 SourceTable: tblActions
 TextAlign: General

OldActionVioId Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 DisplayControl: Text Box
 GUID: {guid {723DBDB2-8FDC-4297-9EC4-8AEBADC65D5E}}
 OrdinalPosition: 21
 Required: False
 SourceField: OldActionVioId
 SourceTable: tblActions
 TextAlign: General

Misc_Text

Short Text

255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: text about action
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 22
 Required: False
 ResultType: 0
 SourceField: Misc_Text
 SourceTable: tblActions
 TextAlign: General
 UnicodeCompression: True

Misc_Date

Date With Time

8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: auxiliary date for action
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 23
 Required: False
 ResultType: 0
 ShowDatePicker: For dates
 SourceField: Misc_Date
 SourceTable: tblActions
 TextAlign: General

Misc_Number

Long Integer


4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False

DecimalPlaces: Auto
 Description: number for action
 DisplayControl: Text Box
 OrdinalPosition: 24
 Required: False
 ResultType: 0
 SourceField: Misc_Number
 SourceTable: tblActions
 TextAlign: General


Relationships

Facility InformationtblActions




Attributes: Not Enforced, Inherited
 RelationshipType: One-To-Many (External)

TProviderstblActions



Attributes: Not Enforced, Inherited, Right Join
 RelationshipType: One-To-Many (External)

ViolationstblActions



Attributes: Not Enforced, Inherited
 RelationshipType: One-To-Many (External)

Table Indexes

Name	Number of Fields
ActionTypeID	1
Clustered:	False
DistinctCount:	69604
Foreign:	False
IgnoreNulls:	False
Name:	ActionTypeID
Primary:	False
Required:	False
Unique:	False

	Fields:	
	ActionID	Ascending
FACID		1
	Clustered:	False
	DistinctCount:	440
	Foreign:	False
	IgnoreNulls:	False
	Name:	FACID
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	FACID	Ascending
PrimaryKey		1
	Clustered:	False
	DistinctCount:	69604
	Foreign:	False
	IgnoreNulls:	False
	Name:	PrimaryKey
	Primary:	True
	Required:	True
	Unique:	True
	Fields:	
	ActionID	Ascending
Samp_Yr		1
	Clustered:	False
	DistinctCount:	2
	Foreign:	False
	IgnoreNulls:	False
	Name:	Samp_Yr
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	ComplianceYear	Ascending
SDWISactionID		1
	Clustered:	False
	DistinctCount:	15019
	Foreign:	False
	IgnoreNulls:	False
	Name:	SDWISactionID
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	SDWISactionID	Ascending
StatusID		1
	Clustered:	False
	DistinctCount:	1
	Foreign:	False
	IgnoreNulls:	False
	Name:	StatusID
	Primary:	False

	Required:	False
	Unique:	False
	Fields:	
	StatusID	Ascending
tblActionsActionDesc		1
	Clustered:	False
	DistinctCount:	52
	Foreign:	False
	IgnoreNulls:	False
	Name:	tblActionsActionDesc
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	ActionDesc	Ascending
tblActionsTAid		1
	Clustered:	False
	DistinctCount:	2
	Foreign:	False
	IgnoreNulls:	False
	Name:	tblActionsTAid
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	TAid	Ascending
VioID		1
	Clustered:	False
	DistinctCount:	34880
	Foreign:	False
	IgnoreNulls:	False
	Name:	VioID
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	VioID	Ascending

User Permissions

- admin
- aizaz
- andrew
- bessie
- chris
- corine
- daria
- designer
- dschmidt
- Emmanuelle
- everett
- guest

helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	1/29/2013 6:36:42 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {22CA48E2-4800-4F9D- BE22-BD1AD0579434}}	HideNewField:	False
LastUpdated:	3/25/2014 12:19:53 PM	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	22	TotalsRow:	False
Updatable:	True		

Columns

Name	Type	Size
FileTypeID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	1155	
DataUpdatable:	False	
Description:	internal DIME FileType identifier	
OrdinalPosition:	0	
Required:	False	
SourceField:	FileTypeID	
SourceTable:	tblFileTypes	
TextAlign:	General	
FileName	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	3675	
DataUpdatable:	False	
Description:	Full File Type	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	FileName	
SourceTable:	tblFileTypes	
TextAlign:	General	
UnicodeCompression:	True	
FileNames	Short Text	100

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 3525
 DataUpdatable: False
 Description: Short File Name that are used in file names
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: FileNames
 SourceTable: tblFileTypes
 TextAlign: General
 UnicodeCompression: True

FileTypeshort

Short Text

255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 3030
 DataUpdatable: False
 Description: Abbreviated File Type
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: FileTypeshort
 SourceTable: tblFileTypes
 TextAlign: General
 UnicodeCompression: True

DateType

Short Text

255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2235
 DataUpdatable: False
 Description: Date Type Specification
 DisplayControl: Text Box
 IMEMode: 0

	IMESentenceMode:	3		
	OrdinalPosition:	4		
	Required:	False		
	SourceField:	DateType		
	SourceTable:	tblFileTypes		
	TextAlign:	General		
	UnicodeCompression:	True		
Optional1			Short Text	255
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	2115		
	DataUpdatable:	False		
	Description:	Fields contained in Optional Position 1		
	DisplayControl:	Text Box		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	5		
	Required:	False		
	SourceField:	Optional1		
	SourceTable:	tblFileTypes		
	TextAlign:	General		
	UnicodeCompression:	True		
sequence			Long Integer	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	Description:	sort order number for non-alphabetical sorting		
	DisplayControl:	Text Box		
	OrdinalPosition:	6		
	Required:	False		
	SourceField:	sequence		
	SourceTable:	tblFileTypes		
	TextAlign:	General		
Level4ID			Long Integer	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		

ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME tblPWSCategories_Level4 ID#
 DisplayControl: Text Box
 OrdinalPosition: 7
 Required: False
 SourceField: Level4ID
 SourceTable: tblFileTypes
 TextAlign: General

ReqdSubtype Yes/No 1

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: if type requires the subtype from the tblSubType
 DisplayControl: 106
 Format: Yes/No
 OrdinalPosition: 8
 Required: False
 SourceField: ReqdSubtype
 SourceTable: tblFileTypes
 TextAlign: General

DateCreated Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date File Type created
 Format: Short Date
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 9
 Required: False
 ShowDatePicker: For dates
 SourceField: DateCreated
 SourceTable: tblFileTypes
 TextAlign: General

Createdby Short Text 255

AggregateType: -1
 AllowZeroLength: True

AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Created by user
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 10
 Required: False
 SourceField: Createdby
 SourceTable: tblFileTypes
 TextAlign: General
 UnicodeCompression: True

Table Indexes

Name	Number of Fields
FileTypeID	1
Clustered:	False
DistinctCount:	22
Foreign:	False
IgnoreNulls:	False
Name:	FileTypeID
Primary:	False
Required:	False
Unique:	True
Fields:	
FileTypeID	Ascending
Level4ID	1
Clustered:	False
DistinctCount:	19
Foreign:	False
IgnoreNulls:	False
Name:	Level4ID
Primary:	False
Required:	False
Unique:	False
Fields:	
Level4ID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	22
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True

Fields:
FileName Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\ Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:52 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {26CBFC0A-9E11-4E4E- 9AE3-D7F48E5AE5A2}}	HideNewField:	False
LastUpdated:	11/5/2014 6:19:52 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	tblFlagSelection	TotalsRow:	False
Updatable:	False		

Columns

Name	Type	Size
lclId	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
GUID:	{guid {FBCE0610-E799-492B-9365-7CD39AB3CF89}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	lclId	
SourceTable:	tblFlagSelection	
TextAlign:	General	
FieldId	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	facid or contactid	
DisplayControl:	Text Box	
GUID:	{guid {A0EE1904-2302-471D-99C3-E92747F71666}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	FieldId	
SourceTable:	tblFlagSelection	
TextAlign:	General	

SetName	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {B16818FD-22AB-471A-9101-0E0BDD948E0C}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	2	
Required:	False	
SourceField:	SetName	
SourceTable:	tblFlagSelection	
TextAlign:	General	
UnicodeCompression:	True	

FieldCategory	Short Text	255
AggregateType:	-1	
AllowValueListEdits:	False	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
BoundColumn:	1	
CollatingOrder:	General	
ColumnCount:	1	
ColumnHeads:	False	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Facid or ContactId	
DisplayControl:	Combo Box	
GUID:	{guid {FF1EEBF8-846C-4A41-85D3-C72B4CC544C7}}	
IMEMode:	0	
IMESentenceMode:	3	
LimitToList:	False	
ListRows:	16	
ListWidth:	0twip	
OrdinalPosition:	3	
Required:	False	
RowSource:	"FacId";"ContactID"	
RowSourceType:	Value List	
ShowOnlyRowSourceValues:	False	
SourceField:	FieldCategory	
SourceTable:	tblFlagSelection	
TextAlign:	General	
UnicodeCompression:	True	

UserName	Short Text	255
AggregateType:	-1	

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 GUID: {guid {09C9039E-3AEA-4969-AF3B-E633C276B9B5}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False
 SourceField: UserName
 SourceTable: tblFlagSelection
 TextAlign: General
 UnicodeCompression: True

PWSSNAME Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Public Water Supply System Name
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 5
 Required: False
 SourceField: PWSSNAME
 SourceTable: tblFlagSelection
 TextAlign: General
 UnicodeCompression: True

ALTERNATE_ST_NUM Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: 7-digit "State" public water system ID#
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 6

Required: False
SourceField: ALTERNATE_ST_NUM
SourceTable: tblFlagSelection
TextAlign: General
UnicodeCompression: True

LastModified Date With Time 8

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 2400
DataUpdatable: False
Format: General Date
GUID: {guid {51940569-AE9D-4193-9109-5215F801B521}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 7
Required: False
ShowDatePicker: For dates
SourceField: LastModified
SourceTable: tblFlagSelection
TextAlign: General

DateSetLastUsed Date With Time 8

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 2415
DataUpdatable: False
Format: General Date
GUID: {guid {47D1F8AF-F97D-42A2-B711-01195F36DF3E}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 8
Required: False
ShowDatePicker: For dates
SourceField: DateSetLastUsed
SourceTable: tblFlagSelection
TextAlign: General

DateSetCreated Date With Time 8

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False

ColumnOrder: Default
 ColumnWidth: 2565
 DataUpdatable: False
 Format: General Date
 GUID: {guid {FE7B280D-9E75-45F9-A05B-96985102FA7F}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 9
 Required: False
 ShowDatePicker: For dates
 SourceField: DateSetCreated
 SourceTable: tblFlagSelection
 TextAlign: General

Status Short Text 10

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Public or Private
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 10
 Required: False
 SourceField: Status
 SourceTable: tblFlagSelection
 TextAlign: General
 UnicodeCompression: True

Table Indexes

Name	Number of Fields
PrimaryKey	3
Clustered:	False
DistinctCount:	3573
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
FieldId	Ascending
SetName	Ascending
FieldCategory	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:52 PM	DefaultView:	2
GUID:	{guid {13E2064A-1B0F-43B4-B539-60136F722668}}	LastUpdated:	11/5/2014 6:19:52 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	tblGlobalSubstitutionExclusionList	Updatable:	False

Columns

Name	Type	Size
EvntExclID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Event exclusionid from global substitution	
OrdinalPosition:	0	
Required:	False	
SourceField:	EvntExclID	
SourceTable:	tblGlobalSubstitutionExclusionList	
EventID	Short Text	175
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Text-based ID created using a set of uniquely identifying values which tie a sampling event together. FACID + CPTtypeID + UnivUniqueID + Date + Lab ID	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	EventID	
SourceTable:	tblGlobalSubstitutionExclusionList	
UnicodeCompression:	True	

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date record was created
 Format: General Date
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: DateCreated
 SourceTable: tblGlobalSubstitutionExclusionList

CreatedBy Short Text 50

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Created by user
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: CreatedBy
 SourceTable: tblGlobalSubstitutionExclusionList
 UnicodeCompression: True

Table Indexes

Name	Number of Fields
EventID	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	EventID
Primary:	False
Required:	False
Unique:	False
Fields:	
EventID	Ascending
EvntExclId	1
Clustered:	False
DistinctCount:	0
Foreign:	False

IgnoreNulls:	False
Name:	EvtExclId
Primary:	False
Required:	False
Unique:	False
Fields:	
EvtExclId	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
EventID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	

roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\ Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:52 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {85DFAF3F-2C3F-4994- A3A0-4218C7F7C6B6}}	HideNewField:	False
LastUpdated:	11/5/2014 6:19:52 PM	NameMap:	Long binary data
OrderBy:	[tblHelp].[ChapSect], [tblHelp].[Lastupdate] DESC	OrderByOn:	True
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	-1	SourceTableName:	tblHelp
TotalsRow:	False	Updatable:	False

Columns

Name	Type	Size
HelpID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal DIME help identifier	
GUID:	{guid {913E224A-5A2C-4BE5-8C01- CDCDF9186AC6}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	HelpID	
SourceTable:	tblHelp	
TextAlign:	General	
objectname	Short Text	100
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2355	
DataUpdatable:	False	
Description:	name of object for which help is written	
DisplayControl:	Text Box	
GUID:	{guid {981DCC42-14B4-4DF8-83F7- 62F5C9A1756D}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	

	SourceField:	objectname	
	SourceTable:	tblHelp	
	TextAlign:	General	
	UnicodeCompression:	True	
Title		Short Text	255
	AggregateType:	-1	
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	5472	
	DataUpdatable:	False	
	Description:	Title of Help Document Section	
	DisplayControl:	Text Box	
	GUID:	{guid {30E68606-635F-40D5-8EE6-DCC86DFAC09E}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	2	
	Required:	False	
	SourceField:	Title	
	SourceTable:	tblHelp	
	TextAlign:	General	
	UnicodeCompression:	True	
Overview		Long Text	-
	AggregateType:	-1	
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	10200	
	DataUpdatable:	False	
	Description:	Overview of object	
	GUID:	{guid {9CCCB463-E576-4C8C-B7C5-513385F2EC60}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	3	
	Required:	False	
	SourceField:	Overview	
	SourceTable:	tblHelp	
	TextAlign:	General	
	TextFormat:	Plain Text	
	UnicodeCompression:	True	
QuickGuide		Long Text	-
	AggregateType:	-1	
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	

ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 3264
 DataUpdatable: False
 Description: Very Concise object instructions (3-4 short descriptive phrases)
 GUID: {guid {05E415CE-1FC2-4981-9528-AA1360B16019}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False
 SourceField: QuickGuide
 SourceTable: tblHelp
 TextAlign: General
 TextFormat: Plain Text
 UnicodeCompression: True

FullExplanation Long Text -

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2010
 DataUpdatable: False
 Description: Complete instructions with all notes (as much language as is necessary)
 GUID: {guid {6495F7B4-F789-45BD-B10F-B65FD2E2B3FB}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 5
 Required: False
 SourceField: FullExplanation
 SourceTable: tblHelp
 TextAlign: General
 TextFormat: Plain Text
 UnicodeCompression: True

ChapSect Short Text 50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Numerical sort order Chapter.Section (e.g. 3.2)
 DisplayControl: Text Box
 GUID: {guid {04D39F42-3CE3-4F6E-82A3-E8EDBFD67095}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 6

Required: False
 SourceField: ChapSect
 SourceTable: tblHelp
 TextAlign: General
 UnicodeCompression: True

Lastupdate Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2355
 DataUpdatable: False
 Description: Date of Last Update
 GUID: {guid {506357C0-F59D-4B88-A4BC-F800DAD04C57}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 7
 Required: False
 ShowDatePicker: For dates
 SourceField: Lastupdate
 SourceTable: tblHelp
 TextAlign: General

CurrentUpdateUser Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Current User At Time of Update
 DisplayControl: Text Box
 GUID: {guid {7853DEB6-6C1B-4795-A3E6-824D8AE4ABED}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 8
 Required: False
 SourceField: CurrentUpdateUser
 SourceTable: tblHelp
 TextAlign: General
 UnicodeCompression: True

DateCreated Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General

ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Date that record was created.
 Format: Short Date
 GUID: {guid {619B32D4-2BFD-4984-8DBB-50B2229EC9EC}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 9
 Required: False
 ShowDatePicker: For dates
 SourceField: DateCreated
 SourceTable: tblHelp
 TextAlign: General

CreatedBy Short Text 50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: user who created record
 DisplayControl: Text Box
 GUID: {guid {D7F8BCB8-26CB-47C4-AE09-2AA1A1A94289}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 10
 Required: False
 SourceField: CreatedBy
 SourceTable: tblHelp
 TextAlign: General
 UnicodeCompression: True

StatusID Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME Status identifier, lookup in table QAStatus
 DisplayControl: Text Box
 GUID: {guid {944D9B18-DBE8-4432-ACCF-A17A889AF390}}
 OrdinalPosition: 11
 Required: False
 SourceField: StatusID

SourceTable: tblHelp
TextAlign: General

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
formhelpID	1
Clustered:	False
DistinctCount:	60
Foreign:	False
IgnoreNulls:	False
Name:	formhelpID
Primary:	False
Required:	False
Unique:	False
Fields:	
HelpID	Ascending
objectname	1
Clustered:	False
DistinctCount:	60
Foreign:	False
IgnoreNulls:	False
Name:	objectname
Primary:	False
Required:	False
Unique:	True
Fields:	
objectname	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	60
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
HelpID	Ascending
StatusID	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	StatusID
Primary:	False
Required:	False
Unique:	False
Fields:	
StatusID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated: 7/23/2007 12:57:05 PM DefaultView: 2
GUID: {guid {040B1557-3792-41DD-AC75-25BC505D7147}} LastUpdated: 7/23/2007 12:57:30 PM
NameMap: Long binary data OrderByOn: False
Orientation: Left-to-Right RecordCount: 100
Updatable: True

Columns

Name	Type	Size
Num	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {19D1A6CB-B645-45CA-8A79-5C92330FB6ED}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	Num	
SourceTable:	tblNum	

Table Indexes

Name	Number of Fields
Num	1
Clustered:	False
DistinctCount:	99
Foreign:	False
IgnoreNulls:	False
Name:	Num
Primary:	False
Required:	False
Unique:	False
Fields:	
Num	Ascending

User Permissions

admin
aizaz
andrew
bessie

chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	4/18/2014 1:32:24 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {7E9D3566-8609-4C71-96EC-C1FF85C4AB7E}}	HideNewField:	False
LastUpdated:	4/18/2014 1:32:24 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	6
TotalsRow:	False	Updatable:	True

Columns

Name	Type	Size
LevelId	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
OrdinalPosition:	0	
Required:	False	
SourceField:	LevelId	
SourceTable:	tblPO_level_1	
TextAlign:	General	
POName	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	POName	
SourceTable:	tblPO_level_1	
TextAlign:	General	
UnicodeCompression:	True	
RootID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	

AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 DisplayControl: Text Box
 OrdinalPosition: 2
 Required: False
 SourceField: RootID
 SourceTable: tblPO_level_1
 TextAlign: General

DirectoryName Short Text 255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1920
 DataUpdatable: False
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: DirectoryName
 SourceTable: tblPO_level_1
 TextAlign: General
 UnicodeCompression: True

DateCreated Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Format: Short Date
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False
 ShowDatePicker: For dates
 SourceField: DateCreated
 SourceTable: tblPO_level_1
 TextAlign: General

Active		Yes/No	1
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	if no then dont create directory		
DisplayControl:	106		
Format:	Yes/No		
OrdinalPosition:	5		
Required:	False		
SourceField:	Active		
SourceTable:	tblPO_level_1		
TextAlign:	General		

Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	6
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
LevelId	Ascending
RootID	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	RootID
Primary:	False
Required:	False
Unique:	False
Fields:	
RootID	Ascending

User Permissions

- admin
- aizaz
- andrew
- bessie
- chris

corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	4/18/2014 1:32:24 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {CF86D192-6C0C-42B4-9BD5-C2C0FD8E5457}}	HideNewField:	False
LastUpdated:	4/28/2014 4:33:22 PM	NameMap:	Long binary data
OrderBy:	[tblPWS_Level_3].[PWSName]	OrderByOn:	True
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	464	TotalsRow:	False
Updatable:	True		

Columns

Name	Type	Size
PWSLevelId	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	Default	
DataUpdatable:	False	
OrdinalPosition:	0	
Required:	False	
SourceField:	PWSLevelId	
SourceTable:	tblPWS_Level_3	
TextAlign:	General	
TribeId	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	connected to tblTribe_level	
DisplayControl:	Text Box	
OrdinalPosition:	1	
Required:	False	
SourceField:	TribeId	
SourceTable:	tblPWS_Level_3	
TextAlign:	General	
PWSName	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	

AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 3150
DataUpdatable: False
Description: Including the AltStateName
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 2
Required: False
SourceField: PWSName
SourceTable: tbIPWS_Level_3
TextAlign: General
UnicodeCompression: True

ALTERNATE_ST_NUM Short Text 50

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: 7-digit "State" public water system ID#
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 3
Required: False
SourceField: ALTERNATE_ST_NUM
SourceTable: tbIPWS_Level_3
TextAlign: General
UnicodeCompression: True

FacId Long Integer 4

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
DisplayControl: Text Box
OrdinalPosition: 4
Required: False
SourceField: FacId
SourceTable: tbIPWS_Level_3

TextAlign:	General		
ActivityStatus		Short Text	10
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	5		
Required:	False		
SourceField:	ActivityStatus		
SourceTable:	tbIPWS_Level_3		
TextAlign:	General		
UnicodeCompression:	True		
DateCreated		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Format:	Short Date		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	6		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	DateCreated		
SourceTable:	tbIPWS_Level_3		
TextAlign:	General		

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
ALTERNATE_ST_NUM	1
Clustered:	False
DistinctCount:	464
Foreign:	False
IgnoreNulls:	False
Name:	ALTERNATE_ST_NUM
Primary:	False
Required:	False
Unique:	False

	Fields:	
	ALTERNATE_ST_NUM	Ascending
FacId		1
	Clustered:	False
	DistinctCount:	464
	Foreign:	False
	IgnoreNulls:	False
	Name:	FacId
	Primary:	False
	Required:	False
	Unique:	True
	Fields:	
	FacId	Ascending
PrimaryKey		1
	Clustered:	False
	DistinctCount:	464
	Foreign:	False
	IgnoreNulls:	False
	Name:	PrimaryKey
	Primary:	True
	Required:	True
	Unique:	True
	Fields:	
	PWSLevelId	Ascending
PWSLevelId		1
	Clustered:	False
	DistinctCount:	464
	Foreign:	False
	IgnoreNulls:	False
	Name:	PWSLevelId
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	PWSLevelId	Ascending
TribeId		1
	Clustered:	False
	DistinctCount:	108
	Foreign:	False
	IgnoreNulls:	False
	Name:	TribeId
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	TribeId	Ascending

User Permissions

admin
aizaz
andrew

bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	4/18/2014 1:32:24 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {675F4CD4-11BD-4685-93A2-607D0DB6E4F3}}	HideNewField:	False
LastUpdated:	4/18/2014 1:32:24 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	20
TotalsRow:	False	Updatable:	True

Columns

Name	Type	Size
PWSCatID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
OrdinalPosition:	0	
Required:	False	
SourceField:	PWSCatID	
SourceTable:	tblPWSCategories_Level4	
TextAlign:	General	
CatName	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	3765	
DataUpdatable:	False	
Description:	CCR, SanitarySurveys	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	CatName	
SourceTable:	tblPWSCategories_Level4	
TextAlign:	General	
UnicodeCompression:	True	
DateCreated	Date With Time	8
AggregateType:	-1	

AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Format: Short Date
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 2
Required: False
ShowDatePicker: For dates
SourceField: DateCreated
SourceTable: tblPWSCategories_Level4
TextAlign: General

YearFolder Yes/No 1

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: there is year folder
DisplayControl: 106
Format: Yes/No
OrdinalPosition: 3
Required: False
SourceField: YearFolder
SourceTable: tblPWSCategories_Level4
TextAlign: General

ChemGroupFolder Yes/No 1

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DisplayControl: 106
Format: Yes/No
OrdinalPosition: 4
Required: False
SourceField: ChemGroupFolder
SourceTable: tblPWSCategories_Level4
TextAlign: General

Table Indexes

Name	Number of Fields
CatName	1
Clustered:	False
DistinctCount:	20
Foreign:	False
IgnoreNulls:	False
Name:	CatName
Primary:	False
Required:	False
Unique:	True
Fields:	
CatName	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	20
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
PWSCatID	Ascending
PWSLevelId	1
Clustered:	False
DistinctCount:	20
Foreign:	False
IgnoreNulls:	False
Name:	PWSLevelId
Primary:	False
Required:	False
Unique:	False
Fields:	
PWSCatID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	

helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	5/12/2011 3:08:56 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {BA314674-3FFE-4ABD-8E01-1AA75A293D71}}	HideNewField:	False
LastUpdated:	5/19/2014 1:48:50 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	10
TotalsRow:	False	Updatable:	True

Columns

Name	Type	Size
ReportId	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
OrdinalPosition:	0	
Required:	False	
SourceField:	ReportId	
SourceTable:	tblReportNames	
TextAlign:	General	
ReportName	Short Text	150
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2640	
DataUpdatable:	False	
Description:	Report Name	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	ReportName	
SourceTable:	tblReportNames	
TextAlign:	General	
UnicodeCompression:	True	
OrigReportName	Short Text	50
AggregateType:	-1	

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 5340
 DataUpdatable: False
 Description: original Ms access report Name
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: OrigReportName
 SourceTable: tblReportNames
 TextAlign: General
 UnicodeCompression: True

ReportModuleName Short Text 20

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 1
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Module Name for e.g. Policy, Claim , Location
 DisplayControl: Combo Box
 IMEMode: 0
 IMESentenceMode: 3
 LimitToList: False
 ListRows: 8
 ListWidth: 0twip
 OrdinalPosition: 3
 Required: False
 RowSourceType: Value List
 ShowOnlyRowSourceValues: False
 SourceField: ReportModuleName
 SourceTable: tblReportNames
 TextAlign: General
 UnicodeCompression: True

ReportDescription Short Text 255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General

ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 7065
 DataUpdatable: False
 Description: brief description of the report
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False
 SourceField: ReportDescription
 SourceTable: tblReportNames
 TextAlign: General
 UnicodeCompression: True

ReportOption Short Text 255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 5
 Required: False
 SourceField: ReportOption
 SourceTable: tblReportNames
 TextAlign: General
 UnicodeCompression: True

MultipleReports Yes/No 1

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: there could be multiple report when save into pdf
 DisplayControl: 106
 Format: Yes/No
 OrdinalPosition: 7
 Required: False
 SourceField: MultipleReports
 SourceTable: tblReportNames
 TextAlign: General

ShowDateRange Yes/No 1

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: use this from the frmReport
 DisplayControl: 106
 Format: Yes/No
 OrdinalPosition: 8
 Required: False
 SourceField: ShowDateRange
 SourceTable: tblReportNames
 TextAlign: General

Contaminant Yes/No 1

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: use the contaminant from the frmReport
 DisplayControl: 106
 Format: Yes/No
 OrdinalPosition: 9
 Required: False
 SourceField: Contaminant
 SourceTable: tblReportNames
 TextAlign: General

Sequence Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: order of the report
 DisplayControl: Text Box
 OrdinalPosition: 10
 Required: False
 SourceField: Sequence
 SourceTable: tblReportNames
 TextAlign: General

ShowintheList		Yes/No	1
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	3210		
DataUpdatable:	False		
Description:	show on the form		
DisplayControl:	106		
Format:	Yes/No		
OrdinalPosition:	11		
Required:	False		
SourceField:	ShowintheList		
SourceTable:	tblReportNames		
TextAlign:	General		

Active		Yes/No	1
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	If report is active		
DisplayControl:	106		
Format:	Yes/No		
OrdinalPosition:	12		
Required:	False		
SourceField:	Active		
SourceTable:	tblReportNames		
TextAlign:	General		

DateCreated		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Format:	Short Date		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	13		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	DateCreated		

SourceTable:	tblReportNames		
TextAlign:	General		
DocumentTypeId		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2490		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	linked to the tbleFileTypes		
DisplayControl:	Text Box		
OrdinalPosition:	14		
Required:	False		
SourceField:	DocumentTypeId		
SourceTable:	tblReportNames		
TextAlign:	General		
FileIT		Yes/No	1
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	if yes then file it in the PWS folder as PDF		
DisplayControl:	106		
Format:	Yes/No		
OrdinalPosition:	15		
Required:	False		
SourceField:	FileIT		
SourceTable:	tblReportNames		
TextAlign:	General		

Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	10
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True

Fields:	
ReportId	Ascending
ReportId	1
Clustered:	False
DistinctCount:	10
Foreign:	False
IgnoreNulls:	False
Name:	ReportId
Primary:	False
Required:	False
Unique:	False
Fields:	
ReportId	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

AlternateBackShade:	100	AlternateBackThemeColorIn	-1
AlternateBackTint:	100	Attributes:	Linked
BackShade:	100	BackTint:	100
Connect:	;DATABASE=C:\Users\kbanks\Dime_Local\DIME_be.mdb		DatasheetForeThemeColorIn -1
DatasheetGridlinesThemeCol	-1	DateCreated:	11/5/2014 6:19:52 PM
DefaultView:	2	DisplayViewsOnSharePointSi	1
FilterOnLoad:	False	GUID:	{guid {60331D44-53F0-4E93-A8ED-91BBD2AE9670}}
HideNewField:	False	LastUpdated:	11/5/2014 6:19:52 PM
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	-1	SourceTableName:	tblRoot
ThemeFontIndex:	-1	TotalsRow:	False
Updatable:	False		

Columns

Name	Type	Size
RootId	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
GUID:	{guid {73D8AB1F-D692-438D-B5E2-4E3C75CB8E03}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	RootId	
SourceTable:	tblRoot	
TextAlign:	General	
RootName	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	4095	
CurrencyLCID:	0	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {5E43FF76-A992-44ED-A939-B3FCABF1DEFA}}	
IMEMode:	0	

IMESentenceMode: 3
 OrdinalPosition: 1
 Required: False
 SourceField: RootName
 SourceTable: tblRoot
 TextAlign: General
 UnicodeCompression: True

RootPath Short Text 255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 4590
 CurrencyLCID: 0
 DataUpdatable: False
 DisplayControl: Text Box
 GUID: {guid {91723809-EA00-46BC-8B87-E230D268D989}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: RootPath
 SourceTable: tblRoot
 TextAlign: General
 UnicodeCompression: True

StagingDirPath Short Text 255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 3855
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Path for the staging directory
 DisplayControl: Text Box
 GUID: {guid {D2762B5C-5C45-4418-9E57-4671C7564E81}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: StagingDirPath
 SourceTable: tblRoot
 TextAlign: General
 UnicodeCompression: True

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
RootId	Ascending
RootId	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	RootId
Primary:	False
Required:	False
Unique:	False
Fields:	
RootId	Ascending

User Permissions

- admin
- aizaz
- andrew
- bessie
- chris
- corine
- daria
- designer Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
- dschmidt
- Emmanuelle
- everett
- guest
- helen
- hillary
- jack
- jamelya
- Jason
- jelani
- jennifer
- jimh
- judy
- karl
- kirk
- lawonda
- linda

max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	4/18/2014 1:32:24 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {3DF5EF03-F841-4CF6-9E22-D323764A0CF6}}	HideNewField:	False
LastUpdated:	4/18/2014 1:32:24 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	3
TotalsRow:	False	Updatable:	True

Columns

Name	Type	Size
LevelId	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
OrdinalPosition:	0	
Required:	False	
SourceField:	LevelId	
SourceTable:	tblState_level_1	
TextAlign:	General	
StateName	Short Text	10
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1545	
DataUpdatable:	False	
Description:	like AZ, New Mexico Utah	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	StateName	
SourceTable:	tblState_level_1	
TextAlign:	General	
UnicodeCompression:	True	
FirstTwodigits	Short Text	2
AggregateType:	-1	

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: 04 35 49
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: FirstTwodigits
 SourceTable: tblState_level_1
 TextAlign: General
 UnicodeCompression: True

DateCreated

Date With Time

8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Format: Short Date
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 ShowDatePicker: For dates
 SourceField: DateCreated
 SourceTable: tblState_level_1
 TextAlign: General

RootID

Long Integer

4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 DisplayControl: Text Box
 OrdinalPosition: 4
 Required: False
 SourceField: RootID
 SourceTable: tblState_level_1

TextAlign:	General		
DirectoryName		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	5		
Required:	False		
SourceField:	DirectoryName		
SourceTable:	tblState_level_1		
TextAlign:	General		
UnicodeCompression:	True		
Active		Yes/No	1
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	if no then dont create directory		
DisplayControl:	106		
Format:	Yes/No		
OrdinalPosition:	6		
Required:	False		
SourceField:	Active		
SourceTable:	tblState_level_1		
TextAlign:	General		

Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	3
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True

	Fields:	
	LevelId	Ascending
RootID		1
	Clustered:	False
	DistinctCount:	1
	Foreign:	False
	IgnoreNulls:	False
	Name:	RootID
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	RootID	Ascending
TribeId		1
	Clustered:	False
	DistinctCount:	3
	Foreign:	False
	IgnoreNulls:	False
	Name:	TribeId
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	LevelId	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	

linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	4/18/2014 1:32:24 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {6D54E5A8-4B30-4F75-B7F9-E35ED0D2B1FC}}	HideNewField:	False
LastUpdated:	4/18/2014 1:32:24 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	12
RowHeight:	285	TotalsRow:	False
Updatable:	True		

Columns

Name	Type	Size
SubCatID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
OrdinalPosition:	0	
Required:	False	
SourceField:	SubCatID	
SourceTable:	tblSubPWSCategories_Level5	
TextAlign:	General	
PWSCatID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	1	
Required:	False	
SourceField:	PWSCatID	
SourceTable:	tblSubPWSCategories_Level5	
TextAlign:	General	
SubCatName	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	

Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: 2005,2006
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: SubCatName
 SourceTable: tblSubPWSCategories_Level5
 TextAlign: General
 UnicodeCompression: True

DateCreated Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Format: Short Date
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 ShowDatePicker: For dates
 SourceField: DateCreated
 SourceTable: tblSubPWSCategories_Level5
 TextAlign: General

Table Indexes

Name	Number of Fields
CatName	1
Clustered:	False
DistinctCount:	12
Foreign:	False
IgnoreNulls:	False
Name:	CatName
Primary:	False
Required:	False
Unique:	False
Fields:	
SubCatName	Ascending
PrimaryKey	2
Clustered:	False
DistinctCount:	12

Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
PWSCatID	Ascending
SubCatName	Ascending
PWSCatID	1
Clustered:	False
DistinctCount:	2
Foreign:	False
IgnoreNulls:	False
Name:	PWSCatID
Primary:	False
Required:	False
Unique:	False
Fields:	
PWSCatID	Ascending
PWSLevelId	1
Clustered:	False
DistinctCount:	12
Foreign:	False
IgnoreNulls:	False
Name:	PWSLevelId
Primary:	False
Required:	False
Unique:	True
Fields:	
SubCatID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	

jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	6/18/2013 12:35:54 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	Filter:	([tblSubTypes].[ParentType]="SWAP")
FilterOnLoad:	False	GUID:	{guid {84CAA7D4-765F-4389-B2EF-745B754BCFEC}}
HideNewField:	False	LastUpdated:	4/18/2014 1:37:32 PM
OrderBy:	[tblSubTypes].[ParentTypeId], [tblSubTypes].[ParentType]	OrderByOn:	True
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	78	TotalsRow:	False
Updatable:	True		

Columns

Name	Type	Size
SubTypeID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	Default	
DataUpdatable:	False	
OrdinalPosition:	0	
Required:	False	
SourceField:	SubTypeID	
SourceTable:	tblSubTypes	
TextAlign:	General	
SubTypeName	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	3510	
DataUpdatable:	False	
Description:	Full File Type	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	SubTypeName	
SourceTable:	tblSubTypes	
TextAlign:	General	
UnicodeCompression:	True	

sequence		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	sort order number for non-alphabetical sorting		
DisplayControl:	Text Box		
OrdinalPosition:	2		
Required:	False		
SourceField:	sequence		
SourceTable:	tblSubTypes		
TextAlign:	General		
DateCreated		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Date File Type created		
Format:	Short Date		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	3		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	DateCreated		
SourceTable:	tblSubTypes		
TextAlign:	General		
Createdby		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Created by user		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	4		

Required: False
 SourceField: Createdby
 SourceTable: tblSubTypes
 TextAlign: General
 UnicodeCompression: True

ParentType Short Text 255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2910
 DataUpdatable: False
 Description: --- Need to be removed on 4-5-2013
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 5
 Required: False
 SourceField: ParentType
 SourceTable: tblSubTypes
 TextAlign: General
 UnicodeCompression: True

ParentTypeId Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Fk to tblFileTypres
 DisplayControl: Text Box
 OrdinalPosition: 6
 Required: False
 SourceField: ParentTypeId
 SourceTable: tblSubTypes
 TextAlign: General

Table Indexes

Name	Number of Fields
PrimaryKey	2
Clustered:	False
DistinctCount:	78
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey

Primary:	True
Required:	True
Unique:	True
Fields:	
SubTypeName	Ascending
ParentTypeId	Ascending
SubTypeID	1
Clustered:	False
DistinctCount:	78
Foreign:	False
IgnoreNulls:	False
Name:	SubTypeID
Primary:	False
Required:	False
Unique:	True
Fields:	
SubTypeID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	

roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

AlternateBackShade:	100	AlternateBackThemeColorIn	-1
AlternateBackTint:	100	BackShade:	100
BackTint:	100	DatasheetForeThemeColorIn	-1
DatasheetGridlinesThemeCol	-1	DateCreated:	4/18/2014 1:32:24 PM
DefaultView:	2	DisplayViewsOnSharePointSi	1
FilterOnLoad:	False	GUID:	{guid {66E399AD-CFD3-4138-8A9C-7BB131EE6E8B}}
HideNewField:	False	LastUpdated:	4/18/2014 1:32:24 PM
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	108	ThemeFontIndex:	-1
TotalsRow:	False	Updatable:	True

Columns

Name	Type	Size
TribId	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
OrdinalPosition:	0	
Required:	False	
ResultType:	0	
SourceField:	TribId	
SourceTable:	tblTribe_level_2	
TextAlign:	General	
LevelId	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	connected to tblIPO_level	
DisplayControl:	Text Box	
OrdinalPosition:	1	
Required:	False	
ResultType:	0	

	SourceField:	LevelId	
	SourceTable:	tblTribe_level_2	
	TextAlign:	General	
localName			Short Text 255
	AggregateType:	-1	
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	2460	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	tribeName	
	DisplayControl:	Text Box	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	2	
	Required:	False	
	ResultType:	0	
	SourceField:	localName	
	SourceTable:	tblTribe_level_2	
	TextAlign:	General	
	UnicodeCompression:	True	
ID			Long Integer 4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	connected to political entry	
	DisplayControl:	Text Box	
	OrdinalPosition:	3	
	Required:	False	
	ResultType:	0	
	SourceField:	ID	
	SourceTable:	tblTribe_level_2	
	TextAlign:	General	
DateCreated			Date With Time 8
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	

ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Format: Short Date
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False
 ResultType: 0
 ShowDatePicker: For dates
 SourceField: DateCreated
 SourceTable: tblTribe_level_2
 TextAlign: General

Table Indexes

Name	Number of Fields
ID	1
Clustered:	False
DistinctCount:	105
Foreign:	False
IgnoreNulls:	False
Name:	ID
Primary:	False
Required:	False
Unique:	False
Fields:	
ID	Ascending
LevelId1	1
Clustered:	False
DistinctCount:	6
Foreign:	False
IgnoreNulls:	False
Name:	LevelId1
Primary:	False
Required:	False
Unique:	False
Fields:	
LevelId	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	108
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
TribeId	Ascending
TribeId	1
Clustered:	False

DistinctCount:	108
Foreign:	False
IgnoreNulls:	False
Name:	TribeId
Primary:	False
Required:	False
Unique:	False
Fields:	
TribeId	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

AlternateBackShade:	100	AlternateBackThemeColorIn	-1
AlternateBackTint:	100	Attributes:	Linked
BackShade:	100	BackTint:	100
Connect:	;DATABASE=C:\Users\kbanks\Dime_Local\DIME_be.mdb		DatasheetForeThemeColorIn -1
DatasheetGridlinesThemeCol	-1	DateCreated:	11/5/2014 6:19:52 PM
DefaultView:	2	DisplayViewsOnSharePointSi	1
FilterOnLoad:	False	GUID:	{guid {5675F1BE-F315-499A-96D5-13C0E195842D}}
HideNewField:	False	LastUpdated:	11/5/2014 6:19:52 PM
NameMap:	Long binary data	OrderBy:	[tblUserHelpPreferences].[DateCreated] DESC
OrderByOn:	True	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	tblUserHelpPreferences	ThemeFontIndex:	-1
TotalsRow:	False	Updatable:	False

Columns


Name	Type	Size
UserHelpID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	internal DIME User/Help Association identifier	
OrdinalPosition:	0	
Required:	False	
SourceField:	UserHelpID	
SourceTable:	tblUserHelpPreferences	
TextAlign:	General	
UserID	Short Text	50
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	login id, using the current user function	
DisplayControl:	Text Box	

	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	1		
	Required:	True		
	SourceField:	UserID		
	SourceTable:	tblUserHelpPreferences		
	TextAlign:	General		
	UnicodeCompression:	False		
HelpID			Long Integer	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	CurrencyLCID:	0		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	Description:	internal DIME Help record identifier, lookup in table Help		
	DisplayControl:	Text Box		
	OrdinalPosition:	2		
	Required:	True		
	SourceField:	HelpID		
	SourceTable:	tblUserHelpPreferences		
	TextAlign:	General		
DateCreated			Date With Time	8
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	2355		
	CurrencyLCID:	0		
	DataUpdatable:	False		
	Description:	Date that record was created.		
	Format:	Short Date		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	3		
	Required:	False		
	SourceField:	DateCreated		
	SourceTable:	tblUserHelpPreferences		
	TextAlign:	General		
CreatedBy			Short Text	50
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		

CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: user who created record
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False
 SourceField: CreatedBy
 SourceTable: tblUserHelpPreferences
 TextAlign: General
 UnicodeCompression: True

Relationships

UserstblUserHelpPreferences



Attributes: Not Enforced
 RelationshipType: Indeterminate

Table Indexes

Name	Number of Fields
PrimaryKey	2
Clustered:	False
DistinctCount:	504
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
UserID	Ascending
HelpID	Ascending
UserHelpID	1
Clustered:	False
DistinctCount:	504
Foreign:	False
IgnoreNulls:	False
Name:	UserHelpID
Primary:	False
Required:	False
Unique:	True

Fields:
UserHelpID Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

AlternateBackShade:	100	AlternateBackThemeColorIn	-1
AlternateBackTint:	100	Attributes:	Linked
BackShade:	100	BackTint:	100
Connect:	;DATABASE=C:\Users\kbanks\Dime_Local\DIME_be.mdb	DatasheetForeThemeColorIn	-1
DatasheetGridlinesThemeCol	-1	DateCreated:	11/5/2014 6:19:52 PM
DefaultView:	2	DisplayViewsOnSharePointSi	1
Filter:	([tblUserPreference].[UserID] = "max")	FilterOnLoad:	False
GUID:	{guid {B3A51045-456D-4591-B699-6F3D6549FC31}}	HideNewField:	False
LastUpdated:	11/5/2014 6:19:52 PM	NameMap:	Long binary data
OrderBy:	[tblUserPreference].[CodeId], [tblUserPreference].[UserID], [tblUserPreference].[DateCreated] DESC, [tblUserPreference].[PrefId], [tblUserPreference].[DateModified] DESC	OrderByOn:	True
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	-1	SourceTableName:	tblUserPreference
ThemeFontIndex:	-1	TotalsRow:	False
Updatable:	False		

Columns

Name	Type	Size
PrefId	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
GUID:	{guid {85D2B210-B2B1-4511-A5D3-CBCC632BE975}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	PrefId	
SourceTable:	tblUserPreference	
TextAlign:	General	
UserID	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	

ColumnOrder: Default
 ColumnWidth: 2190
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Currentuser()
 DisplayControl: Text Box
 GUID: {guid {AD6957A3-C717-4BCD-B2D0-EA3A3FF83482}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 1
 Required: False
 SourceField: UserID
 SourceTable: tblUserPreference
 TextAlign: General
 UnicodeCompression: True

CodeId Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 DisplayControl: Text Box
 GUID: {guid {4714D29E-F544-4D86-80E7-9690E8F2E5B3}}
 OrdinalPosition: 2
 Required: False
 SourceField: CodeId
 SourceTable: tblUserPreference
 TextAlign: General


FieldValue Short Text 255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 4605
 CurrencyLCID: 0
 DataUpdatable: False
 DisplayControl: Text Box
 GUID: {guid {76B8A840-FDEC-48B7-A8EC-38988AE2D9C2}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: FieldValue
 SourceTable: tblUserPreference

TextAlign:	General		
UnicodeCompression:	True		
DateModified		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	3975		
CurrencyLCID:	0		
DataUpdatable:	False		
GUID:	{guid {A8CD8542-5AC9-4D13-8199-49DB618E3B8A}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	4		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	DateModified		
SourceTable:	tblUserPreference		
TextAlign:	General		
DateCreated		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
Format:	Short Date		
GUID:	{guid {DEA7DDA0-3A8A-47E7-B866-FEDCD88B7262}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	5		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	DateCreated		
SourceTable:	tblUserPreference		
TextAlign:	General		

Relationships

UserstblUserPreference



Attributes: Not Enforced
 RelationshipType: Indeterminate

Table Indexes

Name	Number of Fields
CodeId	1
Clustered:	False
DistinctCount:	35
Foreign:	False
IgnoreNulls:	False
Name:	CodeId
Primary:	False
Required:	False
Unique:	False
Fields:	
CodeId	Ascending
PrefId	1
Clustered:	False
DistinctCount:	11804
Foreign:	False
IgnoreNulls:	False
Name:	PrefId
Primary:	False
Required:	False
Unique:	False
Fields:	
PrefId	Ascending
PrimaryKey	2
Clustered:	False
DistinctCount:	434
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
UserID	Ascending
CodeId	Ascending

User Permissions

admin

aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\ Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:52 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {CCA52F2C-9862-4FA3- 95E9-A2D2D183A594}}	HideNewField:	False
LastUpdated:	11/5/2014 6:19:52 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	tblUserRoles	TotalsRow:	False
Updatable:	False		

Columns

Name	Type	Size
UserRoleId	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
OrdinalPosition:	0	
Required:	False	
SourceField:	UserRoleId	
SourceTable:	tblUserRoles	
TextAlign:	General	
Roles	Short Text	255
AggregateType:	-1	
AllowValueListEdits:	False	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
BoundColumn:	1	
CollatingOrder:	General	
ColumnCount:	1	
ColumnHeads:	False	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1950	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
LimitToList:	False	
ListRows:	16	
ListWidth:	0twip	

OrdinalPosition: 1
 Required: False
 RowSource: DateEntry;Admin;QA;ProjectOfficer;Enforcement
 RowSourceType: Value List
 ShowOnlyRowSourceValues: False
 SourceField: Roles
 SourceTable: tblUserRoles
 TextAlign: General
 UnicodeCompression: True

DateCreated Date With Time 8


AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Format: Short Date
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 ShowDatePicker: For dates
 SourceField: DateCreated
 SourceTable: tblUserRoles
 TextAlign: General

User Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: username
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: User
 SourceTable: tblUserRoles
 TextAlign: General
 UnicodeCompression: True


Relationships

tblUserRolesDelete_IkpDefaultPreferences




Attributes: Not Enforced
 RelationshipType: Indeterminate

tblUserRolesIkpRolesDesc



Attributes: Not Enforced
 RelationshipType: Indeterminate

UserstblUserRoles



Attributes: Not Enforced
 RelationshipType: Indeterminate

Table Indexes

Name	Number of Fields
PrimaryKey	2
Clustered:	False
DistinctCount:	26
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
Roles	Ascending
User	Ascending

User Permissions

- admin
- aizaz
- andrew
- bessie

chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\ Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:52 PM	DefaultView:	2
GUID:	{guid {9B725F06-F57D-11D7- 822E-00B0D0531229}}	LastUpdated:	11/5/2014 6:19:52 PM
NameMap:	Long binary data	OrderByOn:	True
Orientation:	Left-to-Right	RecordCount:	-1
RowHeight:	240	SourceTableName:	TCR Compliance
SubDataSheetName:	[None]	Updatable:	False

Columns

Name	Type	Size
FACID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
BoundColumn:	1	
CollatingOrder:	General	
ColumnCount:	3	
ColumnHeads:	False	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
ColumnWidths:	0;795;2265	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Combo Box	
GUID:	{guid {9B725F07-F57D-11D7-822E-00B0D0531229}}	
LimitToList:	True	
ListRows:	8	
ListWidth:	3060twip	
OrdinalPosition:	0	
Required:	False	
RowSource:	SELECT [Facility Information].FACID, [Facility Information].ALTERNATE_ST_NUM, [Facility Information].PWSSNAME FROM [Facility Information];	
RowSourceType:	Table/Query	
SourceField:	FACID	
SourceTable:	TCR Compliance	
 SAMP_ID	 Short Text	 60
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1164	
DataUpdatable:	False	

Description: Sample ID #
DisplayControl: Text Box
GUID: {guid {9B725F08-F57D-11D7-822E-00B0D0531229}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 1
Required: True
SourceField: SAMP_ID
SourceTable: TCR Compliance
UnicodeCompression: True

SAMP_DATE Date With Time 8

AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 1308
DataUpdatable: False
Description: Sampling date
Format: mmddyyyy
GUID: {guid {9B725F09-F57D-11D7-822E-00B0D0531229}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 2
Required: True
SourceField: SAMP_DATE
SourceTable: TCR Compliance

Samp_Mo Short Text 2

AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
BoundColumn: 1
Caption: Compliance Month
CollatingOrder: General
ColumnCount: 2
ColumnHeads: False
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 1860
ColumnWidths: 0;765
DataUpdatable: False
Description: defaults automatically to month of sample date, PO may override
DisplayControl: Combo Box
GUID: {guid {9B725F0A-F57D-11D7-822E-00B0D0531229}}
IMEMode: 0
IMESentenceMode: 3
LimitToList: True
ListRows: 8
ListWidth: 765twip
OrdinalPosition: 3
Required: False
RowSource: SELECT DISTINCTROW Months.ID, Months.Month FROM Months;

RowSourceType: Table/Query
 SourceField: Samp_Mo
 SourceTable: TCR Compliance
 UnicodeCompression: False

Samp_Yr Short Text 4

AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 BoundColumn: 1
 Caption: Year
 CollatingOrder: General
 ColumnCount: 2
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 795
 ColumnWidths: 0;540
 DataUpdatable: False
 Description: defaults automatically to year of sample date, PO may override
 DisplayControl: Combo Box
 GUID: {guid {9B725F0B-F57D-11D7-822E-00B0D0531229}}
 IMEMode: 0
 IMESentenceMode: 3
 LimitToList: True
 ListRows: 8
 ListWidth: 540twip
 OrdinalPosition: 4
 Required: False
 RowSource: SELECT Years.ID, Years.Year FROM Years;
 RowSourceType: Table/Query
 SourceField: Samp_Yr
 SourceTable: TCR Compliance
 UnicodeCompression: False

SAMP_TYPE Short Text 10

AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 BoundColumn: 1
 Caption: Sample Type
 CollatingOrder: General
 ColumnCount: 2
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1320
 ColumnWidths: 0;1440
 DataUpdatable: False
 Description: lookup in table sampletypes - Updated when data appended -- Routine or Repeat
 DisplayControl: Combo Box
 GUID: {guid {9B725F0C-F57D-11D7-822E-00B0D0531229}}
 IMEMode: 0
 IMESentenceMode: 3
 LimitToList: True

ListRows: 8
 ListWidth: 1440twip
 OrdinalPosition: 5
 Required: False
 RowSource: SELECT DISTINCTROW sampletypes.ID, sampletypes.sampletype
 FROM sampletypes;
 RowSourceType: Table/Query
 SourceField: SAMP_TYPE
 SourceTable: TCR Compliance
 UnicodeCompression: False

TC_Result Short Text 1

AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 BoundColumn: 1
 Caption: TC_Result
 CollatingOrder: General
 ColumnCount: 2
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1092
 ColumnWidths: 0;1440
 DataUpdatable: False
 Description: lookup in table ResultCodes
 DisplayControl: Combo Box
 GUID: {guid {9B725F0D-F57D-11D7-822E-00B0D0531229}}
 IMEMode: 0
 IMESentenceMode: 3
 LimitToList: True
 ListRows: 8
 ListWidth: 1440twip
 OrdinalPosition: 6
 Required: False
 RowSource: SELECT DISTINCTROW ResultCodes.ID,
 ResultCodes.ResultDescription FROM ResultCodes;
 RowSourceType: Table/Query
 SourceField: TC_Result
 SourceTable: TCR Compliance
 UnicodeCompression: False

TC_CNT Short Text 1

AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 900
 DataUpdatable: False
 Description: Total Coliform count (if applicable)
 DisplayControl: Text Box
 GUID: {guid {9B725F0E-F57D-11D7-822E-00B0D0531229}}

IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 7
 Required: False
 SourceField: TC_CNT
 SourceTable: TCR Compliance
 UnicodeCompression: False

FC_Result Short Text 1

AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 BoundColumn: 1
 Caption: FC_Result
 CollatingOrder: General
 ColumnCount: 2
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1092
 ColumnWidths: 0;1440
 DataUpdatable: False
 Description: lookup in table ResultCodes
 DisplayControl: Combo Box
 GUID: {guid {9B725F0F-F57D-11D7-822E-00B0D0531229}}
 IMEMode: 0
 IMESentenceMode: 3
 LimitToList: True
 ListRows: 8
 ListWidth: 1440twip
 OrdinalPosition: 8
 Required: False
 RowSource: SELECT DISTINCTROW ResultCodes.ID,
 ResultCodes.ResultDescription FROM ResultCodes;
 RowSourceType: Table/Query
 SourceField: FC_Result
 SourceTable: TCR Compliance
 UnicodeCompression: False

FC_CNT Short Text 1

AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1704
 DataUpdatable: False
 Description: Fecal Coliform count (if applicable)
 DisplayControl: Text Box
 GUID: {guid {9B725F10-F57D-11D7-822E-00B0D0531229}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 9
 Required: False

SourceField:	FC_CNT		
SourceTable:	TCR Compliance		
UnicodeCompression:	False		
NumSampReq		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Number of Bacti samples required		
DisplayControl:	Text Box		
GUID:	{guid {9B725F11-F57D-11D7-822E-00B0D0531229}}		
OrdinalPosition:	10		
Required:	False		
SourceField:	NumSampReq		
SourceTable:	TCR Compliance		

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
Bacteriological RoutineYear	1
Clustered:	False
DistinctCount:	45
Foreign:	False
IgnoreNulls:	False
Name:	Bacteriological RoutineYear
Primary:	False
Required:	False
Unique:	False
Fields:	
Samp_Yr	Ascending
FACID	1
Clustered:	False
DistinctCount:	322
Foreign:	False
IgnoreNulls:	False
Name:	FACID
Primary:	False
Required:	False
Unique:	False
Fields:	
FACID	Ascending
NumSampReq	1
Clustered:	False
DistinctCount:	14
Foreign:	False
IgnoreNulls:	False
Name:	NumSampReq
Primary:	False

	Required:	False
	Unique:	False
	Fields:	
	NumSampReq	Ascending
SAMP_DATE		1
	Clustered:	False
	DistinctCount:	3450
	Foreign:	False
	IgnoreNulls:	False
	Name:	SAMP_DATE
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	SAMP_DATE	Ascending
SAMP_ID		1
	Clustered:	False
	DistinctCount:	72125
	Foreign:	False
	IgnoreNulls:	False
	Name:	SAMP_ID
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	SAMP_ID	Ascending

User Permissions

- admin
- aizaz
- andrew
- bessie
- chris
- corine
- daria
- designer
- dschmidt
- Emmanuelle
- everett
- guest
- helen
- hillary
- jack
- jamelya
- Jason
- jelani
- jennifer
- jimh
- judy
- karl

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:52 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {13E24ECC-7434-4B12-84E3-29BA0AA6664D}}	HideNewField:	False
LastUpdated:	11/5/2014 6:19:52 PM	NameMap:	Long binary data
OrderBy:	[TEMP RCAC data].Date DESC	OrderByOn:	True
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	-1	SourceTableName:	TEMP RCAC data
TotalsRow:	False	Updatable:	False

Columns

Name	Type	Size
FACID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {143BD934-F925-4273-AE7C-1283FA803CFB}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	FACID	
SourceTable:	TEMP RCAC data	
TextAlign:	General	
Date	Date With Time	8
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
GUID:	{guid {C731B149-6DA4-4FD4-8951-9F4E38DFD982}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
ShowDatePicker:	For dates	
SourceField:	Date	

Field Name	SourceTable	TextAlign	Field Type	Field Length
ActionTypeID	TEMP RCAC data	General	Long Integer	4
AggregateType:	-1			
AllowZeroLength:	False			
AppendOnly:	False			
Attributes:	Fixed Size			
CollatingOrder:	General			
ColumnHidden:	False			
ColumnOrder:	Default			
ColumnWidth:	Default			
DataUpdatable:	False			
DecimalPlaces:	Auto			
DisplayControl:	Text Box			
GUID:	{guid {C6EEA2BC-9593-47F6-BA34-24E429B1A1F4}}			
OrdinalPosition:	2			
Required:	False			
SourceField:	ActionTypeID			
SourceTable:	TEMP RCAC data			
TextAlign:	General			
Comment			Long Text	-
AggregateType:	-1			
AllowZeroLength:	True			
AppendOnly:	False			
Attributes:	Variable Length			
CollatingOrder:	General			
ColumnHidden:	False			
ColumnOrder:	Default			
ColumnWidth:	6975			
DataUpdatable:	False			
GUID:	{guid {14066B11-B5B3-4BFE-870D-84A93F300CFC}}			
IMEMode:	0			
IMESentenceMode:	3			
OrdinalPosition:	3			
Required:	False			
SourceField:	Comment			
SourceTable:	TEMP RCAC data			
TextAlign:	General			
TextFormat:	Plain Text			
UnicodeCompression:	False			
Provider			Short Text	255
AggregateType:	-1			
AllowZeroLength:	True			
AppendOnly:	False			
Attributes:	Variable Length			
CollatingOrder:	General			
ColumnHidden:	False			
ColumnOrder:	Default			
ColumnWidth:	1755			
DataUpdatable:	False			
DisplayControl:	Text Box			
GUID:	{guid {D1396BB7-EDAB-4B86-B555-36B4C8C9BE41}}			

IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False
 SourceField: Provider
 SourceTable: TEMP RCAC data
 TextAlign: General
 UnicodeCompression: False

Table Indexes

Name	Number of Fields
ActionTypeID	1
Clustered:	False
DistinctCount:	5
Foreign:	False
IgnoreNulls:	False
Name:	ActionTypeID
Primary:	False
Required:	False
Unique:	False
Fields:	
ActionTypeID	Ascending
FACID	1
Clustered:	False
DistinctCount:	98
Foreign:	False
IgnoreNulls:	False
Name:	FACID
Primary:	False
Required:	False
Unique:	False
Fields:	
FACID	Ascending

User Permissions

- admin
- aizaz
- andrew
- bessie
- chris
- corine
- daria
- designer
- dschmidt
- Emmanuelle
- everett
- guest
- helen
- hillary
- jack

jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated: 2/28/2008 4:28:32 PM GUID: {guid {78FD3F04-6D28-4846-8C1D-9EBF39026382}}
 LastUpdated: 2/28/2008 4:28:44 PM RecordCount: 7
 Updatable: True

Columns

Name	Type	Size
FACID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
DataUpdatable:	False	
GUID:	{guid {6820F839-CF09-476D-B858-C535CA3DD075}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	FACID	
SourceTable:	TEMPpbcuROUNDS	
contid	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
DataUpdatable:	False	
GUID:	{guid {41BDB3BE-2FA5-4A95-8452-E9A2BB546872}}	
OrdinalPosition:	2	
Required:	False	
SourceField:	contid	
SourceTable:	TEMPpbcuROUNDS	
MinOfSAMPLECOLLDATE	Date With Time	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
DataUpdatable:	False	
GUID:	{guid {E1ABB92D-62F5-44A3-B69E-4CFD08DE9A5E}}	
OrdinalPosition:	3	
Required:	False	
SourceField:	MinOfSAMPLECOLLDATE	
SourceTable:	TEMPpbcuROUNDS	

User Permissions

admin
 aizaz
 andrew

bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\ Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:52 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
HideNewField:	False	LastUpdated:	11/5/2014 6:19:52 PM
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	-1	SourceTableName:	TEMPpercentiles
TotalsRow:	False	Updatable:	False

Columns

Name	Type	Size
FACID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {281873AE-2D83-4151-B08E-91BA6B7E6EB1}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	FACID	
SourceTable:	TEMPpercentiles	
TextAlign:	General	
EventID	Short Text	175
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {1FF6960D-AE7D-419C-ADD2-99A00B156F40}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	EventID	
SourceTable:	TEMPpercentiles	
TextAlign:	General	

UnicodeCompression:	True		
SampleCollectionDate		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Maximum date		
GUID:	{guid {AB762935-A232-45E1-9B72-A2E1A3BDD63C}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	2		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	SampleCollectionDate		
SourceTable:	TEMPpercentiles		
TextAlign:	General		
contID		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
GUID:	{guid {0BFB803F-587F-4E4D-9532-3034173ED43C}}		
OrdinalPosition:	3		
Required:	False		
SourceField:	contID		
SourceTable:	TEMPpercentiles		
TextAlign:	General		
RESULTSIGN		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {886146C5-6903-4A50-994A-B3E2B42BAF56}}		
IMEMode:	0		

IMESentenceMode: 3
OrdinalPosition: 4
Required: False
SourceField: RESULTSIGN
SourceTable: TEMPercentiles
TextAlign: General
UnicodeCompression: False

Percentile Double 8

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
DisplayControl: Text Box
GUID: {guid {48C4B4AD-072D-49A8-9978-B03EB3227FCE}}
OrdinalPosition: 5
Required: False
SourceField: Percentile
SourceTable: TEMPercentiles
TextAlign: General

DateCreated Date With Time 8

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Format: Short Date
GUID: {guid {41356C06-9AE7-4A37-894A-714AC6DF6292}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 6
Required: False
ShowDatePicker: For dates
SourceField: DateCreated
SourceTable: TEMPercentiles
TextAlign: General

User Permissions

admin
aizaz
andrew

bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	7/23/2007 12:57:05 PM	DefaultView:	2
GUID:	{guid {22304406-C911-4568-B90F-7F5713F1E097}}	LastUpdated:	7/23/2007 12:57:31 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	20
Updatable:	True		

Columns

Name	Type	Size
ID	Long Integer	4
AllowZeroLength: False AppendOnly: False Attributes: Fixed Size, Auto-Increment CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False GUID: {guid {E887BB6B-A892-434C-9C3E-E36D0FC6BD1F}} OrdinalPosition: 0 Required: False SourceField: ID SourceTable: Titles		
TitleText	Short Text	50
AllowZeroLength: True AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False DisplayControl: Text Box GUID: {guid {99F71D3E-CE46-43CE-896D-8FB550BCF7D4}} IMEMode: 0 IMESentenceMode: 3 OrdinalPosition: 1 Required: False SourceField: TitleText SourceTable: Titles UnicodeCompression: True		
TitleCodes	Short Text	50
AllowZeroLength: True AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default		

ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {17E3C624-ACA9-4032-ABB6-F91F93086F1F}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	2
Required:	False
SourceField:	TitleCodes
SourceTable:	Titles
UnicodeCompression:	True

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
ID	1
Clustered:	False
DistinctCount:	20
Foreign:	False
IgnoreNulls:	False
Name:	ID
Primary:	False
Required:	False
Unique:	False
Fields:	
ID	Ascending

User Permissions

- admin
- aizaz
- andrew
- bessie
- chris
- corine
- daria
- designer
- dschmidt
- Emmanuelle
- everett
- guest
- helen
- hillary
- jack
- jamelya
- Jason
- jelani
- jennifer
- jimh
- judy
- karl

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

kirk
lawonda
linda
max
michael
myrt
navajo
raymond
roberto
roger
sara
test

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	1/12/2010 3:55:26 PM	DefaultView:	2
LastUpdated:	1/12/2010 3:55:26 PM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	5	Updatable:	True

Columns

Name	Type	Size
StatusId	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
OrdinalPosition:	0	
Required:	False	
SourceField:	StatusId	
SourceTable:	tlkpProcessStatus	
Status	Short Text	50
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	Status	
SourceTable:	tlkpProcessStatus	
UnicodeCompression:	True	
StatusDescription	Short Text	50
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	

IMESentenceMode: 3
OrdinalPosition: 2
Required: False
SourceField: StatusDescription
SourceTable: tlkpProcessStatus
UnicodeCompression: True

ProcessId Long Integer 4

AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
Description: linked to the Process table
DisplayControl: Text Box
OrdinalPosition: 3
Required: False
SourceField: ProcessId
SourceTable: tlkpProcessStatus

NextStatusID Long Integer 4

AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
DisplayControl: Text Box
OrdinalPosition: 4
Required: False
SourceField: NextStatusID
SourceTable: tlkpProcessStatus

NextStatus Short Text 50

AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 5
Required: False
SourceField: NextStatus

SourceTable:	tlkpProcessStatus	
UnicodeCompression:	True	
Description	Short Text	50
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	6	
Required:	False	
SourceField:	Description	
SourceTable:	tlkpProcessStatus	
UnicodeCompression:	True	
AssignedToId	Short Text	50
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	default assigned to user	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	7	
Required:	False	
SourceField:	AssignedToId	
SourceTable:	tlkpProcessStatus	
UnicodeCompression:	False	
Lastupdate	Date With Time	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Date of Last Update	
Format:	General Date	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	8	
Required:	False	

SourceField:	Lastupdate		
SourceTable:	tlkpProcessStatus		
CurrentUpdateUser		Short Text	50
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Current User At Time of Update		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	9		
Required:	False		
SourceField:	CurrentUpdateUser		
SourceTable:	tlkpProcessStatus		
UnicodeCompression:	True		
DateCreated		Date With Time	8
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Date that record was created.		
Format:	Short Date		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	10		
Required:	False		
SourceField:	DateCreated		
SourceTable:	tlkpProcessStatus		
CreatedBy		Short Text	50
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	11		
Required:	False		
SourceField:	CreatedBy		

SourceTable: tlkpProcessStatus
 UnicodeCompression: True

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
AssignedToId	1
Clustered:	False
DistinctCount:	3
Foreign:	False
IgnoreNulls:	False
Name:	AssignedToId
Primary:	False
Required:	False
Unique:	False
Fields:	
AssignedToId	Ascending
NextStatusID	1
Clustered:	False
DistinctCount:	3
Foreign:	False
IgnoreNulls:	False
Name:	NextStatusID
Primary:	False
Required:	False
Unique:	False
Fields:	
NextStatusID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	5
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
StatusId	Ascending
ProcessId	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	ProcessId
Primary:	False
Required:	False
Unique:	False
Fields:	
ProcessId	Ascending
StatusId	1
Clustered:	False
DistinctCount:	5

Foreign:	False
IgnoreNulls:	False
Name:	StatusId
Primary:	False
Required:	False
Unique:	False
Fields:	
StatusId	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,
--------	---------------------------------------------------------------------------

DataManagers	Write Definition, Read Data, Insert Data, Update Data, Delete Data
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated: 10/10/2007 5:39:46 PM DefaultView: 2
 GUID: {guid {F96CE85B-8822-4003-AEB1-09911EAB159D}} LastUpdated: 10/10/2007 5:39:46 PM
 NameMap: Long binary data OrderByOn: False
 Orientation: Left-to-Right RecordCount: 3
 Updatable: True

Columns

Name	Type	Size
ToneId	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {1FCB55E7-4C72-455F-B029-1A9853CA8076}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	ToneId	
SourceTable:	tlkpToneDescription	
ToneDescription	Short Text	50
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {BCD8A7E4-B612-4A29-8A7B-2C847B6FBA2D}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	ToneDescription	
SourceTable:	tlkpToneDescription	
UnicodeCompression:	True	

Table Indexes

Name	Number of Fields
PrimaryKey	1

	Clustered:	False
	DistinctCount:	3
	Foreign:	False
	IgnoreNulls:	False
	Name:	PrimaryKey
	Primary:	True
	Required:	True
	Unique:	True
	Fields:	
	ToneId	Ascending
ToneId		1
	Clustered:	False
	DistinctCount:	3
	Foreign:	False
	IgnoreNulls:	False
	Name:	ToneId
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	ToneId	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	

myrt
navajo
raymond
roberto
roger
sara
test

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated: 9/14/2010 12:08:32 PM LastUpdated: 9/14/2010 12:08:32 PM
 RecordCount: 0 Updatable: True

Columns

Name	Type	Size
POcontactID	Short Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
DataUpdatable:	False	
OrdinalPosition:	1	
Required:	False	
SourceField:	POcontactID	
SourceTable:	tmp_ComplianceSummary_IncreasedMonitoringCandidates	
PWSSNAME	Short Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
DataUpdatable:	False	
OrdinalPosition:	2	
Required:	False	
SourceField:	PWSSNAME	
SourceTable:	tmp_ComplianceSummary_IncreasedMonitoringCandidates	
ALTERNATE_ST_NUM	Short Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
DataUpdatable:	False	
OrdinalPosition:	3	
Required:	False	
SourceField:	ALTERNATE_ST_NUM	
SourceTable:	tmp_ComplianceSummary_IncreasedMonitoringCandidates	
UnivUniqueID	Short Text	5
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
DataUpdatable:	False	
OrdinalPosition:	4	
Required:	False	
SourceField:	UnivUniqueID	
SourceTable:	tmp_ComplianceSummary_IncreasedMonitoringCandidates	
SampleDate	Date With Time	8

	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	DataUpdatable:	False		
	OrdinalPosition:	5		
	Required:	False		
	SourceField:	SampleDate		
	SourceTable:	tmp_ComplianceSummary_IncreasedMonitoringCandidates		
chem_name			Short Text	100
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	DataUpdatable:	False		
	OrdinalPosition:	6		
	Required:	False		
	SourceField:	chem_name		
	SourceTable:	tmp_ComplianceSummary_IncreasedMonitoringCandidates		
DetectFlag			Short Text	50
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	DataUpdatable:	False		
	OrdinalPosition:	7		
	Required:	False		
	SourceField:	DetectFlag		
	SourceTable:	tmp_ComplianceSummary_IncreasedMonitoringCandidates		
SAMP_RESULT			Double	8
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	DataUpdatable:	False		
	OrdinalPosition:	8		
	Required:	False		
	SourceField:	SAMP_RESULT		
	SourceTable:	tmp_ComplianceSummary_IncreasedMonitoringCandidates		
RAA			Double	8
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	DataUpdatable:	False		
	OrdinalPosition:	9		
	Required:	False		
	SourceField:	RAA		
	SourceTable:	tmp_ComplianceSummary_IncreasedMonitoringCandidates		
MCL_value			Double	8

	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	DataUpdatable:	False		
	OrdinalPosition:	10		
	Required:	False		
	SourceField:	MCL_value		
	SourceTable:	tmp_ComplianceSummary_IncreasedMonitoringCandidates		
monitoringstatus			Short Text	50
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	DataUpdatable:	False		
	OrdinalPosition:	11		
	Required:	False		
	SourceField:	monitoringstatus		
	SourceTable:	tmp_ComplianceSummary_IncreasedMonitoringCandidates		
Freq			Short Text	50
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	DataUpdatable:	False		
	OrdinalPosition:	12		
	Required:	False		
	SourceField:	Freq		
	SourceTable:	tmp_ComplianceSummary_IncreasedMonitoringCandidates		

User Permissions

- admin
- aizaz
- andrew
- bessie
- chris
- corine
- daria
- designer
- dschmidt
- Emmanuelle
- everett
- guest
- helen
- hillary
- jack
- jamelya
- Jason
- jelani
- jennifer

jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated: 7/23/2007 9:59:14 AM DefaultView: 2
 GUID: {guid {BB4D2E92-3929-48CB-81C3-AD47CA79D6B8}} LastUpdated: 7/26/2007 2:33:45 PM
 NameMap: Long binary data OrderByOn: False
 Orientation: Left-to-Right RecordCount: 0
 Updatable: True

Columns

Name	Type	Size
FacID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {9E4E88C4-7052-4E44-973F-48B1CD177099}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	FacID	
SourceTable:	tmpCompLoc_AddSampLoc	
UnivUniqueID	Short Text	50
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {15674103-9125-47DC-AD10-1FF00BD770D2}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	UnivUniqueID	
SourceTable:	tmpCompLoc_AddSampLoc	
UnicodeCompression:	True	
CPTypID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	

ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 DisplayControl: Text Box
 GUID: {guid {D4E605A1-BD2B-4774-99DC-29F19A6BCE61}}
 OrdinalPosition: 2
 Required: False
 SourceField: CTypeID
 SourceTable: tmpCompLoc_AddSampLoc

CType Short Text 50

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 GUID: {guid {A9B2DE70-9B74-463D-BB71-E0AE133FF2DC}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: CType
 SourceTable: tmpCompLoc_AddSampLoc
 UnicodeCompression: True

ALTERNATE_ST_Num Short Text 50

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2910
 DataUpdatable: False
 DisplayControl: Text Box
 GUID: {guid {3C56F9A4-9167-42E5-8A98-3366434A3AFD}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False
 SourceField: ALTERNATE_ST_Num
 SourceTable: tmpCompLoc_AddSampLoc
 UnicodeCompression: True

PWSSNAME Short Text 50

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General

ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DisplayControl: Text Box
GUID: {guid {0646A286-AD51-442F-872A-E4B45B6C8DCA}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 5
Required: False
SourceField: PWSSNAME
SourceTable: tmpCompLoc_AddSampLoc
UnicodeCompression: True

CPName Short Text 50

AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DisplayControl: Text Box
GUID: {guid {05F7D44D-9CB4-49A6-98A0-99ABE56666F8}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 6
Required: False
SourceField: CPName
SourceTable: tmpCompLoc_AddSampLoc
UnicodeCompression: True

Samp_Loc Short Text 50

AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DisplayControl: Text Box
GUID: {guid {F042A581-D373-46A3-8A4D-8329FB302D6A}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 7
Required: False
SourceField: Samp_Loc
SourceTable: tmpCompLoc_AddSampLoc
UnicodeCompression: True

EventID Short Text 100

AllowZeroLength: True
AppendOnly: False

Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 GUID: {guid {102A2FBA-73F5-4132-B147-5F00FE7864CD}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 8
 Required: False
 SourceField: EventID
 SourceTable: tmpCompLoc_AddSampLoc
 UnicodeCompression: True

dateCreated Date With Time 8
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Format: Short Date
 GUID: {guid {16F9AA7F-16FC-4A93-9B22-08224335C86E}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 9
 Required: False
 SourceField: dateCreated
 SourceTable: tmpCompLoc_AddSampLoc

User Permissions

admin
 aizaz
 andrew
 bessie
 chris
 corine
 daria
 designer Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,
 Write Definition, Read Data, Insert Data, Update Data, Delete Data
 dschmidt
 Emmanuelle
 everett
 guest
 helen
 hillary
 jack
 jamelya

Jason
jelani
jennifer
jimh
judy
karl
kirk
lawonda
linda
max
michael
myrt
navajo
raymond
roberto
roger
sara
test

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	7/23/2007 10:16:11 AM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {A8346F34-F87F-45A3-8268-AC5E7928CB86}}	HideNewField:	False
LastUpdated:	3/28/2011 2:01:00 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	0
TotalsRow:	False	Updatable:	True

Columns

Name	Type	Size
FACID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	Default	
DataUpdatable:	False	
GUID:	{guid {9DCB4C5F-8ADE-40E1-BA9D-2DA90BE22941}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	FACID	
SourceTable:	tmpCompLoc_AllFacilities	
TextAlign:	General	
ALTERNATE_ST_NUM	Short Text	50
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {1F709030-276E-4156-A604-D83AD1775B79}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	ALTERNATE_ST_NUM	
SourceTable:	tmpCompLoc_AllFacilities	
TextAlign:	General	
UnicodeCompression:	True	
PWSSNAME	Short Text	50

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DisplayControl: Text Box
GUID: {guid {E79FEAE0-5530-4A84-A2D2-E9DA82B089E6}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 2
Required: False
SourceField: PWSSNAME
SourceTable: tmpCompLoc_AllFacilities
TextAlign: General
UnicodeCompression: True

Activity Status Short Text 50

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DisplayControl: Text Box
GUID: {guid {512889CB-8810-4508-A5B2-09937EFC2C4B}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 3
Required: False
SourceField: Activity Status
SourceTable: tmpCompLoc_AllFacilities
TextAlign: General
UnicodeCompression: True

CPtrype Short Text 50

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 2850
DataUpdatable: False
DisplayControl: Text Box
GUID: {guid {4BBAED1B-F0C3-4534-9ACE-851D26A14ECF}}
IMEMode: 0
IMESentenceMode: 3

	OrdinalPosition:	4		
	Required:	False		
	SourceField:	CPTYPE		
	SourceTable:	tmpCompLoc_AllFacilities		
	TextAlign:	General		
	UnicodeCompression:	True		
Select			Yes/No	1
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	106		
	Format:	Yes/No		
	GUID:	{guid {987C8C36-7EEB-44F4-BF57-A72C3C98ADB5}}		
	OrdinalPosition:	5		
	Required:	False		
	SourceField:	Select		
	SourceTable:	tmpCompLoc_AllFacilities		
	TextAlign:	General		
dateCreated			Date With Time	8
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Format:	Short Date		
	GUID:	{guid {8C88933A-F2B8-492B-8165-7B8C936FA716}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	6		
	Required:	False		
	SourceField:	dateCreated		
	SourceTable:	tmpCompLoc_AllFacilities		
	TextAlign:	General		

User Permissions

- admin
- aizaz
- andrew
- bessie
- chris

corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	7/23/2007 9:56:17 AM	DefaultView:	2
GUID:	{guid {B8EDF317-9375-46E7-9B26-65EB9D6DB091}}	LastUpdated:	7/23/2007 4:03:39 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	0
Updatable:	True		

Columns

Name	Type	Size
FACID	Long Integer	4
AllowZeroLength: False AppendOnly: False Attributes: Fixed Size CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: 810 DataUpdatable: False DecimalPlaces: Auto DisplayControl: Text Box GUID: {guid {07A8B873-B714-46CA-8B7D-18AB748CC6D9}} OrdinalPosition: 0 Required: False SourceField: FACID SourceTable: tmpCompLoc_SelectCompliance		
ALTERNATE_ST_NUM	Short Text	50
AllowZeroLength: True AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: 2040 DataUpdatable: False DisplayControl: Text Box GUID: {69C5D3D7-D3E9-4063-821B-5AEEB5DB79D4}} IMEMode: 0 IMESentenceMode: 3 OrdinalPosition: 1 Required: False SourceField: ALTERNATE_ST_NUM SourceTable: tmpCompLoc_SelectCompliance UnicodeCompression: True		
PWSSNAME	Short Text	50
AllowZeroLength: True AppendOnly: False Attributes: Variable Length CollatingOrder: General		

ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 GUID: {guid {31D33804-7AD1-4415-BEC6-A37587FA128F}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: PWSSNAME
 SourceTable: tmpCompLoc_SelectCompliance
 UnicodeCompression: True

UnivUniqueID Short Text 50

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 GUID: {guid {6B60D346-4CD4-4029-B398-C0163B4110E5}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: UnivUniqueID
 SourceTable: tmpCompLoc_SelectCompliance
 UnicodeCompression: True

Cptype Short Text 50

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 GUID: {guid {410AED7-D324-4AA1-813C-A74BC5C40F4F}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False
 SourceField: Cptype
 SourceTable: tmpCompLoc_SelectCompliance
 UnicodeCompression: True

Cpname Short Text 50

AllowZeroLength: True
 AppendOnly: False

Attributes: CollatingOrder: ColumnHidden: ColumnOrder: ColumnWidth: DataUpdatable: DisplayControl: GUID: IMEMode: IMESentenceMode: OrdinalPosition: Required: SourceField: SourceTable: UnicodeCompression:	Variable Length General False Default Default False Text Box {guid {9E767146-1E0B-4663-9EE3-41AB78BCF402}} 0 3 5 False CPname tmpCompLoc_SelectCompliance True		
CPTYPEID AllowZeroLength: AppendOnly: Attributes: CollatingOrder: ColumnHidden: ColumnOrder: ColumnWidth: DataUpdatable: DecimalPlaces: DisplayControl: GUID: OrdinalPosition: Required: SourceField: SourceTable:	Long Integer False False Variable Length General False Default Default False Auto Text Box {guid {F716FB98-41B8-408E-BA06-04472CEA5649}} 6 False CPTYPEID tmpCompLoc_SelectCompliance	4	
Selected AllowZeroLength: AppendOnly: Attributes: CollatingOrder: ColumnHidden: ColumnOrder: ColumnWidth: DataUpdatable: DisplayControl: Format: GUID: OrdinalPosition: Required: SourceField: SourceTable:	Yes/No False False Fixed Size General False Default Default False 106 Yes/No {guid {1AA010D3-9EDB-4496-B5A8-0238C4090DA0}} 8 False Selected tmpCompLoc_SelectCompliance	1	
dateCreated AllowZeroLength: AppendOnly: Attributes: CollatingOrder:	Date With Time False False Fixed Size General	8	

ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Format:	Short Date
GUID:	{guid {5FB36831-C926-46AE-AE45-35AC585C30EE}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	9
Required:	False
SourceField:	dateCreated
SourceTable:	tmpCompLoc_SelectCompliance

User Permissions

admin
aizaz
andrew
bessie
chris
corine
daria
designer

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,
Write Definition, Read Data, Insert Data, Update Data, Delete Data

dschmidt
Emmanuelle
everett
guest
helen
hillary
jack
jameya
Jason
jelani
jennifer
jimh
judy
karl
kirk
lawonda
linda
max
michael
myrt
navajo
raymond
roberto
roger
sara
test

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated: 3/4/2008 12:27:46 PM DefaultView: 2
 GUID: {guid {D738AB3F-F6DE-4734-A2E9-ECEC6226606E}} LastUpdated: 3/4/2008 12:27:47 PM
 NameMap: Long binary data OrderByOn: False
 Orientation: Left-to-Right RecordCount: 0
 Updatable: True

Columns

Name	Type	Size
Facid	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {48CB4746-B16E-4997-BAE1-86F659C17594}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	Facid	
SourceTable:	tmpConsiladationSubFacNames	
UnivUniqId	Short Text	5
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {AFDF49E6-A874-4F1B-B93D-9F39E7CE5073}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	UnivUniqId	
SourceTable:	tmpConsiladationSubFacNames	
UnicodeCompression:	True	
NewNameUnivUniqId	Short Text	50
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	

ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 GUID: {guid {AAEF5CF2-D8C7-457A-92AD-30233360B2B8}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: NewNameUnivUniqId
 SourceTable: tmpConsiladationSubFacNames
 UnicodeCompression: True

subfacname Short Text 50

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 GUID: {guid {FC6AAA21-D81E-490D-9077-9139EB7A6D3D}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: subfacname
 SourceTable: tmpConsiladationSubFacNames
 UnicodeCompression: True

NameExits Yes/No 1

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: 106
 Format: Yes/No
 GUID: {guid {A4684664-6CAD-4E58-A0D0-32E850ED05CA}}
 OrdinalPosition: 4
 Required: False
 SourceField: NameExits
 SourceTable: tmpConsiladationSubFacNames

DateCreated Date With Time 8

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General

ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Format: Short Date
 GUID: {guid {423E6969-2893-4D49-80C3-C0A82933A1C7}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 5
 Required: False
 SourceField: DateCreated
 SourceTable: tmpConsiladationSubFacNames

Table Indexes

Name	Number of Fields
Facid	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	Facid
Primary:	False
Required:	False
Unique:	False
Fields:	
Facid	Ascending
NewNameUnivUniqId	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	NewNameUnivUniqId
Primary:	False
Required:	False
Unique:	False
Fields:	
NewNameUnivUniqId	Ascending
PrimaryKey	2
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
Facid	Ascending
UnivUniqId	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated: 7/14/2014 11:57:19 AM LastUpdated: 7/14/2014 11:57:19 AM
 RecordCount: 469 Updatable: True

Columns

Name	Type	Size
FACID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
DataUpdatable:	False	
OrdinalPosition:	1	
Required:	False	
SourceField:	FACID	
SourceTable:	tmpDemographics_OPCERT_BEST	
TREAT_CLASS	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
DataUpdatable:	False	
OrdinalPosition:	2	
Required:	False	
SourceField:	TREAT_CLASS	
SourceTable:	tmpDemographics_OPCERT_BEST	
DIST_CLASS	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
DataUpdatable:	False	
OrdinalPosition:	3	
Required:	False	
SourceField:	DIST_CLASS	
SourceTable:	tmpDemographics_OPCERT_BEST	
primeoperator	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
DataUpdatable:	False	
OrdinalPosition:	4	
Required:	False	
SourceField:	primeoperator	
SourceTable:	tmpDemographics_OPCERT_BEST	
secondoperator	Long Integer	4

AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	5		
Required:	False		
SourceField:	secondoperator		
SourceTable:	tmpDemographics OPCERT_BEST		
PrimOPDist		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	6		
Required:	False		
SourceField:	PrimOPDist		
SourceTable:	tmpDemographics OPCERT_BEST		
PrimOPTreat		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	7		
Required:	False		
SourceField:	PrimOPTreat		
SourceTable:	tmpDemographics OPCERT_BEST		
SecOPDist		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	8		
Required:	False		
SourceField:	SecOPDist		
SourceTable:	tmpDemographics OPCERT_BEST		
SecOPTreat		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	9		
Required:	False		
SourceField:	SecOPTreat		
SourceTable:	tmpDemographics OPCERT_BEST		
PrimDistLevel		Long Integer	4

AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	10		
Required:	False		
SourceField:	PrimDistLevel		
SourceTable:	tmpDemographics_OPCERT_BEST		
PrimTreatLevel		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	11		
Required:	False		
SourceField:	PrimTreatLevel		
SourceTable:	tmpDemographics_OPCERT_BEST		
SecDistLevel		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	12		
Required:	False		
SourceField:	SecDistLevel		
SourceTable:	tmpDemographics_OPCERT_BEST		
SecTreatLevel		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	13		
Required:	False		
SourceField:	SecTreatLevel		
SourceTable:	tmpDemographics_OPCERT_BEST		
PWSDistMax		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	14		
Required:	False		
SourceField:	PWSDistMax		
SourceTable:	tmpDemographics_OPCERT_BEST		
PWSTreatMax		Long Integer	4

AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	15		
Required:	False		
SourceField:	PWSTreatMax		
SourceTable:	tmpDemographics_OPCERT_BEST		
PWSDistStatus		Short Text	255
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	16		
Required:	False		
SourceField:	PWSDistStatus		
SourceTable:	tmpDemographics_OPCERT_BEST		
PWSDistStatusCode		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	17		
Required:	False		
SourceField:	PWSDistStatusCode		
SourceTable:	tmpDemographics_OPCERT_BEST		
PWSTreatStatus		Short Text	255
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	18		
Required:	False		
SourceField:	PWSTreatStatus		
SourceTable:	tmpDemographics_OPCERT_BEST		
PWSTreatStatusCode		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	19		
Required:	False		
SourceField:	PWSTreatStatusCode		
SourceTable:	tmpDemographics_OPCERT_BEST		

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated: 9/10/2014 3:11:03 PM LastUpdated: 9/10/2014 3:11:03 PM
RecordCount: 311 Updatable: True

Columns

Name	Type	Size
FACID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
DataUpdatable:	False	
OrdinalPosition:	1	
Required:	False	
SourceField:	FACID	
SourceTable:	tmpDemographics_PWS_w_Disinfection	

User Permissions

- admin
- aizaz Delete, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
- andrew
- bessie
- chris
- corine
- daria
- designer Delete, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
- dschmidt
- Emmanuelle
- everett
- guest
- helen
- hillary
- jack
- jamelya
- Jason
- jelani
- jennifer
- jimh
- judy
- karl Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
- kirk
- lawonda
- linda
- max
- Michael

myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated: 6/10/2013 1:49:02 PM LastUpdated: 6/10/2013 1:49:02 PM
 RecordCount: 106 Updatable: True

Columns

Name	Type	Size
vioID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
DataUpdatable:	False	
OrdinalPosition:	1	
Required:	False	
SourceField:	vioID	
SourceTable:	tmpGPRA_Approved_Healthvios_ALL	
contID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
DataUpdatable:	False	
OrdinalPosition:	2	
Required:	False	
SourceField:	contID	
SourceTable:	tmpGPRA_Approved_Healthvios_ALL	
viotypeID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
DataUpdatable:	False	
OrdinalPosition:	3	
Required:	False	
SourceField:	viotypeID	
SourceTable:	tmpGPRA_Approved_Healthvios_ALL	
COMPLPERBEGINDATE	Date With Time	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
DataUpdatable:	False	
OrdinalPosition:	4	
Required:	False	
SourceField:	COMPLPERBEGINDATE	
SourceTable:	tmpGPRA_Approved_Healthvios_ALL	
COMPLPERENDDATE	Date With Time	8

AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	5		
Required:	False		
SourceField:	COMPLPERENDDATE		
SourceTable:	tmpGPRA_Approved_Healthvios_ALL		
ViolationComment		Long Text	-
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	6		
Required:	False		
SourceField:	ViolationComment		
SourceTable:	tmpGPRA_Approved_Healthvios_ALL		
ApprovalStatus		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	7		
Required:	False		
SourceField:	ApprovalStatus		
SourceTable:	tmpGPRA_Approved_Healthvios_ALL		
FACID		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	8		
Required:	False		
SourceField:	FACID		
SourceTable:	tmpGPRA_Approved_Healthvios_ALL		
HealthBased		Yes/No	1
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	9		
Required:	False		
SourceField:	HealthBased		
SourceTable:	tmpGPRA_Approved_Healthvios_ALL		

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated: 10/29/2007 1:17:04 PM DefaultView: 2
 GUID: {guid {50237889-03D3-4DC8-BAD4-56290C8685EC}} LastUpdated: 10/29/2007 1:17:42 PM
 NameMap: Long binary data OrderByOn: False
 Orientation: Left-to-Right RecordCount: 67
 Updatable: True

Columns

Name	Type	Size
FACID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {4CF4907A-5BC1-49B9-86F9-BEB7A24816FF}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	FACID	
SourceTable:	tmpMappintbl	
SAMP_LOC	Short Text	100
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {CC81C1E3-35FF-4C36-81DA-18A7DD3163E6}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	SAMP_LOC	
SourceTable:	tmpMappintbl	
UnicodeCompression:	True	
UnivUniqueID	Short Text	5
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	

ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 GUID: {guid {BD0865EA-9F9D-40D7-90A5-8E15EC311764}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: UnivUniqueID
 SourceTable: tmpMappintbl
 UnicodeCompression: True

CTypeID Long Integer 4

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 DisplayControl: Text Box
 GUID: {guid {BE84B921-48B4-4F01-A581-A1599B759DDA}}
 OrdinalPosition: 3
 Required: False
 SourceField: CTypeID
 SourceTable: tmpMappintbl

CType Short Text 50

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 GUID: {guid {8E089E11-3DD2-4D81-96EA-DC99082062A6}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False
 SourceField: CType
 SourceTable: tmpMappintbl
 UnicodeCompression: True

Selected Yes/No 1

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General

ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: 106
 Format: Yes/No
 GUID: {guid {D2125614-598D-480F-AD6F-4355979A2BC4}}
 OrdinalPosition: 5
 Required: False
 SourceField: Selected
 SourceTable: tmpMappintbl

DateCreated Date With Time 8

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 GUID: {guid {481386CF-CE00-4EF7-A5C1-A886BA2190EF}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 6
 Required: False
 SourceField: DateCreated
 SourceTable: tmpMappintbl

User Permissions

admin
 aizaz
 andrew
 bessie
 chris
 corine
 daria
 designer Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,
 Write Definition, Read Data, Insert Data, Update Data, Delete Data
 dschmidt
 Emmanuelle
 everett
 guest
 helen
 hillary
 jack
 jamelya
 Jason
 jelani
 jennifer
 jimh
 judy

karl
kirk
lawonda
linda
max
michael
myrt
navajo
raymond
roberto
roger
sara
test

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	5/9/2011 3:56:04 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {34B76CB8-2E1E-4B68-ADD4-BDCB52437977}}	HideNewField:	False
LastUpdated:	5/10/2011 1:19:15 PM	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	0	TotalsRow:	False
Updatable:	True		

Columns

Name	Type	Size
FACID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	0	
Required:	False	
SourceField:	FACID	
SourceTable:	tmpPBCUPercentile	
TextAlign:	General	
EventID	Short Text	175
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	EventID	
SourceTable:	tmpPBCUPercentile	
TextAlign:	General	
UnicodeCompression:	True	
RESULTSIGN	Short Text	255

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: RESULTSIGN
 SourceTable: tmpPBCUPercentile
 TextAlign: General
 UnicodeCompression: False

SampleCollectionDate Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Maximum date
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 ShowDatePicker: For dates
 SourceField: SampleCollectionDate
 SourceTable: tmpPBCUPercentile
 TextAlign: General

contID Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 DisplayControl: Text Box
 OrdinalPosition: 4
 Required: False
 SourceField: contID
 SourceTable: tmpPBCUPercentile

TextAlign:	General		
Percentile		Double	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
OrdinalPosition:	5		
Required:	False		
SourceField:	Percentile		
SourceTable:	tmpPBCUPercentile		
TextAlign:	General		
DateCreated		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Format:	Short Date		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	6		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	DateCreated		
SourceTable:	tmpPBCUPercentile		
TextAlign:	General		

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	

everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated: 6/20/2014 5:35:18 PM LastUpdated: 6/20/2014 5:35:18 PM
 RecordCount: 9704 Updatable: True

Columns

Name	Type	Size
CompliancePointID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
DataUpdatable:	False	
OrdinalPosition:	1	
Required:	False	
SourceField:	CompliancePointID	
SourceTable:	tmpqryRptDetailMonitoringSchedule_datasheet	
PWS ID	Short Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
DataUpdatable:	False	
OrdinalPosition:	2	
Required:	False	
SourceField:	PWS ID	
SourceTable:	tmpqryRptDetailMonitoringSchedule_datasheet	
PWS Name	Short Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
DataUpdatable:	False	
OrdinalPosition:	3	
Required:	False	
SourceField:	PWS Name	
SourceTable:	tmpqryRptDetailMonitoringSchedule_datasheet	
UnivUniqueID	Short Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
DataUpdatable:	False	
OrdinalPosition:	4	
Required:	False	
SourceField:	UnivUniqueID	
SourceTable:	tmpqryRptDetailMonitoringSchedule_datasheet	
Compliance Point Name	Short Text	75

AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	5		
Required:	False		
SourceField:	Compliance Point Name		
SourceTable:	tmpqryRptDetailMonitoringSchedule_datasheet		
Chemical Group Name		Short Text	255
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	6		
Required:	False		
SourceField:	Chemical Group Name		
SourceTable:	tmpqryRptDetailMonitoringSchedule_datasheet		
chem_code		Short Text	50
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	7		
Required:	False		
SourceField:	chem_code		
SourceTable:	tmpqryRptDetailMonitoringSchedule_datasheet		
Chemical Name		Short Text	100
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	8		
Required:	False		
SourceField:	Chemical Name		
SourceTable:	tmpqryRptDetailMonitoringSchedule_datasheet		
monitoringstatus		Short Text	50
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	9		
Required:	False		
SourceField:	monitoringstatus		
SourceTable:	tmpqryRptDetailMonitoringSchedule_datasheet		
monitoringfrequency		Double	8

AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	10		
Required:	False		
SourceField:	monitoringfrequency		
SourceTable:	tmpqryRptDetailMonitoringSchedule_datasheet		
LastSampleDate		Short Text	255
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	11		
Required:	False		
SourceField:	LastSampleDate		
SourceTable:	tmpqryRptDetailMonitoringSchedule_datasheet		
NextSampleDate		Short Text	255
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	12		
Required:	False		
SourceField:	NextSampleDate		
SourceTable:	tmpqryRptDetailMonitoringSchedule_datasheet		
FollowingSampleDueDate		Short Text	255
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	13		
Required:	False		
SourceField:	FollowingSampleDueDate		
SourceTable:	tmpqryRptDetailMonitoringSchedule_datasheet		
Comments		Short Text	255
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	14		
Required:	False		
SourceField:	Comments		
SourceTable:	tmpqryRptDetailMonitoringSchedule_datasheet		
WaiverRenewDate		Date With Time	8

AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	15		
Required:	False		
SourceField:	WaiverRenewDate		
SourceTable:	tmpqryRptDetailMonitoringSchedule_datasheet		
Waiver Type		Short Text	255
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	16		
Required:	False		
SourceField:	Waiver Type		
SourceTable:	tmpqryRptDetailMonitoringSchedule_datasheet		
EffectiveDate		Date With Time	8
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	17		
Required:	False		
SourceField:	EffectiveDate		
SourceTable:	tmpqryRptDetailMonitoringSchedule_datasheet		
FollowingDueOverride1		Double	8
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	18		
Required:	False		
SourceField:	FollowingDueOverride1		
SourceTable:	tmpqryRptDetailMonitoringSchedule_datasheet		
NextDueOverride1		Double	8
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	19		
Required:	False		
SourceField:	NextDueOverride1		
SourceTable:	tmpqryRptDetailMonitoringSchedule_datasheet		
NumSamplesFactor		Single	4

AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	20		
Required:	False		
SourceField:	NumSamplesFactor		
SourceTable:	tmpqryRptDetailMonitoringSchedule_datasheet		
MonFreqText		Short Text	20
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	21		
Required:	False		
SourceField:	MonFreqText		
SourceTable:	tmpqryRptDetailMonitoringSchedule_datasheet		
SSsched		Date With Time	8
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	22		
Required:	False		
SourceField:	SSsched		
SourceTable:	tmpqryRptDetailMonitoringSchedule_datasheet		
Classification		Short Text	50
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	23		
Required:	False		
SourceField:	Classification		
SourceTable:	tmpqryRptDetailMonitoringSchedule_datasheet		
Population		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	24		
Required:	False		
SourceField:	Population		
SourceTable:	tmpqryRptDetailMonitoringSchedule_datasheet		
NumBacTSamples		Short Text	255

	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	DataUpdatable:	False		
	OrdinalPosition:	25		
	Required:	False		
	SourceField:	NumBacTSamples		
	SourceTable:	tmpqryRptDetailMonitoringSchedule_datasheet		
BacTcycle			Short Text	255
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	DataUpdatable:	False		
	OrdinalPosition:	26		
	Required:	False		
	SourceField:	BacTcycle		
	SourceTable:	tmpqryRptDetailMonitoringSchedule_datasheet		
SystemSourceType			Short Text	255
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	DataUpdatable:	False		
	OrdinalPosition:	27		
	Required:	False		
	SourceField:	SystemSourceType		
	SourceTable:	tmpqryRptDetailMonitoringSchedule_datasheet		
TCRmsg			Short Text	255
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	DataUpdatable:	False		
	OrdinalPosition:	28		
	Required:	False		
	SourceField:	TCRmsg		
	SourceTable:	tmpqryRptDetailMonitoringSchedule_datasheet		
LeadCopperSamples			Short Text	255
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	DataUpdatable:	False		
	OrdinalPosition:	29		
	Required:	False		
	SourceField:	LeadCopperSamples		
	SourceTable:	tmpqryRptDetailMonitoringSchedule_datasheet		

	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	DataUpdatable:	False		
	OrdinalPosition:	30		
	Required:	False		
	SourceField:	Lastupdate		
	SourceTable:	tmpqryRptDetailMonitoringSchedule_datasheet		
CurrentUpdateUser			Short Text	50
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	DataUpdatable:	False		
	OrdinalPosition:	31		
	Required:	False		
	SourceField:	CurrentUpdateUser		
	SourceTable:	tmpqryRptDetailMonitoringSchedule_datasheet		
Status			Long Integer	4
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	DataUpdatable:	False		
	OrdinalPosition:	32		
	Required:	False		
	SourceField:	Status		
	SourceTable:	tmpqryRptDetailMonitoringSchedule_datasheet		
Freq			Short Text	50
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	DataUpdatable:	False		
	OrdinalPosition:	33		
	Required:	False		
	SourceField:	Freq		
	SourceTable:	tmpqryRptDetailMonitoringSchedule_datasheet		

User Permissions

- admin
- aizaz
- andrew
- bessie
- chris
- corine
- daria
- designer

dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	3/4/2008 12:27:46 PM	DefaultView:	2
GUID:	{guid {1523FC2A-8CF7-46B9-80D2-28B3542FA2CC}}	LastUpdated:	3/4/2008 12:27:48 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	43
Updatable:	True		

Columns

Name	Type	Size
TbleName	Short Text	255
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	3915	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	0	
Required:	False	
SourceField:	TbleName	
SourceTable:	tmptblINamewFacidfield	
UnicodeCompression:	True	
dateCreated	Date With Time	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Format:	Short Date	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	dateCreated	
SourceTable:	tmptblINamewFacidfield	
Select	Yes/No	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	

ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: 106
 Format: Yes/No
 OrdinalPosition: 2
 Required: False
 SourceField: Select
 SourceTable: tmptbllNamewFacidfield

Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	43
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
TbleName	Ascending

User Permissions

admin
 aizaz
 andrew
 bessie
 chris
 corine
 daria
 designer Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,
 Write Definition, Read Data, Insert Data, Update Data, Delete Data
 dschmidt
 Emmanuelle
 everett
 guest
 helen
 hillary
 jack
 jamelya
 Jason
 jelani
 jennifer
 jimh
 judy
 karl
 kirk
 lawonda

linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated: 7/23/2007 12:57:05 PM DefaultView: 2
 GUID: {guid {1918FD7E-8F93-4A11-9777-40BFD40CC087}} LastUpdated: 7/23/2007 12:57:31 PM
 NameMap: Long binary data OrderByOn: False
 Orientation: Left-to-Right RecordCount: 5
 Updatable: True

Columns

Name	Type	Size
treatlevelID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal treatment level ID	
GUID:	{guid {13C76539-AB33-41EA-B08C-BD6D2444E352}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	treatlevelID	
SourceTable:	TreatmentClassifications	
treatlevelnumber	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	treatment level number	
DisplayControl:	Text Box	
GUID:	{guid {14158AAA-1EA7-4544-9C8E-F4090A1A183E}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	treatlevelnumber	
SourceTable:	TreatmentClassifications	
treatlevelname	Short Text	50
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	

ColumnWidth: Default
 DataUpdatable: False
 Description: treatment level descriptive name
 DisplayControl: Text Box
 GUID: {guid {A1DE41C3-2520-49AE-85A3-9397E0E141B7}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: treatlevelname
 SourceTable: TreatmentClassifications
 UnicodeCompression: True

Table Indexes

Name	Number of Fields
distlevelID	1
Clustered:	False
DistinctCount:	5
Foreign:	False
IgnoreNulls:	False
Name:	distlevelID
Primary:	False
Required:	False
Unique:	False
Fields:	
treatlevelID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	5
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
treatlevelID	Ascending

User Permissions

admin
 aizaz
 andrew
 bessie
 chris
 corine
 daria
 designer
 dschmidt
 Emmanuelle
 everett

guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated: 7/23/2007 12:57:05 PM DefaultView: 2
 GUID: {guid {09B4FA2B-6ABA-4A28-8BE8-E29D3FD3B042}} LastUpdated: 7/23/2007 12:57:32 PM
 NameMap: Long binary data OrderByOn: False
 Orientation: Left-to-Right RecordCount: 13
 Updatable: True

Columns

Name	Type	Size
TreatObjID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal DIME Treatment Objective identifier	
GUID:	{guid {C0A5EC5C-0027-47F4-81C2-CAD458D5CFAC}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	TreatObjID	
SourceTable:	TreatmentObjectives	
TreatmentObjective	Short Text	50
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	3000	
DataUpdatable:	False	
Description:	Treatment Objective Text	
DisplayControl:	Text Box	
GUID:	{guid {B8986A0C-BB82-43A8-BB5A-1DDC58FB2B54}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	TreatmentObjective	
SourceTable:	TreatmentObjectives	
UnicodeCompression:	True	
TINTROBJ_CODE	Short Text	1
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	

ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Treatment Objective ODS code
 DisplayControl: Text Box
 GUID: {guid {F28C064A-8C45-49E6-9786-4FE409EEB007}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: TINTROBJ_CODE
 SourceTable: TreatmentObjectives
 UnicodeCompression: True

Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	13
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
TreatObjID	Ascending
TINTROBJ_CODE	1
Clustered:	False
DistinctCount:	13
Foreign:	False
IgnoreNulls:	False
Name:	TINTROBJ_CODE
Primary:	False
Required:	False
Unique:	True
Fields:	
TINTROBJ_CODE	Ascending
TreatObjID	1
Clustered:	False
DistinctCount:	13
Foreign:	False
IgnoreNulls:	False
Name:	TreatObjID
Primary:	False
Required:	False
Unique:	False
Fields:	
TreatObjID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

AlternateBackShade:	100	AlternateBackThemeColorIn	-1
AlternateBackTint:	100	Attributes:	Linked
BackShade:	100	BackTint:	100
Connect:	;DATABASE=C:\Users\kbanks\Dime_Local\DIME_be.mdb		DatasheetForeThemeColorIn -1
DatasheetGridlinesThemeCol	-1	DateCreated:	11/5/2014 6:19:52 PM
DefaultView:	2	DisplayViewsOnSharePointSi	1
FilterOnLoad:	False	GUID:	{guid {348DBBFC-4DCA-48F8-93FB-2B6A305318C2}}
HideNewField:	False	LastUpdated:	11/5/2014 6:19:52 PM
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	-1	SourceTableName:	TreatmentPlants
SubDataSheetName:	[Auto]	ThemeFontIndex:	-1
TotalsRow:	False	Updatable:	False

Columns

Name	Type	Size
PlantID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	internal DIME ID for treatment plant	
GUID:	{guid {9C61730C-9753-49E9-B0F9-F410ABF3DCAD}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	PlantID	
SourceTable:	TreatmentPlants	
TextAlign:	General	
FACID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
BoundColumn:	1	
CollatingOrder:	General	
ColumnCount:	3	
ColumnHeads:	False	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1635	
ColumnWidths:	0;795;2535	

CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME ID for PWS which utilizes plant
 DisplayControl: Text Box
 GUID: {guid {D250EDE4-51A2-43D7-B7CD-4049044A71C5}}
 LimitToList: True
 ListRows: 8
 ListWidth: 3330twip
 OrdinalPosition: 1
 Required: False
 RowSource: SELECT [Facility Information].[FACID], [Facility Information].[PWSSNAME], [Facility Information].[ALTERNATE_ST_NUM] FROM [Facility Information];
 RowSourceType: Table/Query
 SourceField: FACID
 SourceTable: TreatmentPlants
 TextAlign: General

UnivUniqueID Short Text 5

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: universally unique number for sources, treatment plants, entry points, storage, or distribution systems
 DisplayControl: Text Box
 GUID: {guid {BA7891FC-65B0-4E62-8950-D0ED846E204B}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: True
 SourceField: UnivUniqueID
 SourceTable: TreatmentPlants
 TextAlign: General
 UnicodeCompression: False

PlantName Short Text 100

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 3045
 CurrencyLCID: 0

DataUpdatable: False
 Description: Most recognized and used plant name
 DisplayControl: Text Box
 GUID: {guid {37D1E1DE-AC51-4F9D-BEE8-D425FE0AD3DE}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: PlantName
 SourceTable: TreatmentPlants
 TextAlign: General
 UnicodeCompression: True

FacTypeID Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 4
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 ColumnWidths: 0;348;2304;1031
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME ID for sub-facility type, lookup in table FacType with category Piped, Other
 DisplayControl: Text Box
 GUID: {guid {2E322587-9412-4283-AF09-A41D431B54E0}}
 LimitToList: True
 ListRows: 8
 ListWidth: 3683twip
 OrdinalPosition: 4
 Required: False
 RowSource: SELECT FacType.FacTypeID, FacType.ODScodeFacType, FacType.FacilityType, FacType.FacTypeCat FROM FacType WHERE (((FacType.FacTypeCat)="Treatment")) ORDER BY FacType.FacTypeCat, FacType.ODScodeFacType;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: FacTypeID
 SourceTable: TreatmentPlants
 TextAlign: General

PlantLatitude Double 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size

CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Latitude of plant in decimal degrees
 DisplayControl: Text Box
 GUID: {guid {60CF62FE-1E16-4CA0-83B5-2E5F4EC60B23}}
 OrdinalPosition: 5
 Required: False
 SourceField: PlantLatitude
 SourceTable: TreatmentPlants
 TextAlign: General

PlantLongitude Double 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Longitude of plant in decimal degrees
 DisplayControl: Text Box
 GUID: {BA54D9F5-E8B7-47ED-A4D1-2CDEBBC9842E}
 OrdinalPosition: 6
 Required: False
 SourceField: PlantLongitude
 SourceTable: TreatmentPlants
 TextAlign: General

TreatmentObj1 Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 3
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2610
 ColumnWidths: 0;2490;255
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Treatment Objective 1, lookup in table TreatmentObjectives

DisplayControl: Combo Box
 GUID: {guid {1D23D25F-9A3F-4426-89DD-051822A3587A}}
 LimitToList: True
 ListRows: 8
 ListWidth: 2745twip
 OrdinalPosition: 7
 Required: False
 RowSource: SELECT TreatmentObjectives.TreatObjID,
 TreatmentObjectives.TreatmentObjective,
 TreatmentObjectives.TINTROBJ_CODE FROM TreatmentObjectives
 ORDER BY [TreatmentObjective];
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: TreatmentObj1
 SourceTable: TreatmentPlants
 TextAlign: General

TreatmentPro1		Long Integer	4
---------------	--	--------------	---

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 3
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 3390
 ColumnWidths: 0;2595;465
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Treatment Process 1, lookup in table TreatmentProcesses
 DisplayControl: Combo Box
 GUID: {guid {5D93EEEE-4813-4493-B415-444E70DD8702}}
 LimitToList: True
 ListRows: 8
 ListWidth: 3060twip
 OrdinalPosition: 8
 Required: False
 RowSource: SELECT TreatmentProcesses.TreatProcID,
 TreatmentProcesses.TreatmentProcess,
 TreatmentProcesses.TINTRPRO_CODE FROM TreatmentProcesses
 ORDER BY [TreatmentProcess];
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: TreatmentPro1
 SourceTable: TreatmentPlants
 TextAlign: General

TreatmentObj2		Long Integer	4
AggregateType:	-1		
AllowValueListEdits:	False		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
BoundColumn:	1		
CollatingOrder:	General		
ColumnCount:	3		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2610		
ColumnWidths:	0;2490;255		
CurrencyLCID:	0		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Treatment Objective 2, lookup in table TreatmentObjectives		
DisplayControl:	Combo Box		
GUID:	{guid {AD47240F-A0DB-41C7-8E3B-B0377E6F1832}}		
LimitToList:	True		
ListRows:	8		
ListWidth:	2744twip		
OrdinalPosition:	9		
Required:	False		
RowSource:	SELECT TreatmentObjectives.TreatObjID, TreatmentObjectives.TreatmentObjective, TreatmentObjectives.TINTROBJ_CODE FROM TreatmentObjectives ORDER BY [TreatmentObjective];		
RowSourceType:	Table/Query		
ShowOnlyRowSourceValues:	False		
SourceField:	TreatmentObj2		
SourceTable:	TreatmentPlants		
TextAlign:	General		

TreatmentPro2		Long Integer	4
AggregateType:	-1		
AllowValueListEdits:	False		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
BoundColumn:	1		
CollatingOrder:	General		
ColumnCount:	3		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2700		
ColumnWidths:	0;2595;465		
CurrencyLCID:	0		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Treatment Process 2, lookup in table TreatmentProcesses		

DisplayControl:	Combo Box
GUID:	{guid {231AC56A-19BD-4C10-A367-5727957C24A9}}
LimitToList:	True
ListRows:	8
ListWidth:	3060twip
OrdinalPosition:	10
Required:	False
RowSource:	SELECT TreatmentProcesses.TreatProcID, TreatmentProcesses.TreatmentProcess, TreatmentProcesses.TINTRPRO_CODE FROM TreatmentProcesses ORDER BY [TreatmentProcess];
RowSourceType:	Table/Query
ShowOnlyRowSourceValues:	False
SourceField:	TreatmentPro2
SourceTable:	TreatmentPlants
TextAlign:	General

TreatmentObj3	Long Integer	4
AggregateType:	-1	
AllowValueListEdits:	False	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
BoundColumn:	1	
CollatingOrder:	General	
ColumnCount:	3	
ColumnHeads:	False	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
ColumnWidths:	0;2490;255	
CurrencyLCID:	0	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Treatment Objective 3, lookup in table TreatmentObjectives	
DisplayControl:	Combo Box	
GUID:	{guid {39DB802F-5C64-47AE-B977-1EDE435A3955}}	
LimitToList:	True	
ListRows:	8	
ListWidth:	2744twip	
OrdinalPosition:	11	
Required:	False	
RowSource:	SELECT TreatmentObjectives.TreatObjID, TreatmentObjectives.TreatmentObjective, TreatmentObjectives.TINTROBJ_CODE FROM TreatmentObjectives ORDER BY [TreatmentObjective];	
RowSourceType:	Table/Query	
ShowOnlyRowSourceValues:	False	
SourceField:	TreatmentObj3	
SourceTable:	TreatmentPlants	
TextAlign:	General	

TreatmentPro3		Long Integer	4
AggregateType:	-1		
AllowValueListEdits:	False		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
BoundColumn:	1		
CollatingOrder:	General		
ColumnCount:	3		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
ColumnWidths:	0;2595;465		
CurrencyLCID:	0		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Treatment Process 3, lookup in table TreatmentProcesses		
DisplayControl:	Combo Box		
GUID:	{guid {F959BD43-8BC9-4ABD-9B5B-EEF785F3927B}}		
LimitToList:	True		
ListRows:	8		
ListWidth:	3060twip		
OrdinalPosition:	12		
Required:	False		
RowSource:	SELECT TreatmentProcesses.TreatProcID, TreatmentProcesses.TreatmentProcess, TreatmentProcesses.TINTRPRO_CODE FROM TreatmentProcesses ORDER BY [TreatmentProcess];		
RowSourceType:	Table/Query		
ShowOnlyRowSourceValues:	False		
SourceField:	TreatmentPro3		
SourceTable:	TreatmentPlants		
TextAlign:	General		

TreatmentObj4		Long Integer	4
AggregateType:	-1		
AllowValueListEdits:	False		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
BoundColumn:	1		
CollatingOrder:	General		
ColumnCount:	3		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
ColumnWidths:	0;2490;255		
CurrencyLCID:	0		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Treatment Objective 4, lookup in table TreatmentObjectives		

DisplayControl: Combo Box
 GUID: {guid {39338752-C23B-44F6-98E4-4A286B96614E}}
 LimitToList: True
 ListRows: 8
 ListWidth: 2744twip
 OrdinalPosition: 13
 Required: False
 RowSource: SELECT TreatmentObjectives.TreatObjID,
 TreatmentObjectives.TreatmentObjective,
 TreatmentObjectives.TINTROBJ_CODE FROM TreatmentObjectives
 ORDER BY [TreatmentObjective];
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: TreatmentObj4
 SourceTable: TreatmentPlants
 TextAlign: General

TreatmentPro4		Long Integer	4
---------------	--	--------------	---

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 3
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 ColumnWidths: 0;2595;465
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Treatment Process 4, lookup in table TreatmentProcesses
 DisplayControl: Combo Box
 GUID: {guid {5960FA60-4865-4C67-916C-C31A362263D8}}
 LimitToList: True
 ListRows: 8
 ListWidth: 3060twip
 OrdinalPosition: 14
 Required: False
 RowSource: SELECT TreatmentProcesses.TreatProcID,
 TreatmentProcesses.TreatmentProcess,
 TreatmentProcesses.TINTRPRO_CODE FROM TreatmentProcesses
 ORDER BY [TreatmentProcess];
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: TreatmentPro4
 SourceTable: TreatmentPlants
 TextAlign: General

TreatmentObj5		Long Integer	4
AggregateType:	-1		
AllowValueListEdits:	False		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
BoundColumn:	1		
CollatingOrder:	General		
ColumnCount:	3		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
ColumnWidths:	0;2490;255		
CurrencyLCID:	0		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Treatment Objective 5, lookup in table TreatmentObjectives		
DisplayControl:	Combo Box		
GUID:	{guid {29264F27-1D9B-4FD9-869A-F25FF8A38659}}		
LimitToList:	True		
ListRows:	8		
ListWidth:	2744twip		
OrdinalPosition:	15		
Required:	False		
RowSource:	SELECT TreatmentObjectives.TreatObjID, TreatmentObjectives.TreatmentObjective, TreatmentObjectives.TINTROBJ_CODE FROM TreatmentObjectives ORDER BY [TreatmentObjective];		
RowSourceType:	Table/Query		
ShowOnlyRowSourceValues:	False		
SourceField:	TreatmentObj5		
SourceTable:	TreatmentPlants		
TextAlign:	General		

TreatmentPro5		Long Integer	4
AggregateType:	-1		
AllowValueListEdits:	False		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
BoundColumn:	1		
CollatingOrder:	General		
ColumnCount:	3		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
ColumnWidths:	0;2595;465		
CurrencyLCID:	0		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Treatment Process 5, lookup in table TreatmentProcesses		

DisplayControl:	Combo Box
GUID:	{guid {C81797DC-C728-4E5C-949C-A4DDF2A482DA}}
LimitToList:	True
ListRows:	8
ListWidth:	3060twip
OrdinalPosition:	16
Required:	False
RowSource:	SELECT TreatmentProcesses.TreatProcID, TreatmentProcesses.TreatmentProcess, TreatmentProcesses.TINTRPRO_CODE FROM TreatmentProcesses ORDER BY [TreatmentProcess];
RowSourceType:	Table/Query
ShowOnlyRowSourceValues:	False
SourceField:	TreatmentPro5
SourceTable:	TreatmentPlants
TextAlign:	General

TreatmentObj6	Long Integer	4
AggregateType:	-1	
AllowValueListEdits:	False	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
BoundColumn:	1	
CollatingOrder:	General	
ColumnCount:	3	
ColumnHeads:	False	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
ColumnWidths:	0;2490;255	
CurrencyLCID:	0	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Treatment Objective 6, lookup in table TreatmentObjectives	
DisplayControl:	Combo Box	
GUID:	{guid {55BCF446-F5C7-425F-A39C-44BC497ED444}}	
LimitToList:	True	
ListRows:	8	
ListWidth:	2744twip	
OrdinalPosition:	17	
Required:	False	
RowSource:	SELECT TreatmentObjectives.TreatObjID, TreatmentObjectives.TreatmentObjective, TreatmentObjectives.TINTROBJ_CODE FROM TreatmentObjectives ORDER BY [TreatmentObjective];	
RowSourceType:	Table/Query	
ShowOnlyRowSourceValues:	False	
SourceField:	TreatmentObj6	
SourceTable:	TreatmentPlants	
TextAlign:	General	

TreatmentPro6		Long Integer	4
AggregateType:	-1		
AllowValueListEdits:	False		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
BoundColumn:	1		
CollatingOrder:	General		
ColumnCount:	3		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
ColumnWidths:	0;2595;465		
CurrencyLCID:	0		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Treatment Process 6, lookup in table TreatmentProcesses		
DisplayControl:	Combo Box		
GUID:	{guid {E6A2087B-D1C1-4144-BBC9-2EC54A33CA0F}}		
LimitToList:	True		
ListRows:	8		
ListWidth:	3060twip		
OrdinalPosition:	18		
Required:	False		
RowSource:	SELECT TreatmentProcesses.TreatProcID, TreatmentProcesses.TreatmentProcess, TreatmentProcesses.TINTRPRO_CODE FROM TreatmentProcesses ORDER BY [TreatmentProcess];		
RowSourceType:	Table/Query		
ShowOnlyRowSourceValues:	False		
SourceField:	TreatmentPro6		
SourceTable:	TreatmentPlants		
TextAlign:	General		

ACTIVITY_STATUS_Plant		Long Integer	4
AggregateType:	-1		
AllowValueListEdits:	False		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
BoundColumn:	1		
Caption:	ACTIVITY_STATUS_Plant		
CollatingOrder:	General		
ColumnCount:	2		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
ColumnWidths:	0;1080		
CurrencyLCID:	0		
DataUpdatable:	False		
DecimalPlaces:	Auto		

Description: Plant activity status
 DisplayControl: Combo Box
 GUID: {guid {8B4A7C3A-0BDE-11D9-8230-00B0D0531229}}
 LimitToList: True
 ListRows: 8
 ListWidth: 1080twip
 OrdinalPosition: 19
 Required: False
 RowSource: SELECT SourceUseStatus.ID, SourceUseStatus.SourceUseStatus
 FROM SourceUseStatus;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: ACTIVITY_STATUS_Plant
 SourceTable: TreatmentPlants
 TextAlign: General

ACTIVITY_DATE_Plant Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Date plant came into active service OR date plant stopped being used
 GUID: {guid {08605681-7FB1-4FC2-96DC-E209FBAA8C2D}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 20
 Required: False
 ShowDatePicker: For dates
 SourceField: ACTIVITY_DATE_Plant
 SourceTable: TreatmentPlants
 TextAlign: General

ACTIVITY_RSN_TXT_Plant Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Reason for activity of plant
 DisplayControl: Text Box
 GUID: {guid {375AA457-63CC-4CE1-9853-8859C985DA9C}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 21

Required:	False		
SourceField:	ACTIVITY_RSN_TXT_Plant		
SourceTable:	TreatmentPlants		
TextAlign:	General		
UnicodeCompression:	True		
physADDR_LINE_ONE_TXT		Short Text	50
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
Description:	physical address line one		
DisplayControl:	Text Box		
GUID:	{guid {86DCBF09-C826-433D-A36F-0C141F2BFB36}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	22		
Required:	False		
SourceField:	physADDR_LINE_ONE_TXT		
SourceTable:	TreatmentPlants		
TextAlign:	General		
UnicodeCompression:	True		
physADDR_LINE_TWO_TXT		Short Text	50
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
Description:	physical address line two		
DisplayControl:	Text Box		
GUID:	{guid {78D58F2A-D1B4-4AEE-9C1D-E2B3342A12E1}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	23		
Required:	False		
SourceField:	physADDR_LINE_TWO_TXT		
SourceTable:	TreatmentPlants		
TextAlign:	General		
UnicodeCompression:	True		
physADDRESS_CITY_NAME		Short Text	50
AggregateType:	-1		
AllowZeroLength:	False		

AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: physical City
 DisplayControl: Text Box
 GUID: {guid {970C739B-BD0D-40D1-9C9B-CA3E8E7D86EC}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 24
 Required: False
 SourceField: physADDRESS_CITY_NAME
 SourceTable: TreatmentPlants
 TextAlign: General
 UnicodeCompression: True

physADDRESS_STATE_CODE Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 3
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 ColumnWidths: 0;299;1050
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: physical State, internal ID for state, lookup in table States
 DisplayControl: Combo Box
 GUID: {guid {420F3C87-9F26-44BF-B4B5-538438236E52}}
 LimitToList: True
 ListRows: 8
 ListWidth: 1350twip
 OrdinalPosition: 25
 Required: False
 RowSource: SELECT States.ID, States.StateAbbrev, States.StateName FROM States;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: physADDRESS_STATE_CODE
 SourceTable: TreatmentPlants
 TextAlign: General

physADDRESS_ZIP_CODE Short Text 50

AggregateType: -1

AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: physical Zip Code
 DisplayControl: Text Box
 GUID: {guid {38E5C1FB-3302-46FE-8124-D7BD1E797B92}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 26
 Required: False
 SourceField: physADDRESS_ZIP_CODE
 SourceTable: TreatmentPlants
 TextAlign: General
 UnicodeCompression: True

MEMO_TEXT_plant Short Text 255

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Memo text for plant, notes about plant
 DisplayControl: Text Box
 GUID: {guid {73A824C0-77A5-46D1-9E5A-E06C2A88364E}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 27
 Required: False
 SourceField: MEMO_TEXT_plant
 SourceTable: TreatmentPlants
 TextAlign: General
 UnicodeCompression: True

PlantMeter? Yes/No 1

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False

Description: Is there a master meter at this plant? (Yes/No)
 DisplayControl: 106
 Format: Yes/No
 GUID: {guid {3ABF31FE-4926-47D3-9EFC-C9DE837FB0BC}}
 OrdinalPosition: 28
 Required: False
 SourceField: PlantMeter?
 SourceTable: TreatmentPlants
 TextAlign: General

Plant_CAPACITY Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Plant capacity in gpm
 DisplayControl: Text Box
 OrdinalPosition: 29
 Required: False
 SourceField: Plant_CAPACITY
 SourceTable: TreatmentPlants
 TextAlign: General

FlowsTo_plant Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: indicates flow to next point in PWS, universally unique identifier from union of entry points, treatment plants, storage, or distribution system
 DisplayControl: Text Box
 GUID: {guid {B4C6AB5B-DA87-42F5-9420-1F454FF36AE3}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 30
 Required: False
 SourceField: FlowsTo_plant
 SourceTable: TreatmentPlants
 TextAlign: General
 UnicodeCompression: True

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2640
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Date of Last Update
 Format: General Date
 GUID: {guid {63CC7EFE-04FA-4FF5-B1DD-2D127C1DD2E9}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 31
 Required: False
 ShowDatePicker: For dates
 SourceField: Lastupdate
 SourceTable: TreatmentPlants
 TextAlign: General

CurrentUpdateUser Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Current User At Time of Update
 DisplayControl: Text Box
 GUID: {guid {D400D772-93A4-469A-BD2F-3850BB5BC3AD}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 32
 Required: False
 SourceField: CurrentUpdateUser
 SourceTable: TreatmentPlants
 TextAlign: General
 UnicodeCompression: True

DateCreated Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2535
 CurrencyLCID: 0

DataUpdatable: False
 DefaultValue: =Now()
 Description: automatically entered on update of record
 Format: General Date
 GUID: {guid {3D46C92A-1D8E-43B1-B34E-FF6EB69ED123}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 33
 Required: False
 ShowDatePicker: For dates
 SourceField: DateCreated
 SourceTable: TreatmentPlants
 TextAlign: General

CreatedBy Short Text 50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Created By User
 DisplayControl: Text Box
 GUID: {guid {1FC7D051-C037-4177-A66E-BB1A57956B88}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 34
 Required: False
 SourceField: CreatedBy
 SourceTable: TreatmentPlants
 TextAlign: General
 UnicodeCompression: True


StatusID Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME Status identifier, lookup in table QAStatus
 DisplayControl: Text Box
 GUID: {guid {AA0C8147-37AA-4D4B-99C8-AF2720BFDFAF}}
 OrdinalPosition: 35
 Required: False
 SourceField: StatusID

SourceTable:	TreatmentPlants		
TextAlign:	General		
OldPlantId		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
GUID:	{guid {8787316D-7CCB-4993-A219-6F3BDF520A76}}		
OrdinalPosition:	36		
Required:	False		
SourceField:	OldPlantId		
SourceTable:	TreatmentPlants		
TextAlign:	General		


Relationships

Facility InformationTreatmentPlants



Attributes: Not Enforced, Inherited
 RelationshipType: One-To-Many (External)

TreatmentPlantsLocationalData_TreatmentPlants



Attributes: Not Enforced, Inherited
 RelationshipType: One-To-Many (External)

Table Indexes

Name	Number of Fields
PlantID	1
Clustered:	False
DistinctCount:	606
Foreign:	False
IgnoreNulls:	False
Name:	PlantID

Primary:	False
Required:	False
Unique:	True
Fields:	
PlantID	Ascending
PrimaryKey	2
Clustered:	False
DistinctCount:	606
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
FACID	Ascending
UnivUniqueID	Ascending

User Permissions

- admin
 - aizaz
 - andrew
 - bessie
 - chris
 - corine
 - daria
 - designer
 - dschmidt
 - Emmanuelle
 - everett
 - guest
 - helen
 - hillary
 - jack
 - jamelya
 - Jason
 - jelani
 - jennifer
 - jimh
 - judy
 - karl
 - kirk
 - lawonda
 - linda
 - max
 - michael
 - myrt
 - navajo
 - raymond
 - roberto
- Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

AlternateBackShade:	100	AlternateBackThemeColorIn	-1
AlternateBackTint:	100	BackShade:	100
BackTint:	100	DatasheetForeThemeColorIn	-1
DatasheetGridlinesThemeCol	-1	DateCreated:	3/1/2010 5:54:25 PM
DefaultView:	2	DisplayViewsOnSharePointSi	1
FilterOnLoad:	False	GUID:	{guid {3FFBCF25-7B00-438A-BA9A-582D4593488E}}
HideNewField:	False	LastUpdated:	11/3/2014 1:36:45 PM
NameMap:	Long binary data	OrderBy:	[TreatmentProcesses].[TreatmentProcess]
OrderByOn:	True	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	71
ThemeFontIndex:	-1	TotalsRow:	False
Updatable:	True		

Columns

Name	Type	Size
TreatProcID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	internal DIME Treatment Process identifier	
OrdinalPosition:	0	
Required:	False	
SourceField:	TreatProcID	
SourceTable:	TreatmentProcesses	
TextAlign:	General	
TreatmentProcess	Short Text	50
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	3105	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	Treatment Process text	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	

OrdinalPosition: 1
 Required: False
 SourceField: TreatmentProcess
 SourceTable: TreatmentProcesses
 TextAlign: General
 UnicodeCompression: True

TINTRPRO_CODE Short Text 3

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Treatment Process ODS code
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: TINTRPRO_CODE
 SourceTable: TreatmentProcesses
 TextAlign: General
 UnicodeCompression: True

Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	71
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
TreatProcID	Ascending
TINTRPRO_CODE	1
Clustered:	False
DistinctCount:	71
Foreign:	False
IgnoreNulls:	False
Name:	TINTRPRO_CODE
Primary:	False
Required:	False
Unique:	False
Fields:	
TINTRPRO_CODE	Ascending

TreatProcID	1
Clustered:	False
DistinctCount:	71
Foreign:	False
IgnoreNulls:	False
Name:	TreatProcID
Primary:	False
Required:	False
Unique:	False
Fields:	
TreatProcID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	1/31/2008 3:24:22 PM	DefaultView:	2
GUID:	{guid {90E5491A-A76F-4C9F-A2AE-5727039E1817}}	LastUpdated:	1/31/2008 3:35:11 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	82
Updatable:	True		

Columns

Name	Type	Size
ScoreID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal DIME Score identifier	
GUID:	{guid {095D3F4A-CC2A-45B0-BF1C-525633407C37}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	ScoreID	
SourceTable:	TreatScore	
Score	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Score for given treatment characteristic	
DisplayControl:	Text Box	
GUID:	{guid {2B32D810-CB29-43FC-B787-691DB64809C7}}	
OrdinalPosition:	2	
Required:	False	
SourceField:	Score	
SourceTable:	TreatScore	
Description	Short Text	255
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	

ColumnWidth: 11280
 DataUpdatable: False
 Description: Treatment characteristics
 DisplayControl: Text Box
 GUID: {guid {AC3E19D3-2981-4F6E-85A8-2DC79ECD2818}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: Description
 SourceTable: TreatScore
 UnicodeCompression: False

Scorefield		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Field for which a given group of characteristics apply		
DisplayControl:	Text Box		
GUID:	{guid {BE0D92C8-27B6-4951-BA61-0E100519170D}}		
OrdinalPosition:	4		
Required:	False		
SourceField:	Scorefield		
SourceTable:	TreatScore		

Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	82
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
ScoreID	Ascending
ScoreID	1
Clustered:	False
DistinctCount:	82
Foreign:	False
IgnoreNulls:	False
Name:	ScoreID
Primary:	False
Required:	False
Unique:	False

Fields:
ScoreID Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	7/23/2007 12:57:06 PM	DefaultView:	2
GUID:	{guid {E009C979-826B-4DB3-88FE-5AA810468059}}	LastUpdated:	7/23/2007 12:57:33 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	4
SubDataSheetName:	[Auto]	Updatable:	True

Columns

Name	Type	Size
TYPECLID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
GUID:	{guid {8D779822-2630-4A0C-8BB3-3D3226F11B99}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	TYPECLID	
SourceTable:	TypeofChlorineResult	
TypeofResult	Short Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {417B543E-EF28-4D59-AB17-9ACAA117D20F}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	TypeofResult	
SourceTable:	TypeofChlorineResult	
UnicodeCompression:	True	

Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	4

Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
TYPECLID	Ascending
TYPECLID	1
Clustered:	False
DistinctCount:	4
Foreign:	False
IgnoreNulls:	False
Name:	TYPECLID
Primary:	False
Required:	False
Unique:	False
Fields:	
TYPECLID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	

raymond
roberto
roger
sara
test

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

AlternateBackShade:	100	AlternateBackThemeColorIn	-1
AlternateBackTint:	100	BackShade:	100
BackTint:	100	DatasheetForeThemeColorIn	-1
DatasheetGridlinesThemeCol	-1	DateCreated:	6/11/2014 1:32:08 PM
DefaultView:	2	DisplayViewsOnSharePointSi	1
FilterOnLoad:	False	GUID:	{guid {F16DD542-1A09-4463-8009-82E038EB2CDE}}
HideNewField:	False	LastUpdated:	6/11/2014 1:32:08 PM
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	7
ThemeFontIndex:	-1	TotalsRow:	False
Updatable:	True		

Columns

Name	Type	Size
conversionID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	internal DIME conversion identifier	
OrdinalPosition:	0	
Required:	False	
ResultType:	0	
SourceField:	conversionID	
SourceTable:	UnitConversions	
TextAlign:	General	
FromUnit	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	internal Unit identifier, conversion FROM unit	
DisplayControl:	Text Box	
OrdinalPosition:	1	
Required:	False	

	ResultType:	0		
	SourceField:	FromUnit		
	SourceTable:	UnitConversions		
	TextAlign:	General		
ToUnit			Long Integer	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	CurrencyLCID:	0		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	Description:	internal Unit identifier, conversion TO unit		
	DisplayControl:	Text Box		
	OrdinalPosition:	2		
	Required:	False		
	ResultType:	0		
	SourceField:	ToUnit		
	SourceTable:	UnitConversions		
	TextAlign:	General		
conversionmultiplier			Double	8
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	CurrencyLCID:	0		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	Description:	ALWAYS multiply by value to convert FROM to TO unit		
	DisplayControl:	Text Box		
	OrdinalPosition:	3		
	Required:	False		
	ResultType:	0		
	SourceField:	conversionmultiplier		
	SourceTable:	UnitConversions		
	TextAlign:	General		

Table Indexes

Name	Number of Fields
conversionID	1
Clustered:	False
DistinctCount:	7
Foreign:	False
IgnoreNulls:	False

Name:	conversionID
Primary:	False
Required:	False
Unique:	False
Fields:	
conversionID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	7
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
conversionID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	

roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	4/6/2010 6:05:42 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {CD381F25-DC73-4EF7-9138-03EC4DF156DA}}	HideNewField:	False
LastUpdated:	6/10/2014 5:26:59 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	19
SubDataSheetName:	[Auto]	TotalsRow:	False
Updatable:	True		

Columns

Name	Type	Size
NumUnitID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Internal Unit ID #	
OrdinalPosition:	0	
Required:	False	
SourceField:	NumUnitID	
SourceTable:	Units	
TextAlign:	General	
UnitDescription	Short Text	50
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	3825	
DataUpdatable:	False	
Description:	Units in full english	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	UnitDescription	
SourceTable:	Units	
TextAlign:	General	
UnicodeCompression:	True	

UnitAbbreviation	Short Text	50
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1830	
DataUpdatable:	False	
Description:	Unit abbreviation	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	2	
Required:	False	
SourceField:	UnitAbbreviation	
SourceTable:	Units	
TextAlign:	General	
UnicodeCompression:	True	
Unitmultiplier	Double	8
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	3075	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	result multiplier to get to/from mg/L	
DisplayControl:	Text Box	
OrdinalPosition:	3	
Required:	False	
SourceField:	Unitmultiplier	
SourceTable:	Units	
TextAlign:	General	
ODSOutput	Short Text	10
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	ODS textual output of unit	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	4	

Required: False
 SourceField: ODSOutput
 SourceTable: Units
 TextAlign: General
 UnicodeCompression: True

Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	19
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
NumUnitID	Ascending
UnitID	1
Clustered:	False
DistinctCount:	19
Foreign:	False
IgnoreNulls:	False
Name:	UnitID
Primary:	False
Required:	False
Unique:	False
Fields:	
NumUnitID	Ascending

User Permissions

- admin
- aizaz
- andrew
- bessie
- chris
- corine
- daria
- designer
- dschmidt
- Emmanuelle
- everett
- guest
- helen
- hillary
- jack
- jamelya
- Jason
- jelani

jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

AlternateBackShade:	100	AlternateBackThemeColorIn	-1
AlternateBackTint:	100	Attributes:	Linked
BackShade:	100	BackTint:	100
Connect:	;DATABASE=C:\Users\kbanks\Dime_Local\DIME_be.mdb		DatasheetForeThemeColorIn -1
DatasheetGridlinesThemeCol	-1	DateCreated:	11/5/2014 6:19:52 PM
DefaultView:	2	DisplayViewsOnSharePointSi	1
FilterOnLoad:	False	GUID:	{guid {59BFDB78-2643-4F48-B762-D9DAAAE95A86}}
HideNewField:	False	LastUpdated:	11/5/2014 6:19:52 PM
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	-1	SourceTableName:	UpdateRAA
ThemeFontIndex:	-1	TotalsRow:	False
Updatable:	False		

Columns

Name	Type	Size
CompliancePointID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2595	
CurrencyLCID:	0	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	internal DIME Compliance Point identifier	
DisplayControl:	Text Box	
GUID:	{guid {6F0392EC-2DF4-426E-BA8F-E662B3FE21ED}}	
OrdinalPosition:	1	
Required:	True	
ResultType:	0	
SourceField:	CompliancePointID	
SourceTable:	UpdateRAA	
TextAlign:	General	
QuarterEndDate	Date With Time	8
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	3105	
CurrencyLCID:	0	

DataUpdatable: False
 Description: Last day of Quarter for RAA calculation, found with function QuarterLastDay(SampleDate)
 GUID: {guid {4D5098BC-D6D6-47AA-BBBF-C73D3BCED477}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: True
 ResultType: 0
 ShowDatePicker: For dates
 SourceField: QuarterEndDate
 SourceTable: UpdateRAA
 TextAlign: General

DateCreated Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 3390
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Date that record was created.
 Format: General Date
 GUID: {guid {1D3DD98F-C989-40DA-B945-2DB41EA34A47}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 ResultType: 0
 ShowDatePicker: For dates
 SourceField: DateCreated
 SourceTable: UpdateRAA
 TextAlign: General

CreatedBy Short Text 50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: user who created record
 DisplayControl: Text Box
 GUID: {guid {F6F66EB9-37D8-4C3B-BCCF-93F539C73FE9}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4

Required: False
 ResultType: 0
 SourceField: CreatedBy
 SourceTable: UpdateRAA
 TextAlign: General
 UnicodeCompression: True

Updated Yes/No 1

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: get a check yes once RAA table is updated then the data is removed which is updated yes
 DisplayControl: 106
 Format: Yes/No
 GUID: {guid {413CDE14-1329-4680-9D19-0F2EA5DF8705}}
 OrdinalPosition: 5
 Required: False
 ResultType: 0
 SourceField: Updated
 SourceTable: UpdateRAA
 TextAlign: General

Deleted Yes/No 1

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: flag for deletion
 DisplayControl: 106
 Format: Yes/No
 GUID: {guid {0954B0D1-4C31-4997-B128-2F3351D53590}}
 OrdinalPosition: 6
 Required: False
 ResultType: 0
 SourceField: Deleted
 SourceTable: UpdateRAA
 TextAlign: General

Name	Number of Fields
CompliancePointID	1
Clustered:	False
DistinctCount:	18
Foreign:	False
IgnoreNulls:	False
Name:	CompliancePointID
Primary:	False
Required:	False
Unique:	False
Fields:	
CompliancePointID	Ascending
PrimaryKey	2
Clustered:	False
DistinctCount:	24
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
CompliancePointID	Ascending
QuarterEndDate	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	

linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

Attributes:	Linked	Connect:	;DATABASE=C:\Users\kbanks\ Dime_Local\DIME_be.mdb
DateCreated:	11/5/2014 6:19:52 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {A6A31E28-E0F6-41DA- 9EBB-5982C32E35B5}}	HideNewField:	False
LastUpdated:	11/5/2014 6:19:52 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	Users	SubDataSheetName:	[Auto]
TotalsRow:	False	Updatable:	False

Columns

Name	Type	Size
UserID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal DIME user identifier	
GUID:	{guid {E75D4E46-423C-4A54-9B0B-414976CA6FC5}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	UserID	
SourceTable:	Users	
TextAlign:	General	
User	Short Text	50
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	username	
DisplayControl:	Text Box	
GUID:	{guid {07866705-2196-11D9-822F-00B0D0531365}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	User	

SourceTable:	Users		
TextAlign:	General		
UnicodeCompression:	True		
POcontactID		Short Text	50
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Record ownership		
DisplayControl:	Text Box		
GUID:	{guid {07866706-2196-11D9-822F-00B0D0531365}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	2		
Required:	False		
SourceField:	POcontactID		
SourceTable:	Users		
TextAlign:	General		
UnicodeCompression:	True		
ViewAllRecords		Yes/No	1
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Does this user view all records by default?		
DisplayControl:	106		
Format:	Yes/No		
GUID:	{guid {3F60AF36-15A0-4AC0-B2F1-381C0DC88040}}		
OrdinalPosition:	3		
Required:	False		
SourceField:	ViewAllRecords		
SourceTable:	Users		
TextAlign:	General		
ActiveUser		Yes/No	1
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		

DataUpdatable: False
 Description: is this user Active?
 DisplayControl: 106
 Format: Yes/No
 GUID: {guid {13BCC9E6-7184-40A8-BC75-C5FC1FBD30E9}}
 OrdinalPosition: 4
 Required: False
 SourceField: ActiveUser
 SourceTable: Users
 TextAlign: General

userslastcontactID Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: contact ID selected when user last exited program, used to default Switcher next time same user logs into DIME
 DisplayControl: Text Box
 GUID: {guid {07866707-2196-11D9-822F-00B0D0531365}}
 OrdinalPosition: 5
 Required: False
 SourceField: userslastcontactID
 SourceTable: Users
 TextAlign: General

userslastFACID Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: FACID selected when user last exited program, used to default Switcher next time same user logs into DIME
 DisplayControl: Text Box
 GUID: {guid {07866708-2196-11D9-822F-00B0D0531365}}
 OrdinalPosition: 6
 Required: False
 SourceField: userslastFACID
 SourceTable: Users
 TextAlign: General

userfirstname Short Text 50

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: First name of user
DisplayControl: Text Box
GUID: {guid {07866709-2196-11D9-822F-00B0D0531365}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 7
Required: False
SourceField: userfirstname
SourceTable: Users
TextAlign: General
UnicodeCompression: True

userlastname Short Text 50

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Last Name of user
DisplayControl: Text Box
GUID: {guid {0786670A-2196-11D9-822F-00B0D0531365}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 8
Required: False
SourceField: userlastname
SourceTable: Users
TextAlign: General
UnicodeCompression: True

userqualifications Short Text 50

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: User professional qualifications
DisplayControl: Text Box

GUID: {guid {0786670B-2196-11D9-822F-00B0D0531365}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 9
Required: False
SourceField: userqualifications
SourceTable: Users
TextAlign: General
UnicodeCompression: True

userfullname Short Text 50

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: complete user name with suffices as would be printed in the signature line of a letter
DisplayControl: Text Box
GUID: {guid {0786670C-2196-11D9-822F-00B0D0531365}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 10
Required: False
SourceField: userfullname
SourceTable: Users
TextAlign: General
UnicodeCompression: True

userphone Short Text 50

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: user phone to be used in form letters
DisplayControl: Text Box
GUID: {guid {0786670D-2196-11D9-822F-00B0D0531365}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 11
Required: False
SourceField: userphone
SourceTable: Users
TextAlign: General
UnicodeCompression: True

useroffice		Short Text	50
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Office of user		
DisplayControl:	Text Box		
GUID:	{guid {0786670E-2196-11D9-822F-00B0D0531365}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	12		
Required:	False		
SourceField:	useroffice		
SourceTable:	Users		
TextAlign:	General		
UnicodeCompression:	True		

useraddress1		Short Text	50
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2100		
DataUpdatable:	False		
Description:	Address 1 of user		
DisplayControl:	Text Box		
GUID:	{guid {0786670F-2196-11D9-822F-00B0D0531365}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	13		
Required:	False		
SourceField:	useraddress1		
SourceTable:	Users		
TextAlign:	General		
UnicodeCompression:	True		

useraddress2		Short Text	50
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Address 2 of user		

DisplayControl: Text Box
 GUID: {guid {07866710-2196-11D9-822F-00B0D0531365}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 14
 Required: False
 SourceField: useraddress2
 SourceTable: Users
 TextAlign: General
 UnicodeCompression: True

usercity Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: User City
 DisplayControl: Text Box
 GUID: {guid {07866711-2196-11D9-822F-00B0D0531365}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 15
 Required: False
 SourceField: usercity
 SourceTable: Users
 TextAlign: General
 UnicodeCompression: True

userstate Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 Caption: userstate
 CollatingOrder: General
 ColumnCount: 3
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 ColumnWidths: 0;1095;330
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: State, lookup in table States
 DisplayControl: Combo Box
 GUID: {guid {07866712-2196-11D9-822F-00B0D0531365}}
 LimitToList: True
 ListRows: 8

ListWidth: 1425twip
OrdinalPosition: 16
Required: False
RowSource: SELECT States.ID, States.StateName, States.StateAbbrev FROM States ORDER BY States.[Ordering priority];
RowSourceType: Table/Query
ShowOnlyRowSourceValues: False
SourceField: userstate
SourceTable: Users
TextAlign: General

userzip Short Text 50

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: User Zip code
DisplayControl: Text Box
GUID: {guid {07866713-2196-11D9-822F-00B0D0531365}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 17
Required: False
SourceField: userzip
SourceTable: Users
TextAlign: General
UnicodeCompression: True

useremail Short Text 50

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: user email address
DisplayControl: Text Box
GUID: {guid {07866714-2196-11D9-822F-00B0D0531365}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 18
Required: False
SourceField: useremail
SourceTable: Users
TextAlign: General
UnicodeCompression: True

usertitle	Short Text	50
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2190	
DataUpdatable:	False	
Description:	user title	
DisplayControl:	Text Box	
GUID:	{guid {07866715-2196-11D9-822F-00B0D0531365}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	19	
Required:	False	
SourceField:	usertitle	
SourceTable:	Users	
TextAlign:	General	
UnicodeCompression:	True	
passclear	Yes/No	1
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	106	
Format:	Yes/No	
GUID:	{guid {BA3F1D5A-2737-4FFB-B286-20894C4ED9EA}}	
OrdinalPosition:	20	
Required:	False	
SourceField:	passclear	
SourceTable:	Users	
TextAlign:	General	
Pref1CnfrmActionQry	Yes/No	1
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	preference to confirm Action	
DisplayControl:	106	
Format:	Yes/No	
GUID:	{guid {D84935EA-FD16-4D5A-8A29-92FF83F3215B}}	

OrdinalPosition:	21		
Required:	False		
SourceField:	Pref1CnfrmActionQry		
SourceTable:	Users		
TextAlign:	General		
Pref2CnfrmDocDel		Yes/No	1
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	preference to confirm document changes		
DisplayControl:	106		
Format:	Yes/No		
GUID:	{guid {961EC859-7662-4C26-876F-8B6D38CB41F9}}		
OrdinalPosition:	22		
Required:	False		
SourceField:	Pref2CnfrmDocDel		
SourceTable:	Users		
TextAlign:	General		
Pref3CnfrmRecChnges		Yes/No	1
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	preference to confirm Record Changes		
DisplayControl:	106		
Format:	Yes/No		
GUID:	{guid {86B0A7A4-5F0D-4CF8-875C-63D3240C6B5F}}		
OrdinalPosition:	23		
Required:	False		
SourceField:	Pref3CnfrmRecChnges		
SourceTable:	Users		
TextAlign:	General		
Lastupdate		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2145		

DataUpdatable: False
 Description: Date of Last Update
 Format: General Date
 GUID: {guid {9363F68C-FA6E-492E-A54D-98F8392C16EF}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 24
 Required: False
 ShowDatePicker: For dates
 SourceField: Lastupdate
 SourceTable: Users
 TextAlign: General

CurrentUpdateUser Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Current User At Time of Update
 DisplayControl: Text Box
 GUID: {guid {FB800092-4BDF-40C0-AD26-B4AE55D7B166}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 25
 Required: False
 SourceField: CurrentUpdateUser
 SourceTable: Users
 TextAlign: General
 UnicodeCompression: True


DateCreated Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2580
 DataUpdatable: False
 DefaultValue: =Now()
 Description: automatically entered on update of record-
 Format: General Date
 GUID: {guid {1908F5F8-2464-4AED-9EA1-B2871FA1CB14}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 26
 Required: False
 ShowDatePicker: For dates
 SourceField: DateCreated

SourceTable:	Users		
TextAlign:	General		
CreatedBy		Short Text	50
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {3BBA800E-0D0B-44AE-A062-10545BCA1FD9}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	27		
Required:	False		
SourceField:	CreatedBy		
SourceTable:	Users		
TextAlign:	General		
UnicodeCompression:	True		


Relationships

UsersContacts




Attributes: Not Enforced, Inherited
 RelationshipType: Indeterminate (External)

UsersFacility Information




Attributes: Not Enforced, Inherited
 RelationshipType: Indeterminate (External)

UserstblUserHelpPreferences




Attributes: Not Enforced
 RelationshipType: Indeterminate

UserstblUserPreference



Attributes: Not Enforced
 RelationshipType: Indeterminate

UserstblUserRoles



Attributes: Not Enforced
 RelationshipType: Indeterminate

Table Indexes

Name	Number of Fields
POcontactID	1
Clustered:	False
DistinctCount:	29
Foreign:	False
IgnoreNulls:	False
Name:	POcontactID
Primary:	False
Required:	False
Unique:	False
Fields:	
POcontactID	Ascending
UserID	1
Clustered:	False
DistinctCount:	29
Foreign:	False
IgnoreNulls:	False
Name:	UserID
Primary:	False
Required:	False
Unique:	True
Fields:	
UserID	Ascending
userslastcontactID	1
Clustered:	False
DistinctCount:	12
Foreign:	False
IgnoreNulls:	False
Name:	userslastcontactID
Primary:	False
Required:	False

Unique:	False
Fields:	
userslastcontactID	Ascending
userslastFACID	1
Clustered:	False
DistinctCount:	12
Foreign:	False
IgnoreNulls:	False
Name:	userslastFACID
Primary:	False
Required:	False
Unique:	False
Fields:	
userslastFACID	Ascending

User Permissions

admin	
aizaz	
andrew	
bessie	
chris	
corine	
daria	
designer	Read Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Users	

Properties

DateCreated:	9/3/2013 3:48:12 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {2DAD0367-A086-47F0-88C8-FC321BE5D47D}}	HideNewField:	False
LastUpdated:	9/3/2013 3:48:12 PM	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	1	TotalsRow:	False
Updatable:	True		

Columns

Name	Type	Size
Id	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
OrdinalPosition:	0	
Required:	False	
SourceField:	Id	
SourceTable:	USysRibbons	
TextAlign:	General	
RibbonName	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	RibbonName	
SourceTable:	USysRibbons	
TextAlign:	General	
UnicodeCompression:	True	
RibbonXML	Long Text	-
AggregateType:	-1	
AllowZeroLength:	True	

AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: RibbonXML
 SourceTable: USysRibbons
 TextAlign: General
 TextFormat: Plain Text
 UnicodeCompression: True

Table Indexes

Name	Number of Fields
Id	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	Id
Primary:	False
Required:	False
Unique:	False
Fields:	
Id	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
Id	Ascending

User Permissions

admin
 aizaz
 andrew
 bessie
 chris
 corine
 daria

designer	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
dschmidt	
Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	3/30/2010 4:07:19 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {2EACCC30-8E0E-4FAC-BB35-115D12E5D7F3}}	HideNewField:	False
LastUpdated:	2/26/2014 3:43:17 PM	NameMap:	Long binary data
OrderBy:	[Violation Types].[SDWISVioCode]	OrderByOn:	True
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	59	SubDataSheetName:	[Auto]
TotalsRow:	False	Updatable:	True

Columns

Name	Type	Size
viotypeID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	1725	
DataUpdatable:	False	
Description:	internal database ID for violation type	
OrdinalPosition:	0	
Required:	False	
SourceField:	viotypeID	
SourceTable:	Violation Types	
TextAlign:	General	
AppRules	Short Text	50
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Applicable Rules for each type of violation	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	AppRules	
SourceTable:	Violation Types	
TextAlign:	General	
UnicodeCompression:	True	

viotype		Short Text	50
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	3720		
DataUpdatable:	False		
Description:	Description of violation		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	2		
Required:	False		
SourceField:	viotype		
SourceTable:	Violation Types		
TextAlign:	General		
UnicodeCompression:	True		
SDWISVioCode		Short Text	50
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1230		
DataUpdatable:	False		
Description:	SDWIS-Fed violation type code number		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	3		
Required:	False		
SourceField:	SDWISVioCode		
SourceTable:	Violation Types		
TextAlign:	General		
UnicodeCompression:	True		
HealthBased		Yes/No	1
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	indicates violation type is defined as a "health-based" violation		
DisplayControl:	106		
Format:	Yes/No		

OrdinalPosition:	4		
Required:	False		
SourceField:	HealthBased		
SourceTable:	Violation Types		
TextAlign:	General		
ViolationType		Short Text	100
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	5880		
DataUpdatable:	False		
Description:	Plain English description of violation type		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	5		
Required:	False		
SourceField:	ViolationType		
SourceTable:	Violation Types		
TextAlign:	General		
UnicodeCompression:	True		
RTCrequirement		Short Text	200
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2925		
DataUpdatable:	False		
Description:	Requirements text for Return to Compliance for this Violation Type		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	6		
Required:	False		
SourceField:	RTCrequirement		
SourceTable:	Violation Types		
TextAlign:	General		
UnicodeCompression:	True		
defaultPNTier		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		

ColumnOrder: Default
 ColumnWidth: 540
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Default Public Notice Rule Tier designation
 DisplayControl: Text Box
 OrdinalPosition: 7
 Required: False
 SourceField: defaultPNTier
 SourceTable: Violation Types
 TextAlign: General

defaultMajorMinor Short Text 50

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 1
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1110
 ColumnWidths: 1440
 DataUpdatable: False
 Description: "Major", "Minor" or "N/A" depending on SDWIS validation rules
 DisplayControl: Combo Box
 IMEMode: 0
 IMESentenceMode: 3
 LimitToList: False
 ListRows: 8
 ListWidth: 1440twip
 OrdinalPosition: 8
 Required: False
 RowSource: "Major";"Minor";"N/A"
 RowSourceType: Value List
 ShowOnlyRowSourceValues: False
 SourceField: defaultMajorMinor
 SourceTable: Violation Types
 TextAlign: General
 UnicodeCompression: True

sortingcode Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 375
 DataUpdatable: False
 DecimalPlaces: Auto

	Description:	subdivisions of violation types - System, MCL, M/R	
	DisplayControl:	Text Box	
	OrdinalPosition:	9	
	Required:	False	
	SourceField:	sortingcode	
	SourceTable:	Violation Types	
	TextAlign:	General	
SimpleDesc			Short Text 255
	AggregateType:	-1	
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Simple, standardized Description of violation	
	DisplayControl:	Text Box	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	10	
	Required:	False	
	SourceField:	SimpleDesc	
	SourceTable:	Violation Types	
	TextAlign:	General	
	UnicodeCompression:	True	
S			Long Integer 4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	Violation Severity, generally based on Public Notice Tier	
	DisplayControl:	Text Box	
	OrdinalPosition:	11	
	Required:	False	
	SourceField:	S	
	SourceTable:	Violation Types	
	TextAlign:	General	

Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	59
Foreign:	False

IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
viotypeID	Ascending
SDWISVioCode	1
Clustered:	False
DistinctCount:	59
Foreign:	False
IgnoreNulls:	False
Name:	SDWISVioCode
Primary:	False
Required:	False
Unique:	False
Fields:	
SDWISVioCode	Ascending
sortingcode	1
Clustered:	False
DistinctCount:	6
Foreign:	False
IgnoreNulls:	False
Name:	sortingcode
Primary:	False
Required:	False
Unique:	False
Fields:	
sortingcode	Ascending
viotypeID	1
Clustered:	False
DistinctCount:	59
Foreign:	False
IgnoreNulls:	False
Name:	viotypeID
Primary:	False
Required:	False
Unique:	False
Fields:	
viotypeID	Ascending

User Permissions

admin
aizaz
andrew
bessie
chris
corine
daria
designer
dschmidt

Emmanuelle	
everett	
guest	
helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

AlternateBackShade:	100	AlternateBackThemeColorIn	-1
AlternateBackTint:	100	Attributes:	Linked
BackShade:	100	BackTint:	100
Connect:	;DATABASE=C:\Users\kbanks\Dime_Local\DIME_be.mdb	DatasheetForeThemeColorIn	-1
DatasheetGridlinesThemeCol	-1	DateCreated:	11/5/2014 6:19:52 PM
DefaultView:	2	DisplayViewsOnSharePointSi	1
Filter:	([Violations].[COMPLPERENDDATE]=#9/30/2013#)	FilterOnLoad:	False
GUID:	{guid {56A7E697-FAEF-490B-BC53-B46F8AA30F82}}	HideNewField:	False
LastUpdated:	11/5/2014 6:19:52 PM	NameMap:	Long binary data
OrderBy:	[Violations].[DateCreated] DESC, [Lookup_viotypeID].[SDWISVioCode] DESC, [Violations].[COMPLPERENDATE] DESC, [Violations].[COMPLPERBEGINDATE], [Violations].[StatusID] DESC	OrderByOn:	True
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	-1	SourceTableName:	Violations
SubDataSheetName:	[Auto]	ThemeFontIndex:	-1
TotalsRow:	False	Updatable:	False

Columns

Name	Type	Size
vioID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	1500	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	internal database ID for violations	
GUID:	{guid {96F098F5-2B22-4ACF-A682-BC8CFA04A06F}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	vioID	
SourceTable:	Violations	
TextAlign:	General	
FACID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	

AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 Caption: contID
 CollatingOrder: General
 ColumnCount: 3
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2250
 ColumnWidths: 0;525;2490
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal DIME ID for chemical contaminant, lookup in table MCL
 DisplayControl: Text Box
 GUID: {guid {351DA4D6-9226-4DAC-BDFF-2AE257A5F582}}
 LimitToList: True
 ListRows: 8
 ListWidth: 3015twip
 OrdinalPosition: 3
 Required: False
 RowSource: SELECT MCL.contID, MCL.chem_code, MCL.chem_name FROM MCL;
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: contID
 SourceTable: Violations
 TextAlign: General

cptypeId Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: from compliancepointtype table
 DisplayControl: Text Box
 OrdinalPosition: 4
 Required: False
 SourceField: cptypeId
 SourceTable: Violations
 TextAlign: General

viotypeID Long Integer 4

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False

AppendOnly: False
 Attributes: Fixed Size
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 4
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1035
 ColumnWidths: 0;288;720;1679
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: internal violation type ID, lookup in table Violation Types
 DisplayControl: Combo Box
 GUID: {guid {DBA534E6-657D-4CE0-9820-89558BFE92CA}}
 LimitToList: True
 ListRows: 8
 ListWidth: 2685twip
 OrdinalPosition: 5
 Required: False
 RowSource: SELECT [Violation Types].viotypeID, [Violation Types].SDWISVioCode, [Violation Types].AppRules, [Violation Types].viotype FROM [Violation Types];
 RowSourceType: Table/Query
 ShowOnlyRowSourceValues: False
 SourceField: viotypeID
 SourceTable: Violations
 TextAlign: General

COMPLPERBEGINDATE Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Beginning date of Violation period
 GUID: {guid {D07C06BB-FB79-400A-A32D-6EE6A0C9A715}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 6
 Required: False
 ShowDatePicker: For dates
 SourceField: COMPLPERBEGINDATE
 SourceTable: Violations
 TextAlign: General

COMPLPERENDDATE Date With Time 8

AggregateType: -1

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Ending date of Violation period
 GUID: {guid {48E24C16-7E1D-4743-BB32-8C852B48D00C}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 7
 Required: False
 ShowDatePicker: For dates
 SourceField: COMPLPERENDDATE
 SourceTable: Violations
 TextAlign: General

SampleID Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1305
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Sample ID if applicable
 DisplayControl: Text Box
 GUID: {guid {086CA630-4312-496F-A874-1B8E89647A03}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 8
 Required: False
 SourceField: SampleID
 SourceTable: Violations
 TextAlign: General
 UnicodeCompression: True

Sample_Date Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 750
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Sample date if applicable

DisplayControl: Text Box
 GUID: {guid {9AA89F6A-1712-41BB-8B58-5988E42FFDE2}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 9
 Required: False
 SourceField: Sample_Date
 SourceTable: Violations
 TextAlign: General
 UnicodeCompression: True

Sample_Result Short Text 50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 300
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Sample result if applicable
 DisplayControl: Text Box
 GUID: {guid {9A86D635-80D4-4A44-BC49-A7BE956E976B}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 10
 Required: False
 SourceField: Sample_Result
 SourceTable: Violations
 TextAlign: General
 UnicodeCompression: True

MajorMinor Short Text 5

AggregateType: -1
 AllowValueListEdits: False
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 BoundColumn: 1
 CollatingOrder: General
 ColumnCount: 1
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1245
 ColumnWidths: 1440
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Major = Y(no samples taken), Minor = N(some samples taken), Not Applicable = 'N/A'
 DisplayControl: Combo Box
 GUID: {guid {BD057DC2-F115-49F4-9CF0-2C8027472BE6}}
 IMEMode: 0
 IMESentenceMode: 3

LimitToList: False
 ListRows: 8
 ListWidth: 1440twip
 OrdinalPosition: 11
 Required: False
 RowSource: "Major";"Minor";"N/A"
 RowSourceType: Value List
 ShowOnlyRowSourceValues: False
 SourceField: MajorMinor
 SourceTable: Violations
 TextAlign: General
 UnicodeCompression: True

ApprovalStatus Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1245
 CurrencyLCID: 0
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: manual Project Officer approval of violation, options 'Pending', 'Approve', 'Disapprove'
 DisplayControl: Text Box
 GUID: {guid {081B95A6-BA82-435F-AAB5-44E737EDED5E}}
 OrdinalPosition: 12
 Required: False
 SourceField: ApprovalStatus
 SourceTable: Violations
 TextAlign: General

ViolationComment Long Text -

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 9300
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Comment on violation, reason for approval/disapproval, etc.
 GUID: {guid {BD0AE40E-FB5C-4A63-ACE5-553B9665537B}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 13
 Required: False
 SourceField: ViolationComment
 SourceTable: Violations
 TextAlign: General

TextFormat:	Plain Text		
UnicodeCompression:	True		
Uploaddate		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1245		
CurrencyLCID:	0		
DataUpdatable:	False		
Description:	Offical SDWIS date that approved violation was successfully uploaded to SDWIS-Fed		
Format:	Short Date		
GUID:	{guid {67A12E57-576F-455C-B3A5-C1E31D0FC39A}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	14		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	Uploaddate		
SourceTable:	Violations		
TextAlign:	General		
SDWISVioID		Short Text	20
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2070		
CurrencyLCID:	0		
DataUpdatable:	False		
Description:	Combination Identifier for ODS, made up of vioID and DBA-defined FY tag		
DisplayControl:	Text Box		
GUID:	{guid {07B7EE18-2F56-47B6-A990-92F0E69E6131}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	15		
Required:	False		
SourceField:	SDWISVioID		
SourceTable:	Violations		
TextAlign:	General		
UnicodeCompression:	True		
PNtier		Short Text	50
AggregateType:	-1		
AllowZeroLength:	True		

AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Public Notice tier, defaulted based upon violation type, but may be changed by Project Officer.
 DisplayControl: Text Box
 GUID: {guid {2824800F-E30A-4487-8432-60289B8910FF}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 16
 Required: False
 SourceField: PNTier
 SourceTable: Violations
 TextAlign: General
 UnicodeCompression: True

UnderlyingVioID Short Text 20

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Underlying Violation ID (ID that leads back to the DIME record that caused the violation to be generated.)
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 17
 Required: False
 SourceField: UnderlyingVioID
 SourceTable: Violations
 TextAlign: General
 UnicodeCompression: True

Lastupdate Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2355
 CurrencyLCID: 0

DataUpdatable: False
 Description: Date of Last Update
 Format: General Date
 GUID: {guid {B60977D8-5DF7-4DB2-8402-A7286D9FDEE3}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 18
 Required: False
 ShowDatePicker: For dates
 SourceField: Lastupdate
 SourceTable: Violations
 TextAlign: General

CurrentUpdateUser Short Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Current User At Time of Update
 DisplayControl: Text Box
 GUID: {guid {4A44DC6F-668A-45E0-A1EB-B3EF481B3084}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 19
 Required: False
 SourceField: CurrentUpdateUser
 SourceTable: Violations
 TextAlign: General
 UnicodeCompression: True

DateCreated Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2235
 CurrencyLCID: 0
 DataUpdatable: False
 DefaultValue: =Now()
 Description: automatically entered on update of record- should be changed to DateCreated
 Format: General Date
 GUID: {guid {BE88D4EC-4B8D-4CE0-B7AB-A7216388A5DF}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 20
 Required: False

ShowDatePicker: For dates
 SourceField: DateCreated
 SourceTable: Violations
 TextAlign: General

CreatedBy Short Text 50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1380
 CurrencyLCID: 0
 DataUpdatable: False
 Description: created by user
 DisplayControl: Text Box
 GUID: {guid {F2BAB8C0-17F4-4BDB-80CF-6184F0B40092}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 21
 Required: False
 SourceField: CreatedBy
 SourceTable: Violations
 TextAlign: General
 UnicodeCompression: True

DateQA Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2235
 CurrencyLCID: 0
 DataUpdatable: False
 Description: date of qa
 Format: General Date
 GUID: {guid {C89BFCC7-36A0-4643-B4A0-CC2172F45D82}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 22
 Required: False
 ShowDatePicker: For dates
 SourceField: DateQA
 SourceTable: Violations
 TextAlign: General

QAUser Short Text 50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False

Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
CurrencyLCID: 0
DataUpdatable: False
Description: qa user
DisplayControl: Text Box
GUID: {guid {007A5AF5-453A-4754-937F-5EBB76E4F317}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 23
Required: False
SourceField: QAUUser
SourceTable: Violations
TextAlign: General
UnicodeCompression: True

DateView Date With Time 8

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 2250
CurrencyLCID: 0
DataUpdatable: False
Description: date of view
Format: General Date
GUID: {guid {C130E4D4-7554-4477-9B3E-9A627A8C5C6D}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 24
Required: False
ShowDatePicker: For dates
SourceField: DateView
SourceTable: Violations
TextAlign: General

ViewUser Short Text 50

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
CurrencyLCID: 0
DataUpdatable: False
Description: Last Viewed by
DisplayControl: Text Box

GUID: {guid {3F779AF9-724C-41D5-ABCB-BD3067AEB90B}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 25
Required: False
SourceField: ViewUser
SourceTable: Violations
TextAlign: General
UnicodeCompression: True

StatusID Long Integer 4

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
Description: internal DIME Status identifier, lookup in table QASstatus
DisplayControl: Text Box
GUID: {guid {17187C31-9CFE-480C-B32C-6AAA95EE5D3A}}
OrdinalPosition: 26
Required: False
SourceField: StatusID
SourceTable: Violations
TextAlign: General

OldVioID Long Integer 4

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
CurrencyLCID: 0
DataUpdatable: False
DecimalPlaces: Auto
DisplayControl: Text Box
GUID: {guid {C20E68CA-330D-4BE0-9BFF-000AAE90F03F}}
OrdinalPosition: 27
Required: False
SourceField: OldVioID
SourceTable: Violations
TextAlign: General


DimeUploadDate Date With Time 8

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size

CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 Description: Dime upload date to SDWIS - dime calculated not official SDWIS upload date
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 28
 Required: False
 ShowDatePicker: For dates
 SourceField: DimeUploadDate
 SourceTable: Violations
 TextAlign: General


Relationships

Facility InformationViolations




Attributes: Not Enforced, Inherited
 RelationshipType: One-To-Many (External)

ViolationsPNVioAssoc



Attributes: Not Enforced, Inherited
 RelationshipType: One-To-Many (External)

ViolationstblActions



Attributes: Not Enforced, Inherited
 RelationshipType: One-To-Many (External)

Table Indexes

Name	Number of Fields
ContCode	1
Clustered:	False

	DistinctCount:	159
	Foreign:	False
	IgnoreNulls:	False
	Name:	ContCode
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	contID	Ascending
FACID		1
	Clustered:	False
	DistinctCount:	446
	Foreign:	False
	IgnoreNulls:	False
	Name:	FACID
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	FACID	Ascending
PrimaryKey		1
	Clustered:	False
	DistinctCount:	53479
	Foreign:	False
	IgnoreNulls:	False
	Name:	PrimaryKey
	Primary:	True
	Required:	True
	Unique:	True
	Fields:	
	vioID	Ascending
SampleID		1
	Clustered:	False
	DistinctCount:	1082
	Foreign:	False
	IgnoreNulls:	False
	Name:	SampleID
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	SampleID	Ascending
StatusID		1
	Clustered:	False
	DistinctCount:	1
	Foreign:	False
	IgnoreNulls:	False
	Name:	StatusID
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	StatusID	Ascending

UnderlyingVioID	1
Clustered:	False
DistinctCount:	53
Foreign:	False
IgnoreNulls:	False
Name:	UnderlyingVioID
Primary:	False
Required:	False
Unique:	False
Fields:	
UnderlyingVioID	Ascending
vioID	1
Clustered:	False
DistinctCount:	53479
Foreign:	False
IgnoreNulls:	False
Name:	vioID
Primary:	False
Required:	False
Unique:	False
Fields:	
vioID	Ascending
viotypeID	1
Clustered:	False
DistinctCount:	30
Foreign:	False
IgnoreNulls:	False
Name:	viotypeID
Primary:	False
Required:	False
Unique:	False
Fields:	
viotypeID	Ascending

User Permissions

- admin
- aizaz
- andrew
- bessie
- chris
- corine
- daria
- designer
- dschmidt
- Emmanuelle
- everett
- guest
- helen
- hillary
- jack
- jamelya

Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	Delete, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated: 7/23/2007 12:57:06 PM DefaultView: 2
 GUID: {guid {F6D19A33-9697-494D-8C40-DEBCD18B54B3}} LastUpdated: 7/23/2007 12:57:34 PM
 NameMap: Long binary data OrderByOn: False
 Orientation: Left-to-Right RecordCount: 2
 Updatable: True

Columns

Name	Type	Size
ID	Long Integer	4
AllowZeroLength: False AppendOnly: False Attributes: Fixed Size, Auto-Increment CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False Description: internal DIME volumetric unit ID GUID: {guid {53E3C92C-90C5-4096-8036-D050DF130DF6}} OrdinalPosition: 0 Required: False SourceField: ID SourceTable: volumetricunits		
UnitName	Short Text	50
AllowZeroLength: True AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False Description: Volumetric unit DisplayControl: Text Box GUID: {2C8C9622-1882-4755-B53B-0CBB411D5292}} IMEMode: 0 IMESentenceMode: 3 OrdinalPosition: 1 Required: False SourceField: UnitName SourceTable: volumetricunits UnicodeCompression: True		
UnitConversionFactor	Short Text	50
AllowZeroLength: True AppendOnly: False Attributes: Variable Length CollatingOrder: General		

ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: conversion factor
 DisplayControl: Text Box
 GUID: {guid {F1D6C317-E699-43C5-B64B-550E547CD85E}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: UnitConversionFactor
 SourceTable: volumetricunits
 UnicodeCompression: True

Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	2
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
ID	Ascending

User Permissions

- admin
- aizaz
- andrew
- bessie
- chris
- corine
- daria
- designer
- dschmidt
- Emmanuelle
- everett
- guest
- helen
- hillary
- jack
- jamelya
- Jason
- jelani
- jennifer
- jimh

judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	

Properties

DateCreated:	2/28/2008 4:40:49 PM	DefaultView:	2
GUID:	{guid {B900EA6B-15DC-441E-AD42-662E7A2262E2}}	LastUpdated:	2/28/2008 4:40:50 PM
NameMap:	Long binary data	OrderByOn:	True
Orientation:	Left-to-Right	RecordCount:	49
SubDataSheetName:	[Auto]	Updatable:	True

Columns

Name	Type	Size
ID	Long Integer	4
AllowZeroLength: False AppendOnly: False Attributes: Fixed Size CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False DecimalPlaces: Auto DisplayControl: Text Box GUID: {guid {A15BEC83-4847-4435-BCB3-58B6F2ADD008}} OrdinalPosition: 0 Required: False SourceField: ID SourceTable: Years		
Year	Short Text	50
AllowZeroLength: True AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False DisplayControl: Text Box GUID: {F535B1D2-FAA2-4CD3-911C-22954E6F9E96}} IMEMode: 0 IMESentenceMode: 3 OrdinalPosition: 1 Required: False SourceField: Year SourceTable: Years UnicodeCompression: True		
CCR due date	Date With Time	8
AllowZeroLength: False AppendOnly: False Attributes: Fixed Size CollatingOrder: General		

ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 GUID: {guid {DC4E13AA-1BF4-4AA0-9A73-BED93EF6B628}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: CCR due date
 SourceTable: Years

ComplianceCycleText Short Text 50

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2070
 DataUpdatable: False
 DisplayControl: Text Box
 GUID: {guid {74CA6E95-BB43-4EC7-B050-EAD62F96782A}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: ComplianceCycleText
 SourceTable: Years
 UnicodeCompression: True

ComplianceCycleStartDate Date With Time 8

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2520
 DataUpdatable: False
 GUID: {guid {21A205DF-1DFF-4952-B52D-52C912D9ADD6}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False
 SourceField: ComplianceCycleStartDate
 SourceTable: Years

ComplianceCycleEndDate Date With Time 8

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default

ColumnWidth: 2445
 DataUpdatable: False
 GUID: {guid {CE98F7B0-F0F8-4464-BEB7-D5DDCA7E8917}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 5
 Required: False
 SourceField: ComplianceCycleEndDate
 SourceTable: Years

CompliancePeriodText Short Text 50

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 GUID: {guid {57AB5448-3D8D-4710-B7C5-35C73F19DE58}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 6
 Required: False
 SourceField: CompliancePeriodText
 SourceTable: Years
 UnicodeCompression: True

CompliancePeriodStartDate Date With Time 8

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 GUID: {guid {CA835CC5-6D67-455F-9CE9-1F3DB6906454}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 7
 Required: False
 SourceField: CompliancePeriodStartDate
 SourceTable: Years

CompliancePeriodEndDate Date With Time 8

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False

GUID: {guid {7C852ABE-D8F7-48CB-A6F0-D2D48EE2E12F}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 8
Required: False
SourceField: CompliancePeriodEndDate
SourceTable: Years

1stbegindate Date With Time 8

AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
GUID: {guid {FA42F129-7B32-443C-AC8F-A2E8BD8E4008}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 9
Required: False
SourceField: 1stbegindate
SourceTable: Years

2ndbegindate Date With Time 8

AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
GUID: {guid {A838EC56-B43E-4BCA-9D29-7A6F98DC894E}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 10
Required: False
SourceField: 2ndbegindate
SourceTable: Years

3rdbegindate Date With Time 8

AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
GUID: {guid {0E9B9F0E-FF83-4679-A57E-004F95A488FE}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 11

Required:	False		
SourceField:	3rdbegindate		
SourceTable:	Years		
4thbegindate		Date With Time	8
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
GUID:	{guid {50EDE1E6-1027-45ED-A977-84CB896894F8}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	12		
Required:	False		
SourceField:	4thbegindate		
SourceTable:	Years		
CPYear1		Short Text	50
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {128F9BF9-EB32-4A4F-A3B4-B333BBDAE0D}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	13		
Required:	False		
SourceField:	CPYear1		
SourceTable:	Years		
UnicodeCompression:	True		
CPYear2		Short Text	50
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {AAD4600D-98DD-4D27-8A84-D8F0BC0E906A}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	14		
Required:	False		

SourceField: CPYear2
 SourceTable: Years
 UnicodeCompression: True

CPYear3 Short Text 50

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 GUID: {guid {2628D6A4-411C-4292-91EF-07EB15AF030D}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 15
 Required: False
 SourceField: CPYear3
 SourceTable: Years
 UnicodeCompression: True

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
ID	1
Clustering:	False
DistinctCount:	49
Foreign:	False
IgnoreNulls:	False
Name:	ID
Primary:	False
Required:	False
Unique:	False
Fields:	
ID	Ascending

User Permissions

- admin
- aizaz
- andrew
- bessie
- chris
- corine
- daria
- designer
- dschmidt
- Emmanuelle
- everett
- guest

helen	
hillary	
jack	
jamelya	
Jason	
jelani	
jennifer	
jimh	
judy	
karl	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
kirk	
lawonda	
linda	
max	
michael	
myrt	
navajo	
raymond	
roberto	
roger	
sara	
test	

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
DataManagers	
Full Data Users	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Full Permissions	Delete, Read Permissions, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Read-Only Users	Read Definition, Read Data
Users	