

**Properties**

Attributes:	Linked ODBC	Connect:	ODBC;DSN=Latest Quarter;Description=Drinking Water Data Warehouse - Latest Quarter;APP=2007 Microsoft Office system;DATABASE=LatestQuarter
DateCreated:	6/27/2011 10:41:28 AM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {B3A83264-587E-49F9-AA60-FB7B8D822654}}	HideNewField:	False
LastUpdated:	6/27/2011 12:42:44 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	dbo.DIM_CCode	TotalsRow:	False
Updatable:	False		

**Columns**

Name	Type	Size
CCode	Short Text	4
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {C6FF71C7-4510-4253-B864-6C2AAF496D65}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	True	
SourceField:	CCode	
SourceTable:	dbo_DIM_CCode	
TextAlign:	General	
UnicodeCompression:	False	
CName	Short Text	40
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	

GUID: {guid {40851C90-D170-4164-ACF9-2488E064505B}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 2  
 Required: True  
 SourceField: CName  
 SourceTable: dbo\_DIM\_CCode  
 TextAlign: General  
 UnicodeCompression: False

MCLMeasure Decimal 16

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: 15  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 GUID: {guid {FFE6DB38-6BAA-40F6-8706-D4134B2A52FA}}  
 OrdinalPosition: 3  
 Required: False  
 SourceField: MCLMeasure  
 SourceTable: dbo\_DIM\_CCode  
 TextAlign: General

SNCTypeCode Short Text 2

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {47CABDC7-1CBB-4E9E-8D54-CE8B30605ABA}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 4  
 Required: False  
 SourceField: SNCTypeCode  
 SourceTable: dbo\_DIM\_CCode  
 TextAlign: General  
 UnicodeCompression: False

SNCTriggerLevel Decimal 16

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length

CollatingOrder: 15  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 GUID: {guid {8A524FF1-3CB4-4E1D-A0D7-067A192DD8E8}}  
 OrdinalPosition: 5  
 Required: False  
 SourceField: SNCTriggerLevel  
 SourceTable: dbo\_DIM\_CCode  
 TextAlign: General

SNCSignificantDigits Decimal 16

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: 5  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 GUID: {guid {D605463A-8922-4964-8F91-21A5C0257D4A}}  
 OrdinalPosition: 6  
 Required: False  
 SourceField: SNCSignificantDigits  
 SourceTable: dbo\_DIM\_CCode  
 TextAlign: General

RoundedSNCTriggerLevel Decimal 16

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: 15  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 GUID: {guid {232EE27E-18AF-48DC-A584-90F5E8AF7F5B}}  
 OrdinalPosition: 7  
 Required: False  
 SourceField: RoundedSNCTriggerLevel  
 SourceTable: dbo\_DIM\_CCode  
 TextAlign: General

SystematicName Short Text 10

AggregateType: -1  
 AllowZeroLength: True

AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {A27C5140-71F2-4F75-9F67-BCE163C4E90B}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 8  
Required: False  
SourceField: SystematicName  
SourceTable: dbo\_DIM\_CCode  
TextAlign: General  
UnicodeCompression: False

CFRSectRefCode Short Text 20

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {C59663CF-2908-4F6F-9401-FA66837D8A04}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 9  
Required: False  
SourceField: CFRSectRefCode  
SourceTable: dbo\_DIM\_CCode  
TextAlign: General  
UnicodeCompression: False

EPARegistryName Short Text 50

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {B60FD286-09B6-4245-9B18-261F8427C456}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 10  
Required: False

SourceField: EPARegistryName  
 SourceTable: dbo\_DIM\_CCode  
 TextAlign: General  
 UnicodeCompression: False

LastUpdated Short Text 26

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {CE167F45-9B39-435F-BF90-D4E7D3975387}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 11  
 Required: False  
 SourceField: LastUpdated  
 SourceTable: dbo\_DIM\_CCode  
 TextAlign: General  
 UnicodeCompression: False

Comments Short Text 120

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {7E0A47A4-3F93-4330-8C36-F65A3B4F801F}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 12  
 Required: False  
 SourceField: Comments  
 SourceTable: dbo\_DIM\_CCode  
 TextAlign: General  
 UnicodeCompression: False

**Table Indexes**

Name	Number of Fields
PK_DIM_CCode	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False

Name:	PK_DIM_CCode
Primary:	True
Required:	True
Unique:	True
Fields:	
CCode	Ascending

**User Permissions**

admin	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
-------	--

**Group Permissions**

Admins	
Users	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

Attributes:	Linked ODBC	Connect:	ODBC;DSN=Latest Quarter;Description=Drinking Water Data Warehouse - Latest Quarter;APP=2007 Microsoft Office system;DATABASE=LatestQuarter
DateCreated:	6/27/2011 10:41:29 AM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {588714B2-0475-43BC-A26F-79DD199E4A9E}}	HideNewField:	False
LastUpdated:	6/27/2011 12:42:58 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	dbo.DIM_CType	TotalsRow:	False
Updatable:	False		

**Columns**

Name	Type	Size
CGroup1_id	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {3C156B43-89DE-463F-8D15-BAAEF8478D87}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	CGroup1_id	
SourceTable:	dbo_DIM_CType	
TextAlign:	General	
CGroup1	Short Text	13
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {F02726E5-2C3F-49A7-AFBA-E5676D36FFA8}}	
IMEMode:	0	

IMESentenceMode: 3  
OrdinalPosition: 2  
Required: False  
SourceField: CGroup1  
SourceTable: dbo\_DIM\_CType  
TextAlign: General  
UnicodeCompression: False

CGroup1\_pt Short Text 13

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {B08A0B06-C325-4594-A5F2-FE58F0ED8658}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 3  
Required: False  
SourceField: CGroup1\_pt  
SourceTable: dbo\_DIM\_CType  
TextAlign: General  
UnicodeCompression: False

CGroup2\_id Long Integer 4

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Fixed Size  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DecimalPlaces: Auto  
DisplayControl: Text Box  
GUID: {guid {BB7DEE4B-0158-4920-B5F5-B16F3A5A2FF7}}  
OrdinalPosition: 4  
Required: False  
SourceField: CGroup2\_id  
SourceTable: dbo\_DIM\_CType  
TextAlign: General

CGroup2 Short Text 13

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False



ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {72A9514A-A262-40D0-8EEB-642194C7EF01}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 5  
 Required: False  
 SourceField: CGroup2  
 SourceTable: dbo\_DIM\_CType  
 TextAlign: General  
 UnicodeCompression: False

CGroup2\_pt Short Text 14

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {2E0E89C8-2F7D-4105-9E2A-CCC8504B85F8}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 6  
 Required: False  
 SourceField: CGroup2\_pt  
 SourceTable: dbo\_DIM\_CType  
 TextAlign: General  
 UnicodeCompression: False

CType\_id Long Integer 4

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 GUID: {guid {16BE8D56-20A0-43FB-920A-51B3B6DF33CD}}  
 OrdinalPosition: 7  
 Required: True  
 SourceField: CType\_id  
 SourceTable: dbo\_DIM\_CType  
 TextAlign: General

CType Short Text 13

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {A23C168B-7B6A-40DE-9447-5B15D4166061}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 8  
 Required: False  
 SourceField: CType  
 SourceTable: dbo\_DIM\_CType  
 TextAlign: General  
 UnicodeCompression: False

CType\_pt

Short Text

14

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {F668C82B-FE4D-470A-8AA7-115A4EF2F707}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 9  
 Required: False  
 SourceField: CType\_pt  
 SourceTable: dbo\_DIM\_CType  
 TextAlign: General  
 UnicodeCompression: False

**Table Indexes**

<u>Name</u>	<u>Number of Fields</u>
PK_DIM_CType	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	PK_DIM_CType
Primary:	True
Required:	True
Unique:	True

Fields:  
CType\_id                      Ascending

**User Permissions**

admin                      Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,  
Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Group Permissions**

Admins  
Users                      Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,  
Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

Attributes:	Linked ODBC	Connect:	ODBC;DSN=Latest Quarter;Description=Drinking Water Data Warehouse - Latest Quarter;APP=2007 Microsoft Office system;DATABASE=LatestQuarter
DateCreated:	6/27/2011 10:41:29 AM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {91ED5D6B-F8C4-4B1F-8F68-0F4BF8506BD9}}	HideNewField:	False
LastUpdated:	6/27/2011 12:55:08 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	dbo.DIM_PWS	TotalsRow:	False
Updatable:	False		

**Columns**

Name	Type	Size
PWSID	Short Text	9
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {FABAE283-0908-41C4-AF5F-3E05F52637CF}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	True	
SourceField:	PWSID	
SourceTable:	dbo_DIM_PWS	
TextAlign:	General	
UnicodeCompression:	False	
PWSName	Short Text	80
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	

GUID: {91C5E49D-E1AF-48EC-8124-C2100643FB9B}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 2  
Required: False  
SourceField: PWSName  
SourceTable: dbo\_DIM\_PWS  
TextAlign: General  
UnicodeCompression: False

EPA\_Region Short Text 2

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {A80118FF-FED3-4578-A264-F8D347E57F46}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 3  
Required: False  
SourceField: EPA\_Region  
SourceTable: dbo\_DIM\_PWS  
TextAlign: General  
UnicodeCompression: False

Geography\_type Short Text 9

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {74DD4796-925A-44C1-9C39-C7BB804ABA9F}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 4  
Required: False  
SourceField: Geography\_type  
SourceTable: dbo\_DIM\_PWS  
TextAlign: General  
UnicodeCompression: False

State Short Text 2

AggregateType: -1  
AllowZeroLength: True

AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {2D21EC2D-CA62-40A5-84A3-241740A24494}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 5  
Required: False  
SourceField: State  
SourceTable: dbo\_DIM\_PWS  
TextAlign: General  
UnicodeCompression: False

PCounty Short Text 40

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {A0DCD5EB-993F-48CA-A8C8-6DCD85911FB4}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 6  
Required: False  
SourceField: PCounty  
SourceTable: dbo\_DIM\_PWS  
TextAlign: General  
UnicodeCompression: False

Status\_id Short Text 1

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {600B40C8-5A7B-467F-8A1A-035297B67D64}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 7  
Required: False

SourceField: SourceTable: TextAlign: UnicodeCompression:	Status_id dbo_DIM_PWS General False		
Status		Short Text	6
AggregateType: AllowZeroLength: AppendOnly: Attributes: CollatingOrder: ColumnHidden: ColumnOrder: ColumnWidth: DataUpdatable: DisplayControl: GUID: IMEMode: IMESentenceMode: OrdinalPosition: Required: SourceField: SourceTable: TextAlign: UnicodeCompression:	-1 True False Variable Length General False Default Default False Text Box {guid {A9F289D4-7D4F-4853-9535-4C70D0672B9E}} 0 3 8 False Status dbo_DIM_PWS General False		
PWSActivityCode		Short Text	1
AggregateType: AllowZeroLength: AppendOnly: Attributes: CollatingOrder: ColumnHidden: ColumnOrder: ColumnWidth: DataUpdatable: DisplayControl: GUID: IMEMode: IMESentenceMode: OrdinalPosition: Required: SourceField: SourceTable: TextAlign: UnicodeCompression:	-1 True False Variable Length General False Default Default False Text Box {guid {49F18811-0245-42E9-82A9-6023D9642DD9}} 0 3 9 False PWSActivityCode dbo_DIM_PWS General False		
PWSDeactivationDate		Date With Time	8
AggregateType: AllowZeroLength: AppendOnly: Attributes: CollatingOrder: ColumnHidden: ColumnOrder:	-1 False False Fixed Size General False Default		

ColumnWidth: Default  
 DataUpdatable: False  
 GUID: {guid {5BFDDA2C-F3E7-4B0A-BEAE-0326D2D3BC23}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 10  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: PWSDeactivationDate  
 SourceTable: dbo\_DIM\_PWS  
 TextAlign: General

SubmissionStatusCode Short Text 1

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {E3CA41D2-FC4E-4C61-858A-00A006ED14D6}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 11  
 Required: False  
 SourceField: SubmissionStatusCode  
 SourceTable: dbo\_DIM\_PWS  
 TextAlign: General  
 UnicodeCompression: False

PWSTypeCode Short Text 4

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {7F09CF25-B1E2-441B-961B-1DEC4E74DEAF}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 12  
 Required: False  
 SourceField: PWSTypeCode  
 SourceTable: dbo\_DIM\_PWS  
 TextAlign: General  
 UnicodeCompression: False

PWSType Short Text 7



AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {9D4DFB22-DC7B-456F-A8B3-D4B2D76AEEC2}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 13  
Required: False  
SourceField: PWSType  
SourceTable: dbo\_DIM\_PWS  
TextAlign: General  
UnicodeCompression: False

GwSw

Short Text

2

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {118123F1-E470-4543-8F57-EB00962F1272}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 14  
Required: False  
SourceField: GwSw  
SourceTable: dbo\_DIM\_PWS  
TextAlign: General  
UnicodeCompression: False

GwSw\_longname

Short Text

7

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {94D6FE50-A337-45A9-A762-EF3E731141BF}}  
IMEMode: 0  
IMESentenceMode: 3

OrdinalPosition: 15  
Required: False  
SourceField: GwSw\_longname  
SourceTable: dbo\_DIM\_PWS  
TextAlign: General  
UnicodeCompression: False

PSource Short Text 3

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {2C6CECA8-C91D-43E0-92DE-6DF709AEE33F}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 16  
Required: False  
SourceField: PSource  
SourceTable: dbo\_DIM\_PWS  
TextAlign: General  
UnicodeCompression: False

PSource\_longname Short Text 45

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {B116BB38-BC8B-48BE-8C1B-17DD5FA79333}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 17  
Required: False  
SourceField: PSource\_longname  
SourceTable: dbo\_DIM\_PWS  
TextAlign: General  
UnicodeCompression: False

OwnerCode Short Text 1

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General

ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {8696FB17-570C-4136-ABB1-C5890302651D}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 18  
 Required: False  
 SourceField: OwnerCode  
 SourceTable: dbo\_DIM\_PWS  
 TextAlign: General  
 UnicodeCompression: False

Owner Short Text 14

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {1191741C-4C77-47DB-9C53-C9C6E9CA3150}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 19  
 Required: False  
 SourceField: Owner  
 SourceTable: dbo\_DIM\_PWS  
 TextAlign: General  
 UnicodeCompression: False

SchoolOrDaycare Short Text 1

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {E86D89E4-73F5-4525-80E2-BD47086A9A9B}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 20  
 Required: False  
 SourceField: SchoolOrDaycare  
 SourceTable: dbo\_DIM\_PWS  
 TextAlign: General

UnicodeCompression:	False		
SizeCat2_id		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
GUID:	{guid {18C94C7E-E04A-4310-8CD5-A17370BE32E5}}		
OrdinalPosition:	21		
Required:	False		
SourceField:	SizeCat2_id		
SourceTable:	dbo_DIM_PWS		
TextAlign:	General		
SizeCat2		Short Text	7
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {D23A3C99-FF14-4277-A123-AF35407ED884}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	22		
Required:	False		
SourceField:	SizeCat2		
SourceTable:	dbo_DIM_PWS		
TextAlign:	General		
UnicodeCompression:	False		
SizeCat2_pt		Short Text	9
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {934712AA-8CE9-49A8-AF59-6AF9FB5ED612}}		
IMEMode:	0		

IMESentenceMode:	3		
OrdinalPosition:	23		
Required:	False		
SourceField:	SizeCat2_pt		
SourceTable:	dbo_DIM_PWS		
TextAlign:	General		
UnicodeCompression:	False		
SizeCat3_id		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
GUID:	{guid {B8ADC8BB-0DC7-4BFD-AC8F-4C23000B960F}}		
OrdinalPosition:	24		
Required:	False		
SourceField:	SizeCat3_id		
SourceTable:	dbo_DIM_PWS		
TextAlign:	General		
SizeCat3		Short Text	12
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {C16FB618-B595-4D02-B769-10CED9AC0279}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	25		
Required:	False		
SourceField:	SizeCat3		
SourceTable:	dbo_DIM_PWS		
TextAlign:	General		
UnicodeCompression:	False		
SizeCat3_pt		Short Text	14
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		

ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {DB8CB86A-EEFF-4A3D-97DD-2B54C8C1F077}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 26  
 Required: False  
 SourceField: SizeCat3\_pt  
 SourceTable: dbo\_DIM\_PWS  
 TextAlign: General  
 UnicodeCompression: False

SizeCat4\_id Long Integer 4

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 GUID: {guid {9D1BA562-12EE-4E78-A51C-0132EFE8597A}}  
 OrdinalPosition: 27  
 Required: False  
 SourceField: SizeCat4\_id  
 SourceTable: dbo\_DIM\_PWS  
 TextAlign: General

SizeCat4 Short Text 10

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {74D9DDE0-23B5-4461-9362-08F9DFC070E2}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 28  
 Required: False  
 SourceField: SizeCat4  
 SourceTable: dbo\_DIM\_PWS  
 TextAlign: General  
 UnicodeCompression: False

SizeCat4\_pt Short Text 12

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {2B7A98B0-3F20-4803-90DD-816122B82565}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 29  
Required: False  
SourceField: SizeCat4\_pt  
SourceTable: dbo\_DIM\_PWS  
TextAlign: General  
UnicodeCompression: False

SizeCat5\_id Long Integer 4

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Fixed Size  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DecimalPlaces: Auto  
DisplayControl: Text Box  
GUID: {guid {B71B746C-1AE7-4683-A74A-11DA3C24DA4E}}  
OrdinalPosition: 30  
Required: False  
SourceField: SizeCat5\_id  
SourceTable: dbo\_DIM\_PWS  
TextAlign: General

SizeCat5 Short Text 20

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {B73BD87E-2E0E-409F-9BF1-7DC4C48F05D9}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 31  
Required: False

SourceField:	SizeCat5		
SourceTable:	dbo_DIM_PWS		
TextAlign:	General		
UnicodeCompression:	False		
SizeCat5_pt		Short Text	12
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {02FE61A2-0B1D-43E8-AB7A-0D908C26FC90}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	32		
Required:	False		
SourceField:	SizeCat5_pt		
SourceTable:	dbo_DIM_PWS		
TextAlign:	General		
UnicodeCompression:	False		
SizeCat11_id		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
GUID:	{guid {9D92A70C-BF42-41FC-8949-C6B81A3AA862}}		
OrdinalPosition:	33		
Required:	False		
SourceField:	SizeCat11_id		
SourceTable:	dbo_DIM_PWS		
TextAlign:	General		
SizeCat11		Short Text	17
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		



DisplayControl: Text Box  
 GUID: {guid {FE0BF669-9532-49CF-93AA-627EC6CBA1EA}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 34  
 Required: False  
 SourceField: SizeCat11  
 SourceTable: dbo\_DIM\_PWS  
 TextAlign: General  
 UnicodeCompression: False

SizeCat11\_pt Short Text 19

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {034A444C-8DD6-46AF-AB3A-73C8A3060CE7}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 35  
 Required: False  
 SourceField: SizeCat11\_pt  
 SourceTable: dbo\_DIM\_PWS  
 TextAlign: General  
 UnicodeCompression: False

WholesalerInd Short Text 1

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {38F5F581-70DA-4CCF-B591-1D59BF992AA3}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 36  
 Required: False  
 SourceField: WholesalerInd  
 SourceTable: dbo\_DIM\_PWS  
 TextAlign: General  
 UnicodeCompression: False

RetPopSrvd Long Integer 4

AggregateType: -1

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 GUID: {guid {C808CADF-B073-46F9-91F8-34DEC99A4597}}  
 OrdinalPosition: 37  
 Required: False  
 SourceField: RetPopSrvd  
 SourceTable: dbo\_DIM\_PWS  
 TextAlign: General

PWSSvcConn Long Integer 4

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 GUID: {guid {14CD7E57-1696-4362-AE62-AD885089062E}}  
 OrdinalPosition: 38  
 Required: False  
 SourceField: PWSSvcConn  
 SourceTable: dbo\_DIM\_PWS  
 TextAlign: General

GrantEligible Short Text 1

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {8DB4C0C1-9781-4616-AB2C-65BBD4438F53}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 39  
 Required: False  
 SourceField: GrantEligible  
 SourceTable: dbo\_DIM\_PWS  
 TextAlign: General

UnicodeCompression:	False		
SeasonBeginMonDay		Short Text	5
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {D53E21E5-D43E-4DD2-A45D-AFCD942F6C6}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	40		
Required:	False		
SourceField:	SeasonBeginMonDay		
SourceTable:	dbo_DIM_PWS		
TextAlign:	General		
UnicodeCompression:	False		
SeasonEndMonDay		Short Text	5
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {467A4635-5E06-4257-919E-7A5CA55F165E}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	41		
Required:	False		
SourceField:	SeasonEndMonDay		
SourceTable:	dbo_DIM_PWS		
TextAlign:	General		
UnicodeCompression:	False		
Contact		Short Text	70
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		

GUID: {guid {ADA2A52C-739F-4FF6-9A0D-B62D71F60F83}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 42  
Required: False  
SourceField: Contact  
SourceTable: dbo\_DIM\_PWS  
TextAlign: General  
UnicodeCompression: False

ContactOrgName Short Text 80

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {8F06C7CB-0D5E-4926-98D0-0B5A00C863F6}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 43  
Required: False  
SourceField: ContactOrgName  
SourceTable: dbo\_DIM\_PWS  
TextAlign: General  
UnicodeCompression: False

ContactPhone Short Text 15

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {E4698951-FD16-4BE9-8FD0-2A58F2FFF65E}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 44  
Required: False  
SourceField: ContactPhone  
SourceTable: dbo\_DIM\_PWS  
TextAlign: General  
UnicodeCompression: False

ContactAddress1 Short Text 50

AggregateType: -1  
AllowZeroLength: True

AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {A0DD2B88-49FE-43D8-A757-64BF71B9C373}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 45  
 Required: False  
 SourceField: ContactAddress1  
 SourceTable: dbo\_DIM\_PWS  
 TextAlign: General  
 UnicodeCompression: False

ContactAddress2 Short Text 50

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {ACD86AD1-F19F-4101-9F3E-7B0414DBF690}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 46  
 Required: False  
 SourceField: ContactAddress2  
 SourceTable: dbo\_DIM\_PWS  
 TextAlign: General  
 UnicodeCompression: False

ContactCity Short Text 40

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {0319AFAE-E550-4B55-ABD5-0D69DFE7243B}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 47  
 Required: False

SourceField: ContactCity  
SourceTable: dbo\_DIM\_PWS  
TextAlign: General  
UnicodeCompression: False

ContactState Short Text 2

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {FEA9149B-67E4-4B81-B769-5AC076E4DBBA}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 48  
Required: False  
SourceField: ContactState  
SourceTable: dbo\_DIM\_PWS  
TextAlign: General  
UnicodeCompression: False

ContactZIP Short Text 14

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {41EFC18F-71C0-4F03-B97B-2A4BFE77A270}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 49  
Required: False  
SourceField: ContactZIP  
SourceTable: dbo\_DIM\_PWS  
TextAlign: General  
UnicodeCompression: False

ValidityIndicator Short Text 1

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default

ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {1886EB61-28BA-4F55-9141-93F29039F2CB}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 50  
 Required: False  
 SourceField: ValidityIndicator  
 SourceTable: dbo\_DIM\_PWS  
 TextAlign: General  
 UnicodeCompression: False

FirstReportedDate Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 GUID: {guid {F1A17B5F-8D31-4231-B746-07B7C591AC91}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 51  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: FirstReportedDate  
 SourceTable: dbo\_DIM\_PWS  
 TextAlign: General

LastReportedDate Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 GUID: {guid {B9897C0D-5A5D-4056-8C1A-06C91B244106}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 52  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: LastReportedDate  
 SourceTable: dbo\_DIM\_PWS  
 TextAlign: General

PWSSourceWaterProtectionCode Short Text 1

AggregateType: -1

AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {52B2E0F1-D387-432C-83AA-7FD44AF0EDBB}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 53  
 Required: False  
 SourceField: PWSSourceWaterProtectionCode  
 SourceTable: dbo\_DIM\_PWS  
 TextAlign: General  
 UnicodeCompression: False

PWSSourceWaterProtectionDate Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 GUID: {guid {05773E15-383F-4115-9E5F-2953CF87A7DB}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 54  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: PWSSourceWaterProtectionDate  
 SourceTable: dbo\_DIM\_PWS  
 TextAlign: General

**Table Indexes**

Name	Number of Fields
PK_DIM_PWS	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	PK_DIM_PWS
Primary:	True
Required:	True
Unique:	True
Fields:	
PWSID	Ascending



**User Permissions**

admin	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
-------	--

**Group Permissions**

Admins	
Users	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

Attributes:	Linked ODBC	Connect:	ODBC;DSN=Latest Quarter;Description=Drinking Water Data Warehouse - Latest Quarter;APP=2007 Microsoft Office system;DATABASE=LatestQuarter
DateCreated:	6/27/2011 10:41:30 AM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {9A454A56-5E42-4408-AF51-C164D9536E17}}	HideNewField:	False
LastUpdated:	6/27/2011 12:55:24 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	dbo.DIM_VCode	TotalsRow:	False
Updatable:	False		

**Columns**

Name	Type	Size
VCode	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {B991298D-2A14-454D-8214-C810D5377097}}	
OrdinalPosition:	1	
Required:	True	
SourceField:	VCode	
SourceTable:	dbo_DIM_VCode	
TextAlign:	General	
VName	Short Text	50
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {1A76CF6F-DC2E-4231-8725-A94035325674}}	
IMEMode:	0	

	IMESentenceMode:	3		
	OrdinalPosition:	2		
	Required:	False		
	SourceField:	VName		
	SourceTable:	dbo_DIM_VCode		
	TextAlign:	General		
	UnicodeCompression:	False		
VType_id			Long Integer	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	DisplayControl:	Text Box		
	GUID:	{guid {75027611-0DD0-4A3E-AC32-5EA1F150285A}}		
	OrdinalPosition:	3		
	Required:	False		
	SourceField:	VType_id		
	SourceTable:	dbo_DIM_VCode		
	TextAlign:	General		
VType			Short Text	5
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	GUID:	{guid {A919C3A6-961D-40E0-9AC4-6484A933492C}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	4		
	Required:	False		
	SourceField:	VType		
	SourceTable:	dbo_DIM_VCode		
	TextAlign:	General		
	UnicodeCompression:	False		
VType_pt			Short Text	7
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		

ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {6EF320D2-A539-4D21-AE21-3B78D4FD1247}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 5  
 Required: False  
 SourceField: VType\_pt  
 SourceTable: dbo\_DIM\_VCode  
 TextAlign: General  
 UnicodeCompression: False

Vtype4\_id Long Integer 4

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 GUID: {guid {F80684C5-6903-4377-891C-301170873D1F}}  
 OrdinalPosition: 6  
 Required: False  
 SourceField: Vtype4\_id  
 SourceTable: dbo\_DIM\_VCode  
 TextAlign: General

Vtype4 Short Text 7

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {29E12A00-5851-46C3-A918-A2DDFB8EA50A}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 7  
 Required: False  
 SourceField: Vtype4  
 SourceTable: dbo\_DIM\_VCode  
 TextAlign: General  
 UnicodeCompression: False

Vtype4\_pt Short Text 9

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {C4EBECC8-5FD7-43A2-B0FD-7026322923A9}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 8  
 Required: False  
 SourceField: Vtype4\_pt  
 SourceTable: dbo\_DIM\_VCode  
 TextAlign: General  
 UnicodeCompression: False

**Table Indexes**

Name	Number of Fields
PK_DIM_VCode	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	PK_DIM_VCode
Primary:	True
Required:	True
Unique:	True
Fields:	
VCode	Ascending

**User Permissions**

admin                      Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Group Permissions**

Admins  
 Users                      Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

Attributes:	Linked ODBC	Connect:	ODBC;DSN=Latest Quarter;Description=Drinking Water Data Warehouse - Latest Quarter;APP=2007 Microsoft Office system;DATABASE=LatestQuarter
DateCreated:	6/27/2011 10:41:31 AM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {CC1D0695-23F7-4751-8FF5-3AB40B0BE9AE}}	HideNewField:	False
LastUpdated:	6/27/2011 12:55:48 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	dbo.DW_RunDates	TotalsRow:	False
Updatable:	False		

**Columns**

Name	Type	Size
DateOfLastODSPull	Date With Time	8
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	2190	
DataUpdatable:	False	
GUID:	{guid {F1C52E32-63B0-441C-AAFA-77BA402A273C}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
ShowDatePicker:	For dates	
SourceField:	DateOfLastODSPull	
SourceTable:	dbo_DW_RunDates	
TextAlign:	General	
DatePulled	Short Text	7
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {24587B3C-E62A-4CE4-869D-849F9D3DF0E3}}	

	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	2		
	Required:	False		
	SourceField:	DatePulled		
	SourceTable:	dbo_DW_RunDates		
	TextAlign:	General		
	UnicodeCompression:	False		
FY			Long Integer	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	DisplayControl:	Text Box		
	GUID:	{guid {0C838CE8-672E-437D-9455-B86FC8B1C839}}		
	OrdinalPosition:	3		
	Required:	False		
	SourceField:	FY		
	SourceTable:	dbo_DW_RunDates		
	TextAlign:	General		
Qtr			Byte	1
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	DisplayControl:	Text Box		
	GUID:	{guid {E82A161B-AAC2-4E1D-A67C-9C433CE20397}}		
	OrdinalPosition:	4		
	Required:	False		
	SourceField:	Qtr		
	SourceTable:	dbo_DW_RunDates		
	TextAlign:	General		
FYQtr			Short Text	6
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		

ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {CAD2C419-4509-4193-B524-1EDF700399A2}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 5  
 Required: False  
 SourceField: FYQrtr  
 SourceTable: dbo\_DW\_RunDates  
 TextAlign: General  
 UnicodeCompression: False

ComplPerBeginDate Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 GUID: {guid {7DE5640A-74BE-4B92-A35E-C81A42938A66}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 6  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: ComplPerBeginDate  
 SourceTable: dbo\_DW\_RunDates  
 TextAlign: General

ComplPerEndDate Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 GUID: {guid {B6804947-091D-47C0-BB5C-4D31735D12BD}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 7  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: ComplPerEndDate  
 SourceTable: dbo\_DW\_RunDates  
 TextAlign: General

EnfComplPerEndDateGE Date With Time 8

AggregateType: -1



AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 GUID: {guid {1A5A32EB-0886-4889-90A4-CC218987E4A3}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 8  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: EnfComplPerEndDateGE  
 SourceTable: dbo\_DW\_RunDates  
 TextAlign: General

EfactsComplPerEndDateGE Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 GUID: {guid {8CACD987-AB92-463B-B720-C0014485B044}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 9  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: EfactsComplPerEndDateGE  
 SourceTable: dbo\_DW\_RunDates  
 TextAlign: General

**Table Indexes**

Name	Number of Fields
__uniqueindex	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	__uniqueindex
Primary:	True
Required:	True
Unique:	True
Fields:	
DateOfLastODSPull	Ascending

**User Permissions**

admin	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
-------	--

**Group Permissions**

Admins	
Users	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

Attributes:	Linked ODBC	Connect:	ODBC;DSN=Latest Quarter;Description=Drinking Water Data Warehouse - Latest Quarter;APP=2007 Microsoft Office system;DATABASE=LatestQuarter
DateCreated:	6/27/2011 10:41:40 AM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {57064ACD-EC95-48CD-88A4-AD815FDBA826}}	HideNewField:	False
LastUpdated:	6/27/2011 1:36:41 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	dbo.EnforcementAssignmentCriteria	TotalsRow:	False
Updatable:	False		

**Columns**

Name	Type	Size
PWSID	Short Text	9
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	True	
SourceField:	PWSID	
SourceTable:	dbo_EnforcementAssignmentCriteria	
TextAlign:	General	
UnicodeCompression:	False	
EnfID	Short Text	20
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	

IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 2  
 Required: True  
 SourceField: EnfID  
 SourceTable: dbo\_EnforcementAssignmentCriteria  
 TextAlign: General  
 UnicodeCompression: False

EACIdentifier Decimal 16

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: 9  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 OrdinalPosition: 3  
 Required: True  
 SourceField: EACIdentifier  
 SourceTable: dbo\_EnforcementAssignmentCriteria  
 TextAlign: General

RuleCode Short Text 4

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 4  
 Required: False  
 SourceField: RuleCode  
 SourceTable: dbo\_EnforcementAssignmentCriteria  
 TextAlign: General  
 UnicodeCompression: False

LinkBeginDate Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default

ColumnWidth: Default  
 DataUpdatable: False  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 5  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: LinkBeginDate  
 SourceTable: dbo\_EnforcementAssignmentCriteria  
 TextAlign: General

LinkExpirationDate Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 6  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: LinkExpirationDate  
 SourceTable: dbo\_EnforcementAssignmentCriteria  
 TextAlign: General

VCode Short Text 2

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 7  
 Required: False  
 SourceField: VCode  
 SourceTable: dbo\_EnforcementAssignmentCriteria  
 TextAlign: General  
 UnicodeCompression: False

CCode Short Text 4

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length

CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 8  
 Required: False  
 SourceField: CCode  
 SourceTable: dbo\_EnforcementAssignmentCriteria  
 TextAlign: General  
 UnicodeCompression: False

AssociatedViolationID Short Text 20

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 9  
 Required: False  
 SourceField: AssociatedViolationID  
 SourceTable: dbo\_EnforcementAssignmentCriteria  
 TextAlign: General  
 UnicodeCompression: False

LinkTypeCode Short Text 5

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 10  
 Required: False  
 SourceField: LinkTypeCode  
 SourceTable: dbo\_EnforcementAssignmentCriteria  
 TextAlign: General  
 UnicodeCompression: False

ValidityIndicator		Short Text	1
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	11		
Required:	False		
SourceField:	ValidityIndicator		
SourceTable:	dbo_EnforcementAssignmentCriteria		
TextAlign:	General		
UnicodeCompression:	False		
LastReportedDate		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	12		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	LastReportedDate		
SourceTable:	dbo_EnforcementAssignmentCriteria		
TextAlign:	General		
UserID		Short Text	20
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	13		
Required:	False		
SourceField:	UserID		

SourceTable:                dbo\_EnforcementAssignmentCriteria  
 TextAlign:                 General  
 UnicodeCompression:       False

**Table Indexes**

Name	Number of Fields
PK_EnforcementAssignmentCriteria	3
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	PK_EnforcementAssignmentCriteria
Primary:	True
Required:	True
Unique:	True
Fields:	
PWSID	Ascending
EnfID	Ascending
EACIdentifier	Ascending

**User Permissions**

admin                       Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Group Permissions**

Admins  
 Users                       Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data



**Properties**

Attributes:	Linked ODBC	Connect:	ODBC;DSN=Latest Quarter;Description=Drinking Water Data Warehouse - Latest Quarter;APP=2007 Microsoft Office system;DATABASE=LatestQuarter
DateCreated:	6/27/2011 10:41:50 AM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {2E4DC1E9-B682-4CF0-8B49-833747E97846}}	HideNewField:	False
LastUpdated:	6/27/2011 1:37:21 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	dbo.EventScheduleActivity	TotalsRow:	False
Updatable:	False		

**Columns**

Name	Type	Size
PWSID	Short Text	9
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	True	
SourceField:	PWSID	
SourceTable:	dbo_EventScheduleActivity	
TextAlign:	General	
UnicodeCompression:	False	
EventScheduleID	Short Text	20
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	

IMESentenceMode: 3  
OrdinalPosition: 2  
Required: True  
SourceField: EventScheduleID  
SourceTable: dbo\_EventScheduleActivity  
TextAlign: General  
UnicodeCompression: False

EventActivity Short Text 4

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 3  
Required: False  
SourceField: EventActivity  
SourceTable: dbo\_EventScheduleActivity  
TextAlign: General  
UnicodeCompression: False

EventEndDate Date With Time 8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Fixed Size  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 4  
Required: False  
ShowDatePicker: For dates  
SourceField: EventEndDate  
SourceTable: dbo\_EventScheduleActivity  
TextAlign: General

EventActualDate Date With Time 8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Fixed Size  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default

ColumnWidth: Default  
 DataUpdatable: False  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 5  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: EventActualDate  
 SourceTable: dbo\_EventScheduleActivity  
 TextAlign: General

EventReason Short Text 4

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 6  
 Required: False  
 SourceField: EventReason  
 SourceTable: dbo\_EventScheduleActivity  
 TextAlign: General  
 UnicodeCompression: False

EventComments Long Text -

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 7  
 Required: False  
 SourceField: EventComments  
 SourceTable: dbo\_EventScheduleActivity  
 TextAlign: General  
 TextFormat: Plain Text  
 UnicodeCompression: False

ValidityIndicator Short Text 1

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False

Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 8  
Required: False  
SourceField: ValidityIndicator  
SourceTable: dbo\_EventScheduleActivity  
TextAlign: General  
UnicodeCompression: False

FirstReportedDate Date With Time 8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Fixed Size  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 9  
Required: False  
ShowDatePicker: For dates  
SourceField: FirstReportedDate  
SourceTable: dbo\_EventScheduleActivity  
TextAlign: General

LastReportedDate Date With Time 8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Fixed Size  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 10  
Required: False  
ShowDatePicker: For dates  
SourceField: LastReportedDate  
SourceTable: dbo\_EventScheduleActivity  
TextAlign: General

**Table Indexes**

<u>Name</u>	<u>Number of Fields</u>
PK_EventScheduleActivity	2
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	PK_EventScheduleActivity
Primary:	True
Required:	True
Unique:	True
Fields:	
PWSID	Ascending
EventScheduleID	Ascending

**User Permissions**

admin                      Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Group Permissions**

Admins  
Users                      Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

Attributes:	Linked ODBC	Connect:	ODBC;DSN=Latest Quarter;Description=Drinking Water Data Warehouse - Latest Quarter;APP=2007 Microsoft Office system;DATABASE=LatestQuarter
DateCreated:	6/27/2011 10:41:51 AM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {9009CFA8-C9E9-428C-A667-4B5386762D33}}	HideNewField:	False
LastUpdated:	6/27/2011 1:37:49 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	dbo.FacilityFlow	TotalsRow:	False
Updatable:	False		

**Columns**

Name	Type	Size
PWSID	Short Text	9
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	True	
SourceField:	PWSID	
SourceTable:	dbo_FacilityFlow	
TextAlign:	General	
UnicodeCompression:	False	
FacIDFrom	Short Text	12
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	

	IMESentenceMode:	3		
	OrdinalPosition:	2		
	Required:	True		
	SourceField:	FacIDFrom		
	SourceTable:	dbo_FacilityFlow		
	TextAlign:	General		
	UnicodeCompression:	False		
FacIDTo			Short Text	12
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	3		
	Required:	True		
	SourceField:	FacIDTo		
	SourceTable:	dbo_FacilityFlow		
	TextAlign:	General		
	UnicodeCompression:	False		
ValidityIndicator			Short Text	1
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	4		
	Required:	False		
	SourceField:	ValidityIndicator		
	SourceTable:	dbo_FacilityFlow		
	TextAlign:	General		
	UnicodeCompression:	False		
FirstReportedDate			Date With Time	8
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		

ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 5  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: FirstReportedDate  
 SourceTable: dbo\_FacilityFlow  
 TextAlign: General

LastReportedDate Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 6  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: LastReportedDate  
 SourceTable: dbo\_FacilityFlow  
 TextAlign: General

**Table Indexes**

Name	Number of Fields
PK_FacilityFlow	3
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	PK_FacilityFlow
Primary:	True
Required:	True
Unique:	True
Fields:	
PWSID	Ascending
FacIDFrom	Ascending
FacIDTo	Ascending

**User Permissions**

admin Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data



**Group Permissions**

Admins

Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,  
Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

Attributes:	Linked ODBC	Connect:	ODBC;DSN=Latest Quarter;Description=Drinking Water Data Warehouse - Latest Quarter;APP=2007 Microsoft Office system;DATABASE=LatestQuarter
DateCreated:	6/27/2011 10:41:51 AM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {D44F7067-9803-4A8F-BDC3-7EDA6574E4F8}}	HideNewField:	False
LastUpdated:	6/27/2011 1:39:59 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	dbo.FACT_Violation	TotalsRow:	False
Updatable:	False		

**Columns**

Name	Type	Size
PWSID	Short Text	9
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	True	
SourceField:	PWSID	
SourceTable:	dbo_FACT_Violation	
TextAlign:	General	
UnicodeCompression:	False	
VioID	Short Text	20
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	

IMESentenceMode: 3  
OrdinalPosition: 2  
Required: True  
SourceField: VioID  
SourceTable: dbo\_FACT\_Violation  
TextAlign: General  
UnicodeCompression: False

DataOriginCode Short Text 1

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 3  
Required: False  
SourceField: DataOriginCode  
SourceTable: dbo\_FACT\_Violation  
TextAlign: General  
UnicodeCompression: False

FacID Short Text 12

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 4  
Required: False  
SourceField: FacID  
SourceTable: dbo\_FACT\_Violation  
TextAlign: General  
UnicodeCompression: False

CCode Short Text 4

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False

	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	5		
	Required:	False		
	SourceField:	CCode		
	SourceTable:	dbo_FACT_Violation		
	TextAlign:	General		
	UnicodeCompression:	False		
VCode			Long Integer	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	DisplayControl:	Text Box		
	OrdinalPosition:	6		
	Required:	False		
	SourceField:	VCode		
	SourceTable:	dbo_FACT_Violation		
	TextAlign:	General		
CType_id			Integer	2
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	DisplayControl:	Text Box		
	OrdinalPosition:	7		
	Required:	False		
	SourceField:	CType_id		
	SourceTable:	dbo_FACT_Violation		
	TextAlign:	General		
ViolMeasure			Decimal	16
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	15		

ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 OrdinalPosition: 8  
 Required: False  
 SourceField: ViolMeasure  
 SourceTable: dbo\_FACT\_Violation  
 TextAlign: General

StateMCL Decimal 16

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: 15  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 OrdinalPosition: 9  
 Required: False  
 SourceField: StateMCL  
 SourceTable: dbo\_FACT\_Violation  
 TextAlign: General

MajorViolInd Short Text 1

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 10  
 Required: False  
 SourceField: MajorViolInd  
 SourceTable: dbo\_FACT\_Violation  
 TextAlign: General  
 UnicodeCompression: False

ComplPerBeginDate Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size

CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 11  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: ComplPerBeginDate  
 SourceTable: dbo\_FACT\_Violation  
 TextAlign: General

ComplPerEndDate Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 12  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: ComplPerEndDate  
 SourceTable: dbo\_FACT\_Violation  
 TextAlign: General

GenComplPerEndDateInd Short Text 1

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 13  
 Required: False  
 SourceField: GenComplPerEndDateInd  
 SourceTable: dbo\_FACT\_Violation  
 TextAlign: General  
 UnicodeCompression: False

SeverityIndicatorCount Integer 2

AggregateType: -1

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 OrdinalPosition: 14  
 Required: False  
 SourceField: SeverityIndicatorCount  
 SourceTable: dbo\_FACT\_Violation  
 TextAlign: General

InEfacts Short Text 1

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 15  
 Required: False  
 SourceField: InEfacts  
 SourceTable: dbo\_FACT\_Violation  
 TextAlign: General  
 UnicodeCompression: False

RetPopSrvd Long Integer 4

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 OrdinalPosition: 16  
 Required: False  
 SourceField: RetPopSrvd  
 SourceTable: dbo\_FACT\_Violation  
 TextAlign: General

FirstReportedDate Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 17  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: FirstReportedDate  
 SourceTable: dbo\_FACT\_Violation  
 TextAlign: General

LastReportedDate Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 18  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: LastReportedDate  
 SourceTable: dbo\_FACT\_Violation  
 TextAlign: General

UnitOfMeasure Short Text 9

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 19  
 Required: False  
 SourceField: UnitOfMeasure  
 SourceTable: dbo\_FACT\_Violation  
 TextAlign: General



UnicodeCompression: False

**Table Indexes**

<u>Name</u>	<u>Number of Fields</u>
PK_FACT_Violation	2
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	PK_FACT_Violation
Primary:	True
Required:	True
Unique:	True
Fields:	
PWSID	Ascending
VioID	Ascending

**User Permissions**

admin Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Group Permissions**

Admins  
Users Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

Attributes:	Linked ODBC	Connect:	ODBC;DSN=Latest Quarter;Description=Drinking Water Data Warehouse - Latest Quarter;APP=2007 Microsoft Office system;DATABASE=LatestQuarter
DateCreated:	6/27/2011 10:41:52 AM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {32AF0BD2-C4EA-40BE-B6BA-2E95F66DFAF6}}	HideNewField:	False
LastUpdated:	5/15/2012 4:58:33 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	dbo.GeographicArea	TotalsRow:	False
Updatable:	False		

**Columns**

Name	Type	Size
PWSID	Short Text	9
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {83AE7FA7-003E-477E-B136-C4428F372AB7}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	True	
SourceField:	PWSID	
SourceTable:	dbo_GeographicArea	
TextAlign:	General	
UnicodeCompression:	False	
TypeCode	Short Text	2
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	

GUID: {guid {58CBE5CB-DDB1-49D8-B186-E8651EECD977}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 2  
 Required: False  
 SourceField: TypeCode  
 SourceTable: dbo\_GeographicArea  
 TextAlign: General  
 UnicodeCompression: False

StateServed Short Text 2

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {CF2B820F-A45F-4C5D-BC58-E2B297FD2DA8}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 3  
 Required: False  
 SourceField: StateServed  
 SourceTable: dbo\_GeographicArea  
 TextAlign: General  
 UnicodeCompression: False

CityServed Short Text 40

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {2A4B6BF3-5FC4-489F-950B-2BDE8193E323}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 4  
 Required: False  
 SourceField: CityServed  
 SourceTable: dbo\_GeographicArea  
 TextAlign: General  
 UnicodeCompression: False

CountyServed Short Text 40

AggregateType: -1  
 AllowZeroLength: True

AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {E51AC276-15A1-441F-9B84-2E1458100E7C}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 5  
Required: False  
SourceField: CountyServed  
SourceTable: dbo\_GeographicArea  
TextAlign: General  
UnicodeCompression: False

FIPSCounty Short Text 5

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {F562DD11-D4CA-4BD6-876D-F8963849876D}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 6  
Required: False  
SourceField: FIPSCounty  
SourceTable: dbo\_GeographicArea  
TextAlign: General  
UnicodeCompression: False

FIPSTribal Short Text 5

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {F9040952-E76F-45C2-9FC4-32F0E04481E9}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 7  
Required: False

SourceField:	FIPSTribal		
SourceTable:	dbo_GeographicArea		
TextAlign:	General		
UnicodeCompression:	False		
ZipServed		Short Text	5
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {2C0D8726-684F-48F4-97A9-FEDBC120CEB0}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	8		
Required:	False		
SourceField:	ZipServed		
SourceTable:	dbo_GeographicArea		
TextAlign:	General		
UnicodeCompression:	False		
ValidityIndicator		Short Text	1
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {9AA06D4B-B0DC-4296-B449-46DC18173C8C}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	9		
Required:	False		
SourceField:	ValidityIndicator		
SourceTable:	dbo_GeographicArea		
TextAlign:	General		
UnicodeCompression:	False		
LastReportedDate		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		

ColumnWidth:	Default
DataUpdatable:	False
GUID:	{guid {17904B00-8B79-4AFD-94F8-40F415765D38}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	10
Required:	False
ShowDatePicker:	For dates
SourceField:	LastReportedDate
SourceTable:	dbo_GeographicArea
TextAlign:	General

**Table Indexes**

Name	Number of Fields
__uniqueindex	2
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	__uniqueindex
Primary:	True
Required:	True
Unique:	True
Fields:	
PWSID	Ascending
TypeCode	Ascending

**User Permissions**

admin	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
-------	--

**Group Permissions**

Admins	
Users	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

Attributes:	Linked ODBC	Connect:	ODBC;DSN=Latest Quarter;Description=Drinking Water Data Warehouse - Latest Quarter;APP=2007 Microsoft Office system;DATABASE=LatestQuarter
DateCreated:	6/27/2011 10:43:06 AM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {1D739277-42AF-49BB-9F6C-7196ED2D2316}}	HideNewField:	False
LastUpdated:	6/27/2011 2:46:28 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	dbo.sdwis_AC_codes	TotalsRow:	False
Updatable:	False		

**Columns**

Name	Type	Size
rule_code	Short Text	10
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	True	
SourceField:	rule_code	
SourceTable:	dbo_sdwis_AC_codes	
TextAlign:	General	
UnicodeCompression:	False	
rule_name	Short Text	50
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	

	IMESentenceMode:	3		
	OrdinalPosition:	2		
	Required:	False		
	SourceField:	rule_name		
	SourceTable:	dbo_sdwis_AC_codes		
	TextAlign:	General		
	UnicodeCompression:	False		
cate			Short Text	10
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	3		
	Required:	False		
	SourceField:	cate		
	SourceTable:	dbo_sdwis_AC_codes		
	TextAlign:	General		
	UnicodeCompression:	False		
ind			Long Integer	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	DisplayControl:	Text Box		
	OrdinalPosition:	4		
	Required:	False		
	SourceField:	ind		
	SourceTable:	dbo_sdwis_AC_codes		
	TextAlign:	General		

**Table Indexes**

Name	Number of Fields
__uniqueindex	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	__uniqueindex



---

Primary:	True
Required:	True
Unique:	True
Fields:	
rule_code	Ascending

**User Permissions**

admin	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
-------	--

**Group Permissions**

Admins	
Users	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

Attributes:	Linked ODBC	Connect:	ODBC;DSN=Latest Quarter;Description=DWD;AP P=2007 Microsoft Office system;DATABASE=LatestQua rter
DateCreated:	8/30/2012 2:02:46 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {26147CDF-5481-4011- BAF8-4193A58AAF67}}	HideNewField:	False
LastUpdated:	8/30/2012 3:09:38 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	dbo.view_enforcementaction	TotalsRow:	False
Updatable:	False		

**Columns**

Name	Type	Size
PWSID	Short Text	9
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	True	
SourceField:	PWSID	
SourceTable:	dbo_view_enforcementaction	
TextAlign:	General	
UnicodeCompression:	False	
EnfID	Short Text	20
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	2	

Required: False  
SourceField: EnfID  
SourceTable: dbo\_view\_enforcementaction  
TextAlign: General  
UnicodeCompression: False

EnfDate Date With Time 8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Fixed Size  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 3  
Required: False  
ShowDatePicker: For dates  
SourceField: EnfDate  
SourceTable: dbo\_view\_enforcementaction  
TextAlign: General

EnfActionType Short Text 3

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 4  
Required: False  
SourceField: EnfActionType  
SourceTable: dbo\_view\_enforcementaction  
TextAlign: General  
UnicodeCompression: False

**User Permissions**

admin

**Group Permissions**

Admins

Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,  
Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

Attributes:	Linked ODBC	Connect:	ODBC;DSN=Latest Quarter;Description=Drinking Water Data Warehouse - Latest Quarter;APP=2007 Microsoft Office system;DATABASE=LatestQuarter
DateCreated:	6/27/2011 10:44:24 AM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {45749549-18E5-4811-A635-9F70BF6CB430}}	HideNewField:	False
LastUpdated:	6/27/2011 3:16:49 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	dbo.Violation	TotalsRow:	False
Updatable:	False		

**Columns**

Name	Type	Size
PWSID	Short Text	9
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	True	
SourceField:	PWSID	
SourceTable:	dbo_Violation	
TextAlign:	General	
UnicodeCompression:	False	
VioID	Short Text	20
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	

IMESentenceMode: 3  
 OrdinalPosition: 2  
 Required: True  
 SourceField: VioID  
 SourceTable: dbo\_Violation  
 TextAlign: General  
 UnicodeCompression: False

DataOriginCode Short Text 1

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 3  
 Required: False  
 SourceField: DataOriginCode  
 SourceTable: dbo\_Violation  
 TextAlign: General  
 UnicodeCompression: False

FacID Short Text 12

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 4  
 Required: False  
 SourceField: FacID  
 SourceTable: dbo\_Violation  
 TextAlign: General  
 UnicodeCompression: False

CCode Short Text 4

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False

	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	5		
	Required:	False		
	SourceField:	CCode		
	SourceTable:	dbo_Violation		
	TextAlign:	General		
	UnicodeCompression:	False		
VCode			Long Integer	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	DisplayControl:	Text Box		
	OrdinalPosition:	6		
	Required:	False		
	SourceField:	VCode		
	SourceTable:	dbo_Violation		
	TextAlign:	General		
ViolMeasure			Decimal	16
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	15		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	DisplayControl:	Text Box		
	OrdinalPosition:	7		
	Required:	False		
	SourceField:	ViolMeasure		
	SourceTable:	dbo_Violation		
	TextAlign:	General		
StateMcl			Decimal	16
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	15		

ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 OrdinalPosition: 8  
 Required: False  
 SourceField: StateMcl  
 SourceTable: dbo\_Violation  
 TextAlign: General

MajorViolInd Short Text 1

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 9  
 Required: False  
 SourceField: MajorViolInd  
 SourceTable: dbo\_Violation  
 TextAlign: General  
 UnicodeCompression: False

ComplPerBeginDate Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 10  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: ComplPerBeginDate  
 SourceTable: dbo\_Violation  
 TextAlign: General

ComplPerEndDate Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False



Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 11  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: ComplPerEndDate  
 SourceTable: dbo\_Violation  
 TextAlign: General

GenComplPerEndDateInd Short Text 1

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 12  
 Required: False  
 SourceField: GenComplPerEndDateInd  
 SourceTable: dbo\_Violation  
 TextAlign: General  
 UnicodeCompression: False

ValidityIndicator Short Text 1

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 13  
 Required: False  
 SourceField: ValidityIndicator  
 SourceTable: dbo\_Violation  
 TextAlign: General  
 UnicodeCompression: False

SeverityIndicatorCount		Integer	2
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
OrdinalPosition:	14		
Required:	False		
SourceField:	SeverityIndicatorCount		
SourceTable:	dbo_Violation		
TextAlign:	General		
FirstReportedDate		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	15		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	FirstReportedDate		
SourceTable:	dbo_Violation		
TextAlign:	General		
LastReportedDate		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	16		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	LastReportedDate		
SourceTable:	dbo_Violation		
TextAlign:	General		

UserID AggregateType: -1 AllowZeroLength: True AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False DisplayControl: Text Box IMEMode: 0 IMESentenceMode: 3 OrdinalPosition: 17 Required: False SourceField: UserID SourceTable: dbo_Violation TextAlign: General UnicodeCompression: False	Short Text 20
UnitOfMeasure AggregateType: -1 AllowZeroLength: True AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False DisplayControl: Text Box IMEMode: 0 IMESentenceMode: 3 OrdinalPosition: 18 Required: False SourceField: UnitOfMeasure SourceTable: dbo_Violation TextAlign: General UnicodeCompression: False	Short Text 9

**Table Indexes**

Name	Number of Fields
PK_Violation	2
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	PK_Violation
Primary:	True
Required:	True
Unique:	True

---

Fields:	
PWSID	Ascending
VioID	Ascending

**User Permissions**

admin	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
-------	--

**Group Permissions**

Admins	
Users	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

Attributes:	Linked ODBC	Connect:	ODBC;DSN=Latest Quarter;Description=Drinking Water Data Warehouse - Latest Quarter;APP=2007 Microsoft Office system;DATABASE=LatestQuarter
DateCreated:	6/27/2011 10:44:24 AM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {312C6007-2835-4A7B-B701-403A8BF03CB4}}	HideNewField:	False
LastUpdated:	6/27/2011 3:17:12 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	dbo.ViolationEnforcementAssignment	TotalsRow:	False
Updatable:	False		

**Columns**

Name	Type	Size
PWSID	Short Text	9
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	True	
SourceField:	PWSID	
SourceTable:	dbo_ViolationEnforcementAssignment	
TextAlign:	General	
UnicodeCompression:	False	
VioID	Short Text	20
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	

	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	2		
	Required:	True		
	SourceField:	VioID		
	SourceTable:	dbo_ViolationEnforcementAssignment		
	TextAlign:	General		
	UnicodeCompression:	False		
EnfID			Short Text	20
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	3		
	Required:	True		
	SourceField:	EnfID		
	SourceTable:	dbo_ViolationEnforcementAssignment		
	TextAlign:	General		
	UnicodeCompression:	False		
CreateDate			Date With Time	8
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	4		
	Required:	True		
	ShowDatePicker:	For dates		
	SourceField:	CreateDate		
	SourceTable:	dbo_ViolationEnforcementAssignment		
	TextAlign:	General		

**Table Indexes**

<u>Name</u>	<u>Number of Fields</u>
PK_ViolationEnforcementAssignment	3
Clustered:	False
DistinctCount:	0
Foreign:	False

---

IgnoreNulls:	False
Name:	PK_ViolationEnforcementAssignment
Primary:	True
Required:	True
Unique:	True
Fields:	
PWSID	Ascending
VioID	Ascending
EnfID	Ascending

**User Permissions**

admin Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Group Permissions**

Admins  
Users Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

Attributes:	Linked ODBC	Connect:	ODBC;DSN=Latest Quarter;Description=Drinking Water Data Warehouse - Latest Quarter;APP=2007 Microsoft Office system;DATABASE=LatestQuarter
DateCreated:	6/27/2011 10:44:48 AM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {17B615CA-AA3B-48E0-8E79-30F197B7878B}}	HideNewField:	False
LastUpdated:	6/27/2011 3:17:33 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	dbo.WaterSystem	TotalsRow:	False
Updatable:	False		

**Columns**

Name	Type	Size
PWSID	Short Text	9
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {764A718D-34A1-4168-B471-A36DA1189928}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	True	
SourceField:	PWSID	
SourceTable:	dbo_WaterSystem	
TextAlign:	General	
UnicodeCompression:	False	
PWSName	Short Text	80
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	



GUID: {guid {1536B056-98C1-4BF2-9611-4F539144E4AB}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 2  
 Required: False  
 SourceField: PWSName  
 SourceTable: dbo\_WaterSystem  
 TextAlign: General  
 UnicodeCompression: False

PWSTypeCode Short Text 50

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {7AB680BF-B1C2-45E8-A0C5-3179DA0C6592}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 3  
 Required: False  
 SourceField: PWSTypeCode  
 SourceTable: dbo\_WaterSystem  
 TextAlign: General  
 UnicodeCompression: False

PWSActivityCode Short Text 1

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {42D67F9D-0902-4461-8070-20F856C6B8C1}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 4  
 Required: False  
 SourceField: PWSActivityCode  
 SourceTable: dbo\_WaterSystem  
 TextAlign: General  
 UnicodeCompression: False

PWSDeactivationDate Date With Time 8

AggregateType: -1  
 AllowZeroLength: False

AppendOnly: False  
Attributes: Fixed Size  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
GUID: {guid {839888E6-1B27-4CEE-830A-B4EDA65222BC}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 5  
Required: False  
ShowDatePicker: For dates  
SourceField: PWSDeactivationDate  
SourceTable: dbo\_WaterSystem  
TextAlign: General

SubmissionStatusCode Short Text 1

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {0FB8158A-D7D0-40D9-8AA1-B886016C2B21}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 6  
Required: False  
SourceField: SubmissionStatusCode  
SourceTable: dbo\_WaterSystem  
TextAlign: General  
UnicodeCompression: False

WholesalerInd Short Text 1

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {6B5BDB54-2A11-4547-A445-10A1D87D397E}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 7  
Required: False  
SourceField: WholesalerInd

SourceTable:	dbo_WaterSystem		
TextAlign:	General		
UnicodeCompression:	False		
OwnerCode		Short Text	1
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {31970E8C-A1CE-4416-B462-725D481E16F0}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	8		
Required:	False		
SourceField:	OwnerCode		
SourceTable:	dbo_WaterSystem		
TextAlign:	General		
UnicodeCompression:	False		
RetPopSrvd		Short Text	38
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {E6D67225-4546-48A9-A159-219865335CF8}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	9		
Required:	False		
SourceField:	RetPopSrvd		
SourceTable:	dbo_WaterSystem		
TextAlign:	General		
UnicodeCompression:	False		
PSource		Short Text	3
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		

DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {6AD167F2-C7E8-4269-A21C-9F305FEB347D}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 10  
 Required: False  
 SourceField: PSource  
 SourceTable: dbo\_WaterSystem  
 TextAlign: General  
 UnicodeCompression: False

PWSSvcConn Short Text 38

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {DB979783-C78E-4F92-A84D-19C508B08313}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 11  
 Required: False  
 SourceField: PWSSvcConn  
 SourceTable: dbo\_WaterSystem  
 TextAlign: General  
 UnicodeCompression: False

SeasonBeginMonDay Short Text 5

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {8339794D-62CA-4B56-8B5D-64B4CDD1D04A}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 12  
 Required: False  
 SourceField: SeasonBeginMonDay  
 SourceTable: dbo\_WaterSystem  
 TextAlign: General  
 UnicodeCompression: False

SeasonEndMonDay Short Text 5

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {3845B1EF-E2CC-47EA-A22F-AC26069C45D3}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 13  
 Required: False  
 SourceField: SeasonEndMonDay  
 SourceTable: dbo\_WaterSystem  
 TextAlign: General  
 UnicodeCompression: False

ValidityIndicator Short Text 1

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {AB37FEE2-99E8-4FC3-BDC7-6961DD7A59A4}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 14  
 Required: False  
 SourceField: ValidityIndicator  
 SourceTable: dbo\_WaterSystem  
 TextAlign: General  
 UnicodeCompression: False

FirstReportedDate Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 GUID: {guid {C61EC24A-7E4D-41A8-A496-458113D5DF68}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 15

Required: False  
ShowDatePicker: For dates  
SourceField: FirstReportedDate  
SourceTable: dbo\_WaterSystem  
TextAlign: General

LastReportedDate Date With Time 8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Fixed Size  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
GUID: {guid {2EB1A407-DFB5-4C9E-ACF9-0B978F31684B}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 16  
Required: False  
ShowDatePicker: For dates  
SourceField: LastReportedDate  
SourceTable: dbo\_WaterSystem  
TextAlign: General

PWSSourceWaterProtectionCode Short Text 1

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {6D555199-5BFB-4A01-8843-CC970661479A}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 17  
Required: False  
SourceField: PWSSourceWaterProtectionCode  
SourceTable: dbo\_WaterSystem  
TextAlign: General  
UnicodeCompression: False

PWSSourceWaterProtectionDate Date With Time 8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Fixed Size  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default

ColumnWidth:	Default
DataUpdatable:	False
GUID:	{guid {8CA6CCB9-15CF-4A2B-878F-F492B56DF0D6}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	18
Required:	False
ShowDatePicker:	For dates
SourceField:	PWSSourceWaterProtectionDate
SourceTable:	dbo_WaterSystem
TextAlign:	General

**Table Indexes**

Name	Number of Fields
PK_WaterSystem	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	PK_WaterSystem
Primary:	True
Required:	True
Unique:	True
Fields:	
PWSID	Ascending

**User Permissions**

admin	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
-------	--

**Group Permissions**

Admins	
Users	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

Attributes:	Linked ODBC	Connect:	ODBC;DSN=Latest Quarter;Description=Drinking Water Data Warehouse - Latest Quarter;APP=2007 Microsoft Office system;DATABASE=LatestQuarter
DateCreated:	6/27/2011 10:44:49 AM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {4F1DCC4E-A649-46A3-909D-35EF3C999092}}	HideNewField:	False
LastUpdated:	6/27/2011 10:44:51 AM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	dbo.WaterSystemFacility	TotalsRow:	False
Updatable:	False		

**Columns**

Name	Type	Size
PWSID	Short Text	9
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	True	
SourceField:	PWSID	
SourceTable:	dbo_WaterSystemFacility	
TextAlign:	General	
UnicodeCompression:	False	
FacID	Short Text	12
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	



IMESentenceMode: 3  
OrdinalPosition: 2  
Required: True  
SourceField: FacID  
SourceTable: dbo\_WaterSystemFacility  
TextAlign: General  
UnicodeCompression: False

FacName Short Text 80

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 3  
Required: False  
SourceField: FacName  
SourceTable: dbo\_WaterSystemFacility  
TextAlign: General  
UnicodeCompression: False

FacStateAsgnID Short Text 40

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 4  
Required: False  
SourceField: FacStateAsgnID  
SourceTable: dbo\_WaterSystemFacility  
TextAlign: General  
UnicodeCompression: False

FacActivityCode Short Text 1

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False

ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 5  
 Required: False  
 SourceField: FacActivityCode  
 SourceTable: dbo\_WaterSystemFacility  
 TextAlign: General  
 UnicodeCompression: False

FacDeactivationDate Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 6  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: FacDeactivationDate  
 SourceTable: dbo\_WaterSystemFacility  
 TextAlign: General

SubmissionStatusCode Short Text 1

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 7  
 Required: False  
 SourceField: SubmissionStatusCode  
 SourceTable: dbo\_WaterSystemFacility  
 TextAlign: General  
 UnicodeCompression: False

FacTypeCode Short Text 2

AggregateType: -1  
 AllowZeroLength: True

AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 8  
 Required: False  
 SourceField: FacTypeCode  
 SourceTable: dbo\_WaterSystemFacility  
 TextAlign: General  
 UnicodeCompression: False

FacType Short Text 40

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 9  
 Required: False  
 SourceField: FacType  
 SourceTable: dbo\_WaterSystemFacility  
 TextAlign: General  
 UnicodeCompression: False

FacWaterType Short Text 2

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 10  
 Required: False  
 SourceField: FacWaterType  
 SourceTable: dbo\_WaterSystemFacility  
 TextAlign: General

UnicodeCompression:	False		
AvailabilityCode		Short Text	1
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	11		
Required:	False		
SourceField:	AvailabilityCode		
SourceTable:	dbo_WaterSystemFacility		
TextAlign:	General		
UnicodeCompression:	False		
Availability		Short Text	24
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	12		
Required:	False		
SourceField:	Availability		
SourceTable:	dbo_WaterSystemFacility		
TextAlign:	General		
UnicodeCompression:	False		
SellerPWSID		Short Text	9
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		

OrdinalPosition: 13  
Required: False  
SourceField: SellerPWSID  
SourceTable: dbo\_WaterSystemFacility  
TextAlign: General  
UnicodeCompression: False

SellerTrtCode Short Text 1

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 14  
Required: False  
SourceField: SellerTrtCode  
SourceTable: dbo\_WaterSystemFacility  
TextAlign: General  
UnicodeCompression: False

SourceTrtInd Short Text 1

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 15  
Required: False  
SourceField: SourceTrtInd  
SourceTable: dbo\_WaterSystemFacility  
TextAlign: General  
UnicodeCompression: False

RptdFiltrationStatus Short Text 3

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default

ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 16  
 Required: False  
 SourceField: RptdFiltrationStatus  
 SourceTable: dbo\_WaterSystemFacility  
 TextAlign: General  
 UnicodeCompression: False

ValidityIndicator Short Text 1

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 17  
 Required: False  
 SourceField: ValidityIndicator  
 SourceTable: dbo\_WaterSystemFacility  
 TextAlign: General  
 UnicodeCompression: False

FirstReportedDate Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 18  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: FirstReportedDate  
 SourceTable: dbo\_WaterSystemFacility  
 TextAlign: General

LastReportedDate Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False

Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	19
Required:	False
ShowDatePicker:	For dates
SourceField:	LastReportedDate
SourceTable:	dbo_WaterSystemFacility
TextAlign:	General

**Table Indexes**

<u>Name</u>	<u>Number of Fields</u>
PK_WaterSystemFacility	2
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	PK_WaterSystemFacility
Primary:	True
Required:	True
Unique:	True
Fields:	
PWSID	Ascending
FacID	Ascending

**User Permissions**

admin	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
-------	--

**Group Permissions**

Admins	
Users	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

Attributes:	Linked	Connect:	;DATABASE=C:\USERS\KBANK S\DI NEX\APPLICATION\DiNex_be.mdb
DateCreated:	10/28/2014 11:09:02 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {029E9EE6-C9BF-417B-987A-F4370EDD5996}}	HideNewField:	False
LastUpdated:	10/28/2014 11:09:02 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	ETT	TotalsRow:	False
Updatable:	False		

**Columns**

Name	Type	Size
ETTrecordID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
GUID:	{guid {5469C2EF-04ED-46A1-87F8-E6A5B00CF777}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	ETTrecordID	
SourceTable:	ETT	
TextAlign:	General	
EPA Region	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
Format:	@	
GUID:	{guid {B543CE03-10B2-440B-A679-F2CCA19839CA}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	EPA Region	



	SourceTable:	ETT		
	TextAlign:	General		
	UnicodeCompression:	False		
PWSID			Short Text	255
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	Format:	@		
	GUID:	{guid {AC3319E9-1A54-46C6-8C79-5AC9E51F0C74}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	2		
	Required:	False		
	SourceField:	PWSID		
	SourceTable:	ETT		
	TextAlign:	General		
	UnicodeCompression:	False		
PWSName			Short Text	255
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	3090		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	Format:	@		
	GUID:	{guid {88DAE749-8BB1-49B3-AEFA-DA5D749CA46C}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	3		
	Required:	False		
	SourceField:	PWSName		
	SourceTable:	ETT		
	TextAlign:	General		
	UnicodeCompression:	False		
FACID			Long Integer	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		

ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 Description: internal DIME PWS identifier, lookup in table Facility Information  
 DisplayControl: Text Box  
 GUID: {guid {57C4067F-AADD-47CA-9251-F329BB51C8A1}}  
 OrdinalPosition: 4  
 Required: False  
 SourceField: FACID  
 SourceTable: ETT  
 TextAlign: General

ETT Double 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 Description: Sum(S) +n Formula  
 DisplayControl: Text Box  
 Format: General Number  
 GUID: {guid {3B812DD6-BAAD-4F86-ACAF-A42DC83885FD}}  
 OrdinalPosition: 5  
 Required: False  
 SourceField: ETT  
 SourceTable: ETT  
 TextAlign: General

AltETT Double 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 Format: General Number  
 GUID: {guid {33AB5EB7-508D-44D8-9850-18139C47892C}}  
 OrdinalPosition: 6  
 Required: False  
 SourceField: AltETT  
 SourceTable: ETT  
 TextAlign: General

NoSNCS5 Double 8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DecimalPlaces: Auto  
DisplayControl: Text Box  
Format: General Number  
GUID: {guid {C5FB201F-EE32-44AB-9BA4-AB2EA3ABCCF7}}  
OrdinalPosition: 7  
Required: False  
SourceField: NoSNCs5  
SourceTable: ETT  
TextAlign: General

Tier1

Short Text

255

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {690EBEE5-0C80-4440-8381-354AAE8AD303}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 8  
Required: False  
SourceField: Tier1  
SourceTable: ETT  
TextAlign: General  
UnicodeCompression: False

PWSClass

Short Text

255

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
Format: @  
GUID: {guid {BD9A6461-1C19-480D-8B92-EBF58E0208AF}}  
IMEMode: 0  
IMESentenceMode: 3

	OrdinalPosition:	9		
	Required:	False		
	SourceField:	PWSCClass		
	SourceTable:	ETT		
	TextAlign:	General		
	UnicodeCompression:	False		
POP			Double	8
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	DisplayControl:	Text Box		
	Format:	General Number		
	GUID:	{guid {27B4DE5F-ECA1-42E5-970C-44BE50993280}}		
	OrdinalPosition:	10		
	Required:	False		
	SourceField:	POP		
	SourceTable:	ETT		
	TextAlign:	General		
DateFirstOnList			Date With Time	8
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Format:	m/d/yyyy		
	GUID:	{guid {443CDB5E-652F-420F-848C-BAEBFED12FDB}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	11		
	Required:	False		
	ShowDatePicker:	For dates		
	SourceField:	DateFirstOnList		
	SourceTable:	ETT		
	TextAlign:	General		
RepeatVio			Double	8
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		

ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 Format: General Number  
 GUID: {guid {5E6B8D94-8742-474A-B97E-22070F783FA0}}  
 OrdinalPosition: 12  
 Required: False  
 SourceField: RepeatVio  
 SourceTable: ETT  
 TextAlign: General

RTCdPoints Double 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 Format: General Number  
 GUID: {guid {A288BF71-F7F0-45F9-9CE3-054744440834}}  
 OrdinalPosition: 13  
 Required: False  
 SourceField: RTCdPoints  
 SourceTable: ETT  
 TextAlign: General

OnPath Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 Format: @  
 GUID: {guid {49CEEA4A-5540-4C64-BCCD-CBDCD4DB006F}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 14  
 Required: False  
 SourceField: OnPath  
 SourceTable: ETT  
 TextAlign: General  
 UnicodeCompression: False

MonthETDate		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	like 8		
DisplayControl:	Text Box		
GUID:	{guid {9438639C-77A2-4E93-9050-F14F748C1A58}}		
OrdinalPosition:	15		
Required:	False		
SourceField:	MonthETDate		
SourceTable:	ETT		
TextAlign:	General		
YearETDate		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	like 2010		
DisplayControl:	Text Box		
GUID:	{guid {285C5D2B-E19F-4A1B-943A-2F2D4221F2BC}}		
OrdinalPosition:	16		
Required:	False		
SourceField:	YearETDate		
SourceTable:	ETT		
TextAlign:	General		
DateImported		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2295		
DataUpdatable:	False		
Description:	Date ETT spreadsheet was imported into DIME		
GUID:	{guid {F70C2A9C-5500-482C-BA7B-A6CE3C31E222}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	17		

Required: False  
 ShowDatePicker: For dates  
 SourceField: DateImported  
 SourceTable: ETT  
 TextAlign: General

ETTTDate Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Date of ETT as reported by EPA HQ  
 GUID: {guid {40E831C0-EE1E-489A-B623-385A958E7C44}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 18  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: ETTDate  
 SourceTable: ETT  
 TextAlign: General

Remove Yes/No 1

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: 106  
 Format: Yes/No  
 GUID: {guid {30B8E329-629C-4EFB-98EE-A2AC5B56CA1F}}  
 OrdinalPosition: 19  
 Required: False  
 SourceField: Remove  
 SourceTable: ETT  
 TextAlign: General

**Table Indexes**

Name	Number of Fields
ETTrecordID	1
Clustered:	False
DistinctCount:	237330
Foreign:	False
IgnoreNulls:	False
Name:	ETTrecordID

Primary:	False
Required:	False
Unique:	True
Fields:	
ETTrecordID	Ascending
PrimaryKey	3
Clustered:	False
DistinctCount:	237330
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
PWSID	Ascending
MonthETDate	Ascending
YearETDate	Ascending
PWSID	1
Clustered:	False
DistinctCount:	55097
Foreign:	False
IgnoreNulls:	False
Name:	PWSID
Primary:	False
Required:	False
Unique:	False
Fields:	
PWSID	Ascending

**User Permissions**

admin

**Group Permissions**

Admins

Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data



**Properties**

DateCreated:	9/7/2011 12:30:40 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {F2624AF6-8B72-4B8A-9B83-3D71259F01AC}}	HideNewField:	False
LastUpdated:	9/12/2011 6:59:59 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	6774
TotalsRow:	False	Updatable:	True

**Columns**

Name	Type	Size
ID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
GUID:	{guid {763525BE-CAE0-496E-AC20-401446A24A13}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	ID	
SourceTable:	ETTScoresbyPWSID	
TextAlign:	General	
PWSID	Short Text	9
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {5E06A4DB-4C8D-4BAA-9206-B36CC6E70672}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	0	
Required:	False	
SourceField:	PWSID	
SourceTable:	ETTScoresbyPWSID	
TextAlign:	General	
UnicodeCompression:	False	
ETTScore1	Long Integer	4

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Fixed Size  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DecimalPlaces: Auto  
Description: 1st latest  
DisplayControl: Text Box  
GUID: {guid {85DFA81E-8CB5-484E-942D-487146349B1C}}  
OrdinalPosition: 1  
Required: False  
SourceField: ETTScore1  
SourceTable: ETTScoresbyPWSID  
TextAlign: General

ETTDate1 Date With Time 8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Fixed Size  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
GUID: {guid {A17C19A8-ACA8-4D7A-8DB3-509220CF30A1}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 2  
Required: False  
ShowDatePicker: For dates  
SourceField: ETTDate1  
SourceTable: ETTScoresbyPWSID  
TextAlign: General

ETTScore2 Long Integer 4

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Fixed Size  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DecimalPlaces: Auto  
Description: 2nd latest  
DisplayControl: Text Box  
GUID: {guid {37DD7372-89F8-4A5E-99C8-921AAD15FA71}}  
OrdinalPosition: 3  
Required: False

SourceField:	ETTScore2		
SourceTable:	ETTScoresbyPWSID		
TextAlign:	General		
ETTTDate2		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
GUID:	{guid {66407025-4612-43E7-9AC0-732E5ECA993C}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	4		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	ETTTDate2		
SourceTable:	ETTScoresbyPWSID		
TextAlign:	General		
ETTScore3		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	3rd latest		
DisplayControl:	Text Box		
GUID:	{guid {1A6A0306-45DC-4E14-A5CF-46651F29CC5B}}		
OrdinalPosition:	5		
Required:	False		
SourceField:	ETTScore3		
SourceTable:	ETTScoresbyPWSID		
TextAlign:	General		
ETTTDate3		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
GUID:	{guid {3F96BCD8-1DF5-4954-A83F-A37FA9488D75}}		

IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 6  
Required: False  
ShowDatePicker: For dates  
SourceField: ETTDate3  
SourceTable: ETTScoresbyPWSID  
TextAlign: General

ETTScore4 Long Integer 4

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Fixed Size  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DecimalPlaces: Auto  
Description: 4th latest  
DisplayControl: Text Box  
GUID: {guid {6E929376-1802-464F-BA0E-D77342D5C6C8}}  
OrdinalPosition: 7  
Required: False  
SourceField: ETTScore4  
SourceTable: ETTScoresbyPWSID  
TextAlign: General

ETTTDate4 Date With Time 8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Fixed Size  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
GUID: {guid {EC2487F3-52D3-4E9E-8870-00547D41F78D}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 8  
Required: False  
ShowDatePicker: For dates  
SourceField: ETTDate4  
SourceTable: ETTScoresbyPWSID  
TextAlign: General

DateCreated Date With Time 8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Fixed Size  
CollatingOrder: General

ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Format:	Short Date
GUID:	{guid {0FA5FBDC-0589-40D3-83B0-332BCA562B7E}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	9
Required:	False
ShowDatePicker:	For dates
SourceField:	DateCreated
SourceTable:	ETTScoresbyPWSID
TextAlign:	General

**Table Indexes**

<u>Name</u>	<u>Number of Fields</u>
PrimaryKey	1
Clustered:	False
DistinctCount:	6774
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
PWSID	Ascending

**User Permissions**

admin

**Group Permissions**

Admins  
Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,  
Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

Attributes:	Linked	Connect:	;DATABASE=C:\USERS\KBANK S\DI NEX\APPLICATION\DiNex_be.mdb
DateCreated:	10/28/2014 11:09:02 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {D203341D-83AA-4416-B141-015A625652D0}}	HideNewField:	False
LastUpdated:	10/28/2014 11:09:02 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	FundingAllotments	TotalsRow:	False
Updatable:	False		

**Columns**

Name	Type	Size
AllocationID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal Allocation identifier	
GUID:	{guid {1B9F7894-E12F-4E3A-94A4-34D4577D9B1E}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	AllocationID	
SourceTable:	FundingAllotments	
TextAlign:	General	
Region	Short Text	2
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	region identifier, lookup in table lkpPrimacyAgencies	
DisplayControl:	Text Box	
GUID:	{guid {B66AFE89-E834-4576-BCA7-071E68BB8503}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	

	SourceField:	Region	
	SourceTable:	FundingAllotments	
	TextAlign:	General	
	UnicodeCompression:	True	
FiscalYr			Long Integer 4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	like 2010	
	DisplayControl:	Text Box	
	GUID:	{guid {15E63C74-72C9-4C95-95B0-80C5702E7249}}	
	OrdinalPosition:	2	
	Required:	False	
	SourceField:	FiscalYr	
	SourceTable:	FundingAllotments	
	TextAlign:	General	
FYID			Long Integer 4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	fiscal year identifier, lookup in table lkpGlobal, CodeType=FiscalYear	
	DisplayControl:	Text Box	
	GUID:	{guid {0697555D-3F81-4F9A-A1B7-B7C56F9E8FAF}}	
	OrdinalPosition:	3	
	Required:	False	
	SourceField:	FYID	
	SourceTable:	FundingAllotments	
	TextAlign:	General	
Estimated			Currency 8
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	

DecimalPlaces: Auto  
 Description: Estimated Regional DWTSa funding allotment, unofficial or proposed amounts  
 Format: \$#,##0.00;(\$#,##0.00)  
 GUID: {guid {BCCF445F-DBC0-4C01-842C-49CAF5C57145}}  
 OrdinalPosition: 4  
 Required: False  
 SourceField: Estimated  
 SourceTable: FundingAllotments  
 TextAlign: General

FundingProgramID Long Integer 4  
 AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 Description: Funding programID from lkpGolbal  
 DisplayControl: Text Box  
 GUID: {guid {CE64A756-DEDF-4858-BE87-005B63D5420B}}  
 OrdinalPosition: 6  
 Required: False  
 SourceField: FundingProgramID  
 SourceTable: FundingAllotments  
 TextAlign: General

HQAllotment Currency 8  
 AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 Description: Actual HQ DWTSa funding allotment, Official Amount  
 Format: \$#,##0.00;(\$#,##0.00)  
 GUID: {guid {EED98922-F7CE-4E86-998A-5C92FB197ABF}}  
 OrdinalPosition: 7  
 Required: False  
 SourceField: HQAllotment  
 SourceTable: FundingAllotments  
 TextAlign: General

RGAllotment Currency 8  
 AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False



Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 Description: Actual Regional DWTSAs funding allotment, as received by Region  
 Format: \$#,##0.00;(\$#,##0.00)  
 GUID: {guid {D5ECD64F-2333-4103-9811-F6F26936F679}}  
 OrdinalPosition: 8  
 Required: False  
 SourceField: RGAllotment  
 SourceTable: FundingAllotments  
 TextAlign: General

DateCreated Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Date record was created  
 Format: Short Date  
 GUID: {guid {F5792ED3-2A17-4A40-B750-AA6335FC9225}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 9  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: DateCreated  
 SourceTable: FundingAllotments  
 TextAlign: General

CreatedByUser Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: User who created record  
 DisplayControl: Text Box  
 GUID: {guid {F9362531-33D3-4202-810E-5F525AA56023}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 10  
 Required: False

SourceField: CreatedByUser  
 SourceTable: FundingAllotments  
 TextAlign: General  
 UnicodeCompression: True

DateUpdated Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Date record was updated  
 Format: Short Date  
 GUID: {guid {060CC3B6-18EA-47F7-9E3B-2795A8133991}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 11  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: DateUpdated  
 SourceTable: FundingAllotments  
 TextAlign: General

UpdatedbyUser Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: User who updated record  
 DisplayControl: Text Box  
 GUID: {guid {4F89042B-BC98-44CC-A99B-D40EF32FC6AB}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 12  
 Required: False  
 SourceField: UpdatedbyUser  
 SourceTable: FundingAllotments  
 TextAlign: General  
 UnicodeCompression: True

**Table Indexes**

Name	Number of Fields
AllocationID	1
Clustered:	False
DistinctCount:	165

Foreign:	False
IgnoreNulls:	False
Name:	AllocationID
Primary:	False
Required:	False
Unique:	True
Fields:	
AllocationID	Ascending
FundingProgramID	1
Clustered:	False
DistinctCount:	3
Foreign:	False
IgnoreNulls:	False
Name:	FundingProgramID
Primary:	False
Required:	False
Unique:	False
Fields:	
FundingProgramID	Ascending
PrimaryKey	3
Clustered:	False
DistinctCount:	165
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
Region	Ascending
FiscalYr	Ascending
FundingProgramID	Ascending

**User Permissions**

admin

**Group Permissions**

Admins  
 Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,  
 Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

Attributes:	Linked	Connect:	;DATABASE=C:\USERS\KBANK S\DI NEX\APPLICATION\DiNex_be.mdb
DateCreated:	10/28/2014 11:09:02 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
HideNewField:	False	LastUpdated:	10/28/2014 11:09:02 PM
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	-1	SourceTableName:	IAG_Project_IDs
TotalsRow:	False	Updatable:	False

**Columns**

Name	Type	Size
IAGProjID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
OrdinalPosition:	0	
Required:	False	
SourceField:	IAGProjID	
SourceTable:	IAG_Project_IDs	
TextAlign:	General	
document_number	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
Format:	@	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	document_number	
SourceTable:	IAG_Project_IDs	
TextAlign:	General	
UnicodeCompression:	False	

PDS_Project_Number		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	2		
Required:	False		
SourceField:	PDS_Project_Number		
SourceTable:	IAG_Project_IDs		
TextAlign:	General		
UnicodeCompression:	False		
project_id		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
OrdinalPosition:	3		
Required:	False		
SourceField:	project_id		
SourceTable:	IAG_Project_IDs		
TextAlign:	General		
document_end_date		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Format:	Short Date		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	4		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	document_end_date		

SourceTable:	IAG_Project_IDs		
TextAlign:	General		
document_signed_date		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Format:	Short Date		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	5		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	document_signed_date		
SourceTable:	IAG_Project_IDs		
TextAlign:	General		
document_start_date		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Format:	Short Date		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	6		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	document_start_date		
SourceTable:	IAG_Project_IDs		
TextAlign:	General		
document amount		Double	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		

OrdinalPosition: 7  
Required: False  
SourceField: document amount  
SourceTable: IAG\_Project\_IDs  
TextAlign: General

DateCreated Date With Time 8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Fixed Size  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
Description: Date record was created  
Format: Short Date  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 8  
Required: False  
ShowDatePicker: For dates  
SourceField: DateCreated  
SourceTable: IAG\_Project\_IDs  
TextAlign: General

CreatedByUser Short Text 50

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
Description: User who created record  
DisplayControl: Text Box  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 9  
Required: False  
SourceField: CreatedByUser  
SourceTable: IAG\_Project\_IDs  
TextAlign: General  
UnicodeCompression: True

DateUpdated Date With Time 8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Fixed Size  
CollatingOrder: General  
ColumnHidden: False

ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Date record was updated  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 10  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: DateUpdated  
 SourceTable: IAG\_Project\_IDs  
 TextAlign: General

UpdatedbyUser Short Text 50

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: User who updated record  
 DisplayControl: Text Box  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 11  
 Required: False  
 SourceField: UpdatedbyUser  
 SourceTable: IAG\_Project\_IDs  
 TextAlign: General  
 UnicodeCompression: True

**Table Indexes**

Name	Number of Fields
ID	1
Clustered:	False
DistinctCount:	3487
Foreign:	False
IgnoreNulls:	False
Name:	ID
Primary:	True
Required:	True
Unique:	True
Fields:	
IAGProjID	Ascending
PDS_Project_Number	1
Clustered:	False
DistinctCount:	1796
Foreign:	False
IgnoreNulls:	False
Name:	PDS_Project_Number



---

Primary:	False
Required:	False
Unique:	False
Fields:	
PDS_Project_Number	Ascending

**User Permissions**

admin

**Group Permissions**

Admins  
Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,  
Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

Attributes:	Linked	Connect:	;DATABASE=C:\USERS\KBANK S\DI NEX\APPLICATION\DiNex_be.mdb
DateCreated:	10/28/2014 11:09:02 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {73F701DD-E764-4698-B908-6837B1EDD33C}}	HideNewField:	False
LastUpdated:	10/28/2014 11:09:02 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	IGMS_DG	TotalsRow:	False
Updatable:	False		

**Columns**

Name	Type	Size
Awarding_Region_Code	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {ABFE9D81-71EA-4C3F-906E-86F53B062D83}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	0	
Required:	False	
SourceField:	Awarding_Region_Code	
SourceTable:	IGMS_DG	
TextAlign:	General	
UnicodeCompression:	False	
Applicant_Type	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {382AB8F8-1902-4E96-8845-4F61FF197C5C}}	
IMEMode:	0	
IMESentenceMode:	3	

OrdinalPosition:	1		
Required:	False		
SourceField:	Applicant_Type		
SourceTable:	IGMS_DG		
TextAlign:	General		
UnicodeCompression:	False		
Project_Officer		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {5E4BBBF3-92D1-4D34-8C39-89550EEEDAB5}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	2		
Required:	False		
SourceField:	Project_Officer		
SourceTable:	IGMS_DG		
TextAlign:	General		
UnicodeCompression:	False		
Award_Date		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Format:	Short Date		
GUID:	{guid {B35F9795-C736-4861-BD7A-643FE834E0D9}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	3		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	Award_Date		
SourceTable:	IGMS_DG		
TextAlign:	General		
Award_Fiscal_Year		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		

ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 GUID: {guid {A7CAD1F6-C0F0-4891-A61C-860A5EBE3875}}  
 OrdinalPosition: 4  
 Required: False  
 SourceField: Award\_Fiscal\_Year  
 SourceTable: IGMS\_DG  
 TextAlign: General

Grant\_No Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 Format: @  
 GUID: {guid {5A967C30-0618-482F-BE93-07D323DA87BA}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 5  
 Required: False  
 SourceField: Grant\_No  
 SourceTable: IGMS\_DG  
 TextAlign: General  
 UnicodeCompression: False

Grant\_Family Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: FKey to grantnumber in Projects\_Region  
 DisplayControl: Text Box  
 GUID: {guid {AA326649-4986-4511-9E52-48AC22B12BC8}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 6  
 Required: False  
 SourceField: Grant\_Family  
 SourceTable: IGMS\_DG  
 TextAlign: General

UnicodeCompression:	False		
<b>Grant_Status</b>		<b>Short Text</b>	<b>255</b>
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {93F6BF5E-0CEC-44DB-AC6C-DC42D3CB539E}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	7		
Required:	False		
SourceField:	Grant_Status		
SourceTable:	IGMS_DG		
TextAlign:	General		
UnicodeCompression:	False		
<b>Program_Code</b>		<b>Short Text</b>	<b>255</b>
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
Format:	@		
GUID:	{guid {03B9BF51-0C30-4430-AA02-9D0EC3C3556E}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	8		
Required:	False		
SourceField:	Program_Code		
SourceTable:	IGMS_DG		
TextAlign:	General		
UnicodeCompression:	False		
<b>Project_Description</b>		<b>Long Text</b>	<b>-</b>
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		

GUID: {guid {1D15E72F-E35F-46D5-A536-FF20E4384227}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 9  
 Required: False  
 SourceField: Project\_Description  
 SourceTable: IGMS\_DG  
 TextAlign: General  
 TextFormat: Plain Text  
 UnicodeCompression: False

Project\_Title Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {5966BFD7-5120-4F61-9D89-FC30CCE2AECA}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 10  
 Required: False  
 SourceField: Project\_Title  
 SourceTable: IGMS\_DG  
 TextAlign: General  
 UnicodeCompression: False

Project\_Start\_Date Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Format: Short Date  
 GUID: {guid {1CC3791A-6E1A-499D-A74F-E7407E5BCBE5}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 11  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: Project\_Start\_Date  
 SourceTable: IGMS\_DG  
 TextAlign: General

Project\_End\_Date Date With Time 8

AggregateType: -1

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Format: Short Date  
 GUID: {guid {5138ED8E-2EFA-44E2-B077-14DF47935EF0}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 12  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: Project\_End\_Date  
 SourceTable: IGMS\_DG  
 TextAlign: General

Applicant\_Name Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {9772F356-92EA-454C-AF15-0CD86D8F052A}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 13  
 Required: False  
 SourceField: Applicant\_Name  
 SourceTable: IGMS\_DG  
 TextAlign: General  
 UnicodeCompression: False

EPA\_Amount Currency 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 Format: \$#,##0.00;(\$#,##0.00)  
 GUID: {guid {306AF751-E74B-43ED-AEF5-78486F538940}}  
 OrdinalPosition: 14  
 Required: False





OrdinalPosition: 17  
Required: False  
SourceField: Other\_Federal\_Funds\_Amended\_Total  
SourceTable: IGMS\_DG  
TextAlign: General

EPA\_Amount\_Amended\_Total Currency 8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DecimalPlaces: Auto  
Format: \$#,##0.00;(\$#,##0.00)  
GUID: {31F84B1A-FE82-4898-B379-31F574C7A0B9}}  
OrdinalPosition: 18  
Required: False  
SourceField: EPA\_Amount\_Amended\_Total  
SourceTable: IGMS\_DG  
TextAlign: General

Final\_Report Short Text 255

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
Format: @  
GUID: {07697822-5C3D-4E94-8084-B0C43F1DC8A6}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 19  
Required: False  
SourceField: Final\_Report  
SourceTable: IGMS\_DG  
TextAlign: General  
UnicodeCompression: False

Final\_Report\_Date Date With Time 8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default

ColumnWidth: Default  
 DataUpdatable: False  
 Format: Short Date  
 GUID: {guid {AE04524F-7F62-4377-9798-C05F6F40B0E7}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 20  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: Final\_Report\_Date  
 SourceTable: IGMS\_DG  
 TextAlign: General

Direct Grant (Y/N) Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {7E2F3873-B710-42DA-B8D6-D63B1F28449C}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 21  
 Required: False  
 SourceField: Direct Grant (Y/N)  
 SourceTable: IGMS\_DG  
 TextAlign: General  
 UnicodeCompression: False

DateCreated Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Date record was created  
 Format: Short Date  
 GUID: {guid {632F3088-343F-4A36-A91D-390C5DFAA318}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 22  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: DateCreated  
 SourceTable: IGMS\_DG  
 TextAlign: General

CreatedByUser		Short Text	50
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	User who created record		
DisplayControl:	Text Box		
GUID:	{guid {40896D8E-5D15-4F63-8B44-7B1569B33D36}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	23		
Required:	False		
SourceField:	CreatedByUser		
SourceTable:	IGMS_DG		
TextAlign:	General		
UnicodeCompression:	True		

DateUpdated		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Date record was updated		
Format:	Short Date		
GUID:	{guid {584793AA-301E-4C3A-A7FF-31CDAF93B876}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	24		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	DateUpdated		
SourceTable:	IGMS_DG		
TextAlign:	General		

UpdatedbyUser		Short Text	50
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	User who updated record		

DisplayControl: Text Box  
 GUID: {guid {69A1FAFB-9465-4185-9AEC-FD4B629BE3CD}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 25  
 Required: False  
 SourceField: UpdatedbyUser  
 SourceTable: IGMS\_DG  
 TextAlign: General  
 UnicodeCompression: True

**Table Indexes**

Name	Number of Fields
Grant_Family	1
Clustered:	False
DistinctCount:	10393
Foreign:	False
IgnoreNulls:	False
Name:	Grant_Family
Primary:	False
Required:	False
Unique:	False
Fields:	
Grant_Family	Ascending

**User Permissions**

admin

**Group Permissions**

Admins

Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

Attributes:	Linked	Connect:	;DATABASE=C:\USERS\KBANK S\DI NEX\APPLICATION\DiNex_be.mdb
DateCreated:	10/28/2014 11:09:02 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {DE32E01A-F251-484F-BEB4-E3FDC0A80467}}	HideNewField:	False
LastUpdated:	10/28/2014 11:09:02 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	IGMS_IA	TotalsRow:	False
Updatable:	False		

**Columns**

Name	Type	Size
IANumber	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	linked to FK -EPAIANumber in Project_Region table	
DisplayControl:	Text Box	
Format:	@	
GUID:	{guid {338E774B-6FFD-4F18-8862-70E174477403}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	0	
Required:	False	
SourceField:	IANumber	
SourceTable:	IGMS_IA	
TextAlign:	General	
UnicodeCompression:	False	
Applicant_Name	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	7350	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {09E504B4-D604-4B30-B691-E9BEE9BF541C}}	

IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 1  
Required: False  
SourceField: Applicant\_Name  
SourceTable: IGMS\_IA  
TextAlign: General  
UnicodeCompression: False

Applicant\_Type Short Text 255

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: 1860  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {346B75F0-64F9-4778-995C-1E008D921BB3}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 2  
Required: False  
SourceField: Applicant\_Type  
SourceTable: IGMS\_IA  
TextAlign: General  
UnicodeCompression: False

EDR\_Tribal\_Code Short Text 255

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {ACBA5F87-D481-440A-A361-1E21C96A7F97}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 3  
Required: False  
SourceField: EDR\_Tribal\_Code  
SourceTable: IGMS\_IA  
TextAlign: General  
UnicodeCompression: False

AAShip Short Text 255

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False

Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {CEA8B987-72DB-4A42-92A9-963C6A83CCD1}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 4  
 Required: False  
 SourceField: AAShip  
 SourceTable: IGMS\_IA  
 TextAlign: General  
 UnicodeCompression: False

GrantFamilyCounter Long Integer 4

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 GUID: {guid {E773CD1F-EBD3-4C80-B610-EAD975DDE054}}  
 OrdinalPosition: 5  
 Required: False  
 SourceField: GrantFamilyCounter  
 SourceTable: IGMS\_IA  
 TextAlign: General

EPA\_Amount Currency 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 Format: \$#,##0.00;(\$#,##0.00)  
 GUID: {guid {9D33CCF3-3E40-4727-8231-CCE367FE8162}}  
 OrdinalPosition: 6  
 Required: False  
 SourceField: EPA\_Amount  
 SourceTable: IGMS\_IA  
 TextAlign: General

Cumulative_Award		Currency	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Format:	##,##0.00;(\$#,##0.00)		
GUID:	{guid {7BF0B662-FC4A-4FA3-9E7E-3FC686EDCF63}}		
OrdinalPosition:	7		
Required:	False		
SourceField:	Cumulative_Award		
SourceTable:	IGMS_IA		
TextAlign:	General		

Unliquidated_Obligation_Amount		Currency	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Format:	##,##0.00;(\$#,##0.00)		
GUID:	{guid {6E1CEC0A-F7D2-48CE-B868-B026A0EFF381}}		
OrdinalPosition:	8		
Required:	False		
SourceField:	Unliquidated_Obligation_Amount		
SourceTable:	IGMS_IA		
TextAlign:	General		

Award_Date		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Format:	Short Date		
GUID:	{guid {8C780988-76E3-40DC-8280-B6F84792C8D7}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	9		
Required:	False		
ShowDatePicker:	For dates		



SourceField:	Award_Date		
SourceTable:	IGMS_IA		
TextAlign:	General		
Award_Fiscal_Year		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
GUID:	{guid {1BE3918B-7FF1-4FA5-8602-6C7D220AAADC}}		
OrdinalPosition:	10		
Required:	False		
SourceField:	Award_Fiscal_Year		
SourceTable:	IGMS_IA		
TextAlign:	General		
Project_Start_Date		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Format:	Short Date		
GUID:	{guid {D4FFB70A-7DF5-4FE6-B4CB-1CD0D0AF62F1}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	11		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	Project_Start_Date		
SourceTable:	IGMS_IA		
TextAlign:	General		
Project_End_Date		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Format:	Short Date		

GUID: {guid {1959674C-2435-449D-B2C8-26AA26022967}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 12  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: Project\_End\_Date  
 SourceTable: IGMS\_IA  
 TextAlign: General

Project Title Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: 5910  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {1F711240-83E1-425E-B725-1E6F6556D7D3}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 13  
 Required: False  
 SourceField: Project Title  
 SourceTable: IGMS\_IA  
 TextAlign: General  
 UnicodeCompression: False

Project Description Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {F28925B2-CDD1-4EDE-84B7-095624B7C12C}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 14  
 Required: False  
 SourceField: Project Description  
 SourceTable: IGMS\_IA  
 TextAlign: General  
 UnicodeCompression: False

DateCreated Date With Time 8

AggregateType: -1  
 AllowZeroLength: False

AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Date record was created  
 Format: Short Date  
 GUID: {guid {49C708BE-910B-436D-8BE0-31A6E872353A}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 15  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: DateCreated  
 SourceTable: IGMS\_IA  
 TextAlign: General

CreatedByUser Short Text 50

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: User who created record  
 DisplayControl: Text Box  
 GUID: {0F56E712-4485-499B-A32F-634438D0A785}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 16  
 Required: False  
 SourceField: CreatedByUser  
 SourceTable: IGMS\_IA  
 TextAlign: General  
 UnicodeCompression: True

DateUpdated Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Date record was updated  
 Format: Short Date  
 GUID: {guid {CD1293BD-1B42-44AB-BC48-3C83DB49355C}}  
 IMEMode: 0

IMESentenceMode: 3  
 OrdinalPosition: 17  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: DateUpdated  
 SourceTable: IGMS\_IA  
 TextAlign: General

UpdatedbyUser	Short Text	50
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	User who updated record	
DisplayControl:	Text Box	
GUID:	{guid {884BFD84-E644-485E-9FEB-04115A356746}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	18	
Required:	False	
SourceField:	UpdatedbyUser	
SourceTable:	IGMS_IA	
TextAlign:	General	
UnicodeCompression:	True	

**User Permissions**

admin

**Group Permissions**

Admins

Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

Attributes:	Linked	Connect:	;DATABASE=C:\USERS\KBANK S\DI NEX\APPLICATION\DiNex_be.mdb
DateCreated:	10/28/2014 11:09:02 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {1E5F8254-8543-44C3-AD6E-C498F049AD50}}	HideNewField:	False
LastUpdated:	10/28/2014 11:09:02 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	IHS_Project_Costs	TotalsRow:	False
Updatable:	False		

**Columns**

Name	Type	Size
ProjCostsID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
GUID:	{guid {04A7728E-C762-41A1-961B-1D5989DC73C4}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	ProjCostsID	
SourceTable:	IHS_Project_Costs	
TextAlign:	General	
facility_id	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {64BD13B6-1BB1-44E6-9854-63A07EA3A074}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	facility_id	
SourceTable:	IHS_Project_Costs	
TextAlign:	General	

pds_project_number		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {C10CA89A-359E-43C7-8511-71E7989F9EF3}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	2		
Required:	False		
SourceField:	pds_project_number		
SourceTable:	IHS_Project_Costs		
TextAlign:	General		
UnicodeCompression:	False		
project_id		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
GUID:	{guid {031EF9B1-8608-4FB2-A136-FD608D4F06AC}}		
OrdinalPosition:	3		
Required:	False		
SourceField:	project_id		
SourceTable:	IHS_Project_Costs		
TextAlign:	General		
facility_name		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {CDDAD449-87C4-4E5D-BB00-E2D2B9C5B3D8}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	4		

Required:	False		
SourceField:	facility_name		
SourceTable:	IHS_Project_Costs		
TextAlign:	General		
UnicodeCompression:	False		
funding source code		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {478BF43A-74A5-4714-8A82-38BB4D96627C}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	5		
Required:	False		
SourceField:	funding source code		
SourceTable:	IHS_Project_Costs		
TextAlign:	General		
UnicodeCompression:	False		
fiscal_year		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
GUID:	{guid {6B154C3D-9807-4DC7-A4A3-EDA6A6541C55}}		
OrdinalPosition:	6		
Required:	False		
SourceField:	fiscal_year		
SourceTable:	IHS_Project_Costs		
TextAlign:	General		
funding source name		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		

	DataUpdatable:	False		
	DisplayControl:	Text Box		
	GUID:	{guid {3A6DD835-A450-4D9A-BD5D-28FE20043BB9}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	7		
	Required:	False		
	SourceField:	funding source name		
	SourceTable:	IHS_Project_Costs		
	TextAlign:	General		
	UnicodeCompression:	False		
is_eligible			Yes/No	1
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	Format:	Yes/No		
	GUID:	{guid {B28C0593-D554-49B6-9855-D7E1CE6AD4CA}}		
	OrdinalPosition:	8		
	Required:	False		
	SourceField:	is_eligible		
	SourceTable:	IHS_Project_Costs		
	TextAlign:	General		
housing_groups			Short Text	255
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	GUID:	{guid {CC6E6DE4-D950-49E5-AA07-26A43C03EB18}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	9		
	Required:	False		
	SourceField:	housing_groups		
	SourceTable:	IHS_Project_Costs		
	TextAlign:	General		
	UnicodeCompression:	False		
total_cost_est			Double	8
	AggregateType:	-1		
	AllowZeroLength:	False		



AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DecimalPlaces: Auto  
DisplayControl: Text Box  
GUID: {guid {E659A0E1-6371-4FA0-BAC5-1D6A040BDB12}}  
OrdinalPosition: 10  
Required: False  
SourceField: total\_cost\_est  
SourceTable: IHS\_Project\_Costs  
TextAlign: General

total\_cost\_act Double 8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DecimalPlaces: Auto  
DisplayControl: Text Box  
GUID: {guid {18D7B413-110B-45D9-80E7-CAF2BFFE6CB6}}  
OrdinalPosition: 11  
Required: False  
SourceField: total\_cost\_act  
SourceTable: IHS\_Project\_Costs  
TextAlign: General

DateCreated Date With Time 8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Fixed Size  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
Description: Date record was created  
Format: Short Date  
GUID: {guid {C7324E2E-4978-44CE-945D-6BA4B36456FF}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 12  
Required: False  
ShowDatePicker: For dates  
SourceField: DateCreated  
SourceTable: IHS\_Project\_Costs

TextAlign:	General		
CreatedByUser		Short Text	50
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	User who created record		
DisplayControl:	Text Box		
GUID:	{guid {5A238A99-F90A-411F-B9BB-D95B74486DFF}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	13		
Required:	False		
SourceField:	CreatedByUser		
SourceTable:	IHS_Project_Costs		
TextAlign:	General		
UnicodeCompression:	True		
DateUpdated		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Date record was updated		
Format:	Short Date		
GUID:	{guid {C6768AC4-A034-4F9B-BA49-7289F1BAEAC7}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	14		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	DateUpdated		
SourceTable:	IHS_Project_Costs		
TextAlign:	General		
UpdatedbyUser		Short Text	50
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		

DataUpdatable:	False
Description:	User who updated record
DisplayControl:	Text Box
GUID:	{guid {82A7AC40-D3D6-4EFD-951D-CDE2871939F7}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	15
Required:	False
SourceField:	UpdatedbyUser
SourceTable:	IHS_Project_Costs
TextAlign:	General
UnicodeCompression:	True

**Table Indexes**

Name	Number of Fields
ID	1
Clustered:	False
DistinctCount:	3714
Foreign:	False
IgnoreNulls:	False
Name:	ID
Primary:	True
Required:	True
Unique:	True
Fields:	
ProjCostsID	Ascending
pds_project_number	1
Clustered:	False
DistinctCount:	1701
Foreign:	False
IgnoreNulls:	False
Name:	pds_project_number
Primary:	False
Required:	False
Unique:	False
Fields:	
pds_project_number	Ascending

**User Permissions**

admin

**Group Permissions**

Admins

Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

Attributes:	Linked	Connect:	;DATABASE=C:\USERS\KBANK S\DI NEX\APPLICATION\DiNex_be.mdb
DateCreated:	10/28/2014 11:09:02 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {62D0414E-B7D8-40A3-B0DC-E6CE4D01E81F}}	HideNewField:	False
LastUpdated:	10/28/2014 11:09:02 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	IHS_Project_Details	TotalsRow:	False
Updatable:	False		

**Columns**

Name	Type	Size
pds_project_number	Short Text	255
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	unique	
DisplayControl:	Text Box	
GUID:	{guid {C1269154-72F9-43CD-BB06-0667C35526E5}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	0	
Required:	False	
SourceField:	pds_project_number	
SourceTable:	IHS_Project_Details	
TextAlign:	General	
UnicodeCompression:	False	
area	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {17652E5C-DF04-47C7-854E-31559B6F9649}}	
IMEMode:	0	

	IMESentenceMode:	3		
	OrdinalPosition:	1		
	Required:	False		
	SourceField:	area		
	SourceTable:	IHS_Project_Details		
	TextAlign:	General		
	UnicodeCompression:	False		
project_id			Long Integer	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	DisplayControl:	Text Box		
	GUID:	{guid {57F0A2D8-40A0-49B6-ACDB-8B6E7DDA81A4}}		
	OrdinalPosition:	2		
	Required:	False		
	SourceField:	project_id		
	SourceTable:	IHS_Project_Details		
	TextAlign:	General		
epa region			Short Text	3
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	3 chars like 10, 1 or NN		
	DisplayControl:	Text Box		
	GUID:	{guid {BAD4DDC-0158-45BF-884C-CFDA5B17FE9B}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	3		
	Required:	False		
	SourceField:	epa region		
	SourceTable:	IHS_Project_Details		
	TextAlign:	General		
	UnicodeCompression:	False		
project_name			Short Text	255
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		

ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: 3255  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {CAB5E599-3388-44B0-A92F-7018FC7AAF8C}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 4  
 Required: False  
 SourceField: project\_name  
 SourceTable: IHS\_Project\_Details  
 TextAlign: General  
 UnicodeCompression: False

community\_state\_code Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {F0642CC0-DBF8-4B32-AA89-713706C00D5A}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 5  
 Required: False  
 SourceField: community\_state\_code  
 SourceTable: IHS\_Project\_Details  
 TextAlign: General  
 UnicodeCompression: False

tribe Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {56DB44AE-1980-4CC7-B094-662B0815B390}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 6  
 Required: False  
 SourceField: tribe  
 SourceTable: IHS\_Project\_Details  
 TextAlign: General

UnicodeCompression:	False		
community_name		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {044DB72A-C2EB-4570-BAB3-CDF5D2FF554A}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	7		
Required:	False		
SourceField:	community_name		
SourceTable:	IHS_Project_Details		
TextAlign:	General		
UnicodeCompression:	False		
project_homes		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
GUID:	{guid {E6C7D5B8-53C8-4604-99F0-E0794FC61E79}}		
OrdinalPosition:	8		
Required:	False		
SourceField:	project_homes		
SourceTable:	IHS_Project_Details		
TextAlign:	General		
total_cost		Double	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
Format:	Standard		

GUID:	{guid {A293A5B0-AEB4-4408-B567-B8E0ABD06138}}	
OrdinalPosition:	9	
Required:	False	
SourceField:	total_cost	
SourceTable:	IHS_Project_Details	
TextAlign:	General	
pct_construction_complete	Double	8
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
Format:	General Number	
GUID:	{guid {BDF98E7F-56C0-41F5-AD83-31CA4673365A}}	
OrdinalPosition:	10	
Required:	False	
SourceField:	pct_construction_complete	
SourceTable:	IHS_Project_Details	
TextAlign:	General	
total_funding	Double	8
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
Format:	Standard	
GUID:	{guid {C93841D2-E3B8-4961-9514-0E7DC5DD9321}}	
OrdinalPosition:	11	
Required:	False	
SourceField:	total_funding	
SourceTable:	IHS_Project_Details	
TextAlign:	General	
pct_funds_expended	Double	8
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	



ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
Format:	General Number		
GUID:	{guid {2F5593B1-A41C-40CB-8AE3-B6184B0EA59A}}		
OrdinalPosition:	12		
Required:	False		
SourceField:	pct_funds_expended		
SourceTable:	IHS_Project_Details		
TextAlign:	General		
pct_project_complete		Double	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
Format:	General Number		
GUID:	{guid {BF40B9BC-1110-43DC-90F8-0679AD24204B}}		
OrdinalPosition:	13		
Required:	False		
SourceField:	pct_project_complete		
SourceTable:	IHS_Project_Details		
TextAlign:	General		
construction_start_date		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Format:	Short Date		
GUID:	{guid {4795399A-A461-42E0-9F8E-A6152A89055B}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	14		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	construction_start_date		
SourceTable:	IHS_Project_Details		
TextAlign:	General		
moa_signed_date		Date With Time	8
AggregateType:	-1		

AllowZeroLength: False  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
Format: Short Date  
GUID: {guid {51B6C600-4F12-4E10-A717-1C93E1974702}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 15  
Required: False  
ShowDatePicker: For dates  
SourceField: moa\_signed\_date  
SourceTable: IHS\_Project\_Details  
TextAlign: General

construction\_complete\_date Date With Time 8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
Format: Short Date  
GUID: {guid {14993374-C588-47B8-B026-A19F2C1C4927}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 16  
Required: False  
ShowDatePicker: For dates  
SourceField: construction\_complete\_date  
SourceTable: IHS\_Project\_Details  
TextAlign: General

final\_report\_date Date With Time 8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
Format: Short Date  
GUID: {guid {0CE856CB-A302-4E44-ADD7-B87842042DC8}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 17

Required: False  
 ShowDatePicker: For dates  
 SourceField: final\_report\_date  
 SourceTable: IHS\_Project\_Details  
 TextAlign: General

last\_update Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Format: Short Date  
 GUID: {guid {13FEC705-0990-4460-B723-FE78E105E523}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 18  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: last\_update  
 SourceTable: IHS\_Project\_Details  
 TextAlign: General

scope Long Text -

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 GUID: {guid {8244B5B8-3584-44A7-92CC-0225AC7FB948}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 19  
 Required: False  
 SourceField: scope  
 SourceTable: IHS\_Project\_Details  
 TextAlign: General  
 TextFormat: Plain Text  
 UnicodeCompression: False

DateCreated Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False

ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Date record was created  
 Format: Short Date  
 GUID: {guid {70F9618A-66AB-4338-9931-B12898F1D646}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 20  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: DateCreated  
 SourceTable: IHS\_Project\_Details  
 TextAlign: General

CreatedByUser Short Text 50

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: User who created record  
 DisplayControl: Text Box  
 GUID: {guid {6859767C-6D19-461A-A005-1528CAB96F11}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 21  
 Required: False  
 SourceField: CreatedByUser  
 SourceTable: IHS\_Project\_Details  
 TextAlign: General  
 UnicodeCompression: True

DateUpdated Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Date record was updated  
 Format: Short Date  
 GUID: {guid {0EAE2FB4-C7F5-440F-AB01-859EA99BFDC7}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 22  
 Required: False  
 ShowDatePicker: For dates

SourceField:	DateUpdated		
SourceTable:	IHS_Project_Details		
TextAlign:	General		
UpdatedbyUser		Short Text	50
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	User who updated record		
DisplayControl:	Text Box		
GUID:	{guid {27261F92-A1C3-4A3E-B2DA-D1E9555FC9FC}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	23		
Required:	False		
SourceField:	UpdatedbyUser		
SourceTable:	IHS_Project_Details		
TextAlign:	General		
UnicodeCompression:	True		

**Table Indexes**

<u>Name</u>	<u>Number of Fields</u>
PrimaryKey	1
Clustered:	False
DistinctCount:	1796
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
pds_project_number	Ascending

**User Permissions**

admin

**Group Permissions**

Admins

Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,  
 Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

Attributes:	Linked	Connect:	;DATABASE=C:\USERS\KBANK S\DI NEX\APPLICATION\DiNex_be.mdb
DateCreated:	10/28/2014 11:09:02 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {27769ECF-2619-473A-A036-C2513D119ABB}}	HideNewField:	False
LastUpdated:	10/28/2014 11:09:02 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	IHS_Project_Fund_Adv	TotalsRow:	False
Updatable:	False		

**Columns**

Name	Type	Size
ProjFundsID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
GUID:	{guid {A1174F9F-2D81-4EAE-9D75-1421F71E9980}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	ProjFundsID	
SourceTable:	IHS_Project_Fund_Adv	
TextAlign:	General	
pds_project_number	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {F73DB077-C568-4ABD-8DC6-77C7732F1BC0}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	pds_project_number	
SourceTable:	IHS_Project_Fund_Adv	

TextAlign:	General		
UnicodeCompression:	False		
<b>project_id</b>		<b>Long Integer</b>	<b>4</b>
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
GUID:	{guid {8C46C963-E806-4260-95B7-9AFDF2DC7C94}}		
OrdinalPosition:	2		
Required:	False		
SourceField:	project_id		
SourceTable:	IHS_Project_Fund_Adv		
TextAlign:	General		
<b>funding_code</b>		<b>Short Text</b>	<b>255</b>
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {35D8A05B-2C91-415B-A7B5-31013BECFB68}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	3		
Required:	False		
SourceField:	funding_code		
SourceTable:	IHS_Project_Fund_Adv		
TextAlign:	General		
UnicodeCompression:	False		
<b>funding_source</b>		<b>Short Text</b>	<b>255</b>
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {F0397758-4744-40EC-B6C1-5B0FDCFFAC9B}}		

IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 4  
 Required: False  
 SourceField: funding\_source  
 SourceTable: IHS\_Project\_Fund\_Adv  
 TextAlign: General  
 UnicodeCompression: False

funding\_year Long Integer 4

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 GUID: {guid {AEA2C479-832F-4F81-8650-49C1CA539123}}  
 OrdinalPosition: 5  
 Required: False  
 SourceField: funding\_year  
 SourceTable: IHS\_Project\_Fund\_Adv  
 TextAlign: General

document\_number Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {EB2847E2-3581-43FF-A076-BF626741F82F}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 6  
 Required: False  
 SourceField: document\_number  
 SourceTable: IHS\_Project\_Fund\_Adv  
 TextAlign: General  
 UnicodeCompression: False

est\_amount Double 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General



ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
GUID:	{guid {276D5A84-C51B-49B3-AF7A-99AA91BB7B6F}}		
OrdinalPosition:	7		
Required:	False		
SourceField:	est_amount		
SourceTable:	IHS_Project_Fund_Adv		
TextAlign:	General		
est_expenditure_total		Double	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
GUID:	{guid {F5D73AD4-BB55-4005-A3BB-3AA95EAD0ABB}}		
OrdinalPosition:	8		
Required:	False		
SourceField:	est_expenditure_total		
SourceTable:	IHS_Project_Fund_Adv		
TextAlign:	General		
use_ufms_data		Yes/No	1
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
Format:	Yes/No		
GUID:	{guid {517A4EC7-9642-4F0C-AB7B-6C21D7C2237F}}		
OrdinalPosition:	9		
Required:	False		
SourceField:	use_ufms_data		
SourceTable:	IHS_Project_Fund_Adv		
TextAlign:	General		
DateCreated		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		

Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Date record was created  
 Format: Short Date  
 GUID: {guid {324AD2E4-7EA9-4286-B283-B65596E6220A}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 10  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: DateCreated  
 SourceTable: IHS\_Project\_Fund\_Adv  
 TextAlign: General

CreatedByUser Short Text 50

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: User who created record  
 DisplayControl: Text Box  
 GUID: {guid {43830E8D-B56D-40EB-A103-137279F54538}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 11  
 Required: False  
 SourceField: CreatedByUser  
 SourceTable: IHS\_Project\_Fund\_Adv  
 TextAlign: General  
 UnicodeCompression: True

DateUpdated Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Date record was updated  
 Format: Short Date  
 GUID: {guid {5E24A4DD-E61B-4B28-A8A2-C21391CA23DA}}  
 IMEMode: 0  
 IMESentenceMode: 3

OrdinalPosition: 12  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: DateUpdated  
 SourceTable: IHS\_Project\_Fund\_Adv  
 TextAlign: General

UpdatedbyUser Short Text 50

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: User who updated record  
 DisplayControl: Text Box  
 GUID: {guid {8FDD6205-A709-40F7-802A-7D0768E3FC19}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 13  
 Required: False  
 SourceField: UpdatedbyUser  
 SourceTable: IHS\_Project\_Fund\_Adv  
 TextAlign: General  
 UnicodeCompression: True

**Table Indexes**

Name	Number of Fields
ID	1
Clustered:	False
DistinctCount:	4812
Foreign:	False
IgnoreNulls:	False
Name:	ID
Primary:	True
Required:	True
Unique:	True
Fields:	
ProjFundsID	Ascending
pds_project_number	1
Clustered:	False
DistinctCount:	1790
Foreign:	False
IgnoreNulls:	False
Name:	pds_project_number
Primary:	False
Required:	False
Unique:	False
Fields:	
pds_project_number	Ascending

**User Permissions**

admin

**Group Permissions**

Admins

Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,  
Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

Attributes:	Linked	Connect:	;DATABASE=C:\USERS\KBANK S\DI NEX\APPLICATION\DiNex_be.mdb
DateCreated:	10/28/2014 11:09:02 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {FA2A1D2A-BE29-4EF5-9453-389D60DE4D7C}}	HideNewField:	False
LastUpdated:	10/28/2014 11:09:02 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	IHS_Project_Homes	TotalsRow:	False
Updatable:	False		

**Columns**

Name	Type	Size
ProjHomesId	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
GUID:	{guid {51436FB4-FEA6-4344-8C87-4615D702B656}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	ProjHomesId	
SourceTable:	IHS_Project_Homes	
TextAlign:	General	
pds_project_number	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {0BC2232A-2E8E-4862-89C3-9EA3877868D1}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	pds_project_number	
SourceTable:	IHS_Project_Homes	

TextAlign:	General		
UnicodeCompression:	False		
<b>project_id</b>		<b>Long Integer</b>	<b>4</b>
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
GUID:	{guid {8A16E1CB-A970-4B17-BA46-C10DB4966B73}}		
OrdinalPosition:	2		
Required:	False		
SourceField:	project_id		
SourceTable:	IHS_Project_Homes		
TextAlign:	General		
<b>housing_group</b>		<b>Short Text</b>	<b>255</b>
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {514DCDE4-137C-40FE-AE3A-AE785BD02E1D}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	3		
Required:	False		
SourceField:	housing_group		
SourceTable:	IHS_Project_Homes		
TextAlign:	General		
UnicodeCompression:	False		
<b>Community_State_Code</b>		<b>Short Text</b>	<b>255</b>
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {D8652F7F-B27D-406D-A890-34112C18996B}}		

IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 4  
 Required: False  
 SourceField: Community\_State\_Code  
 SourceTable: IHS\_Project\_Homes  
 TextAlign: General  
 UnicodeCompression: False

Home\_Type Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {20646122-1E23-4144-A221-042C5D6CA167}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 5  
 Required: False  
 SourceField: Home\_Type  
 SourceTable: IHS\_Project\_Homes  
 TextAlign: General  
 UnicodeCompression: False

ihseligible Yes/No 1

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 Format: Yes/No  
 GUID: {guid {D5BCC4CA-B003-4142-8FC4-7A449918E10D}}  
 OrdinalPosition: 6  
 Required: False  
 SourceField: ihseligible  
 SourceTable: IHS\_Project\_Homes  
 TextAlign: General

Number\_Homes Long Integer 4

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General

ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 GUID: {guid {FEB83134-3B83-4260-981C-14C8C9208ECA}}  
 OrdinalPosition: 7  
 Required: False  
 SourceField: Number\_Homes  
 SourceTable: IHS\_Project\_Homes  
 TextAlign: General

homes\_served Long Integer 4

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 GUID: {guid {511A2F8B-8435-4282-8CCF-B15E0C894D1D}}  
 OrdinalPosition: 8  
 Required: False  
 SourceField: homes\_served  
 SourceTable: IHS\_Project\_Homes  
 TextAlign: General

IDL Long Integer 4

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 GUID: {guid {6582A697-3684-47D2-A41B-4EDE1D1D94FC}}  
 OrdinalPosition: 9  
 Required: False  
 SourceField: IDL  
 SourceTable: IHS\_Project\_Homes  
 TextAlign: General

FDL Long Integer 4

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False



Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 GUID: {guid {7C884E81-F241-416A-9C79-E9609CC70168}}  
 OrdinalPosition: 10  
 Required: False  
 SourceField: FDL  
 SourceTable: IHS\_Project\_Homes  
 TextAlign: General

First\_Service Yes/No 1

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 Format: Yes/No  
 GUID: {guid {B2E95E70-467E-447F-A691-418380167786}}  
 OrdinalPosition: 11  
 Required: False  
 SourceField: First\_Service  
 SourceTable: IHS\_Project\_Homes  
 TextAlign: General

Water\_Service Yes/No 1

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 Format: Yes/No  
 GUID: {guid {7787DBB5-91A0-49EC-89A3-B2125EE98EE5}}  
 OrdinalPosition: 12  
 Required: False  
 SourceField: Water\_Service  
 SourceTable: IHS\_Project\_Homes  
 TextAlign: General

Sewer\_Service Yes/No 1

AggregateType: -1

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 Format: Yes/No  
 GUID: {guid {37A5274C-636D-4F85-AF1C-713BD6206CFB}}  
 OrdinalPosition: 13  
 Required: False  
 SourceField: Sewer\_Service  
 SourceTable: IHS\_Project\_Homes  
 TextAlign: General

Solid\_Waste\_Service Yes/No 1

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 Format: Yes/No  
 GUID: {guid {8ACD48F0-5D73-4BB6-86F5-32D5469CC96F}}  
 OrdinalPosition: 14  
 Required: False  
 SourceField: Solid\_Waste\_Service  
 SourceTable: IHS\_Project\_Homes  
 TextAlign: General

OM\_Service Yes/No 1

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 Format: Yes/No  
 GUID: {guid {56190078-7524-478A-AACC-9E50D5129E0D}}  
 OrdinalPosition: 15  
 Required: False  
 SourceField: OM\_Service  
 SourceTable: IHS\_Project\_Homes  
 TextAlign: General

DateCreated		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Date record was created		
Format:	Short Date		
GUID:	{guid {C9CBD5ED-4870-4494-9F3D-10B217EB5D34}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	16		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	DateCreated		
SourceTable:	IHS_Project_Homes		
TextAlign:	General		

CreatedByUser		Short Text	50
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	User who created record		
DisplayControl:	Text Box		
GUID:	{guid {DC45E19B-D91D-4BC8-BDF7-E3CE827F088A}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	17		
Required:	False		
SourceField:	CreatedByUser		
SourceTable:	IHS_Project_Homes		
TextAlign:	General		
UnicodeCompression:	True		

DateUpdated		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Date record was updated		

Format: Short Date  
 GUID: {guid {1E7DEDE8-0AE2-4DEC-A6CB-0A33B9F6C902}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 18  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: DateUpdated  
 SourceTable: IHS\_Project\_Homes  
 TextAlign: General

UpdatedbyUser Short Text 50  
 AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: User who updated record  
 DisplayControl: Text Box  
 GUID: {guid {A16DB193-8CD7-40A0-8C23-DA6616E1CDDC}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 19  
 Required: False  
 SourceField: UpdatedbyUser  
 SourceTable: IHS\_Project\_Homes  
 TextAlign: General  
 UnicodeCompression: True

**Table Indexes**

Name	Number of Fields
pds_project_number	1
Clustered:	False
DistinctCount:	1718
Foreign:	False
IgnoreNulls:	False
Name:	pds_project_number
Primary:	False
Required:	False
Unique:	False
Fields:	
pds_project_number	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	3891
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True

Required:	True
Unique:	True
Fields:	
ProjHomesId	Ascending
ProjHomesId	1
Clustered:	False
DistinctCount:	3891
Foreign:	False
IgnoreNulls:	False
Name:	ProjHomesId
Primary:	False
Required:	False
Unique:	False
Fields:	
ProjHomesId	Ascending

**User Permissions**

admin

**Group Permissions**

Admins  
Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,  
Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

Attributes:	Linked	Connect:	;DATABASE=C:\USERS\KBANK S\DI NEX\APPLICATION\DiNex_be.mdb
DateCreated:	10/28/2014 11:09:02 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {38915FFF-4F92-41BA-9F45-C2C8C6EDFCAD}}	HideNewField:	False
LastUpdated:	10/28/2014 11:09:02 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	IHS_Project_Mileston	TotalsRow:	False
Updatable:	False		

**Columns**

Name	Type	Size
MileStoneID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Unique	
GUID:	{guid {B62DCEEB-C18D-4976-81E5-4908303F0321}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	MileStoneID	
SourceTable:	IHS_Project_Mileston	
TextAlign:	General	
pds_project_number	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2040	
DataUpdatable:	False	
Description:	Indexed	
DisplayControl:	Text Box	
GUID:	{guid {D102845A-A5BB-40C9-93DD-2D898548FC5E}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	

SourceField:	pds_project_number		
SourceTable:	IHS_Project_Mileston		
TextAlign:	General		
UnicodeCompression:	False		
milestone code		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
GUID:	{guid {786F0318-9D91-4617-847C-CF6731A19EDD}}		
OrdinalPosition:	2		
Required:	False		
SourceField:	milestone code		
SourceTable:	IHS_Project_Mileston		
TextAlign:	General		
project_id		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
GUID:	{guid {B783A28B-56C7-4A3A-9030-85A01E4CEE8C}}		
OrdinalPosition:	3		
Required:	False		
SourceField:	project_id		
SourceTable:	IHS_Project_Mileston		
TextAlign:	General		
milestone_name		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {CE4FD7A2-ACB8-4FD6-A96B-10DBC2081FE9}}		

IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 4  
Required: False  
SourceField: milestone\_name  
SourceTable: IHS\_Project\_Mileston  
TextAlign: General  
UnicodeCompression: False

estimated\_date Date With Time 8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Fixed Size  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
Format: Short Date  
GUID: {guid {5CC93F91-010D-45EE-B633-E8168097022B}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 5  
Required: False  
ShowDatePicker: For dates  
SourceField: estimated\_date  
SourceTable: IHS\_Project\_Mileston  
TextAlign: General

proposed\_date Date With Time 8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Fixed Size  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
Format: Short Date  
GUID: {guid {38304871-655C-42AF-81E4-DAEDF3276ACF}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 6  
Required: False  
ShowDatePicker: For dates  
SourceField: proposed\_date  
SourceTable: IHS\_Project\_Mileston  
TextAlign: General

actual\_date Date With Time 8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False



Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Format: Short Date  
 GUID: {guid {9498CD34-994F-4D94-9434-AEED18A62E77}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 7  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: actual\_date  
 SourceTable: IHS\_Project\_Mileston  
 TextAlign: General

is\_na Yes/No 1

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 Format: Yes/No  
 GUID: {guid {BAC739E3-4047-4C79-8F19-A93184D37664}}  
 OrdinalPosition: 8  
 Required: False  
 SourceField: is\_na  
 SourceTable: IHS\_Project\_Mileston  
 TextAlign: General

DateCreated Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Date record was created  
 Format: Short Date  
 GUID: {guid {83B38B18-5C62-40C0-95ED-295553E75399}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 9  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: DateCreated

SourceTable:	IHS_Project_Mileston		
TextAlign:	General		
CreatedByUser		Short Text	50
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	User who created record		
DisplayControl:	Text Box		
GUID:	{guid {47361F97-9953-462E-8F0B-725920A5DAEC}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	10		
Required:	False		
SourceField:	CreatedByUser		
SourceTable:	IHS_Project_Mileston		
TextAlign:	General		
UnicodeCompression:	True		
DateUpdated		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Date record was updated		
Format:	Short Date		
GUID:	{guid {7A46F8AF-097A-4AD0-9DB0-203BF782A229}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	11		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	DateUpdated		
SourceTable:	IHS_Project_Mileston		
TextAlign:	General		
UpdatedbyUser		Short Text	50
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		

ColumnWidth: Default  
 DataUpdatable: False  
 Description: User who updated record  
 DisplayControl: Text Box  
 GUID: {guid {B743C47D-F813-4A77-B23C-F6254278A949}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 12  
 Required: False  
 SourceField: UpdatedbyUser  
 SourceTable: IHS\_Project\_Mileston  
 TextAlign: General  
 UnicodeCompression: True

**Table Indexes**

Name	Number of Fields
pds_project_number	1
Clustered:	False
DistinctCount:	1796
Foreign:	False
IgnoreNulls:	False
Name:	pds_project_number
Primary:	False
Required:	False
Unique:	False
Fields:	
pds_project_number	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	10768
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
MileStoneID	Ascending

**User Permissions**

admin

**Group Permissions**

Admins

Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,  
 Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

Attributes:	Linked	Connect:	;DATABASE=C:\USERS\KBANK S\DI NEX\APPLICATION\DiNex_be.mdb
DateCreated:	10/28/2014 11:09:02 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
HideNewField:	False	LastUpdated:	10/28/2014 11:09:02 PM
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	-1	SourceTableName:	ImportedinfoLog
TotalsRow:	False	Updatable:	False

**Columns**

Name	Type	Size
LogId	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
GUID:	{guid {B5E12252-151A-422A-81EB-5A67CFEA497E}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	LogId	
SourceTable:	ImportedinfoLog	
TextAlign:	General	
tmpImportID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	foreign key to lkpExcelImportFileNames	
DisplayControl:	Text Box	
GUID:	{guid {E8B2F425-E56B-41F2-A7AD-2F881516DF3A}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	tmpImportID	
SourceTable:	ImportedinfoLog	
TextAlign:	General	

NoOfRecImported		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	number of records imported in the system		
DisplayControl:	Text Box		
GUID:	{3D16BFE3-1227-4ACE-8510-A06533CCB5E5}}		
OrdinalPosition:	2		
Required:	False		
SourceField:	NoOfRecImported		
SourceTable:	ImportedinfoLog		
TextAlign:	General		
NoOfRecAppended		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Number of records in the permanent table		
DisplayControl:	Text Box		
GUID:	{8B915F23-B582-4C7D-8BE4-FAACD9058511}}		
OrdinalPosition:	3		
Required:	False		
SourceField:	NoOfRecAppended		
SourceTable:	ImportedinfoLog		
TextAlign:	General		
NoOfRecUpdated		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Number of records in the permanent table		
DisplayControl:	Text Box		
GUID:	{E19796BB-0300-45C5-9790-3C779A62B372}}		
OrdinalPosition:	4		

Required: False  
 SourceField: NoOfRecUpdated  
 SourceTable: ImportedinfoLog  
 TextAlign: General

DateCreated Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Date record was created  
 Format: Short Date  
 GUID: {guid {2F5F7BA9-D399-4019-9675-D37BCE991E1C}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 5  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: DateCreated  
 SourceTable: ImportedinfoLog  
 TextAlign: General

CreatedByUser Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: User who created record  
 DisplayControl: Text Box  
 GUID: {guid {06571429-A2B9-4AC7-9697-6935ED79F1FD}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 6  
 Required: False  
 SourceField: CreatedByUser  
 SourceTable: ImportedinfoLog  
 TextAlign: General  
 UnicodeCompression: True

DateUpdated Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General

ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Date record was updated  
 Format: Short Date  
 GUID: {guid {4DB23526-2CB4-4A3C-9372-FB0DF16A0928}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 7  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: DateUpdated  
 SourceTable: ImportedinfoLog  
 TextAlign: General

UpdatedbyUser Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: User who updated record  
 DisplayControl: Text Box  
 GUID: {guid {C55EB86B-BBA1-4964-A1A1-F075B6C0A7CF}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 8  
 Required: False  
 SourceField: UpdatedbyUser  
 SourceTable: ImportedinfoLog  
 TextAlign: General  
 UnicodeCompression: True

**Table Indexes**

Name	Number of Fields
LogId	1
Clustered:	False
DistinctCount:	2
Foreign:	False
IgnoreNulls:	False
Name:	LogId
Primary:	False
Required:	False
Unique:	False
Fields:	
LogId	Ascending
PrimaryKey	1
Clustered:	False

---

DistinctCount:	2
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
LogId	Ascending

**User Permissions**

admin

**Group Permissions**

Admins  
Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,  
Write Definition, Read Data, Insert Data, Update Data, Delete Data



**Properties**

DateCreated:	4/24/2012 10:34:49 AM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {1F4EBFF9-E69E-49A5-937E-07ADF0D8BA41}}	HideNewField:	False
LastUpdated:	6/14/2013 4:36:35 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	179
TotalsRow:	False	Updatable:	True

**Columns**

Name	Type	Size
PWSNumber	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {2CDCDBA4-5849-4FB3-9939-2A579DEBDD12}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	0	
Required:	False	
SourceField:	PWSNumber	
SourceTable:	Icl_AKStateIncluded	
TextAlign:	General	
UnicodeCompression:	True	
State	Short Text	2
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {B05A5376-C2B8-403F-8EB0-05EBDB868798}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	State	
SourceTable:	Icl_AKStateIncluded	

TextAlign: General  
UnicodeCompression: False

**Table Indexes**

<u>Name</u>	<u>Number of Fields</u>
PrimaryKey	1
Clustered:	False
DistinctCount:	179
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
PWSNumber	Ascending

**User Permissions**

admin

**Group Permissions**

Admins  
Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,  
Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

DateCreated:	4/23/2012 1:11:14 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {D31B0CAC-B177-442E-AB51-07CC929EE9CF}}	HideNewField:	False
LastUpdated:	6/14/2013 3:52:05 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	781
TotalsRow:	False	Updatable:	True

**Columns**

Name	Type	Size
PWSID	Short Text	9
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {4CE80C36-48D6-45E8-B364-5EF883F6BD5E}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	0	
Required:	False	
SourceField:	PWSID	
SourceTable:	Icl_SDWIS_PWS	
TextAlign:	General	
UnicodeCompression:	False	
PWSName	Short Text	80
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {751F34E8-8CDB-414F-9445-D155FF17D6F3}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	PWSName	
SourceTable:	Icl_SDWIS_PWS	

TextAlign:	General		
UnicodeCompression:	False		
EPA_Region		Short Text	2
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {A1A39629-542B-4295-B10C-6A9AFE184DAF}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	2		
Required:	False		
SourceField:	EPA_Region		
SourceTable:	Icl_SDWIS_PWS		
TextAlign:	General		
UnicodeCompression:	False		
Geography_type		Short Text	9
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {ED0A4E68-1C85-43BE-93E1-3A59C5A182FD}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	3		
Required:	False		
SourceField:	Geography_type		
SourceTable:	Icl_SDWIS_PWS		
TextAlign:	General		
UnicodeCompression:	False		
State		Short Text	2
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		

DisplayControl: Text Box  
 GUID: {guid {746139E1-12AB-4245-87BC-4F6EDB2B3452}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 4  
 Required: False  
 SourceField: State  
 SourceTable: Icl\_SDWIS\_PWS  
 TextAlign: General  
 UnicodeCompression: False

PCounty Short Text 40

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {E09DAC6F-C58F-4BD4-97C9-AE188DB49417}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 5  
 Required: False  
 SourceField: PCounty  
 SourceTable: Icl\_SDWIS\_PWS  
 TextAlign: General  
 UnicodeCompression: False

Status\_id Short Text 1

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {29F61184-F4A9-42D5-9E7F-49DDBD1A444C}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 6  
 Required: False  
 SourceField: Status\_id  
 SourceTable: Icl\_SDWIS\_PWS  
 TextAlign: General  
 UnicodeCompression: False

Status Short Text 6

AggregateType: -1



ShowDatePicker: For dates  
SourceField: PWSDeactivationDate  
SourceTable: Icl\_SDWIS\_PWS  
TextAlign: General

SubmissionStatusCode Short Text 1

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {885E8047-31C1-423C-915A-883CE01339F2}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 10  
Required: False  
SourceField: SubmissionStatusCode  
SourceTable: Icl\_SDWIS\_PWS  
TextAlign: General  
UnicodeCompression: False

PWSTypeCode Short Text 4

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {3DE07C39-661F-4176-A004-1E39C65AD687}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 11  
Required: False  
SourceField: PWSTypeCode  
SourceTable: Icl\_SDWIS\_PWS  
TextAlign: General  
UnicodeCompression: False

PWSType Short Text 7

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default

ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {42906319-78F1-4C6E-8FCF-F1A9D12C68E5}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 12  
Required: False  
SourceField: PWSType  
SourceTable: Icl\_SDWIS\_PWS  
TextAlign: General  
UnicodeCompression: False

GwSw Short Text 2

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {01AC3715-5E6B-42E6-AA70-EACB0E4AF2C3}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 13  
Required: False  
SourceField: GwSw  
SourceTable: Icl\_SDWIS\_PWS  
TextAlign: General  
UnicodeCompression: False

GwSw\_longname Short Text 7

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {5705BADF-AC1E-4470-9292-452AF0D0EC93}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 14  
Required: False  
SourceField: GwSw\_longname  
SourceTable: Icl\_SDWIS\_PWS  
TextAlign: General  
UnicodeCompression: False



PSource		Short Text	3
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {EF3276E9-97E4-4143-965A-F4B8A3A79C03}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	15		
Required:	False		
SourceField:	PSource		
SourceTable:	Icl_SDWIS_PWS		
TextAlign:	General		
UnicodeCompression:	False		

PSource_longname		Short Text	45
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {6BDBABCF-3545-4985-A18C-FC225DC7F6F5}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	16		
Required:	False		
SourceField:	PSource_longname		
SourceTable:	Icl_SDWIS_PWS		
TextAlign:	General		
UnicodeCompression:	False		

OwnerCode		Short Text	1
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {75A9E3DB-5B2C-43AB-9B27-9E386D425D0F}}		
IMEMode:	0		

	IMESentenceMode:	3		
	OrdinalPosition:	17		
	Required:	False		
	SourceField:	OwnerCode		
	SourceTable:	Icl_SDWIS_PWS		
	TextAlign:	General		
	UnicodeCompression:	False		
Owner			Short Text	14
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	GUID:	{guid {C111AFC8-8646-4EF0-8DE8-8A7DDAB4E28A}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	18		
	Required:	False		
	SourceField:	Owner		
	SourceTable:	Icl_SDWIS_PWS		
	TextAlign:	General		
	UnicodeCompression:	False		
SchoolOrDaycare			Short Text	1
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	GUID:	{guid {F6511087-53CE-4AE9-A55F-8A04AA78F0F5}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	19		
	Required:	False		
	SourceField:	SchoolOrDaycare		
	SourceTable:	Icl_SDWIS_PWS		
	TextAlign:	General		
	UnicodeCompression:	False		
SizeCat2_id			Long Integer	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		

CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 GUID: {guid {C79984C9-C958-468A-A982-C25243976439}}  
 OrdinalPosition: 20  
 Required: False  
 SourceField: SizeCat2\_id  
 SourceTable: Icl\_SDWIS\_PWS  
 TextAlign: General

SizeCat2 Short Text 7

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {23F997A7-61AF-43F0-9027-E915343923CC}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 21  
 Required: False  
 SourceField: SizeCat2  
 SourceTable: Icl\_SDWIS\_PWS  
 TextAlign: General  
 UnicodeCompression: False

SizeCat2\_pt Short Text 9

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {C26ED30E-3C2F-4A11-92FE-006906ADB37A}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 22  
 Required: False  
 SourceField: SizeCat2\_pt  
 SourceTable: Icl\_SDWIS\_PWS  
 TextAlign: General  
 UnicodeCompression: False

SizeCat3_id		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
GUID:	{guid {72938553-6FBA-4071-9C56-B892A31F5651}}		
OrdinalPosition:	23		
Required:	False		
SourceField:	SizeCat3_id		
SourceTable:	Icl_SDWIS_PWS		
TextAlign:	General		
SizeCat3		Short Text	12
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {6D3C7C58-CEFE-4B3C-B9D1-C3BD33C0A452}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	24		
Required:	False		
SourceField:	SizeCat3		
SourceTable:	Icl_SDWIS_PWS		
TextAlign:	General		
UnicodeCompression:	False		
SizeCat3_pt		Short Text	14
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {BAE3049B-0CC3-493C-8706-1DF03DDE87FD}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	25		

Required: False  
 SourceField: SizeCat3\_pt  
 SourceTable: Icl\_SDWIS\_PWS  
 TextAlign: General  
 UnicodeCompression: False

SizeCat4\_id Long Integer 4

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 GUID: {guid {9D46FF01-5003-4628-B3B2-4928B26FE22F}}  
 OrdinalPosition: 26  
 Required: False  
 SourceField: SizeCat4\_id  
 SourceTable: Icl\_SDWIS\_PWS  
 TextAlign: General

SizeCat4 Short Text 10

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {FC8D16C5-2904-4FD0-A72F-E562532CB1B9}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 27  
 Required: False  
 SourceField: SizeCat4  
 SourceTable: Icl\_SDWIS\_PWS  
 TextAlign: General  
 UnicodeCompression: False

SizeCat4\_pt Short Text 12

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default

DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {64F44347-5565-42F5-BC6A-21123BB1567B}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 28  
 Required: False  
 SourceField: SizeCat4\_pt  
 SourceTable: Icl\_SDWIS\_PWS  
 TextAlign: General  
 UnicodeCompression: False

SizeCat5\_id Long Integer 4

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 GUID: {guid {9C4AFFAC-C4B2-479F-89B6-B61CD4A8BAD7}}  
 OrdinalPosition: 29  
 Required: False  
 SourceField: SizeCat5\_id  
 SourceTable: Icl\_SDWIS\_PWS  
 TextAlign: General

SizeCat5 Short Text 20

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {F3B973ED-58E9-4BCE-BA3A-7271B9222BEE}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 30  
 Required: False  
 SourceField: SizeCat5  
 SourceTable: Icl\_SDWIS\_PWS  
 TextAlign: General  
 UnicodeCompression: False

SizeCat5\_pt Short Text 12

AggregateType: -1  
 AllowZeroLength: True

AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {B2B50E0D-D800-4B0F-A653-158D446F010B}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 31  
 Required: False  
 SourceField: SizeCat5\_pt  
 SourceTable: Icl\_SDWIS\_PWS  
 TextAlign: General  
 UnicodeCompression: False

SizeCat11\_id Long Integer 4

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 GUID: {6C9B76D8-B776-44CA-95B7-23BA5F3EB9E5}}  
 OrdinalPosition: 32  
 Required: False  
 SourceField: SizeCat11\_id  
 SourceTable: Icl\_SDWIS\_PWS  
 TextAlign: General

SizeCat11 Short Text 17

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {F47E0F64-0594-4FAE-B2F5-4FCCCA2A13A8}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 33  
 Required: False  
 SourceField: SizeCat11  
 SourceTable: Icl\_SDWIS\_PWS

TextAlign:	General		
UnicodeCompression:	False		
<b>SizeCat11_pt</b>		<b>Short Text</b>	<b>19</b>
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {F768458B-C02B-40A5-BDAC-23403783B64D}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	34		
Required:	False		
SourceField:	SizeCat11_pt		
SourceTable:	Icl_SDWIS_PWS		
TextAlign:	General		
UnicodeCompression:	False		
<b>WholesalerInd</b>		<b>Short Text</b>	<b>1</b>
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {2F6400F3-5A6E-48A2-B2C2-57E5094727AE}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	35		
Required:	False		
SourceField:	WholesalerInd		
SourceTable:	Icl_SDWIS_PWS		
TextAlign:	General		
UnicodeCompression:	False		
<b>RetPopSrvd</b>		<b>Long Integer</b>	<b>4</b>
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		



DecimalPlaces: Auto  
 DisplayControl: Text Box  
 GUID: {guid {1F8EA918-68F2-43DE-BD85-DF948FC41EAE}}  
 OrdinalPosition: 36  
 Required: False  
 SourceField: RetPopSrvd  
 SourceTable: Icl\_SDWIS\_PWS  
 TextAlign: General

PWSSvcConn Long Integer 4

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 GUID: {guid {3E4E07FF-CEE5-48A9-8DB6-AA81FC0C97B8}}  
 OrdinalPosition: 37  
 Required: False  
 SourceField: PWSSvcConn  
 SourceTable: Icl\_SDWIS\_PWS  
 TextAlign: General

GrantEligible Short Text 1

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {60E7A8B2-B3F9-4F81-8482-9DB00A994221}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 38  
 Required: False  
 SourceField: GrantEligible  
 SourceTable: Icl\_SDWIS\_PWS  
 TextAlign: General  
 UnicodeCompression: False

SeasonBeginMonDay Short Text 5

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General

ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {DF5CC504-22CB-4EA7-898C-5568FD914178}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 39  
Required: False  
SourceField: SeasonBeginMonday  
SourceTable: Icl\_SDWIS\_PWS  
TextAlign: General  
UnicodeCompression: False

SeasonEndMonday Short Text 5

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {4D406B8B-AAD4-4B60-AF7F-94EB03BBA07E}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 40  
Required: False  
SourceField: SeasonEndMonday  
SourceTable: Icl\_SDWIS\_PWS  
TextAlign: General  
UnicodeCompression: False

Contact Short Text 70

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {95D53F17-AD12-4DB5-8800-7A59102E261B}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 41  
Required: False  
SourceField: Contact  
SourceTable: Icl\_SDWIS\_PWS  
TextAlign: General

UnicodeCompression:	False		
ContactOrgName		Short Text	80
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {81F1EF55-D60D-4C7B-B256-8B88D0AB1ECE}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	42		
Required:	False		
SourceField:	ContactOrgName		
SourceTable:	Icl_SDWIS_PWS		
TextAlign:	General		
UnicodeCompression:	False		
ContactPhone		Short Text	15
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {DE4994E7-2749-47D0-953C-6B8153EFB0DA}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	43		
Required:	False		
SourceField:	ContactPhone		
SourceTable:	Icl_SDWIS_PWS		
TextAlign:	General		
UnicodeCompression:	False		
ContactAddress1		Short Text	50
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		

GUID: {guid {5732FCD0-ADE1-44FB-B2C4-78B503C751E3}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 44  
 Required: False  
 SourceField: ContactAddress1  
 SourceTable: Icl\_SDWIS\_PWS  
 TextAlign: General  
 UnicodeCompression: False

ContactAddress2 Short Text 50

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {94497B24-CF1C-412B-BA19-57739AE06ABD}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 45  
 Required: False  
 SourceField: ContactAddress2  
 SourceTable: Icl\_SDWIS\_PWS  
 TextAlign: General  
 UnicodeCompression: False

ContactCity Short Text 40

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {DC9BE0ED-7868-441E-B51D-D08F31C19CED}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 46  
 Required: False  
 SourceField: ContactCity  
 SourceTable: Icl\_SDWIS\_PWS  
 TextAlign: General  
 UnicodeCompression: False

ContactState Short Text 2

AggregateType: -1  
 AllowZeroLength: True

AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {71016EB3-56D6-4445-B8FB-ECE50F0C28E9}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 47  
Required: False  
SourceField: ContactState  
SourceTable: Icl\_SDWIS\_PWS  
TextAlign: General  
UnicodeCompression: False

ContactZIP Short Text 14

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {B3F06FF5-25D3-488E-8122-50C5AA12BF29}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 48  
Required: False  
SourceField: ContactZIP  
SourceTable: Icl\_SDWIS\_PWS  
TextAlign: General  
UnicodeCompression: False

ValidityIndicator Short Text 1

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {9B94416C-D31C-428C-A5FC-14831E6C28B6}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 49  
Required: False

SourceField: ValidityIndicator  
SourceTable: Icl\_SDWIS\_PWS  
TextAlign: General  
UnicodeCompression: False

FirstReportedDate Date With Time 8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Fixed Size  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
GUID: {guid {FDF26D2D-AF95-446F-B771-0FD230572A4A}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 50  
Required: False  
ShowDatePicker: For dates  
SourceField: FirstReportedDate  
SourceTable: Icl\_SDWIS\_PWS  
TextAlign: General

LastReportedDate Date With Time 8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Fixed Size  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
GUID: {guid {573E9BCA-FBD6-40F0-805C-AD1863D695A7}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 51  
Required: False  
ShowDatePicker: For dates  
SourceField: LastReportedDate  
SourceTable: Icl\_SDWIS\_PWS  
TextAlign: General

PWSSourceWaterProtectionCode Short Text 1

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False

DisplayControl: Text Box  
 GUID: {guid {BD80F710-3143-4C9F-B4B5-595B7DEC597B}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 52  
 Required: False  
 SourceField: PWSSourceWaterProtectionCode  
 SourceTable: Icl\_SDWIS\_PWS  
 TextAlign: General  
 UnicodeCompression: False

PWSSourceWaterProtectionDate Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 GUID: {guid {0A1049CD-345B-4FC4-9D3B-8AA751CC8D97}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 53  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: PWSSourceWaterProtectionDate  
 SourceTable: Icl\_SDWIS\_PWS  
 TextAlign: General

Selected Yes/No 1

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: this field is used for project detail form where user add pws to project\_PWS\_Assignment  
 DisplayControl: 106  
 Format: Yes/No  
 GUID: {guid {39B2E00F-C3F3-46E6-8188-F3B50ED3A43B}}  
 OrdinalPosition: 54  
 Required: False  
 SourceField: Selected  
 SourceTable: Icl\_SDWIS\_PWS  
 TextAlign: General

DateImported Date With Time 8

AggregateType: -1  
 AllowZeroLength: False

AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 GUID: {guid {73BD64C3-E45A-43FE-9226-F59780B7E4E7}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 55  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: DateImported  
 SourceTable: Icl\_SDWIS\_PWS  
 TextAlign: General

ImportUser AggregateType: -1 AllowZeroLength: True AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False DisplayControl: Text Box GUID: {guid {80D59873-C38A-4D10-908D-870F67720B1E}} IMEMode: 0 IMESentenceMode: 3 OrdinalPosition: 56 Required: False SourceField: ImportUser SourceTable: Icl_SDWIS_PWS TextAlign: General UnicodeCompression: False	Short Text	255
---	------------	-----

**Table Indexes**

Name	Number of Fields
OwnerCode	1
Clustered:	False
DistinctCount:	6
Foreign:	False
IgnoreNulls:	False
Name:	OwnerCode
Primary:	False
Required:	False
Unique:	False
Fields:	
OwnerCode	Ascending
PWSActivityCode	1
Clustered:	False



	DistinctCount:	2
	Foreign:	False
	IgnoreNulls:	False
	Name:	PWSActivityCode
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	PWSActivityCode	Ascending
PWSID		1
	Clustered:	False
	DistinctCount:	781
	Foreign:	False
	IgnoreNulls:	False
	Name:	PWSID
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	PWSID	Ascending
PWSSourceWaterProtectionCode		1
	Clustered:	False
	DistinctCount:	1
	Foreign:	False
	IgnoreNulls:	False
	Name:	PWSSourceWaterProtectionCode
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	PWSSourceWaterProtectionCo	Ascending
PWSTypeCode		1
	Clustered:	False
	DistinctCount:	3
	Foreign:	False
	IgnoreNulls:	False
	Name:	PWSTypeCode
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	PWSTypeCode	Ascending
SizeCat11_id		1
	Clustered:	False
	DistinctCount:	6
	Foreign:	False
	IgnoreNulls:	False
	Name:	SizeCat11_id
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	SizeCat11_id	Ascending

SizeCat2_id	1
Clustered:	False
DistinctCount:	2
Foreign:	False
IgnoreNulls:	False
Name:	SizeCat2_id
Primary:	False
Required:	False
Unique:	False
Fields:	
SizeCat2_id	Ascending
SizeCat3_id	1
Clustered:	False
DistinctCount:	2
Foreign:	False
IgnoreNulls:	False
Name:	SizeCat3_id
Primary:	False
Required:	False
Unique:	False
Fields:	
SizeCat3_id	Ascending
SizeCat4_id	1
Clustered:	False
DistinctCount:	2
Foreign:	False
IgnoreNulls:	False
Name:	SizeCat4_id
Primary:	False
Required:	False
Unique:	False
Fields:	
SizeCat4_id	Ascending
SizeCat5_id	1
Clustered:	False
DistinctCount:	4
Foreign:	False
IgnoreNulls:	False
Name:	SizeCat5_id
Primary:	False
Required:	False
Unique:	False
Fields:	
SizeCat5_id	Ascending
Status_id	1
Clustered:	False
DistinctCount:	2
Foreign:	False
IgnoreNulls:	False
Name:	Status_id
Primary:	False
Required:	False
Unique:	False

---

Fields:	
Status_id	Ascending
SubmissionStatusCode	1
Clustered:	False
DistinctCount:	2
Foreign:	False
IgnoreNulls:	False
Name:	SubmissionStatusCode
Primary:	False
Required:	False
Unique:	False
Fields:	
SubmissionStatusCode	Ascending

**User Permissions**

admin

**Group Permissions**

Admins

Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

AlternateBackShade:	100	AlternateBackThemeColorIn	-1
AlternateBackTint:	100	BackShade:	100
BackTint:	100	DatasheetForeThemeColorIn	-1
DatasheetGridlinesThemeCol	-1	DateCreated:	7/12/2011 6:55:12 PM
DefaultView:	2	DisplayViewsOnSharePointSi	1
FilterOnLoad:	False	GUID:	{guid {52952FF8-00F1-4D6D-8FB8-3271F98408FA}}
HideNewField:	False	LastUpdated:	9/30/2014 3:53:39 PM
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	10	ThemeFontIndex:	-1
TotalsRow:	False	Updatable:	True

**Columns**

Name	Type	Size
tmpImportID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	450	
CurrencyLCID:	0	
DataUpdatable:	False	
GUID:	{guid {A475DB2B-836B-4A9E-998F-164A2C7F3AA9}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	tmpImportID	
SourceTable:	lkpExcelImportfileNames	
TextAlign:	General	
SheetName	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2085	
CurrencyLCID:	0	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {DAE7BC44-2E75-4F4E-A6BD-6B5856135B33}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	

SourceField: SheetName  
 SourceTable: IkpExcelImportfileNames  
 TextAlign: General  
 UnicodeCompression: True

SheetCategory		Short Text	255
AggregateType:	-1		
AllowValueListEdits:	True		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
BoundColumn:	1		
CollatingOrder:	General		
ColumnCount:	1		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2430		
CurrencyLCID:	0		
DataUpdatable:	False		
Description:	PDS, DWIG_IA, DWIG_DG		
DisplayControl:	Combo Box		
GUID:	{guid {B124E076-DEC8-4235-8154-5CE873F3F4A9}}		
IMEMode:	0		
IMESentenceMode:	3		
LimitToList:	False		
ListRows:	16		
ListWidth:	0twip		
OrdinalPosition:	2		
Required:	False		
RowSource:	"PDS";"DWIG";"DWIG_DG";"ETT"		
RowSourceType:	Value List		
ShowOnlyRowSourceValues:	False		
SourceField:	SheetCategory		
SourceTable:	IkpExcelImportfileNames		
TextAlign:	General		
UnicodeCompression:	True		

StartingRow		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1395		
CurrencyLCID:	0		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
GUID:	{guid {62A561CF-A9CC-4B3F-A608-B2A3BD7545D6}}		
OrdinalPosition:	3		
Required:	False		
SourceField:	StartingRow		

SourceTable:	IkpExcelImportfileNames		
TextAlign:	General		
EndingRow		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
GUID:	{guid {D6C1C2F2-426A-4199-94B7-DBF2ABE97B39}}		
OrdinalPosition:	4		
Required:	False		
SourceField:	EndingRow		
SourceTable:	IkpExcelImportfileNames		
TextAlign:	General		
StartingCol		Short Text	3
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	465		
CurrencyLCID:	0		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {4569912F-1701-4C82-A6E1-1F7F21A8D0FD}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	5		
Required:	False		
SourceField:	StartingCol		
SourceTable:	IkpExcelImportfileNames		
TextAlign:	General		
UnicodeCompression:	False		
EndingCol		Short Text	3
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	540		
CurrencyLCID:	0		

DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {B7EC260D-FFAA-48D9-9D45-F000EC5C6331}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 6  
 Required: False  
 SourceField: EndingCol  
 SourceTable: IkpExcelImportfileNames  
 TextAlign: General  
 UnicodeCompression: False

tmpImportFileName Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: 3375  
 CurrencyLCID: 0  
 DataUpdatable: False  
 Description: file name where sheet will be imported  
 DisplayControl: Text Box  
 GUID: {guid {0489E021-8808-46E2-9AFB-9E9029DD5CCB}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 7  
 Required: False  
 SourceField: tmpImportFileName  
 SourceTable: IkpExcelImportfileNames  
 TextAlign: General  
 UnicodeCompression: True

AppendDatatoTable Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 Description: Perm data table Name  
 DisplayControl: Text Box  
 GUID: {guid {256D4FE5-05F7-477D-86D9-58EC5D73761E}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 8  
 Required: False  
 SourceField: AppendDatatoTable  
 SourceTable: IkpExcelImportfileNames

	TextAlign:	General	
	UnicodeCompression:	True	
Active			Yes/No 1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {CB072FE5-B5BF-4F98-B713-D7681F28CB58}}	
	OrdinalPosition:	9	
	Required:	False	
	SourceField:	Active	
	SourceTable:	IkpExcelImportfileNames	
	TextAlign:	General	
DateCreated			Date With Time 8
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	Date record was created	
	Format:	Short Date	
	GUID:	{guid {91AD9728-A3A0-481A-B528-8C06E5EFADBA}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	10	
	Required:	False	
	ShowDatePicker:	For dates	
	SourceField:	DateCreated	
	SourceTable:	IkpExcelImportfileNames	
	TextAlign:	General	
CreatedByUser			Short Text 255
	AggregateType:	-1	
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	



CurrencyLCID: 0  
 DataUpdatable: False  
 Description: User who created record  
 DisplayControl: Text Box  
 GUID: {guid {81042F7B-34A8-4B1B-9DB2-9C484C96C89A}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 11  
 Required: False  
 SourceField: CreatedByUser  
 SourceTable: lkpExcelImportfileNames  
 TextAlign: General  
 UnicodeCompression: True

DateUpdated Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 Description: Date record was updated  
 Format: Short Date  
 GUID: {guid {4D3B43B5-8A39-4E5F-8B49-42A359AAA86B}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 12  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: DateUpdated  
 SourceTable: lkpExcelImportfileNames  
 TextAlign: General

UpdatedbyUser Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 Description: User who updated record  
 DisplayControl: Text Box  
 GUID: {guid {CCF7C45F-CA0B-4935-969A-51F3C763EBD2}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 13  
 Required: False

SourceField: UpdatedbyUser  
SourceTable: IkpExcelImportfileNames  
TextAlign: General  
UnicodeCompression: True

**Table Indexes**

<u>Name</u>	<u>Number of Fields</u>
PrimaryKey	1
Clustered:	False
DistinctCount:	10
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
tmpImportID	Ascending

**User Permissions**

admin

**Group Permissions**

Admins

Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,  
Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

DateCreated:	1/24/2012 12:45:24 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	Filter:	([IkpGlobal].[CodeType]="FundingProgram")
FilterOnLoad:	False	GUID:	{guid {BD45E7E7-48FC-4C11-8AF2-1F40E287E930}}
HideNewField:	False	LastUpdated:	2/27/2013 4:43:04 PM
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	96	TotalsRow:	False
Updatable:	True		

**Columns**

Name	Type	Size
Codeid	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	705	
DataUpdatable:	False	
GUID:	{guid {271B30E7-580D-43D4-9A97-744D1DCBE085}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	Codeid	
SourceTable:	IkpGlobal	
TextAlign:	General	
Code	Short Text	50
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	3720	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {BA89BCAE-DED7-4825-B092-C0C674B94293}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	Code	
SourceTable:	IkpGlobal	
TextAlign:	General	
UnicodeCompression:	True	

CodeType		Short Text	50
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1785		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {7D3D1C0D-D3C0-4259-BA17-C5907BE84C97}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	2		
Required:	False		
SourceField:	CodeType		
SourceTable:	IkpGlobal		
TextAlign:	General		
UnicodeCompression:	True		

DateCreated		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Format:	mm/dd/yyyy		
GUID:	{guid {4C4E3717-18BD-4CBB-BA75-B874C5680B85}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	3		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	DateCreated		
SourceTable:	IkpGlobal		
TextAlign:	General		

CodeDesc		Short Text	255
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	5730		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {A7AF756E-45F1-4681-A712-49E7A0534B93}}		
IMEMode:	0		

	IMESentenceMode:	3		
	OrdinalPosition:	4		
	Required:	False		
	SourceField:	CodeDesc		
	SourceTable:	IkpGlobal		
	TextAlign:	General		
	UnicodeCompression:	True		
CodeFlag			Short Text	55
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	GUID:	{guid {6B49158C-5F82-496C-9E85-73EAEA46470F}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	5		
	Required:	False		
	SourceField:	CodeFlag		
	SourceTable:	IkpGlobal		
	TextAlign:	General		
	UnicodeCompression:	True		
NoChangePermission			Yes/No	1
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	2415		
	DataUpdatable:	False		
	Description:	if this field couldd be changed		
	DisplayControl:	106		
	Format:	Yes/No		
	GUID:	{guid {E4764F1B-54EB-4A60-88A4-2F163B35F49E}}		
	OrdinalPosition:	6		
	Required:	False		
	SourceField:	NoChangePermission		
	SourceTable:	IkpGlobal		
	TextAlign:	General		
Active			Yes/No	1
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		

ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: 106  
 Format: Yes/No  
 GUID: {guid {D681C1E4-4AE6-4AA4-9D6C-5FE2B603C0EF}}  
 OrdinalPosition: 7  
 Required: False  
 SourceField: Active  
 SourceTable: IkpGlobal  
 TextAlign: General

Sequence Long Integer 4

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 GUID: {guid {411D3576-00AA-4C59-8AB2-2450FF2C2A59}}  
 OrdinalPosition: 8  
 Required: False  
 SourceField: Sequence  
 SourceTable: IkpGlobal  
 TextAlign: General

**Table Indexes**

Name	Number of Fields
CodeDesc	1
Clustered:	False
DistinctCount:	14
Foreign:	False
IgnoreNulls:	False
Name:	CodeDesc
Primary:	False
Required:	False
Unique:	False
Fields:	
CodeDesc	Ascending
CodeFlag	1
Clustered:	False
DistinctCount:	5
Foreign:	False
IgnoreNulls:	False
Name:	CodeFlag
Primary:	False
Required:	False

	Unique:	False
	Fields:	
	CodeFlag	Ascending
Codeid		1
	Clustered:	False
	DistinctCount:	96
	Foreign:	False
	IgnoreNulls:	False
	Name:	Codeid
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	Codeid	Ascending
PrimaryKey		2
	Clustered:	False
	DistinctCount:	96
	Foreign:	False
	IgnoreNulls:	False
	Name:	PrimaryKey
	Primary:	True
	Required:	True
	Unique:	True
	Fields:	
	Code	Ascending
	CodeType	Ascending

**User Permissions**

admin

**Group Permissions**

Admins

Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

DateCreated:	1/20/2012 3:44:13 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {BB87F77C-222D-4606-BB0C-A9C81CB9D8BE}}	HideNewField:	False
LastUpdated:	1/20/2012 3:45:22 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	36
TotalsRow:	False	Updatable:	True

**Columns**

Name	Type	Size
InfrastructureCatID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal Infrastructure Category identifier	
GUID:	{guid {1D642D8D-69CB-4478-ACD9-44A1182C3A2F}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	InfrastructureCatID	
SourceTable:	lkpInfrastructureCategories	
TextAlign:	General	
InfrastructureCategory	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2820	
DataUpdatable:	False	
Description:	Infrastructure Category	
DisplayControl:	Text Box	
GUID:	{guid {2A27F18A-8ABA-49B3-B3E4-A1294AA65503}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	InfrastructureCategory	
SourceTable:	lkpInfrastructureCategories	
TextAlign:	General	
UnicodeCompression:	True	



InfrastructureCategoryDesc		Long Text	-
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	10935		
DataUpdatable:	False		
Description:	Infrastructure Category Description		
GUID:	{guid {E76FD934-A548-4249-BB36-226193665562}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	2		
Required:	False		
SourceField:	InfrastructureCategoryDesc		
SourceTable:	lkpInfrastructureCategories		
TextAlign:	General		
TextFormat:	Plain Text		
UnicodeCompression:	True		
FundingProgramID		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	foreign key, lookup in table lkpGlobal		
DisplayControl:	Text Box		
GUID:	{guid {2936008F-4B0D-4096-9645-77D577EAE58B}}		
OrdinalPosition:	3		
Required:	False		
SourceField:	FundingProgramID		
SourceTable:	lkpInfrastructureCategories		
TextAlign:	General		
Sequence		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Sequence for dropdown control		
DisplayControl:	Text Box		

GUID: {guid {2C815AEC-192B-4556-A477-9A1C71683417}}  
 OrdinalPosition: 4  
 Required: False  
 SourceField: Sequence  
 SourceTable: lkpInfrastructureCategories  
 TextAlign: General

**Table Indexes**

Name	Number of Fields
FundingProgramID	1
Clustered:	False
DistinctCount:	5
Foreign:	False
IgnoreNulls:	False
Name:	FundingProgramID
Primary:	False
Required:	False
Unique:	False
Fields:	
FundingProgramID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	36
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
InfrastructureCatID	Ascending

**User Permissions**

admin

**Group Permissions**

Admins

Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

AlternateBackShade:	100	AlternateBackThemeColorIn	-1
AlternateBackTint:	100	BackShade:	100
BackTint:	100	DatasheetForeThemeColorIn	-1
DatasheetGridlinesThemeCol	-1	DateCreated:	7/13/2011 5:18:21 PM
DefaultView:	2	DisplayViewsOnSharePointSi	1
FilterOnLoad:	False	GUID:	{guid {51E12061-6B76-4A21-BBEF-89BA5B96E588}}
HideNewField:	False	LastUpdated:	10/20/2014 3:10:29 PM
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	13	ThemeFontIndex:	-1
TotalsRow:	False	Updatable:	True

**Columns**

Name	Type	Size
PACode	Short Text	3
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	two-character Primacy Agency Code	
DisplayControl:	Text Box	
GUID:	{guid {B10BCF32-CA1A-4524-8B59-5D16616BB040}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	0	
Required:	False	
SourceField:	PACode	
SourceTable:	IkpPrimacyAgencies	
TextAlign:	General	
UnicodeCompression:	True	
PAName	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	Primacy Agency Name	

	DisplayControl:	Text Box	
	GUID:	{guid {0FC5B0B6-3F3F-4F6A-B54E-08ECEC31536C}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	1	
	Required:	False	
	SourceField:	PAName	
	SourceTable:	IkpPrimacyAgencies	
	TextAlign:	General	
	UnicodeCompression:	True	
Selected			Yes/No 1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {26D45627-DAA0-478F-9858-5245DA1ED488}}	
	OrdinalPosition:	2	
	Required:	False	
	SourceField:	Selected	
	SourceTable:	IkpPrimacyAgencies	
	TextAlign:	General	
OnlyForAllotment			Yes/No 1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	2265	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	do not add nn all ak to the allotment table	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {FD3B013C-281C-4082-B222-446A3AC9B28E}}	
	OrdinalPosition:	3	
	Required:	False	
	SourceField:	OnlyForAllotment	
	SourceTable:	IkpPrimacyAgencies	
	TextAlign:	General	

**Table Indexes**

Name	Number of Fields
------	------------------

---

PrimaryKey	1
Clustered:	False
DistinctCount:	13
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
PACode	Ascending

**User Permissions**

admin

**Group Permissions**

Admins

Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

DateCreated:	1/20/2012 3:44:13 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {AF863606-4EB6-4D4D-8F9B-2F01983F05EE}}	HideNewField:	False
LastUpdated:	2/27/2013 4:40:54 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	35
TotalsRow:	False	Updatable:	True

**Columns**

Name	Type	Size
ProjectPurposeID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal Project Purpose identifier	
GUID:	{guid {9E685EBA-E698-4115-B98F-88FC8895BED6}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	ProjectPurposeID	
SourceTable:	IkpProjectPurposes	
TextAlign:	General	
ProjectPurpose	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	7920	
DataUpdatable:	False	
Description:	Project Purpose	
DisplayControl:	Text Box	
GUID:	{guid {02FBF081-C149-479F-9FA9-94EB428144BF}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	ProjectPurpose	
SourceTable:	IkpProjectPurposes	
TextAlign:	General	
UnicodeCompression:	True	

FundingProgramID		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	foreign key, lookup in table lkpGlobal		
DisplayControl:	Text Box		
GUID:	{guid {F6079884-29BB-4A67-8741-611B12D21188}}		
OrdinalPosition:	2		
Required:	False		
SourceField:	FundingProgramID		
SourceTable:	lkpProjectPurposes		
TextAlign:	General		
Sequence		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Sort sequence		
DisplayControl:	Text Box		
GUID:	{guid {0AB32AE5-D9EC-4F40-8F3E-606C697E48E4}}		
OrdinalPosition:	3		
Required:	False		
SourceField:	Sequence		
SourceTable:	lkpProjectPurposes		
TextAlign:	General		
RequiredRuleContViolated		Yes/No	1
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	If this project purpose is selected, at least one Rule/Contaminant Violated record is required.		
DisplayControl:	106		
Format:	Yes/No		
GUID:	{guid {2C6EBF8F-D5CC-4FD3-8F1F-951897B765EB}}		
OrdinalPosition:	4		

Required: False  
 SourceField: RequiredRuleContViolated  
 SourceTable: IkpProjectPurposes  
 TextAlign: General

DateCreated Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Date record was created  
 Format: Short Date  
 GUID: {guid {1774299B-42AA-4F44-B5DD-AC3A154626F4}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 5  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: DateCreated  
 SourceTable: IkpProjectPurposes  
 TextAlign: General

CreatedByUser Short Text 50

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: User who created record  
 DisplayControl: Text Box  
 GUID: {guid {F6F720C4-60D3-4F7A-A562-24A9841D477A}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 6  
 Required: False  
 SourceField: CreatedByUser  
 SourceTable: IkpProjectPurposes  
 TextAlign: General  
 UnicodeCompression: True

DateUpdated Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General



ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Date record was updated  
 GUID: {guid {F4CF2160-3393-49F5-B76A-AF3254AE46E2}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 7  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: DateUpdated  
 SourceTable: IkpProjectPurposes  
 TextAlign: General

UpdatedbyUser Short Text 50

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: User who updated record  
 DisplayControl: Text Box  
 GUID: {guid {53AD1DB2-5BA9-4308-B801-53009BC4C787}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 8  
 Required: False  
 SourceField: UpdatedbyUser  
 SourceTable: IkpProjectPurposes  
 TextAlign: General  
 UnicodeCompression: True

**Table Indexes**

Name	Number of Fields
FundingProgramID	1
Clustered:	False
DistinctCount:	5
Foreign:	False
IgnoreNulls:	False
Name:	FundingProgramID
Primary:	False
Required:	False
Unique:	False
Fields:	
FundingProgramID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	35

---

Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
ProjectPurposeID	Ascending

**User Permissions**

admin

**Group Permissions**

Admins  
Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,  
Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

DateCreated:	7/12/2011 6:55:12 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {62120CE9-589C-4E21-B0D2-DBC81A6967F}}	HideNewField:	False
LastUpdated:	2/17/2012 3:09:32 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	5
TotalsRow:	False	Updatable:	True

**Columns**

Name	Type	Size
PWSFundingSourceID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal PWS Funding Source identifier	
GUID:	{guid {1834DF39-BE74-4772-8F8B-DDA4E1E100A0}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	PWSFundingSourceID	
SourceTable:	IkpPWSOperationalFundingSources	
TextAlign:	General	
PWSFundingSource	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	3480	
DataUpdatable:	False	
Description:	PWS Funding Source	
DisplayControl:	Text Box	
GUID:	{guid {16AC7C4A-F81C-4074-952E-F99F25C33B18}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	PWSFundingSource	
SourceTable:	IkpPWSOperationalFundingSources	
TextAlign:	General	
UnicodeCompression:	True	

DateCreated		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Date record was created		
Format:	Short Date		
GUID:	{guid {BB7ABB3A-D98B-453E-9F0F-1D765069BF74}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	2		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	DateCreated		
SourceTable:	IkpPWSOperationalFundingSources		
TextAlign:	General		

CreatedByUser		Short Text	50
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	User who created record		
DisplayControl:	Text Box		
GUID:	{guid {5DDDF64C0-8F01-45C1-AAD1-4D718BB6EE49}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	3		
Required:	False		
SourceField:	CreatedByUser		
SourceTable:	IkpPWSOperationalFundingSources		
TextAlign:	General		
UnicodeCompression:	True		

DateUpdated		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Date record was updated		

GUID: {guid {D810C7EF-162A-4A9C-86B4-271F5B0E5461}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 4  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: DateUpdated  
 SourceTable: IkpPWSOperationalFundingSources  
 TextAlign: General

UpdatedbyUser	Short Text	50
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	User who updated record	
DisplayControl:	Text Box	
GUID:	{guid {144CDECD-6247-4B84-98E5-1B831608B82D}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	5	
Required:	False	
SourceField:	UpdatedbyUser	
SourceTable:	IkpPWSOperationalFundingSources	
TextAlign:	General	
UnicodeCompression:	True	

**Table Indexes**

<u>Name</u>	<u>Number of Fields</u>
PrimaryKey	1
Clustered:	False
DistinctCount:	5
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
PWSFundingSourceID	Ascending

**User Permissions**

admin

**Group Permissions**

Admins  
Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,  
Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

DateCreated:	7/12/2011 6:55:12 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {12A6667A-ECAB-4326-BF86-37128E321BEB}}	HideNewField:	False
LastUpdated:	7/12/2011 6:55:12 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	7
TotalsRow:	False	Updatable:	True

**Columns**

Name	Type	Size
PWSEntityID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal PWS Responsible Entity identifier	
GUID:	{guid {754A63C6-2BEA-4343-9F7F-69113331D91A}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	PWSEntityID	
SourceTable:	IkpPWSResponsibleEntities	
TextAlign:	General	
Entity	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2730	
DataUpdatable:	False	
Description:	Responsible Entity Category	
DisplayControl:	Text Box	
GUID:	{guid {CA9A8CE1-11D9-43AA-8C09-CE8FB9D67C0C}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	Entity	
SourceTable:	IkpPWSResponsibleEntities	
TextAlign:	General	
UnicodeCompression:	True	

DateCreated		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Date record was created		
Format:	Short Date		
GUID:	{guid {2C5DE330-3694-4D68-B61B-667106E5C9A2}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	2		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	DateCreated		
SourceTable:	IkpPWSResponsibleEntities		
TextAlign:	General		

CreatedByUser		Short Text	50
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	User who created record		
DisplayControl:	Text Box		
GUID:	{guid {795F06BA-D8B8-41B8-9D21-7A8949C02D05}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	3		
Required:	False		
SourceField:	CreatedByUser		
SourceTable:	IkpPWSResponsibleEntities		
TextAlign:	General		
UnicodeCompression:	True		

DateUpdated		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Date record was updated		



GUID: {guid {7161D22D-986D-40FE-B8A3-0918AFAA8116}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 4  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: DateUpdated  
 SourceTable: IkpPWSResponsibleEntities  
 TextAlign: General

UpdatedbyUser	Short Text	50
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	User who updated record	
DisplayControl:	Text Box	
GUID:	{guid {C73A4BA3-83B7-4557-A549-E2FA8D6D9D68}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	5	
Required:	False	
SourceField:	UpdatedbyUser	
SourceTable:	IkpPWSResponsibleEntities	
TextAlign:	General	
UnicodeCompression:	True	

**Table Indexes**

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	7
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
PWSEntityID	Ascending

**User Permissions**

admin

**Group Permissions**

Admins

Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,  
Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

DateCreated:	8/9/2011 5:37:03 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {F0C307D5-C6FB-4036-B88B-8E625CA2E18A}}	HideNewField:	False
LastUpdated:	8/9/2011 5:37:43 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	5
TotalsRow:	False	Updatable:	True

**Columns**

Name	Type	Size
RuleID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal Rule identifier	
GUID:	{guid {15750A29-CFE5-46A6-9AC4-4BD9FC6DB470}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	RuleID	
SourceTable:	lkpRules	
TextAlign:	General	
Rule	Short Text	5
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Rule	
DisplayControl:	Text Box	
GUID:	{guid {5B7491BD-9CAF-4C4F-AA5B-83B2B3BF3130}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	Rule	
SourceTable:	lkpRules	
TextAlign:	General	
UnicodeCompression:	False	

**Table Indexes**

<u>Name</u>	<u>Number of Fields</u>
RuleID	1
Clustered:	False
DistinctCount:	5
Foreign:	False
IgnoreNulls:	False
Name:	RuleID
Primary:	False
Required:	False
Unique:	False
Fields:	
RuleID	Ascending

**User Permissions**

admin

**Group Permissions**

Admins

Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,  
Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

AlternateBackShade:	100	AlternateBackThemeColorIn	-1
AlternateBackTint:	100	BackShade:	100
BackTint:	100	DatasheetForeThemeColorIn	-1
DatasheetGridlinesThemeCol	-1	DateCreated:	7/12/2011 6:55:12 PM
DefaultView:	2	DisplayViewsOnSharePointSi	1
FilterOnLoad:	False	GUID:	{guid {E6821554-EA87-46DB-9B6F-AB87233B74EE}}
HideNewField:	False	LastUpdated:	10/6/2014 4:44:14 PM
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	7	ThemeFontIndex:	-1
TotalsRow:	False	Updatable:	True

**Columns**

Name	Type	Size
tmpImportID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	1005	
CurrencyLCID:	0	
DataUpdatable:	False	
GUID:	{guid {B8000A47-D557-493A-8E26-18C094FB1500}}	
OrdinalPosition:	0	
Required:	False	
ResultType:	0	
SourceField:	tmpImportID	
SourceTable:	lkpSDWISImport_TableNames	
TextAlign:	General	
ODBC_SDWIS_tblName	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	4290	
CurrencyLCID:	0	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {26909833-11FD-42F9-A8D8-469322CBDF7C}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	

Required: False  
 ResultType: 0  
 SourceField: ODBC\_SDWIS\_tbIName  
 SourceTable: IkpSDWISImport\_TableNames  
 TextAlign: General  
 UnicodeCompression: True

DINexTableName Short Text 255

AggregateType: -1  
 AllowValueListEdits: True  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 BoundColumn: 1  
 CollatingOrder: General  
 ColumnCount: 1  
 ColumnHeads: False  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: 4275  
 CurrencyLCID: 0  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {7BE377C7-C112-4C2E-9102-5081EE609641}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 LimitToList: False  
 ListRows: 16  
 ListWidth: 0twip  
 OrdinalPosition: 2  
 Required: False  
 ResultType: 0  
 RowSource: "PDS";"DWIG\_IA";"DWIG\_DG"  
 RowSourceType: Value List  
 ShowOnlyRowSourceValues: False  
 SourceField: DINexTableName  
 SourceTable: IkpSDWISImport\_TableNames  
 TextAlign: General  
 UnicodeCompression: True

PWSFilter Yes/No 1

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 Description: Does this table get filtered by PACode = left(PWSID,2)?  
 DisplayControl: 106  
 Format: Yes/No  
 GUID: {guid {D5529C84-9D49-414E-A0A6-F6650FCFED23}}

OrdinalPosition: 3  
 Required: False  
 ResultType: 0  
 SourceField: PWSFilter  
 SourceTable: IkpSDWISImport\_TableNames  
 TextAlign: General

PWSFidName Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {DCEA5D42-1350-41AB-B974-60EA5C5EB8A5}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 4  
 Required: False  
 ResultType: 0  
 SourceField: PWSFidName  
 SourceTable: IkpSDWISImport\_TableNames  
 TextAlign: General  
 UnicodeCompression: True

Active Yes/No 1

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 DisplayControl: 106  
 Format: Yes/No  
 GUID: {guid {03DADEB6-4DA4-461E-872B-EB1CD3A0CC71}}  
 OrdinalPosition: 5  
 Required: False  
 ResultType: 0  
 SourceField: Active  
 SourceTable: IkpSDWISImport\_TableNames  
 TextAlign: General

DateCreated Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False

Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 Description: Date record was created  
 Format: Short Date  
 GUID: {guid {6878E691-02EC-41F1-8243-97EB1CEC9D0A}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 6  
 Required: False  
 ResultType: 0  
 ShowDatePicker: For dates  
 SourceField: DateCreated  
 SourceTable: IkpSDWISImport\_TableNames  
 TextAlign: General

CreatedByUser Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 Description: User who created record  
 DisplayControl: Text Box  
 GUID: {guid {812A6855-BDB6-4105-8384-6FE15B4F720E}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 7  
 Required: False  
 ResultType: 0  
 SourceField: CreatedByUser  
 SourceTable: IkpSDWISImport\_TableNames  
 TextAlign: General  
 UnicodeCompression: True

DateUpdated Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False



Description: Date record was updated  
 Format: Short Date  
 GUID: {guid {7EC25753-A3EC-4C2C-A70C-54C8BB8ADF73}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 8  
 Required: False  
 ResultType: 0  
 ShowDatePicker: For dates  
 SourceField: DateUpdated  
 SourceTable: IkpSDWISIIImport\_TableNames  
 TextAlign: General

UpdatedbyUser Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 Description: User who updated record  
 DisplayControl: Text Box  
 GUID: {guid {873F5346-F0F9-47A6-9681-58FC6E0DDF9D}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 9  
 Required: False  
 ResultType: 0  
 SourceField: UpdatedbyUser  
 SourceTable: IkpSDWISIIImport\_TableNames  
 TextAlign: General  
 UnicodeCompression: True

QryName Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: 3255  
 CurrencyLCID: 0  
 DataUpdatable: False  
 Description: append queries used for appending data  
 DisplayControl: Text Box  
 GUID: {guid {634606E1-8B36-42BC-850F-81F155070AD2}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 10  
 Required: False

ResultType: 0  
SourceField: QryName  
SourceTable: IkpSDWISImport\_TableNames  
TextAlign: General  
UnicodeCompression: True

**Table Indexes**

<u>Name</u>	<u>Number of Fields</u>
PrimaryKey	1
Clustered:	False
DistinctCount:	7
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
tmpImportID	Ascending

**User Permissions**

admin

**Group Permissions**

Admins

Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

DateCreated:	7/12/2011 6:55:12 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {EEA7BC3C-02A3-46AE-8DFE-DF66972CB57C}}	HideNewField:	False
LastUpdated:	8/3/2011 6:19:36 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	1
TotalsRow:	False	Updatable:	True

**Columns**

Name	Type	Size
SessionId	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
GUID:	{guid {EBC1E388-7392-4A8D-9400-32F5F52ADA48}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	SessionId	
SourceTable:	IkpSession	
TextAlign:	General	
UserID	Short Text	10
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {4550A7F5-F330-4D47-86DD-B9707E7FD6D1}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	True	
SourceField:	UserID	
SourceTable:	IkpSession	
TextAlign:	General	
UnicodeCompression:	True	
UserLevel	Long Integer	4

AggregateType: -1  
 AllowValueListEdits: False  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 BoundColumn: 1  
 CollatingOrder: General  
 ColumnCount: 2  
 ColumnHeads: False  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 ColumnWidths: 360;1800  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 Description: Admin, HQ, Region  
 DisplayControl: Combo Box  
 GUID: {guid {E3C74BA3-E31E-42B0-B3CC-D3FDDE1D3F75}}  
 LimitToList: True  
 ListRows: 8  
 ListWidth: 2160twip  
 OrdinalPosition: 2  
 Required: False  
 RowSource: SELECT IkpGlobal.Codeid, IkpGlobal.Code FROM IkpGlobal WHERE  
 (((IkpGlobal.CodeType)="UserLevel") AND ((IkpGlobal.Active)=Yes))  
 ORDER BY IkpGlobal.Sequence;  
 RowSourceType: Table/Query  
 ShowOnlyRowSourceValues: False  
 SourceField: UserLevel  
 SourceTable: IkpSession  
 TextAlign: General

DateCreated Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Format: Short Date  
 GUID: {guid {AC75ECFB-AD79-4EA9-A00B-F98EEE126B4D}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 3  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: DateCreated  
 SourceTable: IkpSession  
 TextAlign: General

PACode Short Text 3

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {7401B4C6-C317-43B9-A45B-B082F36D37DC}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 4  
 Required: False  
 SourceField: PACode  
 SourceTable: IkpSession  
 TextAlign: General  
 UnicodeCompression: True

**Table Indexes**

Name	Number of Fields
ClientId	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	ClientId
Primary:	False
Required:	False
Unique:	True
Fields:	
UserID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
SessionId	Ascending
SessionId	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	SessionId
Primary:	False
Required:	False
Unique:	False

---

Fields:  
SessionId                      Ascending

**User Permissions**

admin

**Group Permissions**

Admins  
Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,  
Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

DateCreated:	7/12/2011 6:55:12 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {7F23F021-15E0-4512-BCF0-5D122D09C58F}}	HideNewField:	False
LastUpdated:	4/24/2012 1:05:00 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	1
TotalsRow:	False	Updatable:	True

**Columns**

Name	Type	Size
IclVersionID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
GUID:	{guid {BDCA76B0-42E3-41D6-BB64-723A17C46EB6}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	IclVersionID	
SourceTable:	IkpVersionApp	
TextAlign:	General	
IclVersionN	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {6B631734-18DB-4A72-A3E2-4EA232E1495F}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	IclVersionN	
SourceTable:	IkpVersionApp	
TextAlign:	General	
IclReleaseN	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	

AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 GUID: {guid {69ABADCB-EC7E-4B13-96FB-458D4C74960B}}  
 OrdinalPosition: 2  
 Required: False  
 SourceField: IclReleaseN  
 SourceTable: IkpVersionApp  
 TextAlign: General

IclRevisionN Long Integer 4

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 GUID: {guid {A22CB023-4307-4AED-8A47-61895263CA55}}  
 OrdinalPosition: 3  
 Required: False  
 SourceField: IclRevisionN  
 SourceTable: IkpVersionApp  
 TextAlign: General

IclDescription Long Text -

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 GUID: {guid {3D4529CB-EAB9-444E-AF70-CFEDD239B859}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 4  
 Required: False  
 SourceField: IclDescription  
 SourceTable: IkpVersionApp  
 TextAlign: General  
 TextFormat: Plain Text  
 UnicodeCompression: True



IclReleaseDate	Date With Time	8
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Format:	Short Date	
GUID:	{guid {F16F6EB0-578E-4AA3-8419-D1E621125839}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	5	
Required:	False	
ShowDatePicker:	For dates	
SourceField:	IclReleaseDate	
SourceTable:	IkpVersionApp	
TextAlign:	General	

DtLastImported_PDS	Date With Time	8
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Format:	Short Date	
GUID:	{guid {D8BC3E4F-5E7E-4D0F-B3BA-14B0E81D8B60}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	6	
Required:	False	
ShowDatePicker:	For dates	
SourceField:	DtLastImported_PDS	
SourceTable:	IkpVersionApp	
TextAlign:	General	

DtLastImported_DWIG	Date With Time	8
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Format:	Short Date	
GUID:	{guid {524EE159-7986-4ED8-8625-D7BA099D2679}}	
IMEMode:	0	

IMESentenceMode: 3  
 OrdinalPosition: 7  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: DtLastImported\_DWIG  
 SourceTable: IkpVersionApp  
 TextAlign: General

DtLastImported\_ETT Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Format: Short Date  
 GUID: {guid {0BE1EEA7-B99D-435C-B3D3-CF2A47A035B9}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 8  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: DtLastImported\_ETT  
 SourceTable: IkpVersionApp  
 TextAlign: General

DtLastImported\_SDWIS Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Format: Short Date  
 GUID: {guid {EF76EC13-97F6-4A35-AB5C-021C782DDD0E}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 9  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: DtLastImported\_SDWIS  
 SourceTable: IkpVersionApp  
 TextAlign: General

DateCreated Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size

CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Format:	Short Date
GUID:	{guid {F0E06FCF-4060-49E4-9B9D-1BC4247456AB}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	10
Required:	False
ShowDatePicker:	For dates
SourceField:	DateCreated
SourceTable:	IkpVersionApp
TextAlign:	General

**Table Indexes**

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
IclVersionID	Ascending
VersionID	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	VersionID
Primary:	False
Required:	False
Unique:	True
Fields:	
IclVersionID	Ascending

**User Permissions**

admin

**Group Permissions**

Admins

Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data



**Properties**

Attributes:	Linked	Connect:	;DATABASE=C:\USERS\KBANK S\DI NEX\APPLICATION\DiNex_be.mdb
DateCreated:	10/28/2014 11:09:02 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {FE5DC6A4-A1FF-492F-8DE8-4BFF53447466}}	HideNewField:	False
LastUpdated:	10/28/2014 11:09:02 PM	NameMap:	Long binary data
OrderBy:	[Logins].[UserID], [Logins].[DateCreated]	OrderByOn:	True
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	-1	SourceTableName:	Logins
TotalsRow:	False	Updatable:	False

**Columns**

Name	Type	Size
ID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1395	
DataUpdatable:	False	
GUID:	{guid {9D17B149-569F-4995-92D0-0E1FB72E48FA}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	ID	
SourceTable:	Logins	
TextAlign:	General	
UserID	Short Text	10
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2505	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {88C11072-954B-4C5C-824A-BD83F2CAA377}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	True	
SourceField:	UserID	

SourceTable:	Logins		
TextAlign:	General		
UnicodeCompression:	False		
Password		Short Text	10
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1770		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {BDF6B022-47EA-4AB8-9BD4-64026A959A94}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	2		
Required:	True		
SourceField:	Password		
SourceTable:	Logins		
TextAlign:	General		
UnicodeCompression:	False		
UserLevel		Long Integer	4
AggregateType:	-1		
AllowValueListEdits:	False		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
BoundColumn:	1		
CollatingOrder:	General		
ColumnCount:	2		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1245		
ColumnWidths:	360;1800		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Admin, HQ, Region		
DisplayControl:	Text Box		
GUID:	{guid {8DE5E81B-13BF-4199-A406-B1D54CAF4939}}		
LimitToList:	True		
ListRows:	8		
ListWidth:	2160twip		
OrdinalPosition:	3		
Required:	False		
RowSource:	SELECT IkpGlobal.Codeid, IkpGlobal.Code FROM IkpGlobal WHERE (((IkpGlobal.CodeType)="UserLevel") AND ((IkpGlobal.Active)=Yes)) ORDER BY IkpGlobal.Sequence;		
RowSourceType:	Table/Query		
ShowOnlyRowSourceValues:	False		
SourceField:	UserLevel		
SourceTable:	Logins		

TextAlign:	General		
UserFirstName		Short Text	50
AggregateType:	-1		
AllowValueListEdits:	False		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
BoundColumn:	1		
CollatingOrder:	General		
ColumnCount:	1		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {8CD7BCDD-DCF8-48DF-B192-6B579E3C6E24}}		
IMEMode:	0		
IMESentenceMode:	3		
LimitToList:	False		
ListRows:	16		
ListWidth:	0twip		
OrdinalPosition:	4		
Required:	False		
RowSourceType:	Table/Query		
ShowOnlyRowSourceValues:	False		
SourceField:	UserFirstName		
SourceTable:	Logins		
TextAlign:	General		
UnicodeCompression:	False		
UserLastName		Short Text	50
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {7CCF11FA-B0DC-4071-9803-3F75EAA1AE80}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	5		
Required:	False		
SourceField:	UserLastName		
SourceTable:	Logins		
TextAlign:	General		
UnicodeCompression:	False		
DateCreated		Date With Time	8
AggregateType:	-1		

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Format: dd-mmm-yyyy  
 GUID: {guid {B8BAEC40-1BF3-45E5-ABA4-F0A0FD00D391}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 InputMask: 99/99/0000;0;\_  
 OrdinalPosition: 6  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: DateCreated  
 SourceTable: Logins  
 TextAlign: General

ReadOnly Yes/No 1

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: 106  
 Format: Yes/No  
 GUID: {guid {E3BDA0CB-184C-458A-93CD-54F844280DC2}}  
 OrdinalPosition: 7  
 Required: False  
 SourceField: ReadOnly  
 SourceTable: Logins  
 TextAlign: General

**Table Indexes**

Name	Number of Fields
ID	1
Clustered:	False
DistinctCount:	56
Foreign:	False
IgnoreNulls:	False
Name:	ID
Primary:	False
Required:	False
Unique:	False
Fields:	
ID	Ascending
PrimaryKey	1



	Clustered:	False
	DistinctCount:	56
	Foreign:	False
	IgnoreNulls:	False
	Name:	PrimaryKey
	Primary:	True
	Required:	True
	Unique:	True
	Fields:	
	UserID	Ascending
UserID		1
	Clustered:	False
	DistinctCount:	56
	Foreign:	False
	IgnoreNulls:	False
	Name:	UserID
	Primary:	False
	Required:	False
	Unique:	True
	Fields:	
	UserID	Ascending

**User Permissions**

admin

**Group Permissions**

Admins

Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

DateCreated:	9/20/2011 11:42:58 AM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {BD7F7F62-DC63-43E3-8269-0E5074A2A1F6}}	HideNewField:	False
LastUpdated:	9/20/2011 11:42:59 AM	NameMap:	Long binary data
OrderByOn:	True	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	726
SubDataSheetName:	[Auto]	TotalsRow:	False
Updatable:	True		

**Columns**

Name	Type	Size
contID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	390	
DataUpdatable:	False	
Description:	internal DIME contaminant identifier, autonumber	
GUID:	{guid {4371451D-7D2F-4AA5-AAEC-6B09D43DDF55}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	contID	
SourceTable:	MCL	
TextAlign:	General	
CTypeID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
BoundColumn:	1	
CollatingOrder:	General	
ColumnCount:	4	
ColumnHeads:	False	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	420	
ColumnWidths:	0;3456;576;3168	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	internal compliance point type identifier, lookup in table CompliancePointTypes	
DisplayControl:	Text Box	
GUID:	{guid {9B50BE11-715E-4C7C-BB50-1D774375D4A5}}	
LimitToList:	True	

ListRows: 20  
ListWidth: 7200twip  
OrdinalPosition: 1  
Required: False  
RowSource: SELECT CompliancePointTypes.CPtypeID,  
CompliancePointTypes.CPtype, CompliancePointTypes.chem\_group,  
CompliancePointTypes.chem\_group\_name FROM  
CompliancePointTypes;  
RowSourceType: Table/Query  
SourceField: CPtypeID  
SourceTable: MCL  
TextAlign: General

chem\_name Short Text 100  
AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: 3360  
DataUpdatable: False  
Description: Chemical name  
DisplayControl: Text Box  
GUID: {2FADDDE3-1D52-485E-BFFE-9F576C7AB595}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 2  
Required: False  
SourceField: chem\_name  
SourceTable: MCL  
TextAlign: General  
UnicodeCompression: True

chemicalAliases Short Text 140  
AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: 810  
DataUpdatable: False  
Description: Chemical aliases  
DisplayControl: Text Box  
GUID: {68698248-3BFE-4CD2-AD93-344B6787F94B}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 3  
Required: False  
SourceField: chemicalAliases

SourceTable:	MCL		
TextAlign:	General		
UnicodeCompression:	True		
SortOrder		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	360		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	forced sort order numeral, controlled by DBA		
DisplayControl:	Text Box		
GUID:	{guid {F498EDD8-910B-458C-814A-00F714E61C46}}		
OrdinalPosition:	4		
Required:	False		
SourceField:	SortOrder		
SourceTable:	MCL		
TextAlign:	General		
rptContaminantGroup		Short Text	50
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	825		
DataUpdatable:	False		
Description:	CCR Contaminant Group text		
DisplayControl:	Text Box		
GUID:	{guid {993171DC-2DEC-4BC4-997F-85FDB7E32FB3}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	5		
Required:	False		
SourceField:	rptContaminantGroup		
SourceTable:	MCL		
TextAlign:	General		
UnicodeCompression:	True		
rpt_Contaminant		Short Text	100
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	735		

DataUpdatable: False  
Description: CCR Name of Contaminant  
DisplayControl: Text Box  
GUID: {guid {55D4051B-17B9-43B2-A99A-89E02338C280}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 6  
Required: False  
SourceField: rpt\_Contaminant  
SourceTable: MCL  
TextAlign: General  
UnicodeCompression: True

chem\_code Short Text 50

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: 1230  
DataUpdatable: False  
Description: FERS chemical code  
DisplayControl: Text Box  
GUID: {guid {72279E7E-26D5-4925-801F-486C9CB72222}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 7  
Required: False  
SourceField: chem\_code  
SourceTable: MCL  
TextAlign: General  
UnicodeCompression: False

CAS Number Short Text 50

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: 210  
DataUpdatable: False  
Description: CAS number  
DisplayControl: Text Box  
GUID: {guid {5F956CC8-E23D-473A-82D8-611431C0C97F}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 8  
Required: False  
SourceField: CAS Number  
SourceTable: MCL  
TextAlign: General

UnicodeCompression:	True		
MCL_value		Double	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	825		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Maximum Contaminant Level value in units selected (enforcable standard)		
DisplayControl:	Text Box		
GUID:	{guid {89F59768-1457-4A28-8B9E-F9BD4200C33B}}		
OrdinalPosition:	9		
Required:	False		
SourceField:	MCL_value		
SourceTable:	MCL		
TextAlign:	General		
SecondaryStandard		Double	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	615		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Secondary Standards set for some unregulated contaminants		
DisplayControl:	Text Box		
GUID:	{guid {3E01BD0C-BF03-4D0D-A7EF-0934AA3886B8}}		
OrdinalPosition:	10		
Required:	False		
SourceField:	SecondaryStandard		
SourceTable:	MCL		
TextAlign:	General		
MCLG		Short Text	50
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	675		
DataUpdatable:	False		
Description:	Maximum Contaminant Level Goal (non-enforcable public health goal)		
DisplayControl:	Text Box		

GUID: {guid {6988E2FC-7C15-411D-B4D3-79C8DECE2F73}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 11  
 Required: False  
 SourceField: MCLG  
 SourceTable: MCL  
 TextAlign: General  
 UnicodeCompression: False

rpt\_MCLG Double 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: 915  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 Description: CCR MCLG  
 DisplayControl: Text Box  
 GUID: {guid {3E354CAE-35D0-4F40-9139-BA1CDDD9FE7A}}  
 OrdinalPosition: 12  
 Required: False  
 SourceField: rpt\_MCLG  
 SourceTable: MCL  
 TextAlign: General

UnitMeasurement Short Text 50

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: 855  
 DataUpdatable: False  
 Description: CCR Unit measurement  
 DisplayControl: Text Box  
 GUID: {guid {D24B3FA5-FA31-4DD4-B332-8B229123245F}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 13  
 Required: False  
 SourceField: UnitMeasurement  
 SourceTable: MCL  
 TextAlign: General  
 UnicodeCompression: True

rpt\_units Long Integer 4

AggregateType: -1  
 AllowZeroLength: False

AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: 1050  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 Description: units of MCL  
 DisplayControl: Text Box  
 GUID: {guid {84F14F20-EB2B-4732-AB03-F95676FD9A25}}  
 OrdinalPosition: 14  
 Required: False  
 SourceField: rpt\_units  
 SourceTable: MCL  
 TextAlign: General

CCRunit Long Integer 4

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: 1050  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 Description: units for CCR  
 DisplayControl: Text Box  
 GUID: {7CF059B6-BBF9-402F-A1C3-F05A3668921F}  
 OrdinalPosition: 15  
 Required: False  
 SourceField: CCRunit  
 SourceTable: MCL  
 TextAlign: General

CCRInclude Yes/No 1

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: 1230  
 DataUpdatable: False  
 DisplayControl: 106  
 Format: Yes/No  
 GUID: {guid {477F2E62-938E-44E7-9C48-A2E56ECB504A}}  
 OrdinalPosition: 16  
 Required: False  
 SourceField: CCRInclude  
 SourceTable: MCL  
 TextAlign: General



MCL	Field Name	Field Type	Field Length
MCL	effectivedate	Date With Time	8
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	1035	
	DataUpdatable:	False	
	Description:	date of last MCL revision	
	GUID:	{guid {47A925C3-F186-4B18-82D6-77ED4A694581}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	17	
	Required:	False	
	ShowDatePicker:	For dates	
	SourceField:	MCLeffectivedate	
	SourceTable:	MCL	
	TextAlign:	General	
formerMCL	value	Double	8
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	1710	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	former MCL value	
	DisplayControl:	Text Box	
	GUID:	{guid {5DF1E85A-FABC-46C8-A430-584B0B8D19DA}}	
	OrdinalPosition:	18	
	Required:	False	
	SourceField:	formerMCLvalue	
	SourceTable:	MCL	
	TextAlign:	General	
	TF		Double
AggregateType:		-1	
AllowZeroLength:		False	
AppendOnly:		False	
Attributes:		Fixed Size	
CollatingOrder:		General	
ColumnHidden:		False	
ColumnOrder:		Default	
ColumnWidth:		Default	
DataUpdatable:		False	
DecimalPlaces:		Auto	
Description:		Trigger Factor for detection flag (fraction of MCL which triggers increased monitoring)	
DisplayControl:		Text Box	
GUID:	{guid {6036AE49-3C16-4C91-8751-5E34E3C058CD}}		

OrdinalPosition: 19  
Required: False  
SourceField: TF  
SourceTable: MCL  
TextAlign: General

LikelyContamSource Long Text -

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: 14025  
DataUpdatable: False  
Description: CCR Likely Contaminant Source Text  
GUID: {guid {8646E8B4-6D6E-45F2-85B7-DCE83FEA162C}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 20  
Required: False  
SourceField: LikelyContamSource  
SourceTable: MCL  
TextAlign: General  
TextFormat: Plain Text  
UnicodeCompression: True

PotHealthImpacts Long Text -

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: 14025  
DataUpdatable: False  
Description: CCR Potential Health Impacts Text  
GUID: {guid {BEB2A63F-431E-42B5-B07A-1E5DE02AA32E}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 21  
Required: False  
SourceField: PotHealthImpacts  
SourceTable: MCL  
TextAlign: General  
TextFormat: Plain Text  
UnicodeCompression: True

PNTierEXCEPT Long Integer 4

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Fixed Size

CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: 1440  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 Description: Public Notice Tier exception if different from Violation Type public notice tier  
 DisplayControl: Text Box  
 GUID: {guid {1AC9603B-AD4D-4CDB-9019-2FAE7C286FB3}}  
 OrdinalPosition: 22  
 Required: False  
 SourceField: PNTierEXCEPT  
 SourceTable: MCL  
 TextAlign: General

Acute Yes/No 1

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Is this an acute contaminant?  
 DisplayControl: 106  
 Format: Yes/No  
 GUID: {guid {8DC064ED-46DD-462E-9C9C-08C589EA22EB}}  
 OrdinalPosition: 23  
 Required: False  
 SourceField: Acute  
 SourceTable: MCL  
 TextAlign: General

DefinedDetectionLimit Double 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 Description: Legally-defined detection limit  
 DisplayControl: Text Box  
 GUID: {guid {D288E69F-F2E8-4030-BFD6-CD37989C9DE9}}  
 OrdinalPosition: 24  
 Required: False  
 SourceField: DefinedDetectionLimit  
 SourceTable: MCL  
 TextAlign: General

<p>Lastupdate</p> <p>AggregateType: -1</p> <p>AllowZeroLength: False</p> <p>AppendOnly: False</p> <p>Attributes: Fixed Size</p> <p>CollatingOrder: General</p> <p>ColumnHidden: False</p> <p>ColumnOrder: Default</p> <p>ColumnWidth: 1215</p> <p>DataUpdatable: False</p> <p>Description: Date of Last Update</p> <p>Format: General Date</p> <p>GUID: {guid {AB7C259D-F3C8-458F-B872-D178A09396F4}}</p> <p>IMEMode: 0</p> <p>IMESentenceMode: 3</p> <p>OrdinalPosition: 25</p> <p>Required: False</p> <p>ShowDatePicker: For dates</p> <p>SourceField: Lastupdate</p> <p>SourceTable: MCL</p> <p>TextAlign: General</p>	<p>Date With Time</p>	<p>8</p>
---	-----------------------	----------

<p>CurrentUpdateUser</p> <p>AggregateType: -1</p> <p>AllowZeroLength: False</p> <p>AppendOnly: False</p> <p>Attributes: Variable Length</p> <p>CollatingOrder: General</p> <p>ColumnHidden: False</p> <p>ColumnOrder: Default</p> <p>ColumnWidth: 1965</p> <p>DataUpdatable: False</p> <p>Description: Current User At Time of Update</p> <p>DisplayControl: Text Box</p> <p>GUID: {1A5A7683-4995-49C8-A537-B551444B08A6}}</p> <p>IMEMode: 0</p> <p>IMESentenceMode: 3</p> <p>OrdinalPosition: 26</p> <p>Required: False</p> <p>SourceField: CurrentUpdateUser</p> <p>SourceTable: MCL</p> <p>TextAlign: General</p> <p>UnicodeCompression: True</p>	<p>Short Text</p>	<p>50</p>
--	-------------------	-----------

<p>DateCreated</p> <p>AggregateType: -1</p> <p>AllowZeroLength: False</p> <p>AppendOnly: False</p> <p>Attributes: Fixed Size</p> <p>CollatingOrder: General</p> <p>ColumnHidden: False</p> <p>ColumnOrder: Default</p> <p>ColumnWidth: Default</p> <p>DataUpdatable: False</p> <p>Description: Date that record was created.</p>	<p>Date With Time</p>	<p>8</p>
--	-----------------------	----------

Format: General Date  
 GUID: {guid {B0EDEB10-BA1F-4CD1-8681-7AA116AC6407}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 27  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: DateCreated  
 SourceTable: MCL  
 TextAlign: General

CreatedBy Short Text 50

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Created by when the record is created  
 DisplayControl: Text Box  
 GUID: {guid {F69777B2-43FE-4387-B446-EA7D3BF40E25}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 28  
 Required: False  
 SourceField: CreatedBy  
 SourceTable: MCL  
 TextAlign: General  
 UnicodeCompression: True

**Table Indexes**

Name	Number of Fields
chem_code	1
Clustered:	False
DistinctCount:	700
Foreign:	False
IgnoreNulls:	False
Name:	chem_code
Primary:	False
Required:	False
Unique:	False
Fields:	
chem_code	Ascending
CTypeID	1
Clustered:	False
DistinctCount:	29
Foreign:	False
IgnoreNulls:	False
Name:	CTypeID
Primary:	False

---

Required:	False
Unique:	False
Fields:	
CTypeID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	726
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
contID	Ascending

**User Permissions**

admin

**Group Permissions**

Admins  
Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,  
Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

Attributes:	Linked	Connect:	;DATABASE=C:\USERS\KBANK S\DI NEX\APPLICATION\DiNex_be.mdb
DateCreated:	10/28/2014 11:09:02 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {16DEF920-EAB0-43E0-913E-6E6D835C015F}}	HideNewField:	False
LastUpdated:	10/28/2014 11:09:02 PM	NameMap:	Long binary data
OrderBy:	[Project_PWS_Assignments].[DateCreated] DESC	OrderByOn:	True
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	-1	SourceTableName:	Project_PWS_Assignments
TotalsRow:	False	Updatable:	False

**Columns**

Name	Type	Size
ProjPWSAssignID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal PWS Project Assignment identifier	
GUID:	{guid {BD17F188-0DE8-41A2-9D89-CD2F2F64421A}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	ProjPWSAssignID	
SourceTable:	Project_PWS_Assignments	
TextAlign:	General	
PWSNumber	Short Text	9
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1605	
DataUpdatable:	False	
Description:	Public Water System ID# (9-digit)	
DisplayControl:	Text Box	
GUID:	{guid {53B158E3-4DC2-4780-9CC8-73F8EDDF2986}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	

Required: True  
 SourceField: PWSNumber  
 SourceTable: Project\_PWS\_Assignments  
 TextAlign: General  
 UnicodeCompression: True

RGProjectID Long Integer 4

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 Description: internal project identifier  
 DisplayControl: Text Box  
 GUID: {guid {4A90B750-0C18-4E9A-B7DD-96649F976AC6}}  
 OrdinalPosition: 2  
 Required: False  
 SourceField: RGProjectID  
 SourceTable: Project\_PWS\_Assignments  
 TextAlign: General

PWSName Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: PWS name from the sdwis water system table  
 DisplayControl: Text Box  
 GUID: {guid {E3E58F65-37D0-42B6-9ADE-41A323F46D06}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 3  
 Required: False  
 SourceField: PWSName  
 SourceTable: Project\_PWS\_Assignments  
 TextAlign: General  
 UnicodeCompression: True

PWSTypeCode Short Text 50

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False



ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {E09D9B38-BB99-4D0C-8DDA-342F01FD137B}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 4  
 Required: False  
 SourceField: PWSTypeCode  
 SourceTable: Project\_PWS\_Assignments  
 TextAlign: General  
 UnicodeCompression: False

RetPopSrvd Short Text 38

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {2E9DF34B-A805-459A-ABC8-70C94D92F65F}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 5  
 Required: False  
 SourceField: RetPopSrvd  
 SourceTable: Project\_PWS\_Assignments  
 TextAlign: General  
 UnicodeCompression: False

DateCreated Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: 2550  
 DataUpdatable: False  
 Description: Date record was created  
 Format: Short Date  
 GUID: {guid {FE4BAE23-6C1E-40F2-9810-3FA8C1B60738}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 6  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: DateCreated  
 SourceTable: Project\_PWS\_Assignments

TextAlign:	General		
CreatedByUser		Short Text	50
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	User who created record		
DisplayControl:	Text Box		
GUID:	{guid {426A7711-1D57-4734-9B4A-0EC6914F67F6}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	7		
Required:	False		
SourceField:	CreatedByUser		
SourceTable:	Project_PWS_Assignments		
TextAlign:	General		
UnicodeCompression:	True		
DateUpdated		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Date record was updated		
GUID:	{guid {D10E3907-D2E4-4791-AC4F-2B9586D2BB2B}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	8		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	DateUpdated		
SourceTable:	Project_PWS_Assignments		
TextAlign:	General		
UpdatedbyUser		Short Text	50
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		

Description:	User who updated record
DisplayControl:	Text Box
GUID:	{guid {F1EC19F4-C618-4FCC-A043-DC5F69F01D4C}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	9
Required:	False
SourceField:	UpdatedbyUser
SourceTable:	Project_PWS_Assignments
TextAlign:	General
UnicodeCompression:	True

**Table Indexes**

Name	Number of Fields
PrimaryKey	2
Clustered:	False
DistinctCount:	430
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
PWSNumber	Ascending
RGProjectID	Ascending
RGProjectID	1
Clustered:	False
DistinctCount:	318
Foreign:	False
IgnoreNulls:	False
Name:	RGProjectID
Primary:	False
Required:	False
Unique:	False
Fields:	
RGProjectID	Ascending

**User Permissions**

admin

**Group Permissions**

Admins

Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

Attributes:	Linked	Connect:	;DATABASE=C:\USERS\KBANK S\DI NEX\APPLICATION\DiNex_be.mdb
DateCreated:	10/28/2014 11:09:02 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {E6B8D0A5-B3A7-46B0-9F23-57FB1043685F}}	HideNewField:	False
LastUpdated:	10/28/2014 11:09:02 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	ProjectAwards_Region	TotalsRow:	False
Updatable:	False		

**Columns**

Name	Type	Size
AwardID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal Project Award identifier	
GUID:	{guid {8EDC7706-1802-4FD7-8280-2016D1DDFDD3}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	AwardID	
SourceTable:	ProjectAwards_Region	
TextAlign:	General	
RGProjectID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	internal project identifier, lookup in table Projects_Region	
DisplayControl:	Text Box	
GUID:	{guid {49AC372F-1908-4CF8-BD90-C7B07F6BB5D7}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	RGProjectID	

SourceTable:	ProjectAwards_Region		
TextAlign:	General		
Funding_ActionType		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Funding Action Type, lookup in table lkpGlobal (Initial Award, Amendment, Deobligation)		
DisplayControl:	Text Box		
GUID:	{guid {3BA540E9-DFF2-4BF6-8303-D68CAD0C88CD}}		
OrdinalPosition:	2		
Required:	False		
SourceField:	Funding_ActionType		
SourceTable:	ProjectAwards_Region		
TextAlign:	General		
AwardAmount		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	2		
Description:	Amount of Award		
DisplayControl:	Text Box		
Format:	\$\$,##0.00;(\$,##0.00)		
GUID:	{guid {E10C74ED-E0B2-48A0-81A5-8C366B7794C4}}		
OrdinalPosition:	3		
Required:	False		
SourceField:	AwardAmount		
SourceTable:	ProjectAwards_Region		
TextAlign:	General		
AwardDate		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		

Description: Date of Award  
 GUID: {guid {B5EA5E96-8A39-431D-8459-62A3103E8482}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 4  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: AwardDate  
 SourceTable: ProjectAwards\_Region  
 TextAlign: General

FundingFiscalYear Long Integer 4

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 Description: Fiscal year of funds used for this award  
 DisplayControl: Text Box  
 GUID: {guid {18612CDF-674C-46C8-8F13-5AB38866673F}}  
 OrdinalPosition: 5  
 Required: False  
 SourceField: FundingFiscalYear  
 SourceTable: ProjectAwards\_Region  
 TextAlign: General

DateCreated Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Date record was created  
 Format: Short Date  
 GUID: {guid {BB93080F-57A3-4E22-B20A-2B52CDA1F744}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 6  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: DateCreated  
 SourceTable: ProjectAwards\_Region  
 TextAlign: General

CreatedByUser Short Text 255

AggregateType: -1

AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: User who created record  
 DisplayControl: Text Box  
 GUID: {guid {8CACCE66-8264-40A7-BCB4-0022CE6833D9}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 7  
 Required: False  
 SourceField: CreatedByUser  
 SourceTable: ProjectAwards\_Region  
 TextAlign: General  
 UnicodeCompression: True

DateUpdated Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Date record was updated  
 Format: Short Date  
 GUID: {guid {A6BC6886-878E-4F89-81C2-16C4406250AD}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 8  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: DateUpdated  
 SourceTable: ProjectAwards\_Region  
 TextAlign: General

UpdatedbyUser Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: User who updated record  
 DisplayControl: Text Box  
 GUID: {guid {830EB6B8-C407-4C49-B8BC-5EF6C55113F7}}

IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 9  
 Required: False  
 SourceField: UpdatedbyUser  
 SourceTable: ProjectAwards\_Region  
 TextAlign: General  
 UnicodeCompression: True

**Table Indexes**

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	167
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
AwardID	Ascending
RGProjectID	1
Clustered:	False
DistinctCount:	145
Foreign:	False
IgnoreNulls:	False
Name:	RGProjectID
Primary:	False
Required:	False
Unique:	False
Fields:	
RGProjectID	Ascending

**User Permissions**

admin

**Group Permissions**

Admins

Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data



**Properties**

Attributes:	Linked	Connect:	;DATABASE=C:\USERS\KBANK S\DI NEX\APPLICATION\DiNex_be.mdb
DateCreated:	10/28/2014 11:09:02 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {EC4176B1-BC0B-444C-8B69-22B34992F6DD}}	HideNewField:	False
LastUpdated:	10/28/2014 11:09:02 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	ProjectRanking_RegionCustom	TotalsRow:	False
Updatable:	False		

**Columns**

Name	Type	Size
RankingID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal Project Ranking ID	
GUID:	{guid {4CBAB18E-E82E-4F3C-8218-5CC65E08808F}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	RankingID	
SourceTable:	ProjectRanking_RegionCustom	
TextAlign:	General	
PAcode	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Primacy Agency code	
DisplayControl:	Text Box	
GUID:	{guid {14B56B7B-E04D-4CD2-846D-15F52558A5D7}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	

SourceField: PCode  
 SourceTable: ProjectRanking\_RegionCustom  
 TextAlign: General  
 UnicodeCompression: True

Ranking Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Primacy Agency Ranking Code  
 DisplayControl: Text Box  
 GUID: {guid {BFE21039-C66C-4026-8B42-14AD6E3E66B8}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 2  
 Required: False  
 SourceField: Ranking  
 SourceTable: ProjectRanking\_RegionCustom  
 TextAlign: General  
 UnicodeCompression: True

RankingDescription Long Text -

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: 12285  
 DataUpdatable: False  
 Description: Primacy Agency Ranking Description  
 GUID: {guid {A78488C4-EE03-4B30-8FC8-23DE3BAF7F66}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 3  
 Required: False  
 SourceField: RankingDescription  
 SourceTable: ProjectRanking\_RegionCustom  
 TextAlign: General  
 TextFormat: Plain Text  
 UnicodeCompression: True

DateCreated Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General

ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: 1590  
 DataUpdatable: False  
 Description: Date record was created  
 GUID: {guid {6332D96A-4F19-4361-911A-62BC6A600DE4}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 5  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: DateCreated  
 SourceTable: ProjectRanking\_RegionCustom  
 TextAlign: General

CreatedByUser Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: User who created record  
 DisplayControl: Text Box  
 GUID: {guid {BF9E144F-751B-49E1-B3B2-421E4D69FC6E}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 6  
 Required: False  
 SourceField: CreatedByUser  
 SourceTable: ProjectRanking\_RegionCustom  
 TextAlign: General  
 UnicodeCompression: True

DateUpdated Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Date record was updated  
 GUID: {guid {E33091C3-A7A4-4E26-A9D7-780BDD1F0EEF}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 7  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: DateUpdated

SourceTable:	ProjectRanking_RegionCustom		
TextAlign:	General		
UpdatedbyUser		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	User who updated record		
DisplayControl:	Text Box		
GUID:	{guid {5B937C3E-A9A3-459C-AB71-1495DF84A358}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	8		
Required:	False		
SourceField:	UpdatedbyUser		
SourceTable:	ProjectRanking_RegionCustom		
TextAlign:	General		
UnicodeCompression:	True		

**Table Indexes**

<u>Name</u>	<u>Number of Fields</u>
PAcode	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	PAcode
Primary:	False
Required:	False
Unique:	False
Fields:	
PAcode	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	15
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
RankingID	Ascending

**User Permissions**

admin

**Group Permissions**

Admins

Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,  
Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

Attributes:	Linked	Connect:	;DATABASE=C:\USERS\KBANK S\DI NEX\APPLICATION\DiNex_be.mdb
DateCreated:	10/28/2014 11:09:02 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {A52A1496-8FEA-48B2-8909-6297B64CCC70}}	HideNewField:	False
LastUpdated:	10/28/2014 11:09:02 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	ProjectRankingAssign	TotalsRow:	False
Updatable:	False		

**Columns**

Name	Type	Size
ProjectRankingAssignID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1710	
DataUpdatable:	False	
Description:	internal Project Rule Assignment identifier	
GUID:	{guid {63313D87-6486-42A5-A7B2-9A1DAD2ACFBD}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	ProjectRankingAssignID	
SourceTable:	ProjectRankingAssign	
TextAlign:	General	
RGProjectID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	internal project identifier, automatically populated	
DisplayControl:	Text Box	
GUID:	{guid {069CA427-D3C6-4DFA-AF48-B1578D20087F}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	RGProjectID	

SourceTable:	ProjectRankingAssign		
TextAlign:	General		
RankingID		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	internal Project Ranking ID		
DisplayControl:	Text Box		
GUID:	{guid {6CC1FC74-329E-4CCD-8170-F03C194A8800}}		
OrdinalPosition:	2		
Required:	False		
SourceField:	RankingID		
SourceTable:	ProjectRankingAssign		
TextAlign:	General		
RankingFundingAmount		Currency	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2655		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Amount out of total project funding allotment which has the ranking given. Allows for multiple rankings per project.		
Format:	\$\$,##0.00;(\$\$,##0.00)		
GUID:	{guid {66ADB716-7600-4798-A1A4-A7FCEB53BDBC}}		
OrdinalPosition:	3		
Required:	False		
SourceField:	RankingFundingAmount		
SourceTable:	ProjectRankingAssign		
TextAlign:	General		
Fiscal_Year		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		

Description: 1991, 1992, 2003 .....  
 DisplayControl: Text Box  
 GUID: {guid {969F2234-143F-4B84-B0D6-E703EE5FCDBF}}  
 OrdinalPosition: 4  
 Required: False  
 SourceField: Fiscal\_Year  
 SourceTable: ProjectRankingAssign  
 TextAlign: General

DateCreated Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Date record was created  
 Format: General Date  
 GUID: {guid {3B3AEE84-EA8A-4DF9-8028-823F4B727029}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 5  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: DateCreated  
 SourceTable: ProjectRankingAssign  
 TextAlign: General

CreatedByUser Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: User who created record  
 DisplayControl: Text Box  
 GUID: {guid {A6FA51FA-1E0C-450F-847C-0E48795F49A3}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 6  
 Required: False  
 SourceField: CreatedByUser  
 SourceTable: ProjectRankingAssign  
 TextAlign: General  
 UnicodeCompression: True

DateUpdated Date With Time 8

AggregateType: -1



AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Date record was updated  
 GUID: {guid {9FF54047-3147-4DDE-84DD-41863302FDE1}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 7  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: DateUpdated  
 SourceTable: ProjectRankingAssign  
 TextAlign: General

UpdatedbyUser Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: User who updated record  
 DisplayControl: Text Box  
 GUID: {3BBB9532-3BA4-46CA-99FC-CF6014C22546}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 8  
 Required: False  
 SourceField: UpdatedbyUser  
 SourceTable: ProjectRankingAssign  
 TextAlign: General  
 UnicodeCompression: True

**Table Indexes**

<u>Name</u>	<u>Number of Fields</u>
PrimaryKey	1
Clustered:	False
DistinctCount:	1456
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True

---

Fields:	
ProjectRankingAssignID	Ascending
RGProjectID	1
Clustered:	False
DistinctCount:	1422
Foreign:	False
IgnoreNulls:	False
Name:	RGProjectID
Primary:	False
Required:	False
Unique:	False
Fields:	
RGProjectID	Ascending

**User Permissions**

admin

**Group Permissions**

Admins

Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

Attributes:	Linked	Connect:	;DATABASE=C:\USERS\KBANK S\DI NEX\APPLICATION\DiNex_be.mdb
DateCreated:	10/28/2014 11:09:02 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {99AD0DC0-6747-4D17-B6B7-29D5585B66AE}}	HideNewField:	False
LastUpdated:	10/28/2014 11:09:02 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	ProjectRulesAddressedAssign	TotalsRow:	False
Updatable:	False		

**Columns**

Name	Type	Size
ProjectRuleAssignID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal Project Rule Assignment identifier	
GUID:	{guid {5B9630B5-E529-48D1-B81C-EA95A9B94EE8}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	ProjectRuleAssignID	
SourceTable:	ProjectRulesAddressedAssign	
TextAlign:	General	
RGProjectID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	internal project identifier	
DisplayControl:	Text Box	
GUID:	{guid {123F9D24-1EE9-430A-A25E-CFCD4EFBEF14}}	
OrdinalPosition:	1	
Required:	True	
SourceField:	RGProjectID	

SourceTable:	ProjectRulesAddressedAssign		
TextAlign:	General		
ViolationTypeID		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Violation type identifier		
DisplayControl:	Text Box		
GUID:	{guid {0C59C9D8-025C-4C5D-B689-EB1D7F982DDA}}		
OrdinalPosition:	2		
Required:	False		
SourceField:	ViolationTypeID		
SourceTable:	ProjectRulesAddressedAssign		
TextAlign:	General		
ContaminantID		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Contaminant identifier, lookup in table		
DisplayControl:	Text Box		
GUID:	{guid {CFC88A24-E664-4C22-8797-8FFF5AD59F8B}}		
OrdinalPosition:	3		
Required:	False		
SourceField:	ContaminantID		
SourceTable:	ProjectRulesAddressedAssign		
TextAlign:	General		
AddressedORPrevented		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Will this project Address an already identified Violation or Prevent the violation of a rule?		

DisplayControl: Text Box  
 GUID: {guid {4DFCC5A6-88C6-4C12-83D3-458740978B10}}  
 OrdinalPosition: 4  
 Required: False  
 SourceField: AddressedORPrevented  
 SourceTable: ProjectRulesAddressedAssign  
 TextAlign: General

DateCreated Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Date record was created  
 Format: Short Date  
 GUID: {guid {C588F733-0B68-4146-8DE9-E795F68DB59E}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 5  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: DateCreated  
 SourceTable: ProjectRulesAddressedAssign  
 TextAlign: General

CreatedByUser Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: User who created record  
 DisplayControl: Text Box  
 GUID: {guid {8AB7231F-C2F8-4B03-BC71-580B3DA2AF4A}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 6  
 Required: False  
 SourceField: CreatedByUser  
 SourceTable: ProjectRulesAddressedAssign  
 TextAlign: General  
 UnicodeCompression: True

DateUpdated Date With Time 8

AggregateType: -1  
 AllowZeroLength: False

AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Date record was updated  
 Format: Short Date  
 GUID: {guid {17AC9803-53C4-42C8-9A40-2ED09830B1CE}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 7  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: DateUpdated  
 SourceTable: ProjectRulesAddressedAssign  
 TextAlign: General

UpdatedbyUser Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: User who updated record  
 DisplayControl: Text Box  
 GUID: {guid {806C9CBD-B0FF-429C-8076-52CE72CEA637}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 8  
 Required: False  
 SourceField: UpdatedbyUser  
 SourceTable: ProjectRulesAddressedAssign  
 TextAlign: General  
 UnicodeCompression: True

**Table Indexes**

Name	Number of Fields
ContaminantID	1
Clustered:	False
DistinctCount:	14
Foreign:	False
IgnoreNulls:	False
Name:	ContaminantID
Primary:	False
Required:	False
Unique:	False

Fields:	
ContaminantID	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	73
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
ProjectRuleAssignID	Ascending
RGProjectID	1
Clustered:	False
DistinctCount:	68
Foreign:	False
IgnoreNulls:	False
Name:	RGProjectID
Primary:	False
Required:	False
Unique:	False
Fields:	
RGProjectID	Ascending
ViolationTypeID	1
Clustered:	False
DistinctCount:	3
Foreign:	False
IgnoreNulls:	False
Name:	ViolationTypeID
Primary:	False
Required:	False
Unique:	False
Fields:	
ViolationTypeID	Ascending

**User Permissions**

admin

**Group Permissions**

Admins

Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

AlternateBackShade:	100	AlternateBackThemeColorIn	-1
AlternateBackTint:	100	Attributes:	Linked
BackShade:	100	BackTint:	100
Connect:	;DATABASE=C:\USERS\KBANK DatasheetForeThemeColorIn -1 S\DI NEX\APPLICATION\DiNex_be. mdb		
DatasheetGridlinesThemeCol	-1	DateCreated:	10/28/2014 11:09:02 PM
DefaultView:	2	DisplayViewsOnSharePointSi	1
Filter:	([Projects_Region].[PACode]= "09")	FilterOnLoad:	False
GUID:	{guid {48E26634-C75F-486D- 8D00-A735668080FF}}	HideNewField:	False
LastUpdated:	10/28/2014 11:09:02 PM	NameMap:	Long binary data
OrderBy:	[Projects_Region].[FundingPro gram], [Projects_Region].[RGProjectI D], [Projects_Region].[Award_Dat e] DESC	OrderByOn:	True
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	-1	SourceTableName:	Projects_Region
ThemeFontIndex:	-1	TotalsRow:	False
Updatable:	False		

**Columns**

Name	Type	Size
RGProjectID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	internal project identifier, automatically populated	
GUID:	{guid {28C74E44-241A-4E01-83FB-C3B1F95563FD}}	
OrdinalPosition:	0	
Required:	False	
ResultType:	0	
SourceField:	RGProjectID	
SourceTable:	Projects_Region	
TextAlign:	General	
RegionID	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	



CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 Description: Regional project identifier  
 DisplayControl: Text Box  
 GUID: {guid {D51C0FDE-5D18-4B03-9585-D41A254E73D5}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 1  
 Required: False  
 ResultType: 0  
 SourceField: RegionID  
 SourceTable: Projects\_Region  
 TextAlign: General  
 UnicodeCompression: True

PDSNumber Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 Description: Indian Health Service Project identifier  
 DisplayControl: Text Box  
 GUID: {74D084EB-F36E-4C2D-AAEA-905D8EB83A0A}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 2  
 Required: False  
 ResultType: 0  
 SourceField: PDSNumber  
 SourceTable: Projects\_Region  
 TextAlign: General  
 UnicodeCompression: True

EPAGrantNumber Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: 2055  
 CurrencyLCID: 0  
 DataUpdatable: False  
 Description: EPA Grant identifier

DisplayControl: Text Box  
 GUID: {guid {ADC75A35-E7F4-4E86-BF2B-A3C08FD98A44}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 3  
 Required: False  
 ResultType: 0  
 SourceField: EPAGrantNumber  
 SourceTable: Projects\_Region  
 TextAlign: General  
 UnicodeCompression: True

EPAIANumber Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: 1890  
 CurrencyLCID: 0  
 DataUpdatable: False  
 Description: EPA Interagency Agreement identifier  
 DisplayControl: Text Box  
 GUID: {guid {9E5EC7BC-2FDE-4B86-88DC-FC77BEE0D33E}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 4  
 Required: False  
 ResultType: 0  
 SourceField: EPAIANumber  
 SourceTable: Projects\_Region  
 TextAlign: General  
 UnicodeCompression: True

EPAContractNumber Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 Description: Contract Number PWSS  
 DisplayControl: Text Box  
 GUID: {guid {9F66CDE9-2B5A-4361-B225-597506DE932E}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 5  
 Required: False  
 ResultType: 0

SourceField: EPAContractNumber  
SourceTable: Projects\_Region  
TextAlign: General  
UnicodeCompression: True

ProjectName Short Text 255  
AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: 7785  
CurrencyLCID: 0  
DataUpdatable: False  
Description: EPA Region's Name of Project  
DisplayControl: Text Box  
GUID: {guid {54CBD2E1-E65A-4E5A-A746-801EC27167F9}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 6  
Required: False  
ResultType: 0  
SourceField: ProjectName  
SourceTable: Projects\_Region  
TextAlign: General  
UnicodeCompression: True

CertOperatorCurrent Short Text 255  
AggregateType: -1  
AllowValueListEdits: False  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
BoundColumn: 1  
CollatingOrder: General  
ColumnCount: 1  
ColumnHeads: False  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
CurrencyLCID: 0  
DataUpdatable: False  
Description: Certified Operator(s) appropriate to operate/maintain current infrastructure (Yes/No)  
DisplayControl: Combo Box  
GUID: {guid {3A1DE5EC-73FC-4074-B05A-1C0A348AB5B2}}  
IMEMode: 0  
IMESentenceMode: 3  
LimitToList: False  
ListRows: 16  
ListWidth: 0twip  
OrdinalPosition: 7  
Required: False  
ResultType: 0

RowSource: "Yes";"No"  
 RowSourceType: Value List  
 ShowOnlyRowSourceValues: False  
 SourceField: CertOperatorCurrent  
 SourceTable: Projects\_Region  
 TextAlign: General  
 UnicodeCompression: False

CertOperatorFuture Short Text 255

AggregateType: -1  
 AllowValueListEdits: False  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 BoundColumn: 1  
 CollatingOrder: General  
 ColumnCount: 1  
 ColumnHeads: False  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: 630  
 CurrencyLCID: 0  
 DataUpdatable: False  
 Description: Certified Operator(s) appropriate to operate/maintain future infrastructure (Yes/No/Agrees to Obtain)  
 DisplayControl: Combo Box  
 GUID: {guid {41C7A279-1F09-476D-BC5F-BBEA34324F99}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 LimitToList: False  
 ListRows: 16  
 ListWidth: 0twip  
 OrdinalPosition: 8  
 Required: False  
 ResultType: 0  
 RowSource: "Yes";"No";"Agrees to Obtain"  
 RowSourceType: Value List  
 ShowOnlyRowSourceValues: False  
 SourceField: CertOperatorFuture  
 SourceTable: Projects\_Region  
 TextAlign: General  
 UnicodeCompression: True

ProjectPurposeNarrative Long Text -

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: 2550  
 CurrencyLCID: 0  
 DataUpdatable: False  
 Description: Narrative of the specific public health benefit (s) achieved by this

project  
 GUID: {guid {682CAA27-BADD-4D12-A238-2CF33DF76C52}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 9  
 Required: False  
 ResultType: 0  
 SourceField: ProjectPurposeNarrative  
 SourceTable: Projects\_Region  
 TextAlign: General  
 TextFormat: Plain Text  
 UnicodeCompression: True

PrimaryProjectPurpose Long Integer 4

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: 2985  
 CurrencyLCID: 0  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 Description: Lookup Primary Project Purpose category in table lkpProjectPurposes  
 DisplayControl: Text Box  
 GUID: {guid {8A8597CF-ED17-407F-B632-74EBE47F60A6}}  
 OrdinalPosition: 10  
 Required: False  
 ResultType: 0  
 SourceField: PrimaryProjectPurpose  
 SourceTable: Projects\_Region  
 TextAlign: General

ProjectPhased Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: 2370  
 CurrencyLCID: 0  
 DataUpdatable: False  
 Description: Yes or No  
 DisplayControl: Text Box  
 GUID: {guid {AE3941BC-9FFF-40CA-B00B-1695B797A795}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 11  
 Required: False  
 ResultType: 0  
 SourceField: ProjectPhased

SourceTable:	Projects_Region		
TextAlign:	General		
UnicodeCompression:	True		
SecondaryProjectPurpose		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2805		
CurrencyLCID:	0		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Lookup Secondary Project Purpose category in table lkpProjectPurposes		
DisplayControl:	Text Box		
GUID:	{guid {E04D3304-F1D0-4EE3-A846-174669EA18C7}}		
OrdinalPosition:	12		
Required:	False		
ResultType:	0		
SourceField:	SecondaryProjectPurpose		
SourceTable:	Projects_Region		
TextAlign:	General		
SecondaryDirectPhased		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2610		
CurrencyLCID:	0		
DataUpdatable:	False		
Description:	delete this field		
DisplayControl:	Text Box		
GUID:	{guid {527C589A-131F-4513-B2D3-48F70BCD988D}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	13		
Required:	False		
ResultType:	0		
SourceField:	SecondaryDirectPhased		
SourceTable:	Projects_Region		
TextAlign:	General		
UnicodeCompression:	True		
PrimaryInfrastructureCat		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		

Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: 2715  
 CurrencyLCID: 0  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 Description: Lookup Primary Infrastructure Category in table  
 lkpInfrastructureCategories  
 DisplayControl: Text Box  
 GUID: {guid {DED9EAE9-9A6D-47A6-8322-C0D72C3F70C3}}  
 OrdinalPosition: 14  
 Required: False  
 ResultType: 0  
 SourceField: PrimaryInfrastructureCat  
 SourceTable: Projects\_Region  
 TextAlign: General

SecondaryInfrastructureCat Long Integer 4

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: 2955  
 CurrencyLCID: 0  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 Description: Lookup Primary Infrastructure Category in table  
 lkpInfrastructureCategories  
 DisplayControl: Text Box  
 GUID: {guid {6282DDFD-E5F2-482B-B04B-29AB9D07E577}}  
 OrdinalPosition: 15  
 Required: False  
 ResultType: 0  
 SourceField: SecondaryInfrastructureCat  
 SourceTable: Projects\_Region  
 TextAlign: General

CapacityAgreement Yes/No 1

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 Description: Tribal entity responsible for funding water system operations has

entered into an agreement to develop the capacity to operate the planned infrastructure (Y/N)  
 DisplayControl: 106  
 Format: Yes/No  
 GUID: {guid {ECCDAB3F-8AFC-485C-BBD5-8A01AE6B2DE0}}  
 OrdinalPosition: 16  
 Required: False  
 ResultType: 0  
 SourceField: CapacityAgreement  
 SourceTable: Projects\_Region  
 TextAlign: General

ProjectPrioritizationScore Long Integer 4

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 Description: Primacy Agency Score for prioritizing projects within same ranking  
 DisplayControl: Text Box  
 GUID: {guid {E3E327E1-20C3-477B-98A8-A97826884D39}}  
 OrdinalPosition: 17  
 Required: False  
 ResultType: 0  
 SourceField: ProjectPrioritizationScore  
 SourceTable: Projects\_Region  
 TextAlign: General

PACode Short Text 2

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 Description: internal Primacy Agency Code, automatically defaulted by CurrentUser()  
 DisplayControl: Text Box  
 GUID: {guid {533BEF17-FECB-4FA9-9532-BB8CE3CD1E72}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 18  
 Required: True  
 ResultType: 0  
 SourceField: PACode



SourceTable:	Projects_Region		
TextAlign:	General		
UnicodeCompression:	True		
IAorGrant		Short Text	25
AggregateType:	-1		
AllowValueListEdits:	True		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
BoundColumn:	1		
CollatingOrder:	General		
ColumnCount:	1		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2610		
CurrencyLCID:	0		
DataUpdatable:	False		
Description:	Direct Grant or Interagency Agreement		
DisplayControl:	Combo Box		
GUID:	{guid {02325DA3-8682-4B74-AED8-6B6261C2A79C}}		
IMEMode:	0		
IMESentenceMode:	3		
LimitToList:	False		
ListRows:	16		
ListWidth:	0twip		
OrdinalPosition:	19		
Required:	False		
ResultType:	0		
RowSource:	"Grant";"Interagency Agreement"		
RowSourceType:	Value List		
ShowOnlyRowSourceValues:	False		
SourceField:	IAorGrant		
SourceTable:	Projects_Region		
TextAlign:	General		
UnicodeCompression:	True		
ProjectOfficer		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
Description:	Project Officer for the Grant or IA		
DisplayControl:	Text Box		
GUID:	{guid {4ED94943-0219-4B5D-8D16-71A19ADF7F6C}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	20		

Required: False  
 ResultType: 0  
 SourceField: ProjectOfficer  
 SourceTable: Projects\_Region  
 TextAlign: General  
 UnicodeCompression: True

Award\_Date Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 Description: updated using the ia/grant number from the igms table  
 Format: Short Date  
 GUID: {guid {9C7B19A6-7F6F-4929-B625-88A7A3B92993}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 21  
 Required: False  
 ResultType: 0  
 ShowDatePicker: For dates  
 SourceField: Award\_Date  
 SourceTable: Projects\_Region  
 TextAlign: General

TribeName Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: 3285  
 CurrencyLCID: 0  
 DataUpdatable: False  
 Description: updated using sdwis table  
 DisplayControl: Text Box  
 GUID: {guid {582613A5-3675-4AD2-A1E8-4A3CC0F7CA9B}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 22  
 Required: False  
 ResultType: 0  
 SourceField: TribeName  
 SourceTable: Projects\_Region  
 TextAlign: General  
 UnicodeCompression: True

Fiscal_Year		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	1991, 1992, 2003 .....		
DisplayControl:	Text Box		
GUID:	{guid {74DF87AF-DE8A-49D5-9E27-B7A62EC8FFD1}}		
OrdinalPosition:	23		
Required:	False		
ResultType:	0		
SourceField:	Fiscal_Year		
SourceTable:	Projects_Region		
TextAlign:	General		
ProjectStatus		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1650		
CurrencyLCID:	0		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {14839E24-F046-487A-9353-54300A89A8C9}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	24		
Required:	False		
ResultType:	0		
SourceField:	ProjectStatus		
SourceTable:	Projects_Region		
TextAlign:	General		
UnicodeCompression:	True		
TotalAward		Currency	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		

DataUpdatable: False  
DecimalPlaces: Auto  
Format: \$#,##0.00;(\$#,##0.00)  
GUID: {guid {F4FFBF71-DBBF-47CC-B4BF-B18F9EF766DB}}  
OrdinalPosition: 25  
Required: False  
ResultType: 0  
SourceField: TotalAward  
SourceTable: Projects\_Region  
TextAlign: General

ProposedAward Currency 8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Fixed Size  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: 1680  
CurrencyLCID: 0  
DataUpdatable: False  
DecimalPlaces: Auto  
Description: User can enter this amount  
Format: \$#,##0.00;(\$#,##0.00)  
GUID: {guid {8EFA5693-5F70-460B-9DEE-E153A3933FED}}  
OrdinalPosition: 26  
Required: False  
ResultType: 0  
SourceField: ProposedAward  
SourceTable: Projects\_Region  
TextAlign: General

SubmittedAward Currency 8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Fixed Size  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
CurrencyLCID: 0  
DataUpdatable: False  
DecimalPlaces: Auto  
Format: \$#,##0.00;(\$#,##0.00)  
GUID: {guid {35C444E3-1B83-42A6-B4BF-648FE89EA47E}}  
OrdinalPosition: 27  
Required: False  
ResultType: 0  
SourceField: SubmittedAward  
SourceTable: Projects\_Region  
TextAlign: General

OtherAgencyCost Currency 8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Fixed Size  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
CurrencyLCID: 0  
DataUpdatable: False  
DecimalPlaces: Auto  
Description: Other Agency Cost--New  
Format: \$#,##0.00;(\$#,##0.00)  
GUID: {guid {42CDBA26-2F1C-42C3-A56B-8F886D210132}}  
OrdinalPosition: 28  
Required: False  
ResultType: 0  
SourceField: OtherAgencyCost  
SourceTable: Projects\_Region  
TextAlign: General

TotalProjectCost Currency 8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Fixed Size  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
CurrencyLCID: 0  
DataUpdatable: False  
DecimalPlaces: Auto  
Description: Total Project Cost--New  
Format: \$#,##0.00;(\$#,##0.00)  
GUID: {3FF6C2E1-F00E-4C46-9AB5-50A529BFB5AA}}  
OrdinalPosition: 29  
Required: False  
ResultType: 0  
SourceField: TotalProjectCost  
SourceTable: Projects\_Region  
TextAlign: General

FundingProgram Long Integer 4

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Fixed Size  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
CurrencyLCID: 0  
DataUpdatable: False  
DecimalPlaces: Auto

Description: internal DI Nex identifier, lookup in lkpGlobal  
DisplayControl: Text Box  
GUID: {guid {02C0193E-8080-4CC5-84D4-1C45F12193C5}}  
OrdinalPosition: 30  
Required: False  
ResultType: 0  
SourceField: FundingProgram  
SourceTable: Projects\_Region  
TextAlign: General

DateCreated Date With Time 8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Fixed Size  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
CurrencyLCID: 0  
DataUpdatable: False  
Description: Date record was created  
Format: Short Date  
GUID: {guid {AC2A05FC-4902-40A9-8266-A50DF8521F8A}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 31  
Required: False  
ResultType: 0  
ShowDatePicker: For dates  
SourceField: DateCreated  
SourceTable: Projects\_Region  
TextAlign: General

CreatedByUser Short Text 255

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
CurrencyLCID: 0  
DataUpdatable: False  
Description: User who created record  
DisplayControl: Text Box  
GUID: {guid {FEEDF0F0-CAB1-44E5-931D-2309ABE56324}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 32  
Required: False  
ResultType: 0  
SourceField: CreatedByUser  
SourceTable: Projects\_Region

	TextAlign:	General	
	UnicodeCompression:	True	
DateUpdated			Date With Time 8
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	Date record was updated	
	Format:	Short Date	
	GUID:	{guid {01996F36-77E2-4937-B1E8-BDDED9EB2E24}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	33	
	Required:	False	
	ResultType:	0	
	ShowDatePicker:	For dates	
	SourceField:	DateUpdated	
	SourceTable:	Projects_Region	
	TextAlign:	General	
UpdatedbyUser			Short Text 255
	AggregateType:	-1	
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	User who updated record	
	DisplayControl:	Text Box	
	GUID:	{guid {A088D6AB-4C11-4088-9B90-6CCD4893D4E0}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	34	
	Required:	False	
	ResultType:	0	
	SourceField:	UpdatedbyUser	
	SourceTable:	Projects_Region	
	TextAlign:	General	
	UnicodeCompression:	True	
TribeId			Long Integer 4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	

Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	updated using sdwis table
DisplayControl:	Text Box
GUID:	{guid {4C66AB73-08A3-4C74-8EC0-FBD5BADA721F}}
OrdinalPosition:	35
Required:	False
ResultType:	0
SourceField:	TribeId
SourceTable:	Projects_Region
TextAlign:	General

**Table Indexes**

Name	Number of Fields
PACode	1
Clustered:	False
DistinctCount:	10
Foreign:	False
IgnoreNulls:	False
Name:	PACode
Primary:	False
Required:	False
Unique:	False
Fields:	
PACode	Ascending
PDSNumber	1
Clustered:	False
DistinctCount:	1233
Foreign:	False
IgnoreNulls:	False
Name:	PDSNumber
Primary:	False
Required:	False
Unique:	False
Fields:	
PDSNumber	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	1383
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True



Fields:	
RGProjectID	Ascending
RegionID	1
Clustered:	False
DistinctCount:	265
Foreign:	False
IgnoreNulls:	False
Name:	RegionID
Primary:	False
Required:	False
Unique:	False
Fields:	
RegionID	Ascending

**User Permissions**

admin

**Group Permissions**

Admins  
Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,  
Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

DateCreated:	3/13/2012 3:42:14 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {B35B14F8-F9D5-48B5-BD4F-51F3DFDE9934}}	HideNewField:	False
LastUpdated:	3/14/2012 9:34:50 AM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	640
TotalsRow:	False	Updatable:	True

**Columns**

Name	Type	Size
RGProjectID	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
Format:	@	
GUID:	{guid {FB41BBCA-9682-4A2A-B121-9AB8548267D4}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	0	
Required:	False	
SourceField:	RGProjectID	
SourceTable:	Projects_Region table_needtoDelete	
TextAlign:	General	
UnicodeCompression:	False	
RegionID	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {EE8B946C-5FE0-4F14-A2BF-2E9306AE6C01}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	RegionID	

SourceTable: Projects\_Region table\_needtoDelete  
TextAlign: General  
UnicodeCompression: False

PDSNumber Short Text 255

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
Format: @  
GUID: {guid {41C0F793-466F-455B-8C65-1E444B84EFD3}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 2  
Required: False  
SourceField: PDSNumber  
SourceTable: Projects\_Region table\_needtoDelete  
TextAlign: General  
UnicodeCompression: False

EPAGrantNumber Short Text 255

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
Format: @  
GUID: {guid {8EE1FAB0-8DD5-4186-BCE1-82BD864C3A08}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 3  
Required: False  
SourceField: EPAGrantNumber  
SourceTable: Projects\_Region table\_needtoDelete  
TextAlign: General  
UnicodeCompression: False

EPAIAnumber Short Text 255

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False

ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 Format: @  
 GUID: {guid {69A7076E-C7A6-41B7-950B-32CB99F3740E}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 4  
 Required: False  
 SourceField: EPAIANumber  
 SourceTable: Projects\_Region table\_needtoDelete  
 TextAlign: General  
 UnicodeCompression: False

ProjectName Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 Format: @  
 GUID: {guid {2E7DA692-1389-4302-A1C3-77DE73326616}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 5  
 Required: False  
 SourceField: ProjectName  
 SourceTable: Projects\_Region table\_needtoDelete  
 TextAlign: General  
 UnicodeCompression: False

CertOperatorCurrent Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 Format: @  
 GUID: {guid {496847BF-2F50-4EC6-B042-65AD8A22F71D}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 6  
 Required: False  
 SourceField: CertOperatorCurrent

SourceTable:	Projects_Region table_needtoDelete		
TextAlign:	General		
UnicodeCompression:	False		
CertOperatorFuture		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
Format:	@		
GUID:	{guid {FE6BAE76-95C8-4848-9EA5-0AD82D1EB68A}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	7		
Required:	False		
SourceField:	CertOperatorFuture		
SourceTable:	Projects_Region table_needtoDelete		
TextAlign:	General		
UnicodeCompression:	False		
ProjectPurposeNarrative		Long Text	-
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
GUID:	{guid {03E55FB4-A25B-4D8B-98EA-2DB7E36FE0A4}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	8		
Required:	False		
SourceField:	ProjectPurposeNarrative		
SourceTable:	Projects_Region table_needtoDelete		
TextAlign:	General		
TextFormat:	Plain Text		
UnicodeCompression:	False		
PrimaryProjectPurpose		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		

ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
Format: @  
GUID: {guid {940A0EDC-9731-44BF-BC2C-7D742A0930AD}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 9  
Required: False  
SourceField: PrimaryProjectPurpose  
SourceTable: Projects\_Region table\_needtoDelete  
TextAlign: General  
UnicodeCompression: False

ProjectPhased Short Text 255

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
Format: @  
GUID: {guid {A52D840E-C929-41CB-B94C-02CE06ED4C27}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 10  
Required: False  
SourceField: ProjectPhased  
SourceTable: Projects\_Region table\_needtoDelete  
TextAlign: General  
UnicodeCompression: False

SecondaryProjectPurpose Short Text 255

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
Format: @  
GUID: {guid {B272D8BB-20CC-4FA5-8185-1EFB6B7E0AD7}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 11  
Required: False  
SourceField: SecondaryProjectPurpose  
SourceTable: Projects\_Region table\_needtoDelete

TextAlign:	General		
UnicodeCompression:	False		
SecondaryDirectPhased		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
Format:	@		
GUID:	{guid {166FD159-82DA-4B5D-AE34-251F404C69DB}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	12		
Required:	False		
SourceField:	SecondaryDirectPhased		
SourceTable:	Projects_Region table_needtoDelete		
TextAlign:	General		
UnicodeCompression:	False		
PrimaryInfrastructureCat		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
Format:	@		
GUID:	{guid {DF6CB34E-C0AA-44D0-ACE4-71771C1E7B0C}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	13		
Required:	False		
SourceField:	PrimaryInfrastructureCat		
SourceTable:	Projects_Region table_needtoDelete		
TextAlign:	General		
UnicodeCompression:	False		
SecondaryInfrastructureCat		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		

ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
Format: @  
GUID: {guid {319D3C0E-60C7-40FB-A373-5ABF5FD755D2}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 14  
Required: False  
SourceField: SecondaryInfrastructureCat  
SourceTable: Projects\_Region table\_needtoDelete  
TextAlign: General  
UnicodeCompression: False

CapacityAgreement Short Text 255

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
Format: @  
GUID: {guid {8A46A14B-3E80-4EB8-81EE-91CC15F16966}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 15  
Required: False  
SourceField: CapacityAgreement  
SourceTable: Projects\_Region table\_needtoDelete  
TextAlign: General  
UnicodeCompression: False

ProjectPrioritizationScore Short Text 255

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
Format: @  
GUID: {guid {B0A1ADCC-1317-467E-977F-14EFBD4F898D}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 16  
Required: False  
SourceField: ProjectPrioritizationScore  
SourceTable: Projects\_Region table\_needtoDelete



TextAlign:	General		
UnicodeCompression:	False		
<b>PACode</b>		<b>Short Text</b>	<b>255</b>
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
Format:	@		
GUID:	{guid {BB3D04A1-0B69-48A7-8A7D-09DF9C98F292}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	17		
Required:	False		
SourceField:	PACode		
SourceTable:	Projects_Region table_needtoDelete		
TextAlign:	General		
UnicodeCompression:	False		
<b>IAorGrant</b>		<b>Short Text</b>	<b>255</b>
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
Format:	@		
GUID:	{guid {9BD438A9-B74C-4AA9-A121-C3040E8EEAE5}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	18		
Required:	False		
SourceField:	IAorGrant		
SourceTable:	Projects_Region table_needtoDelete		
TextAlign:	General		
UnicodeCompression:	False		
<b>ProjectOfficer</b>		<b>Short Text</b>	<b>255</b>
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		

ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
Format: @  
GUID: {guid {0BDD44CD-BD8C-469E-997F-B5016C3A38F5}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 19  
Required: False  
SourceField: ProjectOfficer  
SourceTable: Projects\_Region table\_needtoDelete  
TextAlign: General  
UnicodeCompression: False

Award\_Date Date With Time 8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
Format: m/d/yyyy  
GUID: {guid {FCEF1AF8-1AFF-4CED-BF25-360EE491F832}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 20  
Required: False  
ShowDatePicker: For dates  
SourceField: Award\_Date  
SourceTable: Projects\_Region table\_needtoDelete  
TextAlign: General

TribeName Short Text 255

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
Format: @  
GUID: {guid {4FFD1CA0-5E4E-498C-B2A7-DDDAC6F7CEBD}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 21  
Required: False  
SourceField: TribeName  
SourceTable: Projects\_Region table\_needtoDelete  
TextAlign: General

UnicodeCompression:	False		
<b>Fiscal_Year</b>		<b>Double</b>	<b>8</b>
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
Format:	General Number		
GUID:	{guid {ACB3AD22-07E3-47DD-A8AF-6567B89EE6FE}}		
OrdinalPosition:	22		
Required:	False		
SourceField:	Fiscal_Year		
SourceTable:	Projects_Region table_needtoDelete		
TextAlign:	General		
<b>ProjectStatus</b>		<b>Short Text</b>	<b>255</b>
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
Format:	\$\$ #,##0.00;\$\$* (,##0.00);\$\$* -00		
GUID:	{guid {E50C1936-00AA-447D-A267-9427BBC8322E}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	23		
Required:	False		
SourceField:	ProjectStatus		
SourceTable:	Projects_Region table_needtoDelete		
TextAlign:	General		
UnicodeCompression:	False		
<b>TotalAward</b>		<b>Short Text</b>	<b>255</b>
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		

Format: @  
GUID: {guid {469853E8-40B4-4828-8723-F99534603F91}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 24  
Required: False  
SourceField: TotalAward  
SourceTable: Projects\_Region table\_needtoDelete  
TextAlign: General  
UnicodeCompression: False

ProposedAward Short Text 255

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
Format: @  
GUID: {guid {1E7E3B64-9DB4-42B8-A3CF-ED6052FD7BA0}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 25  
Required: False  
SourceField: ProposedAward  
SourceTable: Projects\_Region table\_needtoDelete  
TextAlign: General  
UnicodeCompression: False

SubmittedAward Short Text 255

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
Format: @  
GUID: {guid {605B1A2A-B10F-444D-8A50-2F820390B02D}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 26  
Required: False  
SourceField: SubmittedAward  
SourceTable: Projects\_Region table\_needtoDelete  
TextAlign: General  
UnicodeCompression: False

<b>FundingProgram</b>		<b>Short Text</b>	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
Format:	@		
GUID:	{guid {1CAF44DB-A764-412B-9F72-4C02C3167397}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	27		
Required:	False		
SourceField:	FundingProgram		
SourceTable:	Projects_Region table_needtoDelete		
TextAlign:	General		
UnicodeCompression:	False		

<b>DateCreated</b>		<b>Short Text</b>	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
Format:	@		
GUID:	{guid {58BC9E90-90F6-4923-850B-6337ABDB1632}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	28		
Required:	False		
SourceField:	DateCreated		
SourceTable:	Projects_Region table_needtoDelete		
TextAlign:	General		
UnicodeCompression:	False		

<b>CreatedByUser</b>		<b>Short Text</b>	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		

Format: @  
GUID: {guid {F760F70E-6985-4EE2-B272-3E07035A3FB6}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 29  
Required: False  
SourceField: CreatedByUser  
SourceTable: Projects\_Region table\_needtoDelete  
TextAlign: General  
UnicodeCompression: False

DateUpdated Short Text 255

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
Format: @  
GUID: {guid {3529774F-6155-414A-92E8-F84CA0D14956}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 30  
Required: False  
SourceField: DateUpdated  
SourceTable: Projects\_Region table\_needtoDelete  
TextAlign: General  
UnicodeCompression: False

UpdatedbyUser Short Text 255

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
Format: @  
GUID: {guid {10EBAFE1-4C4C-4B26-AAE8-B68E08A891C0}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 31  
Required: False  
SourceField: UpdatedbyUser  
SourceTable: Projects\_Region table\_needtoDelete  
TextAlign: General  
UnicodeCompression: False

TribeId	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {DB697E71-ABB3-41E7-945F-0695EAF95F2E}}	
OrdinalPosition:	32	
Required:	False	
SourceField:	TribeId	
SourceTable:	Projects_Region table_needtoDelete	
TextAlign:	General	

**Table Indexes**

Name	Number of Fields
PACode	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	PACode
Primary:	False
Required:	False
Unique:	False
Fields:	
PACode	Ascending
RegionID	1
Clustered:	False
DistinctCount:	9
Foreign:	False
IgnoreNulls:	False
Name:	RegionID
Primary:	False
Required:	False
Unique:	False
Fields:	
RegionID	Ascending
RGProjectID	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	RGProjectID
Primary:	False
Required:	False
Unique:	False

Fields:  
RGProjectID                      Ascending

**User Permissions**

admin

**Group Permissions**

Admins  
Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,  
Write Definition, Read Data, Insert Data, Update Data, Delete Data



**Properties**

Attributes:	Linked	Connect:	;DATABASE=C:\USERS\KBANK S\DI NEX\APPLICATION\DiNex_be.mdb
DateCreated:	10/28/2014 11:09:02 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {FD4B289D-1AA4-4370-B418-AFC701C6AA3F}}	HideNewField:	False
LastUpdated:	10/28/2014 11:09:02 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	PWSAttributes	TotalsRow:	False
Updatable:	False		

**Columns**

Name	Type	Size
PWSNumber	Short Text	9
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Public Water System ID# (9-digit)	
DisplayControl:	Text Box	
GUID:	{guid {BD18C64F-2F2A-45E4-8B88-CA0821ACD0E9}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	0	
Required:	True	
SourceField:	PWSNumber	
SourceTable:	PWSAttributes	
TextAlign:	General	
UnicodeCompression:	True	
TAProvided	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	The PWS has access to TA funded by EPA (Y/N) changed to yes or no	
DisplayControl:	Text Box	
GUID:	{guid {6A17FD66-FFE7-41AE-A69C-CF7941B5A7BA}}	

IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 1  
 Required: False  
 SourceField: TAProvided  
 SourceTable: PWSAttributes  
 TextAlign: General  
 UnicodeCompression: False

TMF Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Water system has the technical, managerial, and financial capacity to operate the planned infrastructure; Y/N (condition of funding from SDWA and 1998 Guidance)  
 DisplayControl: Text Box  
 GUID: {guid {9B8704EC-E075-4458-A2A1-5E738F9B3B35}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 2  
 Required: False  
 SourceField: TMF  
 SourceTable: PWSAttributes  
 TextAlign: General  
 UnicodeCompression: False

CapacityAgreement Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Entity responsible for daily water system operations has entered into an agreement to develop the capacity to operate the project infrastructure.  
 DisplayControl: Text Box  
 GUID: {guid {282F4114-137B-4DDB-BAF5-9CEC3EFF8C43}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 3  
 Required: False  
 SourceField: CapacityAgreement  
 SourceTable: PWSAttributes

TextAlign:	General		
UnicodeCompression:	False		
ResponsibleEntity		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Entity responsible for daily water system operations and long-term management, lookup in table lkpPWSResponsibleEntities		
DisplayControl:	Text Box		
GUID:	{guid {BF528BC7-2F84-497C-8CA8-606B131410FB}}		
OrdinalPosition:	4		
Required:	False		
SourceField:	ResponsibleEntity		
SourceTable:	PWSAttributes		
TextAlign:	General		
AssetManagement		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	System Receiving Infrastructure has Asset Management Program; (Y/N/Will receive tool as part of project)		
DisplayControl:	Text Box		
GUID:	{guid {67F3E63F-5D61-479A-A5BE-58EB96A8685D}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	5		
Required:	False		
SourceField:	AssetManagement		
SourceTable:	PWSAttributes		
TextAlign:	General		
UnicodeCompression:	True		
DateCreated		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		

ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Date record was created  
 Format: Short Date  
 GUID: {guid {1D276829-0DD4-4EE9-B9B1-EB3991DDB4E3}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 6  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: DateCreated  
 SourceTable: PWSAttributes  
 TextAlign: General

CreatedByUser Short Text 50

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: User who created record  
 DisplayControl: Text Box  
 GUID: {guid {013074E9-F34B-4F6D-A0F5-2BB45B1AB738}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 7  
 Required: False  
 SourceField: CreatedByUser  
 SourceTable: PWSAttributes  
 TextAlign: General  
 UnicodeCompression: True

DateUpdated Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Date record was updated  
 GUID: {guid {D9433DB9-52B0-4C73-B26D-790F14A115CB}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 8  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: DateUpdated

SourceTable:	PWSAttributes		
TextAlign:	General		
UpdatedbyUser		Short Text	50
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	User who updated record		
DisplayControl:	Text Box		
GUID:	{guid {904B3AF9-E210-4B26-A7C6-751995A10915}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	9		
Required:	False		
SourceField:	UpdatedbyUser		
SourceTable:	PWSAttributes		
TextAlign:	General		
UnicodeCompression:	True		

**Table Indexes**

<u>Name</u>	<u>Number of Fields</u>
PrimaryKey	1
Clustered:	False
DistinctCount:	95
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
PWSNumber	Ascending

**User Permissions**

admin

**Group Permissions**

Admins  
 Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,  
 Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

Attributes:	Linked	Connect:	;DATABASE=C:\USERS\KBANK S\DI NEX\APPLICATION\DiNex_be.mdb
DateCreated:	10/28/2014 11:09:02 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {989024D4-1537-4757-B2F7-852A0EE0C50A}}	HideNewField:	False
LastUpdated:	10/28/2014 11:09:02 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	PWSFundingSourcesAssignments	TotalsRow:	False
Updatable:	False		

**Columns**

Name	Type	Size
PWSFundingSourceAssignID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal PWS Funding Source Assignment identifier	
GUID:	{guid {ADBBFD8F-C771-4A4C-B482-192825C5F44A}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	PWSFundingSourceAssignID	
SourceTable:	PWSFundingSourcesAssignments	
TextAlign:	General	
PWSNumber	Short Text	9
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Public Water System ID# (9-digit)	
DisplayControl:	Text Box	
GUID:	{guid {B36B5B87-F1BE-4573-ADC3-2428EEAA3B9F}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	

Required: True  
 SourceField: PWSNumber  
 SourceTable: PWSFundingSourcesAssignments  
 TextAlign: General  
 UnicodeCompression: True

PWSFundingSourceID Long Integer 4

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 Description: internal PWS Funding Source identifier, lookup in table lkpPWSOperationalFundingSources  
 DisplayControl: Text Box  
 GUID: {guid {415DB9FF-65D8-46DF-9E15-2BEA0626D199}}  
 OrdinalPosition: 2  
 Required: False  
 SourceField: PWSFundingSourceID  
 SourceTable: PWSFundingSourcesAssignments  
 TextAlign: General

FundingSourcePercentage Long Integer 4

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 Description: Percentage of funding which comes from this source, all entries per PWS should sum to 100  
 DisplayControl: Text Box  
 GUID: {guid {DD0712A7-3D46-45B4-BD7A-10DF0B2068B6}}  
 OrdinalPosition: 3  
 Required: False  
 SourceField: FundingSourcePercentage  
 SourceTable: PWSFundingSourcesAssignments  
 TextAlign: General

DateCreated Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General

ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Date record was created  
 Format: Short Date  
 GUID: {guid {5414BD7C-73CC-4A5E-9A24-5113F1466AF3}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 4  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: DateCreated  
 SourceTable: PWSFundingSourcesAssignments  
 TextAlign: General

CreatedByUser Short Text 50

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: User who created record  
 DisplayControl: Text Box  
 GUID: {guid {0B0EDA07-48C5-443A-9F93-FE8F22F27F05}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 5  
 Required: False  
 SourceField: CreatedByUser  
 SourceTable: PWSFundingSourcesAssignments  
 TextAlign: General  
 UnicodeCompression: True

DateUpdated Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Date record was updated  
 GUID: {guid {87655F34-B05C-459E-9A58-B81B78A03075}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 6  
 Required: False  
 ShowDatePicker: For dates



SourceField:	DateUpdated		
SourceTable:	PWSFundingSourcesAssignments		
TextAlign:	General		
UpdatedbyUser		Short Text	50
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	User who updated record		
DisplayControl:	Text Box		
GUID:	{guid {A7783C22-0589-4644-9AAA-9405EC408700}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	7		
Required:	False		
SourceField:	UpdatedbyUser		
SourceTable:	PWSFundingSourcesAssignments		
TextAlign:	General		
UnicodeCompression:	True		

**Table Indexes**

<u>Name</u>	<u>Number of Fields</u>
PrimaryKey	2
Clustered:	False
DistinctCount:	6
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
PWSNumber	Ascending
PWSFundingSourceID	Ascending
PWSFundingSourceID	1
Clustered:	False
DistinctCount:	3
Foreign:	False
IgnoreNulls:	False
Name:	PWSFundingSourceID
Primary:	False
Required:	False
Unique:	False
Fields:	
PWSFundingSourceID	Ascending

**User Permissions**

admin

**Group Permissions**

Admins

Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,  
Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

Attributes:	Linked	Connect:	;DATABASE=C:\USERS\KBANK S\DI NEX\APPLICATION\DiNex_be.mdb
DateCreated:	10/28/2014 11:09:02 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {BF6AF341-7C1D-4F3F-9384-1C938DC97A1B}}	HideNewField:	False
LastUpdated:	10/28/2014 11:09:02 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	SDWIS_ACode	TotalsRow:	False
Updatable:	False		

**Columns**

Name	Type	Size
EnfActionType	Short Text	100
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {633E1B7E-202D-48FF-9876-A139D4DC30CA}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	0	
Required:	False	
SourceField:	EnfActionType	
SourceTable:	SDWIS_ACode	
TextAlign:	General	
UnicodeCompression:	False	
EnfActionDescription	Short Text	100
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	4110	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {F32F5B29-4176-4733-8D49-17898C547989}}	
IMEMode:	0	
IMESentenceMode:	3	

OrdinalPosition: 1  
Required: False  
SourceField: EnfActionDescription  
SourceTable: SDWIS\_ACode  
TextAlign: General  
UnicodeCompression: False

Severity Short Text 1

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {B1A695C2-883E-40F8-8BCF-59C13B81E1C7}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 2  
Required: False  
SourceField: Severity  
SourceTable: SDWIS\_ACode  
TextAlign: General  
UnicodeCompression: False

Agency Short Text 1

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {965C9B38-CABE-45CB-992A-BCBD48D02F37}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 3  
Required: False  
SourceField: Agency  
SourceTable: SDWIS\_ACode  
TextAlign: General  
UnicodeCompression: False

**User Permissions**

admin

**Group Permissions**

Admins

Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,  
Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

Attributes:	Linked	Connect:	;DATABASE=C:\USERS\KBANK S\DI NEX\APPLICATION\DiNex_be.mdb
DateCreated:	10/28/2014 11:09:02 PM	GUID:	{guid {40651775-02F2-4EAB-9710-69DDD5158B1D}}
LastUpdated:	10/28/2014 11:09:02 PM	RecordCount:	-1
SourceTableName:	SDWIS_CCode	Updatable:	False

**Columns**

Name	Type	Size
CCode	Short Text	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
DataUpdatable:	False	
GUID:	{guid {E634F58E-EED2-4700-BA76-E5654B17FAA2}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	CCode	
SourceTable:	SDWIS_CCode	
CName	Short Text	40
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
DataUpdatable:	False	
GUID:	{guid {49714EA6-AFF5-4502-9AB9-0454853C1E97}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	CName	
SourceTable:	SDWIS_CCode	
MCLMeasure	Decimal	16
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	15	
DataUpdatable:	False	
GUID:	{guid {284A4F3A-8AE0-42E8-8CFE-42D4F72E56BD}}	
OrdinalPosition:	2	
Required:	False	
SourceField:	MCLMeasure	
SourceTable:	SDWIS_CCode	
SNCTypeCode	Short Text	2
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	

CollatingOrder:	General		
DataUpdatable:	False		
GUID:	{guid {4815FAC8-7E0C-4FE2-904E-CED483B86898}}		
OrdinalPosition:	3		
Required:	False		
SourceField:	SNCTypeCode		
SourceTable:	SDWIS_CCode		
SNCTriggerLevel		Decimal	16
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	15		
DataUpdatable:	False		
GUID:	{guid {894514FA-5862-40E1-8F29-013E1817CADD}}		
OrdinalPosition:	4		
Required:	False		
SourceField:	SNCTriggerLevel		
SourceTable:	SDWIS_CCode		
SNCSignificantDigits		Decimal	16
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	5		
DataUpdatable:	False		
GUID:	{guid {54D523EE-8799-4F30-82F9-FF0D516333F4}}		
OrdinalPosition:	5		
Required:	False		
SourceField:	SNCSignificantDigits		
SourceTable:	SDWIS_CCode		
RoundedSNCTriggerLevel		Decimal	16
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	15		
DataUpdatable:	False		
GUID:	{guid {F26A30E2-5A79-4C8D-85D9-EAADC955FDE8}}		
OrdinalPosition:	6		
Required:	False		
SourceField:	RoundedSNCTriggerLevel		
SourceTable:	SDWIS_CCode		
SystematicName		Short Text	10
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
GUID:	{guid {346CF241-F502-4629-8490-E64EB2B91659}}		
OrdinalPosition:	7		
Required:	False		
SourceField:	SystematicName		
SourceTable:	SDWIS_CCode		

CFRSectRefCode AllowZeroLength: False AppendOnly: False Attributes: Variable Length CollatingOrder: General DataUpdatable: False GUID: {guid {D08D97C5-CC58-471A-B443-C55DBDA22FBB}} OrdinalPosition: 8 Required: False SourceField: CFRSectRefCode SourceTable: SDWIS_CCode	Short Text	20
EPARegistryName AllowZeroLength: False AppendOnly: False Attributes: Variable Length CollatingOrder: General DataUpdatable: False GUID: {guid {669CC999-C545-4799-84FB-501EADF812CE}} OrdinalPosition: 9 Required: False SourceField: EPARegistryName SourceTable: SDWIS_CCode	Short Text	50
LastUpdated AllowZeroLength: False AppendOnly: False Attributes: Variable Length CollatingOrder: General DataUpdatable: False GUID: {guid {44FA9D3A-AC0D-4EFD-BDDE-A681C20AF44D}} OrdinalPosition: 10 Required: False SourceField: LastUpdated SourceTable: SDWIS_CCode	Short Text	26
Comments AllowZeroLength: False AppendOnly: False Attributes: Variable Length CollatingOrder: General DataUpdatable: False GUID: {guid {FD322BE7-3886-4FCD-A69E-99AF638A6200}} OrdinalPosition: 11 Required: False SourceField: Comments SourceTable: SDWIS_CCode	Short Text	120

**User Permissions**

admin



**Group Permissions**

Admins

Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,  
Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

AlternateBackShade:	100	AlternateBackThemeColorIn	-1
AlternateBackTint:	100	BackShade:	100
BackTint:	100	DatasheetForeThemeColorIn	-1
DatasheetGridlinesThemeCol	-1	DateCreated:	10/6/2014 11:16:13 AM
DefaultView:	2	DisplayViewsOnSharePointSi	1
FilterOnLoad:	False	GUID:	{guid {9743FB0D-D773-48E6-AE39-A7E423D21D97}}
HideNewField:	False	LastUpdated:	10/6/2014 11:16:13 AM
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	20	ThemeFontIndex:	-1
TotalsRow:	False	Updatable:	True

**Columns**

Name	Type	Size
CGroup1_id	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {B524A8F0-E63B-4C92-B0DA-7CDD34777916}}	
OrdinalPosition:	0	
Required:	False	
ResultType:	0	
SourceField:	CGroup1_id	
SourceTable:	SDWIS_CType	
TextAlign:	General	
CGroup1	Short Text	13
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {C352F48E-99D3-4E22-B6BC-0ADA7E9FF510}}	
IMEMode:	0	

IMESentenceMode: 3  
 OrdinalPosition: 1  
 Required: False  
 ResultType: 0  
 SourceField: CGroup1  
 SourceTable: SDWIS\_CType  
 TextAlign: General  
 UnicodeCompression: False

CGroup1\_pt Short Text 13

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {BB49E08A-67A1-43DA-876E-9DC13D5817ED}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 2  
 Required: False  
 ResultType: 0  
 SourceField: CGroup1\_pt  
 SourceTable: SDWIS\_CType  
 TextAlign: General  
 UnicodeCompression: False

CGroup2\_id Long Integer 4

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 GUID: {guid {4825F927-AABF-43E9-B202-319328CDD29A}}  
 OrdinalPosition: 3  
 Required: False  
 ResultType: 0  
 SourceField: CGroup2\_id  
 SourceTable: SDWIS\_CType  
 TextAlign: General

CGroup2 Short Text 13

AggregateType: -1

AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {2BC25536-2631-4C6C-966F-6E7A4860F808}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 4  
 Required: False  
 ResultType: 0  
 SourceField: CGroup2  
 SourceTable: SDWIS\_CType  
 TextAlign: General  
 UnicodeCompression: False

CGroup2\_pt Short Text 14

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {91A1A19D-637C-46F8-9A89-476067B87170}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 5  
 Required: False  
 ResultType: 0  
 SourceField: CGroup2\_pt  
 SourceTable: SDWIS\_CType  
 TextAlign: General  
 UnicodeCompression: False

CType\_id Long Integer 4

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False

DecimalPlaces: Auto  
DisplayControl: Text Box  
GUID: {guid {30B83C74-57D7-4C4F-B881-79AA20B67FA0}}  
OrdinalPosition: 6  
Required: False  
ResultType: 0  
SourceField: CType\_id  
SourceTable: SDWIS\_CType  
TextAlign: General

CType Short Text 13

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
CurrencyLCID: 0  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {6F0EC8EE-98EE-4C6D-968B-3618A3117587}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 7  
Required: False  
ResultType: 0  
SourceField: CType  
SourceTable: SDWIS\_CType  
TextAlign: General  
UnicodeCompression: False

CType\_pt Short Text 14

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
CurrencyLCID: 0  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {CD149B01-0E11-4CB2-877C-C38D0F6BF793}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 8  
Required: False  
ResultType: 0  
SourceField: CType\_pt  
SourceTable: SDWIS\_CType  
TextAlign: General  
UnicodeCompression: False

**User Permissions**

admin

**Group Permissions**

Admins

Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,  
Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

Attributes:	Linked	Connect:	;DATABASE=C:\USERS\KBANK S\DI NEX\APPLICATION\DiNex_be.mdb
DateCreated:	10/28/2014 11:09:02 PM	GUID:	{guid {01D5E299-AA0E-4EED-BE44-698853326860}}
LastUpdated:	10/28/2014 11:09:02 PM	RecordCount:	-1
SourceTableName:	SDWIS_EnforcementAction	Updatable:	False

**Columns**

Name	Type	Size
PWSID	Short Text	9
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
DataUpdatable:	False	
GUID:	{guid {96638003-6392-41F7-9E60-1A6B4AA5522A}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	PWSID	
SourceTable:	SDWIS_EnforcementAction	
EnfID	Short Text	20
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
DataUpdatable:	False	
GUID:	{guid {6A1E6824-0640-4C2D-882D-CF1864C4CE80}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	EnfID	
SourceTable:	SDWIS_EnforcementAction	
DataOriginCode	Short Text	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
DataUpdatable:	False	
GUID:	{guid {2EF99C52-C86A-4005-9999-C744419CE4FD}}	
OrdinalPosition:	2	
Required:	False	
SourceField:	DataOriginCode	
SourceTable:	SDWIS_EnforcementAction	
EnfDate	Date With Time	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	

CollatingOrder:	General		
DataUpdatable:	False		
GUID:	{guid {42751564-6484-4746-876E-EDDA2F9EA7F4}}		
OrdinalPosition:	3		
Required:	False		
SourceField:	EnfDate		
SourceTable:	SDWIS_EnforcementAction		
<b>EnfActionType</b>		<b>Short Text</b>	<b>3</b>
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
GUID:	{guid {38FFE3E6-F6CE-49B0-9F36-0FE86D93D284}}		
OrdinalPosition:	4		
Required:	False		
SourceField:	EnfActionType		
SourceTable:	SDWIS_EnforcementAction		
<b>EnfComments</b>		<b>Long Text</b>	<b>-</b>
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
GUID:	{guid {90FEB327-9FDC-4B58-AED8-9378B1027AB9}}		
OrdinalPosition:	5		
Required:	False		
SourceField:	EnfComments		
SourceTable:	SDWIS_EnforcementAction		
<b>ValidityIndicator</b>		<b>Short Text</b>	<b>1</b>
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
GUID:	{guid {DB9D632F-AF46-47E7-9B29-1050360C8924}}		
OrdinalPosition:	6		
Required:	False		
SourceField:	ValidityIndicator		
SourceTable:	SDWIS_EnforcementAction		
<b>FirstReportedDate</b>		<b>Date With Time</b>	<b>8</b>
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
DataUpdatable:	False		
GUID:	{guid {5E17C203-C1B2-4C54-A3A0-26045410A68C}}		
OrdinalPosition:	7		
Required:	False		
SourceField:	FirstReportedDate		
SourceTable:	SDWIS_EnforcementAction		



---

LastReportedDate	Date With Time	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
DataUpdatable:	False	
GUID:	{guid {03276E8E-C64B-45AB-8557-DF6E6732EF33}}	
OrdinalPosition:	8	
Required:	False	
SourceField:	LastReportedDate	
SourceTable:	SDWIS_EnforcementAction	

**User Permissions**

admin

**Group Permissions**

Admins

Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

DateCreated: 10/26/2011 10:52:09 AM GUID: {guid {10353224-7151-48F7-981C-482D33C9A584}}  
 LastUpdated: 10/26/2011 11:04:53 AM RecordCount: 59  
 Updatable: True

**Columns**

Name	Type	Size
PWSID	Short Text	9
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
DataUpdatable:	False	
GUID:	{guid {4C43BE4C-87B7-4BF0-9DA5-E9687263D322}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	PWSID	
SourceTable:	SDWIS_EnforcementAction_SelectPWS	
EnfID	Short Text	20
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
DataUpdatable:	False	
GUID:	{guid {90D96693-FCDF-426C-BD79-1E5AA4C5EAB8}}	
OrdinalPosition:	2	
Required:	False	
SourceField:	EnfID	
SourceTable:	SDWIS_EnforcementAction_SelectPWS	
DataOriginCode	Short Text	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
DataUpdatable:	False	
GUID:	{guid {34D8A4EE-2F37-44D4-B78C-8B0CD3691DA1}}	
OrdinalPosition:	3	
Required:	False	
SourceField:	DataOriginCode	
SourceTable:	SDWIS_EnforcementAction_SelectPWS	
EnfDate	Date With Time	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
DataUpdatable:	False	
GUID:	{guid {189B8C06-A0E0-48A6-ADA9-64DB0331CA53}}	

OrdinalPosition:	4		
Required:	False		
SourceField:	EnfDate		
SourceTable:	SDWIS_EnforcementAction_SelectPWS		
<b>EnfActionType</b>		<b>Short Text</b>	<b>3</b>
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
GUID:	{guid {C4DBD8CD-A443-45E7-AD98-47D9C5044867}}		
OrdinalPosition:	5		
Required:	False		
SourceField:	EnfActionType		
SourceTable:	SDWIS_EnforcementAction_SelectPWS		
<b>EnfActionDescription</b>		<b>Short Text</b>	<b>100</b>
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
GUID:	{guid {D56D7E3D-DC6C-40E4-B89C-8CC032527F36}}		
OrdinalPosition:	6		
Required:	False		
SourceField:	EnfActionDescription		
SourceTable:	SDWIS_EnforcementAction_SelectPWS		
<b>EnfComments</b>		<b>Long Text</b>	<b>-</b>
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
GUID:	{guid {63EDFFAD-E44E-46BA-941F-3005B1B95245}}		
OrdinalPosition:	7		
Required:	False		
SourceField:	EnfComments		
SourceTable:	SDWIS_EnforcementAction_SelectPWS		
<b>ValidityIndicator</b>		<b>Short Text</b>	<b>1</b>
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
GUID:	{guid {1CFC1DBE-83A7-4FA3-8F9F-FDE1160744B8}}		
OrdinalPosition:	8		
Required:	False		
SourceField:	ValidityIndicator		
SourceTable:	SDWIS_EnforcementAction_SelectPWS		
<b>FirstReportedDate</b>		<b>Date With Time</b>	<b>8</b>
AllowZeroLength:	False		

AppendOnly: False  
Attributes: Fixed Size  
CollatingOrder: General  
DataUpdatable: False  
GUID: {guid {A9D56E9A-46E3-44CC-81BB-904FFB80B88D}}  
OrdinalPosition: 9  
Required: False  
SourceField: FirstReportedDate  
SourceTable: SDWIS\_EnforcementAction\_SelectPWS

LastReportedDate Date With Time 8

AllowZeroLength: False  
AppendOnly: False  
Attributes: Fixed Size  
CollatingOrder: General  
DataUpdatable: False  
GUID: {guid {7989CF63-794E-4802-837C-F649EF01352B}}  
OrdinalPosition: 10  
Required: False  
SourceField: LastReportedDate  
SourceTable: SDWIS\_EnforcementAction\_SelectPWS

**User Permissions**

admin Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,  
Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Group Permissions**

Admins  
Users Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,  
Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

Attributes:	Linked	Connect:	;DATABASE=C:\USERS\KBANK S\DI NEX\APPLICATION\DiNex_be.mdb
DateCreated:	10/28/2014 11:09:02 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {9F0096F8-B68A-4702-A9EB-0EBC6ADC3AED}}	HideNewField:	False
LastUpdated:	10/28/2014 11:09:02 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	SDWIS_EnforcementAssignme ntCriteria	TotalsRow:	False
Updatable:	False		

**Columns**

Name	Type	Size
PWSID	Short Text	9
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {44F9AFDD-C923-4E29-98C1-227CE93336B}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	0	
Required:	False	
SourceField:	PWSID	
SourceTable:	SDWIS_EnforcementAssignmentCriteria	
TextAlign:	General	
UnicodeCompression:	False	
EnfID	Short Text	20
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2130	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {C08C8084-FADA-4CAC-9CF0-6BC7F41AA1A3}}	
IMEMode:	0	

IMESentenceMode: 3  
 OrdinalPosition: 1  
 Required: False  
 SourceField: EnfID  
 SourceTable: SDWIS\_EnforcementAssignmentCriteria  
 TextAlign: General  
 UnicodeCompression: False

EACIdentifier Decimal 16

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: 9  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 GUID: {guid {8C9D7537-55E2-4EE3-B1C6-484ACB97B554}}  
 OrdinalPosition: 2  
 Required: False  
 SourceField: EACIdentifier  
 SourceTable: SDWIS\_EnforcementAssignmentCriteria  
 TextAlign: General

RuleCode Short Text 4

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {BA00A07E-B3FD-4C5F-AA96-04B294892A3C}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 3  
 Required: False  
 SourceField: RuleCode  
 SourceTable: SDWIS\_EnforcementAssignmentCriteria  
 TextAlign: General  
 UnicodeCompression: False

LinkBeginDate Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: 9  
 ColumnHidden: False

ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 GUID: {guid {B2B9885A-FDC7-4A8F-89FF-B59AD0AC9972}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 4  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: LinkBeginDate  
 SourceTable: SDWIS\_EnforcementAssignmentCriteria  
 TextAlign: General

LinkExpirationDate Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: 9  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 GUID: {guid {C3EC89F8-A9AB-44E7-9D79-03A1D1D4CF1D}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 5  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: LinkExpirationDate  
 SourceTable: SDWIS\_EnforcementAssignmentCriteria  
 TextAlign: General

VCode Short Text 2

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {B8BA281E-6A80-49BA-AA25-F6388A5D31F7}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 6  
 Required: False  
 SourceField: VCode  
 SourceTable: SDWIS\_EnforcementAssignmentCriteria  
 TextAlign: General  
 UnicodeCompression: False

CCode Short Text 4

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {DF670F21-B985-4959-9610-0C528E8875A4}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 7  
 Required: False  
 SourceField: CCode  
 SourceTable: SDWIS\_EnforcementAssignmentCriteria  
 TextAlign: General  
 UnicodeCompression: False

AssociatedViolationID Short Text 20

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: 1410  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {6212B852-0A05-417A-88EF-91536B06D61D}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 8  
 Required: False  
 SourceField: AssociatedViolationID  
 SourceTable: SDWIS\_EnforcementAssignmentCriteria  
 TextAlign: General  
 UnicodeCompression: False

LinkTypeCode Short Text 5

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {538AC127-1C7D-452F-BC5C-6AD8B81715C6}}  
 IMEMode: 0  
 IMESentenceMode: 3



OrdinalPosition: 9  
 Required: False  
 SourceField: LinkTypeCode  
 SourceTable: SDWIS\_EnforcementAssignmentCriteria  
 TextAlign: General  
 UnicodeCompression: False

ValidityIndicator Short Text 1

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {B994FBA2-247E-41E3-B6CD-353D908BB113}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 10  
 Required: False  
 SourceField: ValidityIndicator  
 SourceTable: SDWIS\_EnforcementAssignmentCriteria  
 TextAlign: General  
 UnicodeCompression: False

LastReportedDate Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: 9  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 GUID: {guid {8768984B-91EB-480F-B4D9-BFC02117A595}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 11  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: LastReportedDate  
 SourceTable: SDWIS\_EnforcementAssignmentCriteria  
 TextAlign: General

UserID Short Text 20

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False

ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {74C8FFB7-DA3C-4BC9-A4CE-13FB6C467F1B}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 12  
 Required: False  
 SourceField: UserID  
 SourceTable: SDWIS\_EnforcementAssignmentCriteria  
 TextAlign: General  
 UnicodeCompression: False

**Table Indexes**

Name	Number of Fields
AssociatedViolationID	1
Clustered:	False
DistinctCount:	158810
Foreign:	False
IgnoreNulls:	False
Name:	AssociatedViolationID
Primary:	False
Required:	False
Unique:	False
Fields:	
AssociatedViolationID	Ascending
CCode	1
Clustered:	False
DistinctCount:	2
Foreign:	False
IgnoreNulls:	False
Name:	CCode
Primary:	False
Required:	False
Unique:	False
Fields:	
CCode	Ascending
EnfID	1
Clustered:	False
DistinctCount:	28186
Foreign:	False
IgnoreNulls:	False
Name:	EnfID
Primary:	False
Required:	False
Unique:	False
Fields:	
EnfID	Ascending
LinkTypeCode	1
Clustered:	False
DistinctCount:	2

	Foreign:	False
	IgnoreNulls:	False
	Name:	LinkTypeCode
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	LinkTypeCode	Ascending
PWSID		1
	Clustered:	False
	DistinctCount:	3633
	Foreign:	False
	IgnoreNulls:	False
	Name:	PWSID
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	PWSID	Ascending
RuleCode		1
	Clustered:	False
	DistinctCount:	4
	Foreign:	False
	IgnoreNulls:	False
	Name:	RuleCode
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	RuleCode	Ascending
UserID		1
	Clustered:	False
	DistinctCount:	8
	Foreign:	False
	IgnoreNulls:	False
	Name:	UserID
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	UserID	Ascending
VCode		1
	Clustered:	False
	DistinctCount:	3
	Foreign:	False
	IgnoreNulls:	False
	Name:	VCode
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	VCode	Ascending

**User Permissions**

admin

**Group Permissions**

Admins  
Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,  
Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

Attributes: Linked Connect: ;DATABASE=C:\USERS\KBANK S\DI NEX\APPLICATION\DiNex\_be.mdb  
 DateCreated: 10/28/2014 11:09:02 PM LastUpdated: 10/28/2014 11:09:02 PM  
 RecordCount: -1 SourceTableName: SDWIS\_EventScheduleActivity  
 Updatable: False

**Columns**

Name	Type	Size
PWSID	Short Text	9
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
DataUpdatable:	False	
OrdinalPosition:	0	
Required:	False	
SourceField:	PWSID	
SourceTable:	SDWIS_EventScheduleActivity	
EventScheduleID	Short Text	20
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
DataUpdatable:	False	
OrdinalPosition:	1	
Required:	False	
SourceField:	EventScheduleID	
SourceTable:	SDWIS_EventScheduleActivity	
EventActivity	Short Text	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
DataUpdatable:	False	
OrdinalPosition:	2	
Required:	False	
SourceField:	EventActivity	
SourceTable:	SDWIS_EventScheduleActivity	
EventEndDate	Date With Time	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
DataUpdatable:	False	
OrdinalPosition:	3	

Required:	False		
SourceField:	EventEndDate		
SourceTable:	SDWIS_EventScheduleActivity		
EventActualDate		Date With Time	8
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	4		
Required:	False		
SourceField:	EventActualDate		
SourceTable:	SDWIS_EventScheduleActivity		
EventReason		Short Text	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	5		
Required:	False		
SourceField:	EventReason		
SourceTable:	SDWIS_EventScheduleActivity		
EventComments		Long Text	-
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	6		
Required:	False		
SourceField:	EventComments		
SourceTable:	SDWIS_EventScheduleActivity		
ValidityIndicator		Short Text	1
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	7		
Required:	False		
SourceField:	ValidityIndicator		
SourceTable:	SDWIS_EventScheduleActivity		
FirstReportedDate		Date With Time	8
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	8		

Required: False  
SourceField: FirstReportedDate  
SourceTable: SDWIS\_EventScheduleActivity

LastReportedDate Date With Time 8

AllowZeroLength: False  
AppendOnly: False  
Attributes: Fixed Size  
CollatingOrder: General  
DataUpdatable: False  
OrdinalPosition: 9  
Required: False  
SourceField: LastReportedDate  
SourceTable: SDWIS\_EventScheduleActivity

**User Permissions**

admin

**Group Permissions**

Admins

Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,  
Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

Attributes:	Linked	Connect:	;DATABASE=C:\USERS\KBANK S\DI NEX\APPLICATION\DiNex_be.mdb
DateCreated:	10/28/2014 11:09:02 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {F61F50B0-EB3B-4A5F-9513-AD0C82C0ACF3}}	HideNewField:	False
LastUpdated:	10/28/2014 11:09:02 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	SDWIS_FACT_Violation	TotalsRow:	False
Updatable:	False		

**Columns**

Name	Type	Size
PWSID	Short Text	9
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	0	
Required:	False	
SourceField:	PWSID	
SourceTable:	SDWIS_FACT_Violation	
TextAlign:	General	
UnicodeCompression:	False	
VioID	Short Text	20
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	



SourceField: VioID  
SourceTable: SDWIS\_FACT\_Violation  
TextAlign: General  
UnicodeCompression: False

DataOriginCode Short Text 1

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 2  
Required: False  
SourceField: DataOriginCode  
SourceTable: SDWIS\_FACT\_Violation  
TextAlign: General  
UnicodeCompression: False

FacID Short Text 12

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 3  
Required: False  
SourceField: FacID  
SourceTable: SDWIS\_FACT\_Violation  
TextAlign: General  
UnicodeCompression: False

CCode Short Text 4

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False

	DisplayControl:	Text Box	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	4	
	Required:	False	
	SourceField:	CCode	
	SourceTable:	SDWIS_FACT_Violation	
	TextAlign:	General	
	UnicodeCompression:	False	
VCode			Long Integer 4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	OrdinalPosition:	5	
	Required:	False	
	SourceField:	VCode	
	SourceTable:	SDWIS_FACT_Violation	
	TextAlign:	General	
CType_id			Integer 2
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	OrdinalPosition:	6	
	Required:	False	
	SourceField:	CType_id	
	SourceTable:	SDWIS_FACT_Violation	
	TextAlign:	General	
ViolMeasure			Decimal 16
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	15	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	

DataUpdatable: False  
DecimalPlaces: Auto  
DisplayControl: Text Box  
OrdinalPosition: 7  
Required: False  
SourceField: ViolMeasure  
SourceTable: SDWIS\_FACT\_Violation  
TextAlign: General

StateMCL Decimal 16

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: 15  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DecimalPlaces: Auto  
DisplayControl: Text Box  
OrdinalPosition: 8  
Required: False  
SourceField: StateMCL  
SourceTable: SDWIS\_FACT\_Violation  
TextAlign: General

MajorViolInd Short Text 1

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 9  
Required: False  
SourceField: MajorViolInd  
SourceTable: SDWIS\_FACT\_Violation  
TextAlign: General  
UnicodeCompression: False

ComplPerBeginDate Date With Time 8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Fixed Size  
CollatingOrder: 15  
ColumnHidden: False  
ColumnOrder: Default

ColumnWidth: Default  
 DataUpdatable: False  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 10  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: ComplPerBeginDate  
 SourceTable: SDWIS\_FACT\_Violation  
 TextAlign: General

ComplPerEndDate Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: 15  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 11  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: ComplPerEndDate  
 SourceTable: SDWIS\_FACT\_Violation  
 TextAlign: General

GenComplPerEndDateInd Short Text 1

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 12  
 Required: False  
 SourceField: GenComplPerEndDateInd  
 SourceTable: SDWIS\_FACT\_Violation  
 TextAlign: General  
 UnicodeCompression: False

SeverityIndicatorCount Integer 2

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size

CollatingOrder: 15  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 OrdinalPosition: 13  
 Required: False  
 SourceField: SeverityIndicatorCount  
 SourceTable: SDWIS\_FACT\_Violation  
 TextAlign: General

InEfacts Short Text 1

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 14  
 Required: False  
 SourceField: InEfacts  
 SourceTable: SDWIS\_FACT\_Violation  
 TextAlign: General  
 UnicodeCompression: False

RetPopSrvd Long Integer 4

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: 15  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 OrdinalPosition: 15  
 Required: False  
 SourceField: RetPopSrvd  
 SourceTable: SDWIS\_FACT\_Violation  
 TextAlign: General

FirstReportedDate Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False

Attributes: Fixed Size  
 CollatingOrder: 15  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 16  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: FirstReportedDate  
 SourceTable: SDWIS\_FACT\_Violation  
 TextAlign: General

LastReportedDate Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: 15  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 17  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: LastReportedDate  
 SourceTable: SDWIS\_FACT\_Violation  
 TextAlign: General

UnitOfMeasure Short Text 9

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 18  
 Required: False  
 SourceField: UnitOfMeasure  
 SourceTable: SDWIS\_FACT\_Violation  
 TextAlign: General  
 UnicodeCompression: False

DateImported Date With Time 8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Fixed Size  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 19  
Required: False  
ShowDatePicker: For dates  
SourceField: DateImported  
SourceTable: SDWIS\_FACT\_Violation  
TextAlign: General

ImportUser Short Text 255

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 20  
Required: False  
SourceField: ImportUser  
SourceTable: SDWIS\_FACT\_Violation  
TextAlign: General  
UnicodeCompression: False

**User Permissions**

admin

**Group Permissions**

Admins

Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,  
Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

AlternateBackShade:	100	AlternateBackThemeColorIn	-1
AlternateBackTint:	100	Attributes:	Linked
BackShade:	100	BackTint:	100
Connect:	;DATABASE=C:\USERS\KBANK DatasheetForeThemeColorIn -1 S\DI NEX\APPLICATION\DiNex_be. mdb		
DatasheetGridlinesThemeCol	-1	DateCreated:	10/28/2014 11:09:02 PM
DefaultView:	2	DisplayViewsOnSharePointSi	1
FilterOnLoad:	False	GUID:	{guid {EB9AA0F5-409A-4C69-9EFA-A5E068DAB329}}
HideNewField:	False	LastUpdated:	10/28/2014 11:09:02 PM
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	-1	SourceTableName:	SDWIS_GeographicArea
ThemeFontIndex:	-1	TotalsRow:	False
Updatable:	False		

**Columns**

Name	Type	Size
PWSID	Short Text	9
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {4D9EA445-7C6E-4E7B-AE00-36E9A8741C55}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	0	
Required:	False	
ResultType:	0	
SourceField:	PWSID	
SourceTable:	SDWIS_GeographicArea	
TextAlign:	General	
UnicodeCompression:	False	
TypeCode	Short Text	2
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	



ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {3C1ACD9F-4C4D-441E-B03F-51DA05500976}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 1  
 Required: False  
 ResultType: 0  
 SourceField: TypeCode  
 SourceTable: SDWIS\_GeographicArea  
 TextAlign: General  
 UnicodeCompression: False

StateServed Short Text 2

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {0396BDA7-1926-4845-B1F8-4951FDBF5633}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 2  
 Required: False  
 ResultType: 0  
 SourceField: StateServed  
 SourceTable: SDWIS\_GeographicArea  
 TextAlign: General  
 UnicodeCompression: False

CityServed Short Text 40

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {C924778B-C3A2-442E-B3B4-02CF23DFE6A2}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 3  
 Required: False

ResultType: 0  
 SourceField: CityServed  
 SourceTable: SDWIS\_GeographicArea  
 TextAlign: General  
 UnicodeCompression: False

CountyServed Short Text 40

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {D5AE1D7E-96F7-46AB-9DCE-20C771D390CB}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 4  
 Required: False  
 ResultType: 0  
 SourceField: CountyServed  
 SourceTable: SDWIS\_GeographicArea  
 TextAlign: General  
 UnicodeCompression: False

FIPSCounty Short Text 5

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {D401C0D5-0B62-47DD-9BD9-D320C6C11C75}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 5  
 Required: False  
 ResultType: 0  
 SourceField: FIPSCounty  
 SourceTable: SDWIS\_GeographicArea  
 TextAlign: General  
 UnicodeCompression: False

FIPSTribal Short Text 5

AggregateType: -1  
 AllowZeroLength: True

AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
CurrencyLCID: 0  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {A0C3F44B-A95C-4289-8BE1-C66EDA99F72C}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 6  
Required: False  
ResultType: 0  
SourceField: FIPSTribal  
SourceTable: SDWIS\_GeographicArea  
TextAlign: General  
UnicodeCompression: False

ZipServed Short Text 5

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
CurrencyLCID: 0  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {4E7F1E35-2189-4860-AA68-5D611242219F}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 7  
Required: False  
ResultType: 0  
SourceField: ZipServed  
SourceTable: SDWIS\_GeographicArea  
TextAlign: General  
UnicodeCompression: False

ValidityIndicator Short Text 1

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
CurrencyLCID: 0  
DataUpdatable: False  
DisplayControl: Text Box

GUID: {guid {DA862FCF-891D-40C8-9341-BDDF2BB17F38}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 8  
Required: False  
ResultType: 0  
SourceField: ValidityIndicator  
SourceTable: SDWIS\_GeographicArea  
TextAlign: General  
UnicodeCompression: False

LastReportedDate Date With Time 8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Fixed Size  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
CurrencyLCID: 0  
DataUpdatable: False  
GUID: {guid {86157DB9-6F07-4FD6-9710-4A5505F2CF97}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 9  
Required: False  
ResultType: 0  
ShowDatePicker: For dates  
SourceField: LastReportedDate  
SourceTable: SDWIS\_GeographicArea  
TextAlign: General

DateImported Date With Time 8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Fixed Size  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
CurrencyLCID: 0  
DataUpdatable: False  
GUID: {guid {0846AF79-1F6D-4E3F-A878-CD3E168DE620}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 10  
Required: False  
ResultType: 0  
ShowDatePicker: For dates  
SourceField: DateImported  
SourceTable: SDWIS\_GeographicArea  
TextAlign: General

ImportUser	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {0E2492A7-5BAE-41EE-BE6A-21094589DE59}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	11	
Required:	False	
ResultType:	0	
SourceField:	ImportUser	
SourceTable:	SDWIS_GeographicArea	
TextAlign:	General	
UnicodeCompression:	False	

**User Permissions**

admin

**Group Permissions**

Admins

Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

Attributes:	Linked	Connect:	;DATABASE=C:\USERS\KBANK S\DI NEX\APPLICATION\DiNex_be.mdb
DateCreated:	10/28/2014 11:09:02 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {83013087-18F1-4C73-A0B2-D4BDB116DBDB}}	HideNewField:	False
LastUpdated:	10/28/2014 11:09:02 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	SDWIS_PWS	TotalsRow:	False
Updatable:	False		

**Columns**

Name	Type	Size
PWSID	Short Text	9
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {F5445920-213F-4261-80FE-F0208AE75BC4}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	0	
Required:	False	
SourceField:	PWSID	
SourceTable:	SDWIS_PWS	
TextAlign:	General	
UnicodeCompression:	False	
PWSName	Short Text	80
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {7A1B64DA-732F-4A18-9F66-9BA6E3997C5D}}	
IMEMode:	0	
IMESentenceMode:	3	

OrdinalPosition:	1		
Required:	False		
SourceField:	PWSName		
SourceTable:	SDWIS_PWS		
TextAlign:	General		
UnicodeCompression:	False		
EPA_Region		Short Text	2
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {4F293632-9F89-46E7-9C2E-9DD4F1B6FBC1}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	2		
Required:	False		
SourceField:	EPA_Region		
SourceTable:	SDWIS_PWS		
TextAlign:	General		
UnicodeCompression:	False		
Geography_type		Short Text	9
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {6683C546-C63B-4D2D-951D-8453A1ACEC71}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	3		
Required:	False		
SourceField:	Geography_type		
SourceTable:	SDWIS_PWS		
TextAlign:	General		
UnicodeCompression:	False		
State		Short Text	2
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		

ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {D7806D17-91D0-44BE-9763-E4AF656E4F1C}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 4  
 Required: False  
 SourceField: State  
 SourceTable: SDWIS\_PWS  
 TextAlign: General  
 UnicodeCompression: False

PCounty Short Text 40

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {1952E8F5-3789-4833-AF92-BBFEAC6CFCFF}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 5  
 Required: False  
 SourceField: PCounty  
 SourceTable: SDWIS\_PWS  
 TextAlign: General  
 UnicodeCompression: False

Status\_id Short Text 1

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {2B6C889F-E12A-4DD5-A33A-D739E1E9EC35}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 6  
 Required: False  
 SourceField: Status\_id  
 SourceTable: SDWIS\_PWS  
 TextAlign: General



UnicodeCompression:	False		
Status		Short Text	6
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {40591D5E-20EC-4C37-8C67-99922F9DEE02}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	7		
Required:	False		
SourceField:	Status		
SourceTable:	SDWIS_PWS		
TextAlign:	General		
UnicodeCompression:	False		
PWSActivityCode		Short Text	1
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {A244C9FC-FA90-4DC6-9FFB-291FB8FD0E45}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	8		
Required:	False		
SourceField:	PWSActivityCode		
SourceTable:	SDWIS_PWS		
TextAlign:	General		
UnicodeCompression:	False		
PWSDeactivationDate		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
GUID:	{guid {88435EB7-DD0E-455F-997B-3F897043210A}}		

IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 9  
Required: False  
ShowDatePicker: For dates  
SourceField: PWSDeactivationDate  
SourceTable: SDWIS\_PWS  
TextAlign: General

SubmissionStatusCode Short Text 1

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {662F0BAD-CBC3-4B21-9B47-B6E70AAF0569}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 10  
Required: False  
SourceField: SubmissionStatusCode  
SourceTable: SDWIS\_PWS  
TextAlign: General  
UnicodeCompression: False

PWSTypeCode Short Text 4

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {667848EB-940A-41A1-B25F-4D727A65EBBC}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 11  
Required: False  
SourceField: PWSTypeCode  
SourceTable: SDWIS\_PWS  
TextAlign: General  
UnicodeCompression: False

PWSType Short Text 7

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False

Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {9712D31C-25C6-4D18-82A0-1B44C286850D}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 12  
Required: False  
SourceField: PWSType  
SourceTable: SDWIS\_PWS  
TextAlign: General  
UnicodeCompression: False

GwSw Short Text 2

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {86E67C67-9AFE-4A0F-ADF7-48DC67F76404}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 13  
Required: False  
SourceField: GwSw  
SourceTable: SDWIS\_PWS  
TextAlign: General  
UnicodeCompression: False

GwSw\_longname Short Text 7

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {F753B63B-44C7-41EC-A33E-8AB546FEF244}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 14  
Required: False  
SourceField: GwSw\_longname

SourceTable:	SDWIS_PWS		
TextAlign:	General		
UnicodeCompression:	False		
PSource		Short Text	3
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {2AD9C42B-0A55-48B3-95C8-46429649507E}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	15		
Required:	False		
SourceField:	PSource		
SourceTable:	SDWIS_PWS		
TextAlign:	General		
UnicodeCompression:	False		
PSource_longname		Short Text	45
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {1128A557-FAB0-4A42-A1B5-35B95B76D8CB}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	16		
Required:	False		
SourceField:	PSource_longname		
SourceTable:	SDWIS_PWS		
TextAlign:	General		
UnicodeCompression:	False		
OwnerCode		Short Text	1
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		

DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {DB788881-68D4-41B8-8A5A-F21E5A1F14E3}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 17  
 Required: False  
 SourceField: OwnerCode  
 SourceTable: SDWIS\_PWS  
 TextAlign: General  
 UnicodeCompression: False

Owner Short Text 14

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {7978B42D-8349-4824-83DA-C17EBBA70013}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 18  
 Required: False  
 SourceField: Owner  
 SourceTable: SDWIS\_PWS  
 TextAlign: General  
 UnicodeCompression: False

SchoolOrDaycare Short Text 1

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {84F3C29C-7D83-49B5-91A6-B3F47012884D}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 19  
 Required: False  
 SourceField: SchoolOrDaycare  
 SourceTable: SDWIS\_PWS  
 TextAlign: General  
 UnicodeCompression: False

SizeCat2\_id Long Integer 4

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Fixed Size  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DecimalPlaces: Auto  
DisplayControl: Text Box  
GUID: {guid {BE30F6D6-F9BB-42E7-BF22-2389222A6158}}  
OrdinalPosition: 20  
Required: False  
SourceField: SizeCat2\_id  
SourceTable: SDWIS\_PWS  
TextAlign: General

SizeCat2 Short Text 7

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {2B477920-FDF3-44AB-999A-E6D715B1ABB5}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 21  
Required: False  
SourceField: SizeCat2  
SourceTable: SDWIS\_PWS  
TextAlign: General  
UnicodeCompression: False

SizeCat2\_pt Short Text 9

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {C822C123-1432-4AF0-955F-9051794E73F7}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 22  
Required: False

SourceField:	SizeCat2_pt		
SourceTable:	SDWIS_PWS		
TextAlign:	General		
UnicodeCompression:	False		
SizeCat3_id		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
GUID:	{89A1F528-ED55-4E46-8CED-3C309CBD0004}}		
OrdinalPosition:	23		
Required:	False		
SourceField:	SizeCat3_id		
SourceTable:	SDWIS_PWS		
TextAlign:	General		
SizeCat3		Short Text	12
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{D8299361-C25A-4EF8-BFB1-4CD86F3F3B47}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	24		
Required:	False		
SourceField:	SizeCat3		
SourceTable:	SDWIS_PWS		
TextAlign:	General		
UnicodeCompression:	False		
SizeCat3_pt		Short Text	14
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		

	DisplayControl:	Text Box	
	GUID:	{guid {74DAB2EB-4CE4-4F6F-8BB9-5317DA4E34C1}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	25	
	Required:	False	
	SourceField:	SizeCat3_pt	
	SourceTable:	SDWIS_PWS	
	TextAlign:	General	
	UnicodeCompression:	False	
SizeCat4_id		Long Integer	4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	GUID:	{guid {5286FFBB-AD87-47CE-AE57-D70D43F0E6A0}}	
	OrdinalPosition:	26	
	Required:	False	
	SourceField:	SizeCat4_id	
	SourceTable:	SDWIS_PWS	
	TextAlign:	General	
SizeCat4		Short Text	10
	AggregateType:	-1	
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {E8274CCC-58C1-4846-A2D0-F9BC1BB0228A}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	27	
	Required:	False	
	SourceField:	SizeCat4	
	SourceTable:	SDWIS_PWS	
	TextAlign:	General	
	UnicodeCompression:	False	
SizeCat4_pt		Short Text	12
	AggregateType:	-1	
	AllowZeroLength:	True	
	AppendOnly:	False	



Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {FCE6A404-FAB7-4D8F-8DF7-994B589A2622}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 28  
 Required: False  
 SourceField: SizeCat4\_pt  
 SourceTable: SDWIS\_PWS  
 TextAlign: General  
 UnicodeCompression: False

SizeCat5\_id Long Integer 4

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 GUID: {guid {D7DCFBB1-E45C-496D-8B64-AE96F2E911F3}}  
 OrdinalPosition: 29  
 Required: False  
 SourceField: SizeCat5\_id  
 SourceTable: SDWIS\_PWS  
 TextAlign: General

SizeCat5 Short Text 20

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {F41A0464-994A-453E-9D0F-1D48C2E88461}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 30  
 Required: False  
 SourceField: SizeCat5  
 SourceTable: SDWIS\_PWS  
 TextAlign: General

UnicodeCompression:	False		
SizeCat5_pt		Short Text	12
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {7761D97A-8135-4DAE-B5A3-AC0A1FB36C44}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	31		
Required:	False		
SourceField:	SizeCat5_pt		
SourceTable:	SDWIS_PWS		
TextAlign:	General		
UnicodeCompression:	False		
SizeCat11_id		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
GUID:	{guid {F3797349-F619-438D-82E5-4DBEFC1BEBD3}}		
OrdinalPosition:	32		
Required:	False		
SourceField:	SizeCat11_id		
SourceTable:	SDWIS_PWS		
TextAlign:	General		
SizeCat11		Short Text	17
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {E67DE99B-4104-4C57-821D-C0AE3E2772F4}}		
IMEMode:	0		

IMESentenceMode: 3  
OrdinalPosition: 33  
Required: False  
SourceField: SizeCat11  
SourceTable: SDWIS\_PWS  
TextAlign: General  
UnicodeCompression: False

SizeCat11\_pt Short Text 19

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {1BC7EFB7-38B4-4332-8604-D91F1311D491}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 34  
Required: False  
SourceField: SizeCat11\_pt  
SourceTable: SDWIS\_PWS  
TextAlign: General  
UnicodeCompression: False

WholesalerInd Short Text 1

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {64B2EC25-F7E4-4A0B-9FAB-33CA82D548B3}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 35  
Required: False  
SourceField: WholesalerInd  
SourceTable: SDWIS\_PWS  
TextAlign: General  
UnicodeCompression: False

RetPopSrvd Long Integer 4

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Fixed Size

CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 GUID: {guid {46FC76DB-778F-4A96-8873-A6EB2113E284}}  
 OrdinalPosition: 36  
 Required: False  
 SourceField: RetPopSrvd  
 SourceTable: SDWIS\_PWS  
 TextAlign: General

PWSSvcConn Long Integer 4

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 GUID: {guid {EC40FE21-C521-4B77-84B9-3E8AD66F865C}}  
 OrdinalPosition: 37  
 Required: False  
 SourceField: PWSSvcConn  
 SourceTable: SDWIS\_PWS  
 TextAlign: General

GrantEligible Short Text 1

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {8944872C-21D2-41B5-85FA-211F999F0E37}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 38  
 Required: False  
 SourceField: GrantEligible  
 SourceTable: SDWIS\_PWS  
 TextAlign: General  
 UnicodeCompression: False

SeasonBeginMonday Short Text 5

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {6A5BD978-607D-402F-BAFE-2C56F82B4F48}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 39  
Required: False  
SourceField: SeasonBeginMonday  
SourceTable: SDWIS\_PWS  
TextAlign: General  
UnicodeCompression: False

SeasonEndMonday Short Text 5

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {CA0666BD-7CC4-4F83-BCF2-B62BF471E0AD}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 40  
Required: False  
SourceField: SeasonEndMonday  
SourceTable: SDWIS\_PWS  
TextAlign: General  
UnicodeCompression: False

Contact Short Text 70

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {AFCB58B2-F0DA-43FD-9CF2-A67B2F384C13}}  
IMEMode: 0  
IMESentenceMode: 3

OrdinalPosition: 41  
 Required: False  
 SourceField: Contact  
 SourceTable: SDWIS\_PWS  
 TextAlign: General  
 UnicodeCompression: False

ContactOrgName Short Text 80

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {20411175-76AC-40A8-A876-1AC9DC74C95C}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 42  
 Required: False  
 SourceField: ContactOrgName  
 SourceTable: SDWIS\_PWS  
 TextAlign: General  
 UnicodeCompression: False

ContactPhone Short Text 15

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {A5026952-A378-40AF-A68B-3FEA638BBDA9}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 43  
 Required: False  
 SourceField: ContactPhone  
 SourceTable: SDWIS\_PWS  
 TextAlign: General  
 UnicodeCompression: False

ContactAddress1 Short Text 50

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General

ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {184DAEAA-3CA5-4548-977A-C695A02F889C}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 44  
 Required: False  
 SourceField: ContactAddress1  
 SourceTable: SDWIS\_PWS  
 TextAlign: General  
 UnicodeCompression: False

ContactAddress2 Short Text 50

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {B60445A4-F80C-4578-966B-5ED53DC16B0F}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 45  
 Required: False  
 SourceField: ContactAddress2  
 SourceTable: SDWIS\_PWS  
 TextAlign: General  
 UnicodeCompression: False

ContactCity Short Text 40

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {35612A72-CDA3-4BC1-BE28-2A6DFB57ACBA}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 46  
 Required: False  
 SourceField: ContactCity  
 SourceTable: SDWIS\_PWS  
 TextAlign: General

UnicodeCompression:	False		
<b>ContactState</b>		<b>Short Text</b>	<b>2</b>
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {13B3299F-31EA-4F94-9E14-0F2F49963B35}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	47		
Required:	False		
SourceField:	ContactState		
SourceTable:	SDWIS_PWS		
TextAlign:	General		
UnicodeCompression:	False		
<b>ContactZIP</b>		<b>Short Text</b>	<b>14</b>
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {F46126C2-EFF5-4980-9B11-6F9AB656ECA5}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	48		
Required:	False		
SourceField:	ContactZIP		
SourceTable:	SDWIS_PWS		
TextAlign:	General		
UnicodeCompression:	False		
<b>ValidityIndicator</b>		<b>Short Text</b>	<b>1</b>
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		



GUID: {833936E2-BA6F-484C-936A-8A4726487D1F}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 49  
Required: False  
SourceField: ValidityIndicator  
SourceTable: SDWIS\_PWS  
TextAlign: General  
UnicodeCompression: False

FirstReportedDate Date With Time 8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Fixed Size  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
GUID: {B9E5A526-2011-40BD-8950-3C1BF227D02B}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 50  
Required: False  
ShowDatePicker: For dates  
SourceField: FirstReportedDate  
SourceTable: SDWIS\_PWS  
TextAlign: General

LastReportedDate Date With Time 8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Fixed Size  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
GUID: {3118720F-6C3F-4C02-BC92-735F1B6709A8}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 51  
Required: False  
ShowDatePicker: For dates  
SourceField: LastReportedDate  
SourceTable: SDWIS\_PWS  
TextAlign: General

PWSSourceWaterProtectionCode Short Text 1

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length

CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {0727C691-1D29-460A-A495-CFA71DF345A5}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 52  
 Required: False  
 SourceField: PWSSourceWaterProtectionCode  
 SourceTable: SDWIS\_PWS  
 TextAlign: General  
 UnicodeCompression: False

PWSSourceWaterProtectionDate Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 GUID: {guid {B6B68405-FE89-4FB1-BF08-1B3A95C58210}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 53  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: PWSSourceWaterProtectionDate  
 SourceTable: SDWIS\_PWS  
 TextAlign: General

Selected Yes/No 1

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: this field is used for project detail form where user add pws to project\_PWS\_Assignment  
 DisplayControl: 106  
 Format: Yes/No  
 GUID: {guid {B970A4F1-8A21-4493-96D9-DDF7FE1DBEA1}}  
 OrdinalPosition: 54  
 Required: False  
 SourceField: Selected  
 SourceTable: SDWIS\_PWS  
 TextAlign: General

RemovePWSID	Yes/No	1
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Added to remove AK states PWSID	
DisplayControl:	106	
Format:	Yes/No	
GUID:	{guid {6639DF9D-FC90-47C9-B743-7DBFB0FAC113}}	
OrdinalPosition:	55	
Required:	False	
SourceField:	RemovePWSID	
SourceTable:	SDWIS_PWS	
TextAlign:	General	
DateImported	Date With Time	8
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
GUID:	{guid {736CDD1F-EBCA-44E2-BCD2-20E40B2A5F80}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	56	
Required:	False	
ShowDatePicker:	For dates	
SourceField:	DateImported	
SourceTable:	SDWIS_PWS	
TextAlign:	General	
ImportUser	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {87FECB49-733D-49FB-8BD3-17F4DF110044}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	57	

Required: False  
 SourceField: ImportUser  
 SourceTable: SDWIS\_PWS  
 TextAlign: General  
 UnicodeCompression: False

**Table Indexes**

Name	Number of Fields
OwnerCode	1
Clustered:	False
DistinctCount:	7
Foreign:	False
IgnoreNulls:	False
Name:	OwnerCode
Primary:	False
Required:	False
Unique:	False
Fields:	
OwnerCode	Ascending
PWSActivityCode	1
Clustered:	False
DistinctCount:	3
Foreign:	False
IgnoreNulls:	False
Name:	PWSActivityCode
Primary:	False
Required:	False
Unique:	False
Fields:	
PWSActivityCode	Ascending
PWSID	1
Clustered:	False
DistinctCount:	1957
Foreign:	False
IgnoreNulls:	False
Name:	PWSID
Primary:	False
Required:	False
Unique:	False
Fields:	
PWSID	Ascending
PWSSourceWaterProtectionCode	1
Clustered:	False
DistinctCount:	2
Foreign:	False
IgnoreNulls:	False
Name:	PWSSourceWaterProtectionCode
Primary:	False
Required:	False
Unique:	False
Fields:	
PWSSourceWaterProtectionCo	Ascending

PWSTypeCode	1
Clustered:	False
DistinctCount:	3
Foreign:	False
IgnoreNulls:	False
Name:	PWSTypeCode
Primary:	False
Required:	False
Unique:	False
Fields:	
PWSTypeCode	Ascending
SizeCat11_id	1
Clustered:	False
DistinctCount:	6
Foreign:	False
IgnoreNulls:	False
Name:	SizeCat11_id
Primary:	False
Required:	False
Unique:	False
Fields:	
SizeCat11_id	Ascending
SizeCat2_id	1
Clustered:	False
DistinctCount:	2
Foreign:	False
IgnoreNulls:	False
Name:	SizeCat2_id
Primary:	False
Required:	False
Unique:	False
Fields:	
SizeCat2_id	Ascending
SizeCat3_id	1
Clustered:	False
DistinctCount:	2
Foreign:	False
IgnoreNulls:	False
Name:	SizeCat3_id
Primary:	False
Required:	False
Unique:	False
Fields:	
SizeCat3_id	Ascending
SizeCat4_id	1
Clustered:	False
DistinctCount:	2
Foreign:	False
IgnoreNulls:	False
Name:	SizeCat4_id
Primary:	False
Required:	False
Unique:	False

Fields:	
SizeCat4_id	Ascending
SizeCat5_id	1
Clustered:	False
DistinctCount:	4
Foreign:	False
IgnoreNulls:	False
Name:	SizeCat5_id
Primary:	False
Required:	False
Unique:	False
Fields:	
SizeCat5_id	Ascending
Status_id	1
Clustered:	False
DistinctCount:	2
Foreign:	False
IgnoreNulls:	False
Name:	Status_id
Primary:	False
Required:	False
Unique:	False
Fields:	
Status_id	Ascending
SubmissionStatusCode	1
Clustered:	False
DistinctCount:	2
Foreign:	False
IgnoreNulls:	False
Name:	SubmissionStatusCode
Primary:	False
Required:	False
Unique:	False
Fields:	
SubmissionStatusCode	Ascending

**User Permissions**

admin

**Group Permissions**

Admins

Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,  
Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

Attributes:	Linked	Connect:	;DATABASE=C:\USERS\KBANK S\DI NEX\APPLICATION\DiNex_be.mdb
DateCreated:	10/28/2014 11:09:02 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {00EA4CA3-2D29-4006-B53B-EA1BBD0F8165}}	HideNewField:	False
LastUpdated:	10/28/2014 11:09:02 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	SDWIS_sdwis_AC_codes	TotalsRow:	False
Updatable:	False		

**Columns**

Name	Type	Size
rule_code	Short Text	10
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	0	
Required:	False	
SourceField:	rule_code	
SourceTable:	SDWIS_sdwis_AC_codes	
TextAlign:	General	
UnicodeCompression:	False	
rule_name	Short Text	50
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	

	SourceField:	rule_name		
	SourceTable:	SDWIS_sdwis_AC_codes		
	TextAlign:	General		
	UnicodeCompression:	False		
cate			Short Text	10
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	2		
	Required:	False		
	SourceField:	cate		
	SourceTable:	SDWIS_sdwis_AC_codes		
	TextAlign:	General		
	UnicodeCompression:	False		
ind			Long Integer	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	DisplayControl:	Text Box		
	OrdinalPosition:	3		
	Required:	False		
	SourceField:	ind		
	SourceTable:	SDWIS_sdwis_AC_codes		
	TextAlign:	General		
DateImported			Date With Time	8
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Format:	Short Date		
	IMEMode:	0		



IMESentenceMode: 3  
OrdinalPosition: 4  
Required: False  
ShowDatePicker: For dates  
SourceField: DateImported  
SourceTable: SDWIS\_sdwis\_AC\_codes  
TextAlign: General

ImportUser		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	5		
Required:	False		
SourceField:	ImportUser		
SourceTable:	SDWIS_sdwis_AC_codes		
TextAlign:	General		
UnicodeCompression:	False		

**User Permissions**

admin

**Group Permissions**

Admins  
Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,  
Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

Attributes:	Linked	Connect:	;DATABASE=C:\USERS\KBANK S\DI NEX\APPLICATION\DiNex_be.mdb
DateCreated:	10/28/2014 11:09:02 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {5249777A-53CF-4358-83E8-153F1C0CC842}}	HideNewField:	False
LastUpdated:	10/28/2014 11:09:02 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	SDWIS_VCode	TotalsRow:	False
Updatable:	False		

**Columns**

Name	Type	Size
VCode	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {E2A80588-4A03-4CF6-83CF-98E9A0094E2A}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	VCode	
SourceTable:	SDWIS_VCode	
TextAlign:	General	
VName	Short Text	50
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	4335	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {DE0D1624-8ED8-4E12-8C95-6901F9EF6066}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	

SourceField:	VName		
SourceTable:	SDWIS_VCode		
TextAlign:	General		
UnicodeCompression:	False		
VType_id		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
GUID:	{guid {E6ABB6FD-7EE6-4148-9251-E605BA4E1DA1}}		
OrdinalPosition:	2		
Required:	False		
SourceField:	VType_id		
SourceTable:	SDWIS_VCode		
TextAlign:	General		
VType		Short Text	5
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1005		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {280ECD3D-48D2-4859-8F7E-0EE07C491011}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	3		
Required:	False		
SourceField:	VType		
SourceTable:	SDWIS_VCode		
TextAlign:	General		
UnicodeCompression:	False		
VType_pt		Short Text	7
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		

	DisplayControl:	Text Box	
	GUID:	{guid {D0EAD7FA-17CE-4F91-ADDA-92C7BB8DB97A}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	4	
	Required:	False	
	SourceField:	Vtype_pt	
	SourceTable:	SDWIS_VCode	
	TextAlign:	General	
	UnicodeCompression:	False	
Vtype4_id		Long Integer	4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	GUID:	{guid {5383F48C-476B-4879-A314-88650FF32340}}	
	OrdinalPosition:	5	
	Required:	False	
	SourceField:	Vtype4_id	
	SourceTable:	SDWIS_VCode	
	TextAlign:	General	
Vtype4		Short Text	7
	AggregateType:	-1	
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {ED2695E3-1CDD-48A1-92B3-5E8D78D9D750}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	6	
	Required:	False	
	SourceField:	Vtype4	
	SourceTable:	SDWIS_VCode	
	TextAlign:	General	
	UnicodeCompression:	False	
Vtype4_pt		Short Text	9
	AggregateType:	-1	
	AllowZeroLength:	True	
	AppendOnly:	False	

Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {152CF923-F790-4839-8D8C-4E96465780AC}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 7  
 Required: False  
 SourceField: Vtype4\_pt  
 SourceTable: SDWIS\_VCode  
 TextAlign: General  
 UnicodeCompression: False

DateImported Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Format: Short Date  
 GUID: {guid {6F1B22DA-64B3-4F89-AB4D-905D6997ECBF}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 8  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: DateImported  
 SourceTable: SDWIS\_VCode  
 TextAlign: General

ImportUser Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {C25D916D-EB20-4E91-8EF5-351A1B54507B}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 9  
 Required: False  
 SourceField: ImportUser

---

SourceTable:	SDWIS_VCode
TextAlign:	General
UnicodeCompression:	False

**User Permissions**

admin

**Group Permissions**

Admins

Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,  
Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

Attributes:	Linked	Connect:	;DATABASE=C:\USERS\KBANK S\DI NEX\APPLICATION\DiNex_be.mdb
DateCreated:	10/28/2014 11:09:02 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {9F4B2324-121E-44C8-908C-B406881368AC}}	HideNewField:	False
LastUpdated:	10/28/2014 11:09:02 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	SDWIS_Violation	TotalsRow:	False
Updatable:	False		

**Columns**

Name	Type	Size
PWSID	Short Text	9
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {FEB24654-5689-4B10-B7E4-99665C3B539F}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	0	
Required:	False	
SourceField:	PWSID	
SourceTable:	SDWIS_Violation	
TextAlign:	General	
UnicodeCompression:	False	
VioID	Short Text	20
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {2E57D956-4E6F-4BFA-84B0-F5D2EC4F779D}}	
IMEMode:	0	
IMESentenceMode:	3	

OrdinalPosition: 1  
 Required: False  
 SourceField: VioID  
 SourceTable: SDWIS\_Violation  
 TextAlign: General  
 UnicodeCompression: False

DataOriginCode Short Text 1

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {54C284B0-2F87-4F81-A2D4-8CB51159A768}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 2  
 Required: False  
 SourceField: DataOriginCode  
 SourceTable: SDWIS\_Violation  
 TextAlign: General  
 UnicodeCompression: False

FacID Short Text 12

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {87E1FC45-4C9B-4858-A36F-DC6E30C57F39}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 3  
 Required: False  
 SourceField: FacID  
 SourceTable: SDWIS\_Violation  
 TextAlign: General  
 UnicodeCompression: False

CCode Short Text 4

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General



ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {DB02C4EA-172B-40F6-9CA5-C02B01DE3286}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 4  
 Required: False  
 SourceField: CCode  
 SourceTable: SDWIS\_Violation  
 TextAlign: General  
 UnicodeCompression: False

VCode Long Integer 4

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 GUID: {guid {92FD6B03-665C-4EEE-8B96-583CBF72A6F2}}  
 OrdinalPosition: 5  
 Required: False  
 SourceField: VCode  
 SourceTable: SDWIS\_Violation  
 TextAlign: General

ViolMeasure Decimal 16

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: 15  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 GUID: {guid {973D32F2-DAAC-4ED6-A500-490DD8D9CFF3}}  
 OrdinalPosition: 6  
 Required: False  
 SourceField: ViolMeasure  
 SourceTable: SDWIS\_Violation  
 TextAlign: General

StateMcl Decimal 16

AggregateType: -1

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: 15  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 GUID: {guid {C415D9FC-FA8E-4278-9B94-BD6D4D03929E}}  
 OrdinalPosition: 7  
 Required: False  
 SourceField: StateMcl  
 SourceTable: SDWIS\_Violation  
 TextAlign: General

MajorViolInd Short Text 1

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {C0F4E3F3-F9FF-4115-9B45-2719B971C14D}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 8  
 Required: False  
 SourceField: MajorViolInd  
 SourceTable: SDWIS\_Violation  
 TextAlign: General  
 UnicodeCompression: False

ComplPerBeginDate Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: 15  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 GUID: {guid {E55C7DEB-36E5-466A-9F29-3DA98715B3E4}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 9  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: ComplPerBeginDate

SourceTable:	SDWIS_Violation		
TextAlign:	General		
<b>ComplPerEndDate</b>		<b>Date With Time</b>	<b>8</b>
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	15		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
GUID:	{guid {44531F2F-6D94-4981-84F0-B756816A1446}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	10		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	ComplPerEndDate		
SourceTable:	SDWIS_Violation		
TextAlign:	General		
<b>GenComplPerEndDateInd</b>		<b>Short Text</b>	<b>1</b>
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {160B986B-B8B5-47B9-AE28-2579F5B79711}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	11		
Required:	False		
SourceField:	GenComplPerEndDateInd		
SourceTable:	SDWIS_Violation		
TextAlign:	General		
UnicodeCompression:	False		
<b>ValidityIndicator</b>		<b>Short Text</b>	<b>1</b>
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		

GUID: {guid {14A0BD16-F0B9-407C-B988-A08893AAEDA8}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 12  
Required: False  
SourceField: ValidityIndicator  
SourceTable: SDWIS\_Violation  
TextAlign: General  
UnicodeCompression: False

SeverityIndicatorCount Integer 2

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Fixed Size  
CollatingOrder: 15  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DecimalPlaces: Auto  
DisplayControl: Text Box  
GUID: {guid {40ECE709-D6D6-404B-8375-617984BB7A20}}  
OrdinalPosition: 13  
Required: False  
SourceField: SeverityIndicatorCount  
SourceTable: SDWIS\_Violation  
TextAlign: General

FirstReportedDate Date With Time 8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Fixed Size  
CollatingOrder: 15  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
GUID: {guid {9AD33EA8-83BF-4829-A36E-2147B334DD2D}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 14  
Required: False  
ShowDatePicker: For dates  
SourceField: FirstReportedDate  
SourceTable: SDWIS\_Violation  
TextAlign: General

LastReportedDate Date With Time 8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Fixed Size  
CollatingOrder: 15

ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 GUID: {guid {4B839425-FC61-4E21-8964-C5358B856F1B}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 15  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: LastReportedDate  
 SourceTable: SDWIS\_Violation  
 TextAlign: General

UserID Short Text 20

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {6F6C4CF1-5ED8-45D2-8266-B311990EAA8B}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 16  
 Required: False  
 SourceField: UserID  
 SourceTable: SDWIS\_Violation  
 TextAlign: General  
 UnicodeCompression: False

UnitOfMeasure Short Text 9

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {42CEC43A-3A7F-4070-8C5F-0C75D8D5FF7A}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 17  
 Required: False  
 SourceField: UnitOfMeasure  
 SourceTable: SDWIS\_Violation  
 TextAlign: General  
 UnicodeCompression: False

DateImported		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	15		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Format:	Short Date		
GUID:	{guid {62CDD222-A744-4A3F-8F4B-410C6C4FA534}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	18		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	DateImported		
SourceTable:	SDWIS_Violation		
TextAlign:	General		

ImportUser		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {F665998A-3FCE-40BB-8C70-C4A2576A1542}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	19		
Required:	False		
SourceField:	ImportUser		
SourceTable:	SDWIS_Violation		
TextAlign:	General		
UnicodeCompression:	False		

**Table Indexes**

Name	Number of Fields
CCode	1
Clustered:	False
DistinctCount:	131
Foreign:	False
IgnoreNulls:	False
Name:	CCode
Primary:	False
Required:	False
Unique:	False

	Fields:	
	CCode	Ascending
DataOriginCode		1
	Clustered:	False
	DistinctCount:	1
	Foreign:	False
	IgnoreNulls:	False
	Name:	DataOriginCode
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	DataOriginCode	Ascending
FacID		1
	Clustered:	False
	DistinctCount:	2241
	Foreign:	False
	IgnoreNulls:	False
	Name:	FacID
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	FacID	Ascending
PWSID		1
	Clustered:	False
	DistinctCount:	7223
	Foreign:	False
	IgnoreNulls:	False
	Name:	PWSID
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	PWSID	Ascending
UserID		1
	Clustered:	False
	DistinctCount:	1
	Foreign:	False
	IgnoreNulls:	False
	Name:	UserID
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	UserID	Ascending
VCode		1
	Clustered:	False
	DistinctCount:	49
	Foreign:	False
	IgnoreNulls:	False
	Name:	VCode
	Primary:	False

	Required:	False
	Unique:	False
	Fields:	
	VCode	Ascending
VioID		1
	Clustered:	False
	DistinctCount:	51007
	Foreign:	False
	IgnoreNulls:	False
	Name:	VioID
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	VioID	Ascending

**User Permissions**

admin

**Group Permissions**

Admins

Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data



**Properties**

DateCreated: 10/26/2011 11:06:00 AM GUID: {guid {2896C46D-4140-4346-A836-5F72765C49E5}}  
 LastUpdated: 10/26/2011 11:06:09 AM RecordCount: 87  
 Updatable: True

**Columns**

Name	Type	Size
PWSID	Short Text	9
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
DataUpdatable:	False	
GUID:	{guid {D249BB60-A75C-4D81-A949-49851DE42E43}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	PWSID	
SourceTable:	SDWIS_Violation_SelectPWS	
VioID	Short Text	20
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
DataUpdatable:	False	
GUID:	{guid {526F543D-AAA2-4FB9-9A09-6215602EB846}}	
OrdinalPosition:	2	
Required:	False	
SourceField:	VioID	
SourceTable:	SDWIS_Violation_SelectPWS	
DataOriginCode	Short Text	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
DataUpdatable:	False	
GUID:	{guid {505074DB-386D-4121-865B-4548C3DBCAC1}}	
OrdinalPosition:	3	
Required:	False	
SourceField:	DataOriginCode	
SourceTable:	SDWIS_Violation_SelectPWS	
FacID	Short Text	12
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
DataUpdatable:	False	
GUID:	{guid {6AA34FF2-D4C9-45FF-B1EA-9ACCB9796CA6}}	

	OrdinalPosition:	4		
	Required:	False		
	SourceField:	FacID		
	SourceTable:	SDWIS_Violation_SelectPWS		
CCode			Short Text	4
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	DataUpdatable:	False		
	GUID:	{guid {9A61A97A-0B06-4A30-B702-4C5578684020}}		
	OrdinalPosition:	5		
	Required:	False		
	SourceField:	CCode		
	SourceTable:	SDWIS_Violation_SelectPWS		
CName			Short Text	40
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	DataUpdatable:	False		
	GUID:	{guid {D050875E-C252-419F-9661-DE2375D70B57}}		
	OrdinalPosition:	6		
	Required:	False		
	SourceField:	CName		
	SourceTable:	SDWIS_Violation_SelectPWS		
VCode			Long Integer	4
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	DataUpdatable:	False		
	GUID:	{guid {D0D60C7C-EFB6-41FF-B672-D75F42BE0B92}}		
	OrdinalPosition:	7		
	Required:	False		
	SourceField:	VCode		
	SourceTable:	SDWIS_Violation_SelectPWS		
VName			Short Text	50
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	DataUpdatable:	False		
	GUID:	{guid {FCE6E261-32EB-4183-ADF2-F81367DFDE90}}		
	OrdinalPosition:	8		
	Required:	False		
	SourceField:	VName		
	SourceTable:	SDWIS_Violation_SelectPWS		
ViolMeasure			Decimal	16
	AllowZeroLength:	False		

AppendOnly: False Attributes: Variable Length CollatingOrder: 15 DataUpdatable: False GUID: {guid {10D3D470-4E9D-475A-B538-D5A051C4F077}} OrdinalPosition: 9 Required: False SourceField: ViolMeasure SourceTable: SDWIS_Violation_SelectPWS			
StateMcl		Decimal	16
AllowZeroLength: False AppendOnly: False Attributes: Variable Length CollatingOrder: 15 DataUpdatable: False GUID: {guid {F8FBECDD-3B82-4717-B342-E7EEBA443F17}} OrdinalPosition: 10 Required: False SourceField: StateMcl SourceTable: SDWIS_Violation_SelectPWS			
MajorViolInd		Short Text	1
AllowZeroLength: False AppendOnly: False Attributes: Variable Length CollatingOrder: General DataUpdatable: False GUID: {guid {CA565B59-E24A-43F4-9EF4-98054B73A2B7}} OrdinalPosition: 11 Required: False SourceField: MajorViolInd SourceTable: SDWIS_Violation_SelectPWS			
ComplPerBeginDate		Date With Time	8
AllowZeroLength: False AppendOnly: False Attributes: Fixed Size CollatingOrder: 15 DataUpdatable: False GUID: {guid {6520F3A7-1D8D-4417-ACD3-F01F542F57D6}} OrdinalPosition: 12 Required: False SourceField: ComplPerBeginDate SourceTable: SDWIS_Violation_SelectPWS			
ComplPerEndDate		Date With Time	8
AllowZeroLength: False AppendOnly: False Attributes: Fixed Size CollatingOrder: 15 DataUpdatable: False GUID: {guid {C7DC09AA-D49F-4A1C-B0B0-CB5FD0B69028}} OrdinalPosition: 13 Required: False			

SourceField:	ComplPerEndDate		
SourceTable:	SDWIS_Violation_SelectPWS		
GenComplPerEndDateInd		Short Text	1
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
GUID:	{guid {BBFBD3DE-3B5A-4F63-95AC-CE9B02C4BE8F}}		
OrdinalPosition:	14		
Required:	False		
SourceField:	GenComplPerEndDateInd		
SourceTable:	SDWIS_Violation_SelectPWS		
ValidityIndicator		Short Text	1
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
GUID:	{guid {836F4EC3-0D0B-4CFD-9D97-1EE143885D37}}		
OrdinalPosition:	15		
Required:	False		
SourceField:	ValidityIndicator		
SourceTable:	SDWIS_Violation_SelectPWS		
SeverityIndicatorCount		Integer	2
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	15		
DataUpdatable:	False		
GUID:	{guid {8CC6FACA-B474-47FC-AB85-23B2E8B3BA3E}}		
OrdinalPosition:	16		
Required:	False		
SourceField:	SeverityIndicatorCount		
SourceTable:	SDWIS_Violation_SelectPWS		
FirstReportedDate		Date With Time	8
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	15		
DataUpdatable:	False		
GUID:	{guid {69216379-83ED-4B1F-B624-AA1D4E4FA146}}		
OrdinalPosition:	17		
Required:	False		
SourceField:	FirstReportedDate		
SourceTable:	SDWIS_Violation_SelectPWS		
LastReportedDate		Date With Time	8
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		

CollatingOrder: 15  
 DataUpdatable: False  
 GUID: {guid {2DE0F129-DD54-4C5F-960D-C5459D551B8A}}  
 OrdinalPosition: 18  
 Required: False  
 SourceField: LastReportedDate  
 SourceTable: SDWIS\_Violation\_SelectPWS

UserID Short Text 20

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 DataUpdatable: False  
 GUID: {guid {F7D7545A-EF80-4517-982A-48EE1A7EEE5B}}  
 OrdinalPosition: 19  
 Required: False  
 SourceField: UserID  
 SourceTable: SDWIS\_Violation\_SelectPWS

UnitOfMeasure Short Text 9

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 DataUpdatable: False  
 GUID: {guid {C77706AC-DFF1-4495-A568-A6DA098D7B99}}  
 OrdinalPosition: 20  
 Required: False  
 SourceField: UnitOfMeasure  
 SourceTable: SDWIS\_Violation\_SelectPWS

**User Permissions**

admin Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,  
 Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Group Permissions**

Admins  
 Users Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,  
 Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

Attributes:	Linked	Connect:	;DATABASE=C:\USERS\KBANK S\DI NEX\APPLICATION\DiNex_be.mdb
DateCreated:	10/28/2014 11:09:02 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {84CA1FC0-41BD-4DDC-8205-26D5E9E0C6E6}}	HideNewField:	False
LastUpdated:	10/28/2014 11:09:02 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	SDWIS_ViolationEnforcementAssignment	TotalsRow:	False
Updatable:	False		

**Columns**

Name	Type	Size
PWSID	Short Text	9
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {E18EF5D8-C50C-4AD3-9D14-24530D046AF2}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	0	
Required:	False	
SourceField:	PWSID	
SourceTable:	SDWIS_ViolationEnforcementAssignment	
TextAlign:	General	
UnicodeCompression:	False	
VioID	Short Text	20
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2280	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {BD4E0603-7216-425C-89B4-EE52B4F7131A}}	
IMEMode:	0	

	IMESentenceMode:	3		
	OrdinalPosition:	1		
	Required:	False		
	SourceField:	VioID		
	SourceTable:	SDWIS_ViolationEnforcementAssignment		
	TextAlign:	General		
	UnicodeCompression:	False		
EnfID			Short Text	20
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	2130		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	GUID:	{guid {DB53C87D-8AEB-43AB-A93C-B40ED93DBD9B}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	2		
	Required:	False		
	SourceField:	EnfID		
	SourceTable:	SDWIS_ViolationEnforcementAssignment		
	TextAlign:	General		
	UnicodeCompression:	False		
CreateDate			Date With Time	8
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	2145		
	DataUpdatable:	False		
	GUID:	{guid {766C0D4C-667E-4C8A-859B-74C6A48DE250}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	3		
	Required:	False		
	ShowDatePicker:	For dates		
	SourceField:	CreateDate		
	SourceTable:	SDWIS_ViolationEnforcementAssignment		
	TextAlign:	General		
DateImported			Date With Time	8
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		

ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
Format: Short Date  
GUID: {guid {39A6CCC2-F483-4BA3-8870-F2EFD2338223}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 4  
Required: False  
ShowDatePicker: For dates  
SourceField: DateImported  
SourceTable: SDWIS\_ViolationEnforcementAssignment  
TextAlign: General

ImportUser Short Text 255  
AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {160FB86F-16F2-4F8C-A8FC-56F6AD0FB370}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 5  
Required: False  
SourceField: ImportUser  
SourceTable: SDWIS\_ViolationEnforcementAssignment  
TextAlign: General  
UnicodeCompression: False

**User Permissions**

admin

**Group Permissions**

Admins

Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,  
Write Definition, Read Data, Insert Data, Update Data, Delete Data



**Properties**

Attributes:	Linked	Connect:	;DATABASE=C:\USERS\KBANK S\DI NEX\APPLICATION\DiNex_be.mdb
DateCreated:	10/28/2014 11:09:02 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {A4632C28-09C5-47F8-8218-00C89C794E6A}}	HideNewField:	False
LastUpdated:	10/28/2014 11:09:02 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	SDWIS_WaterSystem	TotalsRow:	False
Updatable:	False		

**Columns**

Name	Type	Size
PWSID	Short Text	9
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {F3D39585-3E1B-403A-BFA7-1601E4A33112}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	0	
Required:	False	
SourceField:	PWSID	
SourceTable:	SDWIS_WaterSystem	
TextAlign:	General	
UnicodeCompression:	False	
PA	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {E09E44F2-8AC6-4228-B21F-B35A11702A63}}	
IMEMode:	0	
IMESentenceMode:	3	

OrdinalPosition: 1  
Required: False  
SourceField: PA  
SourceTable: SDWIS\_WaterSystem  
TextAlign: General  
UnicodeCompression: False

PWSName Short Text 80

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {CCE18BF7-E052-48C5-A64C-D4FCE993DA86}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 2  
Required: False  
SourceField: PWSName  
SourceTable: SDWIS\_WaterSystem  
TextAlign: General  
UnicodeCompression: False

PWSTypeCode Short Text 50

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {CB47E16B-0C06-498A-A04B-2198F19195E5}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 3  
Required: False  
SourceField: PWSTypeCode  
SourceTable: SDWIS\_WaterSystem  
TextAlign: General  
UnicodeCompression: False

PWSActivityCode Short Text 1

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General

ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {51A7453A-1E7F-4BD5-BDA9-D2FDD354E628}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 4  
Required: False  
SourceField: PWSActivityCode  
SourceTable: SDWIS\_WaterSystem  
TextAlign: General  
UnicodeCompression: False

PWSDeactivationDate Date With Time 8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Fixed Size  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
GUID: {guid {A7407DAC-E576-4FA2-9B00-2A521D94CE95}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 5  
Required: False  
ShowDatePicker: For dates  
SourceField: PWSDeactivationDate  
SourceTable: SDWIS\_WaterSystem  
TextAlign: General

SubmissionStatusCode Short Text 1

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {014611DA-1A90-40F5-B6E6-EBBBA36DE168}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 6  
Required: False  
SourceField: SubmissionStatusCode  
SourceTable: SDWIS\_WaterSystem  
TextAlign: General  
UnicodeCompression: False

WholesalerInd		Short Text	1
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {ACB562BA-2E06-4AE3-9561-FC5BC83579F4}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	7		
Required:	False		
SourceField:	WholesalerInd		
SourceTable:	SDWIS_WaterSystem		
TextAlign:	General		
UnicodeCompression:	False		

OwnerCode		Short Text	1
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {07338372-B28D-4A34-92D2-29A845B1FA51}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	8		
Required:	False		
SourceField:	OwnerCode		
SourceTable:	SDWIS_WaterSystem		
TextAlign:	General		
UnicodeCompression:	False		

RetPopSrvd		Short Text	38
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {FA8DE795-65C1-40DC-A582-58E1BD1C0C08}}		
IMEMode:	0		

IMESentenceMode: 3  
OrdinalPosition: 9  
Required: False  
SourceField: RetPopSrvd  
SourceTable: SDWIS\_WaterSystem  
TextAlign: General  
UnicodeCompression: False

PSource Short Text 3

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {8E2962E6-4C43-4EE0-9EE9-1F0A7284C121}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 10  
Required: False  
SourceField: PSource  
SourceTable: SDWIS\_WaterSystem  
TextAlign: General  
UnicodeCompression: False

PWSSvcConn Short Text 38

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {6FF12B9F-C1C8-4C3E-8ABA-EDFFD55FB90A}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 11  
Required: False  
SourceField: PWSSvcConn  
SourceTable: SDWIS\_WaterSystem  
TextAlign: General  
UnicodeCompression: False

SeasonBeginMonDay Short Text 5

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length

CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {793BABFA-2852-4FB7-8F8D-F8022CBCFD37}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 12  
Required: False  
SourceField: SeasonBeginMonday  
SourceTable: SDWIS\_WaterSystem  
TextAlign: General  
UnicodeCompression: False

SeasonEndMonday Short Text 5

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {54D89CB4-0B5C-4F80-A0F4-839C09755E40}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 13  
Required: False  
SourceField: SeasonEndMonday  
SourceTable: SDWIS\_WaterSystem  
TextAlign: General  
UnicodeCompression: False

ValidityIndicator Short Text 1

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {EDE08532-F0F5-48F3-B0DA-CDD152354922}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 14  
Required: False  
SourceField: ValidityIndicator  
SourceTable: SDWIS\_WaterSystem

TextAlign:	General		
UnicodeCompression:	False		
<b>FirstReportedDate</b>		<b>Date With Time</b>	<b>8</b>
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
GUID:	{guid {9364CB00-AD7A-46CE-84B1-02F9C066A848}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	15		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	FirstReportedDate		
SourceTable:	SDWIS_WaterSystem		
TextAlign:	General		
<b>LastReportedDate</b>		<b>Date With Time</b>	<b>8</b>
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
GUID:	{guid {FE698002-3204-4EF7-9DA3-BEAF6A26C1F2}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	16		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	LastReportedDate		
SourceTable:	SDWIS_WaterSystem		
TextAlign:	General		
<b>PWSSourceWaterProtectionCode</b>		<b>Short Text</b>	<b>1</b>
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {B3BBFD53-7273-4687-90AC-EA067E362183}}		

IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 17  
 Required: False  
 SourceField: PWSSourceWaterProtectionCode  
 SourceTable: SDWIS\_WaterSystem  
 TextAlign: General  
 UnicodeCompression: False

PWSSourceWaterProtectionDate Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 GUID: {guid {CA1A12E8-9A62-43DF-A586-5C335EDD77E0}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 18  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: PWSSourceWaterProtectionDate  
 SourceTable: SDWIS\_WaterSystem  
 TextAlign: General

DateImported Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Format: Short Date  
 GUID: {guid {0CCFA003-AB2E-4CB9-8731-A3EF6B98C135}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 19  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: DateImported  
 SourceTable: SDWIS\_WaterSystem  
 TextAlign: General

ImportUser Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length



CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {0C9A8AE5-3675-41FD-985F-117FEA993B1E}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 20  
 Required: False  
 SourceField: ImportUser  
 SourceTable: SDWIS\_WaterSystem  
 TextAlign: General  
 UnicodeCompression: False

**Table Indexes**

Name	Number of Fields
OwnerCode	1
Clustered:	False
DistinctCount:	7
Foreign:	False
IgnoreNulls:	False
Name:	OwnerCode
Primary:	False
Required:	False
Unique:	False
Fields:	
OwnerCode	Ascending
PWSActivityCode	1
Clustered:	False
DistinctCount:	3
Foreign:	False
IgnoreNulls:	False
Name:	PWSActivityCode
Primary:	False
Required:	False
Unique:	False
Fields:	
PWSActivityCode	Ascending
PWSID	1
Clustered:	False
DistinctCount:	30660
Foreign:	False
IgnoreNulls:	False
Name:	PWSID
Primary:	False
Required:	False
Unique:	False
Fields:	
PWSID	Ascending
PWSSourceWaterProtectionCode	1

Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	PWSSourceWaterProtectionCode
Primary:	False
Required:	False
Unique:	False
Fields:	
PWSSourceWaterProtectionCo	Ascending
PWSTypeCode	1
Clustered:	False
DistinctCount:	3
Foreign:	False
IgnoreNulls:	False
Name:	PWSTypeCode
Primary:	False
Required:	False
Unique:	False
Fields:	
PWSTypeCode	Ascending
SubmissionStatusCode	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	SubmissionStatusCode
Primary:	False
Required:	False
Unique:	False
Fields:	
SubmissionStatusCode	Ascending

**User Permissions**

admin

**Group Permissions**

Admins  
Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,  
Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

DateCreated: 10/26/2011 10:48:11 AM GUID: {guid {CAC800A6-F05D-4ADF-8695-6B161D169485}}  
 LastUpdated: 8/4/2014 5:32:57 PM RecordCount: 1  
 Updatable: True

**Columns**

Name	Type	Size
PWSID	Short Text	9
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
DataUpdatable:	False	
GUID:	{guid {D3E91F59-6A3C-47E3-96F1-E3FBC6F70A34}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	PWSID	
SourceTable:	SDWIS_WaterSystem_SelectPWS	
PA	Short Text	255
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
DataUpdatable:	False	
GUID:	{guid {059F3B2C-9FA7-4745-87D9-9D9E5C2657AF}}	
OrdinalPosition:	2	
Required:	False	
SourceField:	PA	
SourceTable:	SDWIS_WaterSystem_SelectPWS	
PWSName	Short Text	80
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
DataUpdatable:	False	
GUID:	{guid {870C6D4C-E0E0-4CA9-8F09-7E3CAA2EBBD3}}	
OrdinalPosition:	3	
Required:	False	
SourceField:	PWSName	
SourceTable:	SDWIS_WaterSystem_SelectPWS	
PWSTypeCode	Short Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
DataUpdatable:	False	
GUID:	{guid {A4D24136-BD44-430D-B9C4-DCEAF0616881}}	

OrdinalPosition:	4		
Required:	False		
SourceField:	PWSTypeCode		
SourceTable:	SDWIS_WaterSystem_SelectPWS		
<b>PWSActivityCode</b>		<b>Short Text</b>	<b>1</b>
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
GUID:	{guid {C2A81184-7F0E-4BE4-A876-25B1582D602F}}		
OrdinalPosition:	5		
Required:	False		
SourceField:	PWSActivityCode		
SourceTable:	SDWIS_WaterSystem_SelectPWS		
<b>PWSDeactivationDate</b>		<b>Date With Time</b>	<b>8</b>
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
DataUpdatable:	False		
GUID:	{guid {61A8D6BA-697B-4DED-B571-F4776DF20957}}		
OrdinalPosition:	6		
Required:	False		
SourceField:	PWSDeactivationDate		
SourceTable:	SDWIS_WaterSystem_SelectPWS		
<b>SubmissionStatusCode</b>		<b>Short Text</b>	<b>1</b>
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
GUID:	{guid {75F7D0C6-B70D-483F-9BFC-855937561E0A}}		
OrdinalPosition:	7		
Required:	False		
SourceField:	SubmissionStatusCode		
SourceTable:	SDWIS_WaterSystem_SelectPWS		
<b>WholesalerInd</b>		<b>Short Text</b>	<b>1</b>
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
GUID:	{guid {8E1E34D0-1553-4A48-BF0F-4F5D00FD06BF}}		
OrdinalPosition:	8		
Required:	False		
SourceField:	WholesalerInd		
SourceTable:	SDWIS_WaterSystem_SelectPWS		
<b>OwnerCode</b>		<b>Short Text</b>	<b>1</b>
AllowZeroLength:	False		

AppendOnly: False Attributes: Variable Length CollatingOrder: General DataUpdatable: False GUID: {guid {BCB42701-FA6E-44F4-853B-F92F0372FF28}} OrdinalPosition: 9 Required: False SourceField: OwnerCode SourceTable: SDWIS_WaterSystem_SelectPWS			
RetPopSrvd	Short Text	38	
AllowZeroLength: False AppendOnly: False Attributes: Variable Length CollatingOrder: General DataUpdatable: False GUID: {guid {4D97E91D-B736-48F4-8F67-542B6B4A18C5}} OrdinalPosition: 10 Required: False SourceField: RetPopSrvd SourceTable: SDWIS_WaterSystem_SelectPWS			
PSource	Short Text	3	
AllowZeroLength: False AppendOnly: False Attributes: Variable Length CollatingOrder: General DataUpdatable: False GUID: {guid {728B6E98-F29D-434A-93B9-9458F3336ACA}} OrdinalPosition: 11 Required: False SourceField: PSource SourceTable: SDWIS_WaterSystem_SelectPWS			
PWSSvcConn	Short Text	38	
AllowZeroLength: False AppendOnly: False Attributes: Variable Length CollatingOrder: General DataUpdatable: False GUID: {guid {69DD121F-14E8-4A03-8662-93812B12C2F1}} OrdinalPosition: 12 Required: False SourceField: PWSSvcConn SourceTable: SDWIS_WaterSystem_SelectPWS			
SeasonBeginMonDay	Short Text	5	
AllowZeroLength: False AppendOnly: False Attributes: Variable Length CollatingOrder: General DataUpdatable: False GUID: {guid {0E2ACB64-2034-4F06-839D-8C989EB9427C}} OrdinalPosition: 13 Required: False			

SourceField:	SeasonBeginMonDay		
SourceTable:	SDWIS_WaterSystem_SelectPWS		
SeasonEndMonDay		Short Text	5
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
GUID:	{guid {9B95ADBC-1F42-4600-9ED7-DAEF798F590F}}		
OrdinalPosition:	14		
Required:	False		
SourceField:	SeasonEndMonDay		
SourceTable:	SDWIS_WaterSystem_SelectPWS		
ValidityIndicator		Short Text	1
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
GUID:	{guid {58FD72E5-2372-4026-9E12-8E177E791B5D}}		
OrdinalPosition:	15		
Required:	False		
SourceField:	ValidityIndicator		
SourceTable:	SDWIS_WaterSystem_SelectPWS		
FirstReportedDate		Date With Time	8
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
DataUpdatable:	False		
GUID:	{guid {24FD316D-3757-42F5-B45F-4CAA8215C9D6}}		
OrdinalPosition:	16		
Required:	False		
SourceField:	FirstReportedDate		
SourceTable:	SDWIS_WaterSystem_SelectPWS		
LastReportedDate		Date With Time	8
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
DataUpdatable:	False		
GUID:	{guid {95C9CFCC-327B-4588-8619-41218616BCC2}}		
OrdinalPosition:	17		
Required:	False		
SourceField:	LastReportedDate		
SourceTable:	SDWIS_WaterSystem_SelectPWS		
PWSSourceWaterProtectionCode		Short Text	1
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		

CollatingOrder:	General		
DataUpdatable:	False		
GUID:	{guid {2C2BDE01-7AA1-4BA0-AAF1-9B5CCEED8273}}		
OrdinalPosition:	18		
Required:	False		
SourceField:	PWSSourceWaterProtectionCode		
SourceTable:	SDWIS_WaterSystem_SelectPWS		
<b>PWSSourceWaterProtectionDate</b>		<b>Date With Time</b>	<b>8</b>
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
DataUpdatable:	False		
GUID:	{guid {D4BF176B-EA98-4B57-8A7C-ABE0965012F0}}		
OrdinalPosition:	19		
Required:	False		
SourceField:	PWSSourceWaterProtectionDate		
SourceTable:	SDWIS_WaterSystem_SelectPWS		
<b>DateImported</b>		<b>Date With Time</b>	<b>8</b>
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
GUID:	{guid {68A80849-6F17-4CAE-B3BD-FA50B59C13EB}}		
OrdinalPosition:	20		
Required:	False		
SourceField:	DateImported		
SourceTable:	SDWIS_WaterSystem_SelectPWS		
<b>ImportUser</b>		<b>Short Text</b>	<b>255</b>
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
GUID:	{guid {E58FD6CB-FA82-43E9-92CA-3A3E99BC9BFC}}		
OrdinalPosition:	21		
Required:	False		
SourceField:	ImportUser		
SourceTable:	SDWIS_WaterSystem_SelectPWS		

**User Permissions**

admin	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
-------	--

**Group Permissions**

Admins

Users	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
-------	---



**Properties**

Attributes:	Linked	Connect:	;DATABASE=C:\USERS\KBANK S\DI NEX\APPLICATION\DiNex_be.mdb
DateCreated:	10/28/2014 11:09:02 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {958628CB-ECC8-4011-8BA1-C21835E3D94C}}	HideNewField:	False
LastUpdated:	10/28/2014 11:09:02 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	SDWIS_WaterSystemFacility	TotalsRow:	False
Updatable:	False		

**Columns**

Name	Type	Size
PWSID	Short Text	9
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {73DAEF5B-1351-4472-B395-0E7DBB6B5437}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	0	
Required:	False	
SourceField:	PWSID	
SourceTable:	SDWIS_WaterSystemFacility	
TextAlign:	General	
UnicodeCompression:	False	
FacID	Short Text	12
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {0195FBEO-CD6F-4D1C-9AE0-C7061F4F1678}}	
IMEMode:	0	
IMESentenceMode:	3	

OrdinalPosition: 1  
 Required: False  
 SourceField: FacID  
 SourceTable: SDWIS\_WaterSystemFacility  
 TextAlign: General  
 UnicodeCompression: False

FacName Short Text 80

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {26795FAA-7A31-4531-AE26-97CF2E8592AE}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 2  
 Required: False  
 SourceField: FacName  
 SourceTable: SDWIS\_WaterSystemFacility  
 TextAlign: General  
 UnicodeCompression: False

FacStateAsgnID Short Text 40

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {616AAA1A-16B9-4EE3-90F6-B9710E3C3559}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 3  
 Required: False  
 SourceField: FacStateAsgnID  
 SourceTable: SDWIS\_WaterSystemFacility  
 TextAlign: General  
 UnicodeCompression: False

FacActivityCode Short Text 1

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General

ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {495B2430-4461-4473-8188-353D1415754C}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 4  
Required: False  
SourceField: FacActivityCode  
SourceTable: SDWIS\_WaterSystemFacility  
TextAlign: General  
UnicodeCompression: False

FacDeactivationDate Date With Time 8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Fixed Size  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
GUID: {guid {52ED5200-2A3A-430B-88A5-41C225A9CAF4}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 5  
Required: False  
ShowDatePicker: For dates  
SourceField: FacDeactivationDate  
SourceTable: SDWIS\_WaterSystemFacility  
TextAlign: General

SubmissionStatusCode Short Text 1

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {60E99568-02DA-450B-9A13-65A1BB5CE40E}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 6  
Required: False  
SourceField: SubmissionStatusCode  
SourceTable: SDWIS\_WaterSystemFacility  
TextAlign: General  
UnicodeCompression: False

FacTypeCode		Short Text	2
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {ECF60972-7AE6-4521-A228-15D5CC0109D5}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	7		
Required:	False		
SourceField:	FacTypeCode		
SourceTable:	SDWIS_WaterSystemFacility		
TextAlign:	General		
UnicodeCompression:	False		

FacType		Short Text	40
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {6D23B94E-499D-47EA-B012-3C5C781D48B1}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	8		
Required:	False		
SourceField:	FacType		
SourceTable:	SDWIS_WaterSystemFacility		
TextAlign:	General		
UnicodeCompression:	False		

FacWaterType		Short Text	2
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {5D028A0B-4817-422B-B55A-B851144847D8}}		
IMEMode:	0		

IMESentenceMode: 3  
 OrdinalPosition: 9  
 Required: False  
 SourceField: FacWaterType  
 SourceTable: SDWIS\_WaterSystemFacility  
 TextAlign: General  
 UnicodeCompression: False

AvailabilityCode Short Text 1

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {6D6A5137-B065-4156-A60C-CFD0529110B0}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 10  
 Required: False  
 SourceField: AvailabilityCode  
 SourceTable: SDWIS\_WaterSystemFacility  
 TextAlign: General  
 UnicodeCompression: False

Availability Short Text 24

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {3089F14C-37B3-4796-B894-A71DD1774C27}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 11  
 Required: False  
 SourceField: Availability  
 SourceTable: SDWIS\_WaterSystemFacility  
 TextAlign: General  
 UnicodeCompression: False

SellerPWSID Short Text 9

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length

CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {877334A1-B125-4C5C-A0C3-CD2780709D45}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 12  
 Required: False  
 SourceField: SellerPWSID  
 SourceTable: SDWIS\_WaterSystemFacility  
 TextAlign: General  
 UnicodeCompression: False

SellerTrtCode Short Text 1

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {DCF26CD6-B4A0-453D-B9FA-0AB330722CDE}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 13  
 Required: False  
 SourceField: SellerTrtCode  
 SourceTable: SDWIS\_WaterSystemFacility  
 TextAlign: General  
 UnicodeCompression: False

SourceTrtInd Short Text 1

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {111C3B59-38DB-4CEF-8ECB-4DD41BB2D81D}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 14  
 Required: False  
 SourceField: SourceTrtInd  
 SourceTable: SDWIS\_WaterSystemFacility

TextAlign:	General		
UnicodeCompression:	False		
<b>RptdFiltrationStatus</b>		<b>Short Text</b>	<b>3</b>
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {4FE1DF2C-6088-4A47-818B-7963B4DC548A}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	15		
Required:	False		
SourceField:	RptdFiltrationStatus		
SourceTable:	SDWIS_WaterSystemFacility		
TextAlign:	General		
UnicodeCompression:	False		
<b>ValidityIndicator</b>		<b>Short Text</b>	<b>1</b>
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {D7278D52-A53D-4552-9C26-4C5B8BF6FE1D}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	16		
Required:	False		
SourceField:	ValidityIndicator		
SourceTable:	SDWIS_WaterSystemFacility		
TextAlign:	General		
UnicodeCompression:	False		
<b>FirstReportedDate</b>		<b>Date With Time</b>	<b>8</b>
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		

GUID: {11B27495-336A-493D-BB6B-B1DC1A4538F4}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 17  
Required: False  
ShowDatePicker: For dates  
SourceField: FirstReportedDate  
SourceTable: SDWIS\_WaterSystemFacility  
TextAlign: General

LastReportedDate Date With Time 8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Fixed Size  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
GUID: {98C3958A-C7FC-44A6-ABBA-5ED81F118879}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 18  
Required: False  
ShowDatePicker: For dates  
SourceField: LastReportedDate  
SourceTable: SDWIS\_WaterSystemFacility  
TextAlign: General

DateImported Date With Time 8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Fixed Size  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
Format: Short Date  
GUID: {C0E7E9FF-E2FD-4AEE-A646-3DE881ADFC46}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 19  
Required: False  
ShowDatePicker: For dates  
SourceField: DateImported  
SourceTable: SDWIS\_WaterSystemFacility  
TextAlign: General

ImportUser Short Text 255

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False



---

Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {43C98C1C-24F4-485D-A7B3-D53D54198F8A}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	20
Required:	False
SourceField:	ImportUser
SourceTable:	SDWIS_WaterSystemFacility
TextAlign:	General
UnicodeCompression:	False

**User Permissions**

admin

**Group Permissions**

Admins

Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,  
Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

DateCreated:	9/14/2011 3:35:21 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {738195FE-F1C9-4956-A12B-D8E6B9946085}}	HideNewField:	False
LastUpdated:	9/14/2011 3:35:22 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	26
TotalsRow:	False	Updatable:	True

**Columns**

Name	Type	Size
TableID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal SDWISTableName identifier	
GUID:	{guid {C8C3E920-3563-4540-8E2A-76B6FEB343C5}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	TableID	
SourceTable:	SDWISTableNames	
TextAlign:	General	
LatestQuarterTableName	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	3630	
DataUpdatable:	False	
Description:	SDWIS Table Name	
DisplayControl:	Text Box	
GUID:	{guid {DBE48381-6290-40E8-94D2-2E92EBE7EF8D}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	LatestQuarterTableName	
SourceTable:	SDWISTableNames	
TextAlign:	General	
UnicodeCompression:	True	

DINexTableName	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	3870	
DataUpdatable:	False	
Description:	DI Nex Table Name	
DisplayControl:	Text Box	
GUID:	{guid {53FDFA31-C610-452B-BFC0-457451D3F039}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	2	
Required:	False	
SourceField:	DINexTableName	
SourceTable:	SDWISTableNames	
TextAlign:	General	
UnicodeCompression:	True	

PWSFilter	Yes/No	1
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Does this table get filtered by PACode = left(PWSID,2)?	
DisplayControl:	106	
Format:	Yes/No	
GUID:	{guid {80C951BC-8ED9-4162-B962-83356D100A6F}}	
OrdinalPosition:	3	
Required:	False	
SourceField:	PWSFilter	
SourceTable:	SDWISTableNames	
TextAlign:	General	

FilterComment	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2805	
DataUpdatable:	False	
Description:	Comment on filter	
DisplayControl:	Text Box	
GUID:	{guid {35106C02-9C89-49F1-8A9B-6D785401AD5B}}	

IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 4  
 Required: False  
 SourceField: FilterComment  
 SourceTable: SDWISTableNames  
 TextAlign: General  
 UnicodeCompression: True

**Table Indexes**

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	26
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
TableID	Ascending

**User Permissions**

admin

**Group Permissions**

Admins

Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

Attributes:	Linked	Connect:	;DATABASE=C:\USERS\KBANK S\DI NEX\APPLICATION\DiNex_be.mdb
DateCreated:	10/28/2014 11:09:02 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {639CA69D-3D45-4A8A-B520-D0750475380E}}	HideNewField:	False
LastUpdated:	10/28/2014 11:09:02 PM	NameMap:	Long binary data
OrderBy:	[SessionLog].[LoggedOut] DESC	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	-1	SourceTableName:	SessionLog
TotalsRow:	False	Updatable:	False

**Columns**

Name	Type	Size
SessionId	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	Default	
DataUpdatable:	False	
GUID:	{guid {E2A18EB1-2F46-499E-BFDE-8846170A8A20}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	SessionId	
SourceTable:	SessionLog	
TextAlign:	General	
UserID	Short Text	10
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {CF5A5217-9210-466F-B0E6-CED90787A38E}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	True	
SourceField:	UserID	

SourceTable: SessionLog  
 TextAlign: General  
 UnicodeCompression: True

DateCreated Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: 3015  
 DataUpdatable: False  
 Description: Logged in the system  
 Format: Short Date  
 GUID: {guid {8C131BD8-6306-48E3-BD90-058AD2E0BFEA}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 2  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: DateCreated  
 SourceTable: SessionLog  
 TextAlign: General

LoggedOut Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: 2175  
 DataUpdatable: False  
 Format: General Date  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 4  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: LoggedOut  
 SourceTable: SessionLog  
 TextAlign: General

**Table Indexes**

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	471
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey

Primary:	True
Required:	True
Unique:	True
Fields:	
SessionId	Ascending
SessionId	1
Clustered:	False
DistinctCount:	471
Foreign:	False
IgnoreNulls:	False
Name:	SessionId
Primary:	False
Required:	False
Unique:	False
Fields:	
SessionId	Ascending

**User Permissions**

admin

**Group Permissions**

Admins  
Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,  
Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

DateCreated:	4/16/2012 11:10:00 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {C3A1256F-7320-4887-949F-BD5791ABCEE4}}	HideNewField:	False
LastUpdated:	4/16/2012 11:14:41 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	4
TotalsRow:	False	Updatable:	True

**Columns**

Name	Type	Size
HelpId	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	Default	
DataUpdatable:	False	
GUID:	{guid {E878F42B-1452-4B3B-87FE-3E28187886F0}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	HelpId	
SourceTable:	tblImportHelp	
TextAlign:	General	
HeadingOne	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	3690	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {84C31DD9-6F4E-4049-A34C-D2E7CF361163}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	HeadingOne	
SourceTable:	tblImportHelp	
TextAlign:	General	
UnicodeCompression:	True	
HelpTextOne	Short Text	255



AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {CCA8A68C-D518-4C4D-A5AE-15A9CF8847D4}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 2  
Required: False  
SourceField: HelpTextOne  
SourceTable: tblImportHelp  
TextAlign: General  
UnicodeCompression: True

HelpTextTwo Short Text 255

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {38A29F49-C2B8-40E3-932C-E80697D969A5}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 3  
Required: False  
SourceField: HelpTextTwo  
SourceTable: tblImportHelp  
TextAlign: General  
UnicodeCompression: True

HelpTextThree Short Text 255

AggregateType: -1  
AllowValueListEdits: True  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
BoundColumn: 1  
CollatingOrder: General  
ColumnCount: 1  
ColumnHeads: False  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False

DisplayControl: Combo Box  
 GUID: {guid {87B5AF48-B6CE-49E5-B4EB-92BEBE970905}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 LimitToList: False  
 ListRows: 16  
 ListWidth: 0twip  
 OrdinalPosition: 4  
 Required: False  
 RowSource: "PDS";"DWIG";"SDWIS";"ETT"  
 RowSourceType: Value List  
 ShowOnlyRowSourceValues: False  
 SourceField: HelpTextThree  
 SourceTable: tblImportHelp  
 TextAlign: General  
 UnicodeCompression: True

HelpCat Short Text 255

AggregateType: -1  
 AllowValueListEdits: False  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 BoundColumn: 1  
 CollatingOrder: General  
 ColumnCount: 1  
 ColumnHeads: False  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Combo Box  
 GUID: {924D2FF7-7A44-4C14-950D-CA0B18D24A1D}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 LimitToList: False  
 ListRows: 16  
 ListWidth: 0twip  
 OrdinalPosition: 5  
 Required: False  
 RowSource: "PDS";"DWIG";"ETT";"SDWIS"  
 RowSourceType: Value List  
 ShowOnlyRowSourceValues: False  
 SourceField: HelpCat  
 SourceTable: tblImportHelp  
 TextAlign: General  
 UnicodeCompression: True

DateCreated Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False

ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Format:	Short Date
GUID:	{guid {9090E793-84B2-4C7F-9AC2-BA9B56C28391}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	6
Required:	False
ShowDatePicker:	For dates
SourceField:	DateCreated
SourceTable:	tblImportHelp
TextAlign:	General

**Table Indexes**

<u>Name</u>	<u>Number of Fields</u>
HelpId	1
Clustered:	False
DistinctCount:	4
Foreign:	False
IgnoreNulls:	False
Name:	HelpId
Primary:	False
Required:	False
Unique:	False
Fields:	
HelpId	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	4
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
HelpCat	Ascending

**User Permissions**

admin

**Group Permissions**

Admins

Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

AlternateBackShade:	100	AlternateBackThemeColorIn	-1
AlternateBackTint:	100	BackShade:	100
BackTint:	100	DatasheetForeThemeColorIn	-1
DatasheetGridlinesThemeCol	-1	DateCreated:	9/1/2011 12:02:51 PM
DefaultView:	2	DisplayViewsOnSharePointSi	1
FilterOnLoad:	False	GUID:	{guid {EA02AE53-B3BC-4187-9236-783DA59F0F26}}
HideNewField:	False	LastUpdated:	10/27/2014 2:36:23 PM
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	7	ThemeFontIndex:	-1
TotalsRow:	False	Updatable:	True

**Columns**

Name	Type	Size
ReportId	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
GUID:	{guid {7E0552AA-F033-41C2-B98B-CF9564DFA49D}}	
OrdinalPosition:	0	
Required:	False	
ResultType:	0	
SourceField:	ReportId	
SourceTable:	tblReportNames	
TextAlign:	General	
ReportName	Short Text	100
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	5610	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	Report Name	
DisplayControl:	Text Box	
GUID:	{guid {91EA4332-719C-448B-92A5-0BA1AD830CFE}}	
IMEMode:	0	
IMESentenceMode:	3	

OrdinalPosition: 1  
Required: False  
ResultType: 0  
SourceField: ReportName  
SourceTable: tblReportNames  
TextAlign: General  
UnicodeCompression: True

OrigReportName Short Text 100

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: 2700  
CurrencyLCID: 0  
DataUpdatable: False  
Description: original Ms access report Name  
DisplayControl: Text Box  
GUID: {guid {67C3210F-BD54-48EF-A4C2-573D2E058D1B}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 2  
Required: False  
ResultType: 0  
SourceField: OrigReportName  
SourceTable: tblReportNames  
TextAlign: General  
UnicodeCompression: True

ReportModuleName Short Text 20

AggregateType: -1  
AllowValueListEdits: False  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
BoundColumn: 1  
CollatingOrder: General  
ColumnCount: 1  
ColumnHeads: False  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
CurrencyLCID: 0  
DataUpdatable: False  
Description: Module Name for e.g. Policy, Claim , Location  
DisplayControl: Text Box  
GUID: {guid {3B176848-59B9-4BFA-9017-826A12EE5FC6}}  
IMEMode: 0  
IMESentenceMode: 3  
LimitToList: False  
ListRows: 8  
ListWidth: 0twip

OrdinalPosition: 3  
 Required: False  
 ResultType: 0  
 RowSource: Claim;Policy;Location;Contacts  
 RowSourceType: Value List  
 ShowOnlyRowSourceValues: False  
 SourceField: ReportModuleName  
 SourceTable: tblReportNames  
 TextAlign: General  
 UnicodeCompression: True

ReportDescription Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: 6165  
 CurrencyLCID: 0  
 DataUpdatable: False  
 Description: brief description of the report  
 DisplayControl: Text Box  
 GUID: {guid {259A8499-A124-4565-B0EA-9C2129281316}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 4  
 Required: False  
 ResultType: 0  
 SourceField: ReportDescription  
 SourceTable: tblReportNames  
 TextAlign: General  
 UnicodeCompression: True

Interface Yes/No 1

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 Description: if there is any interface needed  
 DisplayControl: 106  
 Format: Yes/No  
 GUID: {guid {513D5C53-EF66-42DF-9F5A-A1D332D5DB8B}}  
 OrdinalPosition: 5  
 Required: False  
 ResultType: 0  
 SourceField: Interface  
 SourceTable: tblReportNames

TextAlign:	General		
FormInterface		Short Text	100
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
Description:	form name if there is an interface		
DisplayControl:	Text Box		
GUID:	{guid {DB0E7F4C-D945-4175-AECA-DB1165984CD4}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	6		
Required:	False		
ResultType:	0		
SourceField:	FormInterface		
SourceTable:	tblReportNames		
TextAlign:	General		
UnicodeCompression:	True		
Sequence		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	order of the report		
DisplayControl:	Text Box		
GUID:	{guid {2F7961EA-BBAA-4A54-9342-07E047E607A5}}		
OrdinalPosition:	7		
Required:	False		
ResultType:	0		
SourceField:	Sequence		
SourceTable:	tblReportNames		
TextAlign:	General		
Active		Yes/No	1
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		

ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 Description: If report is active  
 DisplayControl: 106  
 Format: Yes/No  
 GUID: {guid {CD59B6A5-005F-4377-9994-968DE328DA06}}  
 OrdinalPosition: 8  
 Required: False  
 ResultType: 0  
 SourceField: Active  
 SourceTable: tblReportNames  
 TextAlign: General

DateCreated Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 Format: Short Date  
 GUID: {guid {1A721DBD-EBCE-4D29-B27C-7ADBAD5DD3E0}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 9  
 Required: False  
 ResultType: 0  
 ShowDatePicker: For dates  
 SourceField: DateCreated  
 SourceTable: tblReportNames  
 TextAlign: General

PWSS Yes/No 1

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 Description: reports with PWSS category  
 DisplayControl: 106  
 Format: Yes/No  
 GUID: {guid {5357AAA2-4C5C-4BF1-8E8A-49A14B1AE7CD}}  
 OrdinalPosition: 10  
 Required: False



	ResultType:	0		
	SourceField:	PWSS		
	SourceTable:	tblReportNames		
	TextAlign:	General		
Others			Yes/No	1
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	CurrencyLCID:	0		
	DataUpdatable:	False		
	Description:	reports with other category		
	DisplayControl:	106		
	Format:	Yes/No		
	GUID:	{guid {F0B0A42B-7DEE-4133-A8D3-C96017DA086E}}		
	OrdinalPosition:	11		
	Required:	False		
	ResultType:	0		
	SourceField:	Others		
	SourceTable:	tblReportNames		
	TextAlign:	General		

**Table Indexes**

<u>Name</u>	<u>Number of Fields</u>
PrimaryKey	1
Clustered:	False
DistinctCount:	7
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
ReportId	Ascending
ReportId	1
Clustered:	False
DistinctCount:	7
Foreign:	False
IgnoreNulls:	False
Name:	ReportId
Primary:	False
Required:	False
Unique:	False
Fields:	
ReportId	Ascending

**User Permissions**

admin

**Group Permissions**

Admins

Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,  
Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

DateCreated:	1/9/2012 5:10:51 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {60D6BEDD-EFB5-4CC1-A9EC-C14253DE4D31}}	HideNewField:	False
LastUpdated:	6/11/2013 3:41:23 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	0
TotalsRow:	False	Updatable:	True

**Columns**

Name	Type	Size
Awarding Region Code	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {08D65A30-0CC6-49AE-9573-C2B2484BCBDA}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	0	
Required:	False	
SourceField:	Awarding Region Code	
SourceTable:	tmpDWIG	
TextAlign:	General	
UnicodeCompression:	False	
Applicant Type	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {56514290-E332-4B10-ADF1-AB58F1A8B71C}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	Applicant Type	
SourceTable:	tmpDWIG	

TextAlign:	General		
UnicodeCompression:	False		
Project Officer		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {84AB5142-F086-402F-A8CD-227A87691AA7}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	2		
Required:	False		
SourceField:	Project Officer		
SourceTable:	tmpDWIG		
TextAlign:	General		
UnicodeCompression:	False		
Award Date		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Format:	m\d\yyyy		
GUID:	{C8EC9D4C-A4F4-4863-B5BE-A7F9F84B6B15}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	3		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	Award Date		
SourceTable:	tmpDWIG		
TextAlign:	General		
Award Fiscal Year		Double	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		

DecimalPlaces: Auto  
DisplayControl: Text Box  
Format: #  
GUID: {guid {D2D7F430-8FE3-4F8B-A1FD-6DF358EC4F9E}}  
OrdinalPosition: 4  
Required: False  
SourceField: Award Fiscal Year  
SourceTable: tmpDWIG  
TextAlign: General

Grant No Short Text 255

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
Format: @  
GUID: {guid {3E9250CB-BA75-4DB0-96F5-60AC2C38997C}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 5  
Required: False  
SourceField: Grant No  
SourceTable: tmpDWIG  
TextAlign: General  
UnicodeCompression: False

Grant Family Short Text 255

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
Format: @  
GUID: {guid {2B4AC533-EC44-4F76-913F-100166BF1DF8}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 6  
Required: False  
SourceField: Grant Family  
SourceTable: tmpDWIG  
TextAlign: General  
UnicodeCompression: False

Grant Status Short Text 255

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
Format: @  
GUID: {guid {D9B1788B-1162-42EC-97FC-3E4DF939A623}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 7  
Required: False  
SourceField: Grant Status  
SourceTable: tmpDWIG  
TextAlign: General  
UnicodeCompression: False

Program Code Short Text 255

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
Format: @  
GUID: {guid {DFBE8FFA-F07A-4090-9980-E6439C2E83CC}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 8  
Required: False  
SourceField: Program Code  
SourceTable: tmpDWIG  
TextAlign: General  
UnicodeCompression: False

Project Description Short Text 255

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
Format: @

IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 9  
Required: False  
SourceField: Project Description  
SourceTable: tmpDWIG  
TextAlign: General  
UnicodeCompression: False

Project Title Short Text 255

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
Format: @  
GUID: {guid {C8EF37B8-51C2-4D3E-BC3D-9665F4325EED}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 10  
Required: False  
SourceField: Project Title  
SourceTable: tmpDWIG  
TextAlign: General  
UnicodeCompression: False

Project Start Date Date With Time 8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
Format: m\d\yyyy  
GUID: {guid {88120F07-29CA-4036-9D0F-08CADEA9E553}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 11  
Required: False  
ShowDatePicker: For dates  
SourceField: Project Start Date  
SourceTable: tmpDWIG  
TextAlign: General

Project End Date Date With Time 8

AggregateType: -1  
AllowZeroLength: False

AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
Format: m\d\yyyy  
GUID: {guid {5FC0E990-AAC8-40AC-8075-BD2BCBCC19C5}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 12  
Required: False  
ShowDatePicker: For dates  
SourceField: Project End Date  
SourceTable: tmpDWIG  
TextAlign: General

Applicant Name Short Text 255

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
Format: @  
GUID: {AA6E4024-907B-4479-B0FF-8FD5307046B4}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 13  
Required: False  
SourceField: Applicant Name  
SourceTable: tmpDWIG  
TextAlign: General  
UnicodeCompression: False

EPA Amount This Action: This Action Currency 8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DecimalPlaces: Auto  
Format: \$#,##0.00;[Red]-#,##0.00;\$0.00  
GUID: {guid {81081DE8-A234-4419-9EFD-E83CDD066062}}  
OrdinalPosition: 14  
Required: False



SourceField: EPA Amount This Action: This Action  
SourceTable: tmpDWIG  
TextAlign: General

Total EPA Amount Awarded To Date Double 8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DecimalPlaces: Auto  
DisplayControl: Text Box  
Format: General Number  
GUID: {guid {9571554F-5C62-4D99-B3A3-003D8B24A8AD}}  
OrdinalPosition: 15  
Required: False  
SourceField: Total EPA Amount Awarded To Date  
SourceTable: tmpDWIG  
TextAlign: General

Recipient Contribution: Amended Total Double 8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DecimalPlaces: Auto  
DisplayControl: Text Box  
Format: General Number  
GUID: {guid {F6AEEF19-FF96-4C62-973A-DFDC73FAB91D}}  
OrdinalPosition: 16  
Required: False  
SourceField: Recipient Contribution: Amended Total  
SourceTable: tmpDWIG  
TextAlign: General

Other Federal Funds:Amended Total Double 8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DecimalPlaces: Auto

DisplayControl: Text Box  
 Format: General Number  
 GUID: {guid {B71AF139-53CB-42B1-8C82-BC0A450775EB}}  
 OrdinalPosition: 17  
 Required: False  
 SourceField: Other Federal Funds:Amended Total  
 SourceTable: tmpDWIG  
 TextAlign: General

EPA Amount :Amended Total Currency 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 Format: \$#,##0.00;[Red]-#,##0.00;\$0.00  
 GUID: {guid {D9FD1883-400C-4724-A58F-4D1DF6C24F32}}  
 OrdinalPosition: 18  
 Required: False  
 SourceField: EPA Amount :Amended Total  
 SourceTable: tmpDWIG  
 TextAlign: General

Expenditure Amount (\$) Double 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 Format: General Number  
 GUID: {guid {2FEA6474-B44F-4EDC-8A77-00A8D7DA947F}}  
 OrdinalPosition: 19  
 Required: False  
 SourceField: Expenditure Amount (\$)  
 SourceTable: tmpDWIG  
 TextAlign: General

Unliquidated Obligation Amt (\$) Double 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False

ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DecimalPlaces: Auto  
DisplayControl: Text Box  
Format: General Number  
GUID: {guid {EC2CDA04-3694-4AC8-A8FB-AC6EBF239283}}  
OrdinalPosition: 20  
Required: False  
SourceField: Unliquidated Obligation Amt (\$)  
SourceTable: tmpDWIG  
TextAlign: General

Final Report Short Text 255

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
Format: @  
GUID: {guid {A51484A5-44D4-4DBC-AF50-52A93F7A820A}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 21  
Required: False  
SourceField: Final Report  
SourceTable: tmpDWIG  
TextAlign: General  
UnicodeCompression: False

Final Report Date Date With Time 8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
Format: m\d\yyyy  
GUID: {guid {EB8C3033-55BF-44B2-BE9D-D93F5671244F}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 22  
Required: False  
ShowDatePicker: For dates  
SourceField: Final Report Date  
SourceTable: tmpDWIG  
TextAlign: General

Media	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	New Field	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	23	
Required:	False	
SourceField:	Media	
SourceTable:	tmpDWIG	
TextAlign:	General	
UnicodeCompression:	True	

**Table Indexes**

Name	Number of Fields
Awarding Region Code	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	Awarding Region Code
Primary:	False
Required:	False
Unique:	False
Fields:	
Awarding Region Code	Ascending
Program Code	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	Program Code
Primary:	False
Required:	False
Unique:	False
Fields:	
Program Code	Ascending

**User Permissions**

admin

**Group Permissions**

Admins

Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,  
Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

AlternateBackShade:	100	AlternateBackThemeColorIn	-1
AlternateBackTint:	100	BackShade:	100
BackTint:	100	DatasheetForeThemeColorIn	-1
DatasheetGridlinesThemeCol	-1	DateCreated:	7/12/2011 6:57:34 PM
DefaultView:	2	DisplayViewsOnSharePointSi	1
FilterOnLoad:	False	GUID:	{guid {D4923D8B-E076-413F-AD5E-8CA40E4D2409}}
HideNewField:	False	LastUpdated:	10/15/2014 6:56:49 PM
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	10425	ThemeFontIndex:	-1
TotalsRow:	False	Updatable:	True

**Columns**

Name	Type	Size
Awarding Region Code	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
DisplayControl:	Text Box	
Format:	@	
GUID:	{guid {04527DFB-8499-4DBC-95BD-F89E2CDEC0DF}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	0	
Required:	False	
ResultType:	0	
SourceField:	Awarding Region Code	
SourceTable:	tmpDWIG_DG	
TextAlign:	General	
UnicodeCompression:	False	
Applicant Type	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	

DisplayControl: Text Box  
Format: @  
GUID: {guid {E86F8162-5853-4F50-B794-600A64D4F0B0}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 1  
Required: False  
ResultType: 0  
SourceField: Applicant Type  
SourceTable: tmpDWIG\_DG  
TextAlign: General  
UnicodeCompression: False

Project Officer Short Text 255

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
CurrencyLCID: 0  
DataUpdatable: False  
DisplayControl: Text Box  
Format: @  
GUID: {guid {A4643A51-C4F9-452B-86F2-CF1628A440C0}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 2  
Required: False  
ResultType: 0  
SourceField: Project Officer  
SourceTable: tmpDWIG\_DG  
TextAlign: General  
UnicodeCompression: False

Award Date Date With Time 8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
CurrencyLCID: 0  
DataUpdatable: False  
Format: m\d\yyyy  
GUID: {guid {26EAC7E5-3C36-4626-994E-C2B0D020EEF1}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 3  
Required: False  
ResultType: 0

ShowDatePicker: For dates  
SourceField: Award Date  
SourceTable: tmpDWIG\_DG  
TextAlign: General

Award Fiscal Year Double 8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
CurrencyLCID: 0  
DataUpdatable: False  
DecimalPlaces: Auto  
DisplayControl: Text Box  
Format: #  
GUID: {guid {57E005F0-8E21-4EA4-97D9-9D5FBD30EDED}}  
OrdinalPosition: 4  
Required: False  
ResultType: 0  
SourceField: Award Fiscal Year  
SourceTable: tmpDWIG\_DG  
TextAlign: General

Grant No Short Text 255

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
CurrencyLCID: 0  
DataUpdatable: False  
DisplayControl: Text Box  
Format: @  
GUID: {guid {DF2886E6-5B2D-44AD-95DE-0C5C564809DA}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 5  
Required: False  
ResultType: 0  
SourceField: Grant No  
SourceTable: tmpDWIG\_DG  
TextAlign: General  
UnicodeCompression: False

Grant Family Short Text 255

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False



Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 DisplayControl: Text Box  
 Format: @  
 GUID: {guid {ED867888-2761-4A54-94F9-BDCFE9649729}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 6  
 Required: False  
 ResultType: 0  
 SourceField: Grant Family  
 SourceTable: tmpDWIG\_DG  
 TextAlign: General  
 UnicodeCompression: False

Grant Status Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 DisplayControl: Text Box  
 Format: @  
 GUID: {guid {82C07A4D-9385-4119-9FD6-320420D54759}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 7  
 Required: False  
 ResultType: 0  
 SourceField: Grant Status  
 SourceTable: tmpDWIG\_DG  
 TextAlign: General  
 UnicodeCompression: False

Program Code Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False

DisplayControl: Text Box  
 Format: @  
 GUID: {guid {71CED7C8-B942-4BFC-8C9E-1184D548A2BB}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 8  
 Required: False  
 ResultType: 0  
 SourceField: Program Code  
 SourceTable: tmpDWIG\_DG  
 TextAlign: General  
 UnicodeCompression: False

Project Description Long Text -

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 Format: @  
 GUID: {guid {955792D8-169C-43DB-8C9F-46D11E3196DD}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 9  
 Required: False  
 ResultType: 0  
 SourceField: Project Description  
 SourceTable: tmpDWIG\_DG  
 TextAlign: General  
 TextFormat: Plain Text  
 UnicodeCompression: False

Project Title Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 DisplayControl: Text Box  
 Format: @  
 GUID: {guid {97F3771D-16B1-4D72-8A0C-C031AA809D70}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 10  
 Required: False

ResultType: 0  
SourceField: Project Title  
SourceTable: tmpDWIG\_DG  
TextAlign: General  
UnicodeCompression: False

Project Start Date Date With Time 8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
CurrencyLCID: 0  
DataUpdatable: False  
Format: m\d\yyyy  
GUID: {guid {7B773B8B-D685-43B4-B6DB-EA02B132AFE6}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 11  
Required: False  
ResultType: 0  
ShowDatePicker: For dates  
SourceField: Project Start Date  
SourceTable: tmpDWIG\_DG  
TextAlign: General

Project End Date Date With Time 8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
CurrencyLCID: 0  
DataUpdatable: False  
Format: m\d\yyyy  
GUID: {guid {942EEEEBB-5791-42DB-BCFE-850BE8FC12AC}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 12  
Required: False  
ResultType: 0  
ShowDatePicker: For dates  
SourceField: Project End Date  
SourceTable: tmpDWIG\_DG  
TextAlign: General

Applicant Name Short Text 255

AggregateType: -1  
AllowZeroLength: True

AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
CurrencyLCID: 0  
DataUpdatable: False  
DisplayControl: Text Box  
Format: @  
GUID: {guid {60E23576-FD1F-4B3A-B056-0197DA88CAD0}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 13  
Required: False  
ResultType: 0  
SourceField: Applicant Name  
SourceTable: tmpDWIG\_DG  
TextAlign: General  
UnicodeCompression: False

EPA Amount This Action: This Action Currency 8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
CurrencyLCID: 0  
DataUpdatable: False  
DecimalPlaces: Auto  
Format: \$#,##0.00;[Red]-#,##0.00;\$0.00  
GUID: {guid {79D98870-FA08-403F-A144-85CF0F159446}}  
OrdinalPosition: 14  
Required: False  
ResultType: 0  
SourceField: EPA Amount This Action: This Action  
SourceTable: tmpDWIG\_DG  
TextAlign: General

Total EPA Amount Awarded To Date Double 8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
CurrencyLCID: 0  
DataUpdatable: False  
DecimalPlaces: Auto  
DisplayControl: Text Box

Format: General Number  
 GUID: {guid {61DE6FE9-B3C4-4D14-BAF8-9DD61F483A8E}}  
 OrdinalPosition: 15  
 Required: False  
 ResultType: 0  
 SourceField: Total EPA Amount Awarded To Date  
 SourceTable: tmpDWIG\_DG  
 TextAlign: General

Recipient Contribution: Amended Total Double 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 Format: General Number  
 GUID: {guid {C41C49A2-1C7F-439B-A1E0-45DE553EE005}}  
 OrdinalPosition: 16  
 Required: False  
 ResultType: 0  
 SourceField: Recipient Contribution: Amended Total  
 SourceTable: tmpDWIG\_DG  
 TextAlign: General

Other Federal Funds:Amended Total Double 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 Format: General Number  
 GUID: {guid {04FE01A9-667F-4C94-AFD2-9A11D01AC6BF}}  
 OrdinalPosition: 17  
 Required: False  
 ResultType: 0  
 SourceField: Other Federal Funds:Amended Total  
 SourceTable: tmpDWIG\_DG  
 TextAlign: General

EPA Amount :Amended Total Currency 8

AggregateType: -1

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 Format: \$#,##0.00;[Red]-#,##0.00;\$0.00  
 GUID: {guid {42B1FD3B-723E-48FD-9446-4DB784EF2790}}  
 OrdinalPosition: 18  
 Required: False  
 ResultType: 0  
 SourceField: EPA Amount :Amended Total  
 SourceTable: tmpDWIG\_DG  
 TextAlign: General

Final Report Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 DisplayControl: Text Box  
 Format: @  
 GUID: {guid {F7390941-9D60-48E4-B269-95DBBB231E3E}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 19  
 Required: False  
 ResultType: 0  
 SourceField: Final Report  
 SourceTable: tmpDWIG\_DG  
 TextAlign: General  
 UnicodeCompression: False

Final Report Date Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 Format: m\ d\yyyy

GUID: {guid {DBBEC5B6-F6E2-4C3D-A8BB-88F5FD83990B}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 20  
 Required: False  
 ResultType: 0  
 ShowDatePicker: For dates  
 SourceField: Final Report Date  
 SourceTable: tmpDWIG\_DG  
 TextAlign: General

Direct Grant (Y/N)		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
DisplayControl:	Text Box		
Format:	m\d\yyyy		
GUID:	{guid {05F08AA7-BCE6-41C7-96D8-92D6E9CF1B16}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	21		
Required:	False		
ResultType:	0		
SourceField:	Direct Grant (Y/N)		
SourceTable:	tmpDWIG_DG		
TextAlign:	General		
UnicodeCompression:	False		

**Table Indexes**

Name	Number of Fields
Awarding Region Code	1
Clustered:	False
DistinctCount:	11
Foreign:	False
IgnoreNulls:	False
Name:	Awarding Region Code
Primary:	False
Required:	False
Unique:	False
Fields:	
Awarding Region Code	Ascending
Program Code	1
Clustered:	False
DistinctCount:	91
Foreign:	False
IgnoreNulls:	False

---

Name:	Program Code
Primary:	False
Required:	False
Unique:	False
Fields:	
Program Code	Ascending

**User Permissions**

admin

**Group Permissions**

Admins  
Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,  
Write Definition, Read Data, Insert Data, Update Data, Delete Data



**Properties**

AlternateBackShade:	100	AlternateBackThemeColorIn	-1
AlternateBackTint:	100	BackShade:	100
BackTint:	100	DatasheetForeThemeColorIn	-1
DatasheetGridlinesThemeCol	-1	DateCreated:	7/12/2011 6:57:34 PM
DefaultView:	2	DisplayViewsOnSharePointSi	1
FilterOnLoad:	False	GUID:	{guid {A0F2EFA0-7FAC-4221-B515-272F81B5E4CF}}
HideNewField:	False	LastUpdated:	10/15/2014 6:52:16 PM
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	0	ThemeFontIndex:	-1
TotalsRow:	False	Updatable:	True

**Columns**

Name	Type	Size
Grant Family	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
DisplayControl:	Text Box	
Format:	@	
GUID:	{guid {174A2F01-2AED-4C44-A5F2-3CAAA7078FA2}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	0	
Required:	False	
ResultType:	0	
SourceField:	Grant Family	
SourceTable:	tmpDWIG_IA	
TextAlign:	General	
UnicodeCompression:	False	
Applicant Name	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	

DisplayControl: Text Box  
Format: @  
GUID: {guid {1B5D863E-8DD9-4A7A-B184-5AF412CBFE4F}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 1  
Required: False  
ResultType: 0  
SourceField: Applicant Name  
SourceTable: tmpDWIG\_IA  
TextAlign: General  
UnicodeCompression: False

Applicant Type Short Text 255

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
CurrencyLCID: 0  
DataUpdatable: False  
DisplayControl: Text Box  
Format: @  
GUID: {guid {74AFC979-B330-41CE-A4A3-85E7B50E3F4F}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 2  
Required: False  
ResultType: 0  
SourceField: Applicant Type  
SourceTable: tmpDWIG\_IA  
TextAlign: General  
UnicodeCompression: False

EDR Tribal Code Short Text 255

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
CurrencyLCID: 0  
DataUpdatable: False  
DisplayControl: Text Box  
Format: @  
GUID: {guid {94D15450-7D55-4C5B-9F8E-38D1342B44C3}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 3  
Required: False

	ResultType:	0		
	SourceField:	EDR Tribal Code		
	SourceTable:	tmpDWIG_IA		
	TextAlign:	General		
	UnicodeCompression:	False		
AAShip			Short Text	255
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	CurrencyLCID:	0		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	Format:	@		
	GUID:	{guid {D18B1654-60A8-4807-9DFA-969A1ABACC8A}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	4		
	Required:	False		
	ResultType:	0		
	SourceField:	AAShip		
	SourceTable:	tmpDWIG_IA		
	TextAlign:	General		
	UnicodeCompression:	False		
Grant Family Counter			Double	8
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	CurrencyLCID:	0		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	DisplayControl:	Text Box		
	Format:	General Number		
	GUID:	{guid {01CC57F2-8B60-4D68-8395-39D8EDD4AD5C}}		
	OrdinalPosition:	5		
	Required:	False		
	ResultType:	0		
	SourceField:	Grant Family Counter		
	SourceTable:	tmpDWIG_IA		
	TextAlign:	General		
EPA Amount This Action: This Action			Currency	8
	AggregateType:	-1		
	AllowZeroLength:	False		

AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
CurrencyLCID: 0  
DataUpdatable: False  
DecimalPlaces: Auto  
Format: \$#,##0.00;[Red]-#,##0.00;\$0.00  
GUID: {guid {01CFC776-791E-4B28-BC21-AC76EBE52B2B}}  
OrdinalPosition: 6  
Required: False  
ResultType: 0  
SourceField: EPA Amount This Action: This Action  
SourceTable: tmpDWIG\_IA  
TextAlign: General

Cumulative Award Currency 8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
CurrencyLCID: 0  
DataUpdatable: False  
DecimalPlaces: Auto  
Format: \$#,##0.00;[Red]-#,##0.00;\$0.00  
GUID: {guid {F4759C91-056C-491B-BFC9-ABDDEC4E9AAB}}  
OrdinalPosition: 7  
Required: False  
ResultType: 0  
SourceField: Cumulative Award  
SourceTable: tmpDWIG\_IA  
TextAlign: General

Unliquidated Obligation Amt (\$) Double 8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
CurrencyLCID: 0  
DataUpdatable: False  
DecimalPlaces: Auto  
DisplayControl: Text Box  
Format: General Number  
GUID: {guid {8FEC56FE-DB31-423C-88DE-F0701FF49450}}  
OrdinalPosition: 8

Required: False  
ResultType: 0  
SourceField: Unliquidated Obligation Amt (\$)  
SourceTable: tmpDWIG\_IA  
TextAlign: General

Award Date Date With Time 8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
CurrencyLCID: 0  
DataUpdatable: False  
Format: m/d/yyyy  
GUID: {guid {305592F1-9031-4A79-BA4C-6AA435080BBB}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 9  
Required: False  
ResultType: 0  
ShowDatePicker: For dates  
SourceField: Award Date  
SourceTable: tmpDWIG\_IA  
TextAlign: General

Award Fiscal Year Double 8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
CurrencyLCID: 0  
DataUpdatable: False  
DecimalPlaces: Auto  
DisplayControl: Text Box  
Format: #  
GUID: {guid {DE773997-22A3-4BEF-BDB7-261C38E90604}}  
OrdinalPosition: 10  
Required: False  
ResultType: 0  
SourceField: Award Fiscal Year  
SourceTable: tmpDWIG\_IA  
TextAlign: General

Project Start Date Date With Time 8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False

Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 Format: m\d\yyyy  
 GUID: {guid {44401D8F-9DF4-4A6C-9881-D3253C0112C5}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 11  
 Required: False  
 ResultType: 0  
 ShowDatePicker: For dates  
 SourceField: Project Start Date  
 SourceTable: tmpDWIG\_IA  
 TextAlign: General

Project End Date Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 Format: m\d\yyyy  
 GUID: {E9FB1172-68A2-4862-8199-AA422C2C7D29}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 12  
 Required: False  
 ResultType: 0  
 ShowDatePicker: For dates  
 SourceField: Project End Date  
 SourceTable: tmpDWIG\_IA  
 TextAlign: General

Project Title Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 DisplayControl: Text Box  
 Format: @

GUID: {guid {5155498A-417C-4C5A-B53A-E29A0F552FAC}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 13  
 Required: False  
 ResultType: 0  
 SourceField: Project Title  
 SourceTable: tmpDWIG\_IA  
 TextAlign: General  
 UnicodeCompression: False

Project Description Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 DisplayControl: Text Box  
 Format: @  
 GUID: {guid {1A5F5951-16E2-4973-BEDE-7D0D93547509}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 14  
 Required: False  
 ResultType: 0  
 SourceField: Project Description  
 SourceTable: tmpDWIG\_IA  
 TextAlign: General  
 UnicodeCompression: False

Expenditure Amount (\$) Currency 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 1033  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 Description: New Field  
 Format: \$#,##0.00;(\$#,##0.00)  
 GUID: {guid {13A8C487-0C4A-4BDA-A1AA-744D809EB52B}}  
 OrdinalPosition: 15  
 Required: False  
 ResultType: 0  
 SourceField: Expenditure Amount (\$)  
 SourceTable: tmpDWIG\_IA

TextAlign:	General		
Amount		Currency	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	1033		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	New Field		
Format:	\$\$,##0.00;(\$\$,##0.00)		
GUID:	{guid {40562096-1842-4B5F-8196-B255F35AC068}}		
OrdinalPosition:	16		
Required:	False		
ResultType:	0		
SourceField:	Amount		
SourceTable:	tmpDWIG_IA		
TextAlign:	General		
EPA Amount :Amended Total		Currency	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	1033		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	New Field		
Format:	\$\$,##0.00;(\$\$,##0.00)		
GUID:	{guid {876164A5-5C55-4125-A5E9-121A5BB3DA1F}}		
OrdinalPosition:	17		
Required:	False		
ResultType:	0		
SourceField:	EPA Amount :Amended Total		
SourceTable:	tmpDWIG_IA		
TextAlign:	General		
EDR Tribal Name		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		



CurrencyLCID: 0  
DataUpdatable: False  
Description: New Field  
DisplayControl: Text Box  
GUID: {guid {835EDC21-E647-4880-9CA0-7BCF414475A9}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 18  
Required: False  
ResultType: 0  
SourceField: EDR Tribal Name  
SourceTable: tmpDWIG\_IA  
TextAlign: General  
UnicodeCompression: True

**Table Indexes**

<u>Name</u>	<u>Number of Fields</u>
EDR Tribal Code	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	EDR Tribal Code
Primary:	False
Required:	False
Unique:	False
Fields:	
EDR Tribal Code	Ascending

**User Permissions**

admin

**Group Permissions**

Admins  
Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,  
Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

AlternateBackShade:	100	AlternateBackThemeColorIn	-1
AlternateBackTint:	100	BackShade:	100
BackTint:	100	DatasheetForeThemeColorIn	-1
DatasheetGridlinesThemeCol	-1	DateCreated:	7/12/2011 6:57:34 PM
DefaultView:	2	DisplayViewsOnSharePointSi	1
FilterOnLoad:	False	GUID:	{guid {58767689-F495-4E44-898F-04C075099F3C}}
HideNewField:	False	LastUpdated:	10/15/2014 6:47:51 PM
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	0	ThemeFontIndex:	-1
TotalsRow:	False	Updatable:	True

**Columns**

Name	Type	Size
ID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
GUID:	{guid {EBF41435-4991-4051-8353-ACBA7903D5E8}}	
OrdinalPosition:	0	
Required:	False	
ResultType:	0	
SourceField:	ID	
SourceTable:	tmpEPA_IAGs_Project_IDs	
TextAlign:	General	
document_number	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
DisplayControl:	Text Box	
Format:	@	
GUID:	{guid {4B98E20B-4203-40CD-BA4A-FDD9A9F3F731}}	
IMEMode:	0	
IMESentenceMode:	3	

OrdinalPosition: 1  
 Required: False  
 ResultType: 0  
 SourceField: document\_number  
 SourceTable: tmpEPA\_IAGs\_Project\_IDs  
 TextAlign: General  
 UnicodeCompression: False

PDS\_Project\_Number Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 DisplayControl: Text Box  
 Format: @  
 GUID: {guid {5B130144-DD07-4DF8-9746-C3DE982D0C93}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 2  
 Required: False  
 ResultType: 0  
 SourceField: PDS\_Project\_Number  
 SourceTable: tmpEPA\_IAGs\_Project\_IDs  
 TextAlign: General  
 UnicodeCompression: False

project\_id Double 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 Format: General Number  
 GUID: {guid {C5088836-F266-46B0-AE55-50E3E8F62779}}  
 OrdinalPosition: 3  
 Required: False  
 ResultType: 0  
 SourceField: project\_id  
 SourceTable: tmpEPA\_IAGs\_Project\_IDs  
 TextAlign: General

document\_end\_date Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 Format: m/d/yyyy  
 GUID: {guid {830CE79F-4E35-4FF2-ABCB-5E45B96A5798}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 4  
 Required: False  
 ResultType: 0  
 ShowDatePicker: For dates  
 SourceField: document\_end\_date  
 SourceTable: tmpEPA\_IAGs\_Project\_IDs  
 TextAlign: General

document\_signed\_date Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 Format: m/d/yyyy  
 GUID: {guid {F01B589A-DC59-4A25-8125-A1D4A1E525B5}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 5  
 Required: False  
 ResultType: 0  
 ShowDatePicker: For dates  
 SourceField: document\_signed\_date  
 SourceTable: tmpEPA\_IAGs\_Project\_IDs  
 TextAlign: General

document\_start\_date Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0

DataUpdatable: False  
 Format: m/d/yyyy  
 GUID: {guid {D706A4C3-F9F8-489F-83EF-160A2DC80188}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 6  
 Required: False  
 ResultType: 0  
 ShowDatePicker: For dates  
 SourceField: document\_start\_date  
 SourceTable: tmpEPA\_IAGs\_Project\_IDs  
 TextAlign: General

document amount Double 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 Format: Standard  
 GUID: {guid {C65BA67D-A0B8-4F9A-AF04-905B70175151}}  
 OrdinalPosition: 7  
 Required: False  
 ResultType: 0  
 SourceField: document amount  
 SourceTable: tmpEPA\_IAGs\_Project\_IDs  
 TextAlign: General

**Table Indexes**

Name	Number of Fields
ID	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	ID
Primary:	True
Required:	True
Unique:	True
Fields:	
ID	Ascending
project_id	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False

---

Name:	project_id
Primary:	False
Required:	False
Unique:	False
Fields:	
project_id	Ascending

**User Permissions**

admin

**Group Permissions**

Admins  
Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,  
Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

AlternateBackShade:	100	AlternateBackThemeColorIn	-1
AlternateBackTint:	100	BackShade:	100
BackTint:	100	DatasheetForeThemeColorIn	-1
DatasheetGridlinesThemeCol	-1	DateCreated:	7/12/2011 6:57:34 PM
DefaultView:	2	DisplayViewsOnSharePointSi	1
FilterOnLoad:	False	GUID:	{guid {9A390CFA-09B6-4E5C-8392-9B40A92FE6CE}}
HideNewField:	False	LastUpdated:	10/15/2014 6:47:44 PM
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	0	ThemeFontIndex:	-1
TotalsRow:	False	Updatable:	True

**Columns**

Name	Type	Size
ID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
GUID:	{guid {81CD44ED-5598-41B2-999E-D10055A59730}}	
OrdinalPosition:	0	
Required:	False	
ResultType:	0	
SourceField:	ID	
SourceTable:	tmpEPA_PDS_Project_Costs	
TextAlign:	General	
facility_id	Double	8
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
Format:	General Number	
GUID:	{guid {28FEE260-94B2-41CF-B7DC-25936FDC62F2}}	
OrdinalPosition:	1	

Required: False  
 ResultType: 0  
 SourceField: facility\_id  
 SourceTable: tmpEPA\_PDS\_Project\_Costs  
 TextAlign: General

pds\_project\_number Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 DisplayControl: Text Box  
 Format: @  
 GUID: {guid {B033CF54-064C-4ABD-A492-373EE1D9F0C4}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 2  
 Required: False  
 ResultType: 0  
 SourceField: pds\_project\_number  
 SourceTable: tmpEPA\_PDS\_Project\_Costs  
 TextAlign: General  
 UnicodeCompression: False

project\_id Double 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 Format: General Number  
 GUID: {guid {F52CC625-AD78-4E52-8583-53311853DCC5}}  
 OrdinalPosition: 3  
 Required: False  
 ResultType: 0  
 SourceField: project\_id  
 SourceTable: tmpEPA\_PDS\_Project\_Costs  
 TextAlign: General

facility\_name Short Text 255

AggregateType: -1  
 AllowZeroLength: True





DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 Format: General Number  
 GUID: {guid {AB344506-8CA1-4078-844B-D0C93083A21B}}  
 OrdinalPosition: 6  
 Required: False  
 ResultType: 0  
 SourceField: fiscal\_year  
 SourceTable: tmpEPA\_PDS\_Project\_Costs  
 TextAlign: General

funding source name Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 DisplayControl: Text Box  
 Format: @  
 GUID: {guid {53B47128-4BDE-4E5C-B546-D56384E4076B}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 7  
 Required: False  
 ResultType: 0  
 SourceField: funding source name  
 SourceTable: tmpEPA\_PDS\_Project\_Costs  
 TextAlign: General  
 UnicodeCompression: False

is\_eligible Yes/No 1

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 DisplayControl: Text Box  
 Format: Yes/No  
 GUID: {guid {432F68D5-636A-4EE4-814C-C5F94E48C0F2}}  
 OrdinalPosition: 8  
 Required: False  
 ResultType: 0  
 SourceField: is\_eligible  
 SourceTable: tmpEPA\_PDS\_Project\_Costs

TextAlign:	General		
housing_groups		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
DisplayControl:	Text Box		
Format:	@		
GUID:	{guid {5005FEB9-D6DC-40B9-ABB4-43F36D5AA609}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	9		
Required:	False		
ResultType:	0		
SourceField:	housing_groups		
SourceTable:	tmpEPA_PDS_Project_Costs		
TextAlign:	General		
UnicodeCompression:	False		
estimated_costs		Double	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
Format:	Standard		
GUID:	{guid {FFDB2528-E430-4FED-B490-F9C46CF329E7}}		
OrdinalPosition:	10		
Required:	False		
ResultType:	0		
SourceField:	estimated_costs		
SourceTable:	tmpEPA_PDS_Project_Costs		
TextAlign:	General		
actual_costs		Double	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		

ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 Format: Standard  
 GUID: {guid {CCC1168C-5767-494C-932B-2F10A9A95FCC}}  
 OrdinalPosition: 11  
 Required: False  
 ResultType: 0  
 SourceField: actual\_costs  
 SourceTable: tmpEPA\_PDS\_Project\_Costs  
 TextAlign: General

**Table Indexes**

Name	Number of Fields
facility_id	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	facility_id
Primary:	False
Required:	False
Unique:	False
Fields:	
facility_id	Ascending
funding source code	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	funding source code
Primary:	False
Required:	False
Unique:	False
Fields:	
funding source code	Ascending
ID	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	ID
Primary:	True
Required:	True
Unique:	True
Fields:	
ID	Ascending
project_id	1
Clustered:	False

---

DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	project_id
Primary:	False
Required:	False
Unique:	False
Fields:	
project_id	Ascending

**User Permissions**

admin

**Group Permissions**

Admins  
Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,  
Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

AlternateBackShade:	100	AlternateBackThemeColorIn	-1
AlternateBackTint:	100	BackShade:	100
BackTint:	100	DatasheetForeThemeColorIn	-1
DatasheetGridlinesThemeCol	-1	DateCreated:	7/12/2011 6:57:34 PM
DefaultView:	2	DisplayViewsOnSharePointSi	1
FilterOnLoad:	False	GUID:	{guid {2A204D81-C2F0-4411-A1B9-82848D5E2F50}}
HideNewField:	False	LastUpdated:	10/15/2014 6:47:22 PM
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	0	ThemeFontIndex:	-1
TotalsRow:	False	Updatable:	True

**Columns**

Name	Type	Size
area	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
DisplayControl:	Text Box	
Format:	@	
GUID:	{guid {504D2E6C-6A14-488E-B29D-E2265D3AB2E9}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	0	
Required:	False	
ResultType:	0	
SourceField:	area	
SourceTable:	tmpEPA_PDS_Project_Details	
TextAlign:	General	
UnicodeCompression:	False	
pds_project_number	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	

DisplayControl: Text Box  
 Format: @  
 GUID: {guid {4E6AE9BE-CF31-4B84-BF33-99993011ECD1}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 1  
 Required: False  
 ResultType: 0  
 SourceField: pds\_project\_number  
 SourceTable: tmpEPA\_PDS\_Project\_Details  
 TextAlign: General  
 UnicodeCompression: False

epa\_region Double 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 Format: General Number  
 GUID: {guid {ED0708C0-63EC-4F75-AEB5-08D82FDFCB8D}}  
 OrdinalPosition: 2  
 Required: False  
 ResultType: 0  
 SourceField: epa\_region  
 SourceTable: tmpEPA\_PDS\_Project\_Details  
 TextAlign: General

project\_id Double 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 Format: General Number  
 GUID: {guid {7530E7F9-744B-4CD2-BCEB-2248190DE0BA}}  
 OrdinalPosition: 3  
 Required: False  
 ResultType: 0  
 SourceField: project\_id  
 SourceTable: tmpEPA\_PDS\_Project\_Details

TextAlign:	General		
project_name		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
DisplayControl:	Text Box		
Format:	@		
GUID:	{guid {AA551686-A7BB-4C13-8FCE-9A74BD703510}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	4		
Required:	False		
ResultType:	0		
SourceField:	project_name		
SourceTable:	tmpEPA_PDS_Project_Details		
TextAlign:	General		
UnicodeCompression:	False		
community_state_code		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
DisplayControl:	Text Box		
Format:	@		
GUID:	{guid {368248B5-CEFA-4EAF-87FF-421719814685}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	5		
Required:	False		
ResultType:	0		
SourceField:	community_state_code		
SourceTable:	tmpEPA_PDS_Project_Details		
TextAlign:	General		
UnicodeCompression:	False		
tribe		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		



CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 DisplayControl: Text Box  
 Format: @  
 GUID: {guid {82C42094-D353-4FD7-956B-22CA1D4602E5}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 6  
 Required: False  
 ResultType: 0  
 SourceField: tribe  
 SourceTable: tmpEPA\_PDS\_Project\_Details  
 TextAlign: General  
 UnicodeCompression: False

community\_name Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 DisplayControl: Text Box  
 Format: @  
 GUID: {guid {6ECEE7C9-593C-4341-A5FA-80B05A29275B}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 7  
 Required: False  
 ResultType: 0  
 SourceField: community\_name  
 SourceTable: tmpEPA\_PDS\_Project\_Details  
 TextAlign: General  
 UnicodeCompression: False

project\_homes Double 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 DecimalPlaces: Auto

DisplayControl: Text Box  
 Format: General Number  
 GUID: {guid {0A4B0EAD-506B-40D4-8D3F-F2E553E2D1DE}}  
 OrdinalPosition: 8  
 Required: False  
 ResultType: 0  
 SourceField: project\_homes  
 SourceTable: tmpEPA\_PDS\_Project\_Details  
 TextAlign: General

total cost Double 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 Format: Standard  
 GUID: {guid {9B201EAA-B034-4FB9-BD2F-B6E52A053E61}}  
 OrdinalPosition: 9  
 Required: False  
 ResultType: 0  
 SourceField: total cost  
 SourceTable: tmpEPA\_PDS\_Project\_Details  
 TextAlign: General

pct\_construction\_complete Double 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 Format: General Number  
 GUID: {guid {F82ADC04-11B3-4DAD-9C45-7498B38811C6}}  
 OrdinalPosition: 10  
 Required: False  
 ResultType: 0  
 SourceField: pct\_construction\_complete  
 SourceTable: tmpEPA\_PDS\_Project\_Details  
 TextAlign: General

total funding Double 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 Format: Standard  
 GUID: {guid {7D6C3C41-4664-4819-B5DD-397BC7D77068}}  
 OrdinalPosition: 11  
 Required: False  
 ResultType: 0  
 SourceField: total funding  
 SourceTable: tmpEPA\_PDS\_Project\_Details  
 TextAlign: General

pct\_funds\_expended Double 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 Format: General Number  
 GUID: {guid {A76EB21C-5B98-4D16-9AF8-5341A8C0D680}}  
 OrdinalPosition: 12  
 Required: False  
 ResultType: 0  
 SourceField: pct\_funds\_expended  
 SourceTable: tmpEPA\_PDS\_Project\_Details  
 TextAlign: General

pct\_project\_complete Double 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 DecimalPlaces: Auto

DisplayControl: Text Box  
Format: General Number  
GUID: {guid {79ECC232-45D0-428B-8740-C702BFC9FBB8}}  
OrdinalPosition: 13  
Required: False  
ResultType: 0  
SourceField: pct\_project\_complete  
SourceTable: tmpEPA\_PDS\_Project\_Details  
TextAlign: General

construction\_start\_date Date With Time 8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
CurrencyLCID: 0  
DataUpdatable: False  
Format: m/d/yyyy  
GUID: {guid {847AC285-62E8-4114-84D0-22C299EE9E13}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 14  
Required: False  
ResultType: 0  
ShowDatePicker: For dates  
SourceField: construction\_start\_date  
SourceTable: tmpEPA\_PDS\_Project\_Details  
TextAlign: General

moa\_signed\_date Date With Time 8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
CurrencyLCID: 0  
DataUpdatable: False  
Format: m/d/yyyy  
GUID: {guid {70518FB2-3895-465E-B588-ED71F0AAA960}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 15  
Required: False  
ResultType: 0  
ShowDatePicker: For dates  
SourceField: moa\_signed\_date  
SourceTable: tmpEPA\_PDS\_Project\_Details  
TextAlign: General

construction_complete_date		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
Format:	m/d/yyyy		
GUID:	{guid {2EFAB8C6-EB47-4EAE-8BA7-5868A4689DBA}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	16		
Required:	False		
ResultType:	0		
ShowDatePicker:	For dates		
SourceField:	construction_complete_date		
SourceTable:	tmpEPA_PDS_Project_Details		
TextAlign:	General		

final_report_date		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
Format:	m/d/yyyy		
GUID:	{guid {8852D430-95BD-407B-AE07-47201A1CD8D5}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	17		
Required:	False		
ResultType:	0		
ShowDatePicker:	For dates		
SourceField:	final_report_date		
SourceTable:	tmpEPA_PDS_Project_Details		
TextAlign:	General		

last_update		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		

CurrencyLCID: 0  
 DataUpdatable: False  
 Format: m/d/yyyy  
 GUID: {guid {5B3298D0-F337-4CD9-9D3D-62CA97375513}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 18  
 Required: False  
 ResultType: 0  
 ShowDatePicker: For dates  
 SourceField: last\_update  
 SourceTable: tmpEPA\_PDS\_Project\_Details  
 TextAlign: General

ID Long Integer 4

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length, Auto-Increment  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 GUID: {guid {4C432D92-6ABE-4999-B99A-00E7A6E9B063}}  
 OrdinalPosition: 19  
 Required: False  
 ResultType: 0  
 SourceField: ID  
 SourceTable: tmpEPA\_PDS\_Project\_Details  
 TextAlign: General

scope Long Text -

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 GUID: {guid {F268B3A4-69F4-4A9C-AC4A-782A12C0095B}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 20  
 Required: False  
 ResultType: 0  
 SourceField: scope  
 SourceTable: tmpEPA\_PDS\_Project\_Details  
 TextAlign: General  
 TextFormat: Plain Text  
 UnicodeCompression: False

**Table Indexes**

Name	Number of Fields
community_state_code	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	community_state_code
Primary:	False
Required:	False
Unique:	False
Fields:	
community_state_code	Ascending
ID	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	ID
Primary:	True
Required:	True
Unique:	True
Fields:	
ID	Ascending
project_id	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	project_id
Primary:	False
Required:	False
Unique:	False
Fields:	
project_id	Ascending

**User Permissions**

admin

**Group Permissions**

Admins

Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

AlternateBackShade:	100	AlternateBackThemeColorIn	-1
AlternateBackTint:	100	BackShade:	100
BackTint:	100	DatasheetForeThemeColorIn	-1
DatasheetGridlinesThemeCol	-1	DateCreated:	7/12/2011 6:57:34 PM
DefaultView:	2	DisplayViewsOnSharePointSi	1
FilterOnLoad:	False	GUID:	{guid {ED565618-8670-4638-B471-B258D443E84D}}
HideNewField:	False	LastUpdated:	10/15/2014 6:47:48 PM
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	0	ThemeFontIndex:	-1
TotalsRow:	False	Updatable:	True

**Columns**

Name	Type	Size
pds_project_number	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
DisplayControl:	Text Box	
Format:	@	
GUID:	{guid {69C18491-C3F3-45CA-BE70-B1CF8DD201B1}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	0	
Required:	False	
ResultType:	0	
SourceField:	pds_project_number	
SourceTable:	tmpEPA_PDS_Project_Fund_Adv	
TextAlign:	General	
UnicodeCompression:	False	
funding_code	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	



DisplayControl: Text Box  
 Format: @  
 GUID: {guid {0184ADFD-E710-42F5-8DFE-55C7727C39D0}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 1  
 Required: False  
 ResultType: 0  
 SourceField: funding\_code  
 SourceTable: tmpEPA\_PDS\_Project\_Fund\_Adv  
 TextAlign: General  
 UnicodeCompression: False

project\_id Double 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 Format: General Number  
 GUID: {guid {58D416E1-A80C-4F81-97FA-FC341499EABF}}  
 OrdinalPosition: 2  
 Required: False  
 ResultType: 0  
 SourceField: project\_id  
 SourceTable: tmpEPA\_PDS\_Project\_Fund\_Adv  
 TextAlign: General

funding\_source Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 DisplayControl: Text Box  
 Format: @  
 GUID: {guid {154C87E2-6006-411A-BA50-7D3890555EAD}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 3  
 Required: False  
 ResultType: 0  
 SourceField: funding\_source

SourceTable:	tmpEPA_PDS_Project_Fund_Adv		
TextAlign:	General		
UnicodeCompression:	False		
<b>document_number</b>		<b>Short Text</b>	<b>255</b>
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
DisplayControl:	Text Box		
Format:	@		
GUID:	{guid {B8B26D1E-55C5-48F3-A6B8-EF09E1892C03}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	4		
Required:	False		
ResultType:	0		
SourceField:	document_number		
SourceTable:	tmpEPA_PDS_Project_Fund_Adv		
TextAlign:	General		
UnicodeCompression:	False		
<b>funding_year</b>		<b>Double</b>	<b>8</b>
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
Format:	General Number		
GUID:	{guid {3FE0F28B-0226-4213-9C36-CD3610953333}}		
OrdinalPosition:	5		
Required:	False		
ResultType:	0		
SourceField:	funding_year		
SourceTable:	tmpEPA_PDS_Project_Fund_Adv		
TextAlign:	General		
<b>est_amount</b>		<b>Double</b>	<b>8</b>
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		

CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 Format: Standard  
 GUID: {guid {776CDB10-90EE-49E4-B722-C4E865F3C0CF}}  
 OrdinalPosition: 6  
 Required: False  
 ResultType: 0  
 SourceField: est\_amount  
 SourceTable: tmpEPA\_PDS\_Project\_Fund\_Adv  
 TextAlign: General

est\_expenditure Double 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 Format: Standard  
 GUID: {guid {6134751E-4C57-4662-9399-178D0C000C2A}}  
 OrdinalPosition: 7  
 Required: False  
 ResultType: 0  
 SourceField: est\_expenditure  
 SourceTable: tmpEPA\_PDS\_Project\_Fund\_Adv  
 TextAlign: General

ID Long Integer 4

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length, Auto-Increment  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 GUID: {guid {13A42F05-6EAC-46E9-BDA3-44ABE41713E8}}  
 OrdinalPosition: 8  
 Required: False  
 ResultType: 0  
 SourceField: ID

SourceTable:	tmpEPA_PDS_Project_Fund_Adv		
TextAlign:	General		
use_ufms_data		Yes/No	1
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
DisplayControl:	Text Box		
Format:	Yes/No		
GUID:	{guid {D73AF3AC-108B-42E3-900F-BD1DDC7D9258}}		
OrdinalPosition:	9		
Required:	False		
ResultType:	0		
SourceField:	use_ufms_data		
SourceTable:	tmpEPA_PDS_Project_Fund_Adv		
TextAlign:	General		

**Table Indexes**

<u>Name</u>	<u>Number of Fields</u>
funding_code Clustered: False DistinctCount: 0 Foreign: False IgnoreNulls: False Name: funding_code Primary: False Required: False Unique: False Fields: funding_code      Ascending	1
ID Clustered: False DistinctCount: 0 Foreign: False IgnoreNulls: False Name: ID Primary: True Required: True Unique: True Fields: ID                  Ascending	1
project_id Clustered: False DistinctCount: 0 Foreign: False IgnoreNulls: False	1

---

Name:	project_id
Primary:	False
Required:	False
Unique:	False
Fields:	
project_id	Ascending

**User Permissions**

admin

**Group Permissions**

Admins  
Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,  
Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

AlternateBackShade:	100	AlternateBackThemeColorIn	-1
AlternateBackTint:	100	BackShade:	100
BackTint:	100	DatasheetForeThemeColorIn	-1
DatasheetGridlinesThemeCol	-1	DateCreated:	7/12/2011 6:57:34 PM
DefaultView:	2	DisplayViewsOnSharePointSi	1
FilterOnLoad:	False	GUID:	{guid {59820124-1975-45CE-B3EB-5F7231588536}}
HideNewField:	False	LastUpdated:	10/15/2014 6:47:40 PM
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	0	ThemeFontIndex:	-1
TotalsRow:	False	Updatable:	True

**Columns**

Name	Type	Size
ID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
GUID:	{guid {BF95C3D0-D9E9-49DB-8C1E-650896F30CCC}}	
OrdinalPosition:	0	
Required:	False	
ResultType:	0	
SourceField:	ID	
SourceTable:	tmpEPA_PDS_Project_Homes	
TextAlign:	General	
pds_project_number	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
DisplayControl:	Text Box	
Format:	@	
GUID:	{guid {AE98453E-69BD-4E39-A0AA-72F4D72165D5}}	
IMEMode:	0	
IMESentenceMode:	3	

OrdinalPosition: 1  
 Required: False  
 ResultType: 0  
 SourceField: pds\_project\_number  
 SourceTable: tmpEPA\_PDS\_Project\_Homes  
 TextAlign: General  
 UnicodeCompression: False

project\_id Double 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 Format: General Number  
 GUID: {guid {7A52E5D5-83F3-43F4-94C6-AB957999C543}}  
 OrdinalPosition: 2  
 Required: False  
 ResultType: 0  
 SourceField: project\_id  
 SourceTable: tmpEPA\_PDS\_Project\_Homes  
 TextAlign: General

housing\_group Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 DisplayControl: Text Box  
 Format: @  
 GUID: {guid {67E47866-9655-4E4A-A61D-EC0273D5A1E0}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 3  
 Required: False  
 ResultType: 0  
 SourceField: housing\_group  
 SourceTable: tmpEPA\_PDS\_Project\_Homes  
 TextAlign: General  
 UnicodeCompression: False

Community\_State\_Code Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 DisplayControl: Text Box  
 Format: @  
 GUID: {guid {77C524DE-BD9C-4A10-86A1-49BF331B3DC3}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 4  
 Required: False  
 ResultType: 0  
 SourceField: Community\_State\_Code  
 SourceTable: tmpEPA\_PDS\_Project\_Homes  
 TextAlign: General  
 UnicodeCompression: False

Home\_Type Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 DisplayControl: Text Box  
 Format: @  
 GUID: {guid {4A28AFC7-0756-4ACB-A127-5D9B2CFBCBE1}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 5  
 Required: False  
 ResultType: 0  
 SourceField: Home\_Type  
 SourceTable: tmpEPA\_PDS\_Project\_Homes  
 TextAlign: General  
 UnicodeCompression: False

ihseligible Yes/No 1

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default



ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 DisplayControl: Text Box  
 Format: Yes/No  
 GUID: {guid {F1778D61-F7A8-4F20-8D78-5742DF4BF059}}  
 OrdinalPosition: 6  
 Required: False  
 ResultType: 0  
 SourceField: ihseligible  
 SourceTable: tmpEPA\_PDS\_Project\_Homes  
 TextAlign: General

Number\_Homes Double 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 Format: General Number  
 GUID: {guid {D7F935E1-E6D8-43CF-86E2-49B88D168BE3}}  
 OrdinalPosition: 7  
 Required: False  
 ResultType: 0  
 SourceField: Number\_Homes  
 SourceTable: tmpEPA\_PDS\_Project\_Homes  
 TextAlign: General

homes\_served Double 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 Format: General Number  
 GUID: {guid {DFCD6F54-C884-436D-B560-7CD91492DA6E}}  
 OrdinalPosition: 8  
 Required: False  
 ResultType: 0  
 SourceField: homes\_served  
 SourceTable: tmpEPA\_PDS\_Project\_Homes

	TextAlign:	General		
IDL			Double	8
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	CurrencyLCID:	0		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	DisplayControl:	Text Box		
	Format:	General Number		
	GUID:	{guid {F957DE73-918D-4E5A-8632-5C9B753E2CCB}}		
	OrdinalPosition:	9		
	Required:	False		
	ResultType:	0		
	SourceField:	IDL		
	SourceTable:	tmpEPA_PDS_Project_Homes		
	TextAlign:	General		
FDL			Double	8
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	CurrencyLCID:	0		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	DisplayControl:	Text Box		
	Format:	General Number		
	GUID:	{guid {C7CCE076-62AB-4A89-8CCB-CF5CB2578242}}		
	OrdinalPosition:	10		
	Required:	False		
	ResultType:	0		
	SourceField:	FDL		
	SourceTable:	tmpEPA_PDS_Project_Homes		
	TextAlign:	General		
First_Service			Yes/No	1
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		

CurrencyLCID: 0  
 DataUpdatable: False  
 DisplayControl: Text Box  
 Format: Yes/No  
 GUID: {guid {934CB5AA-A2FF-48B9-B8BE-B0BFBC67AE46}}  
 OrdinalPosition: 11  
 Required: False  
 ResultType: 0  
 SourceField: First\_Service  
 SourceTable: tmpEPA\_PDS\_Project\_Homes  
 TextAlign: General

Water\_Service Yes/No 1

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 DisplayControl: Text Box  
 Format: Yes/No  
 GUID: {guid {72158125-F15B-4816-8B4A-243E02EE8B3E}}  
 OrdinalPosition: 12  
 Required: False  
 ResultType: 0  
 SourceField: Water\_Service  
 SourceTable: tmpEPA\_PDS\_Project\_Homes  
 TextAlign: General

Sewer\_Service Yes/No 1

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 DisplayControl: Text Box  
 Format: Yes/No  
 GUID: {guid {40F6EFE7-B4A5-4AEC-81D5-AFA6D698014B}}  
 OrdinalPosition: 13  
 Required: False  
 ResultType: 0  
 SourceField: Sewer\_Service  
 SourceTable: tmpEPA\_PDS\_Project\_Homes  
 TextAlign: General

Solid\_Waste\_Service Yes/No 1

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 DisplayControl: Text Box  
 Format: Yes/No  
 GUID: {guid {2E4C4063-2387-433D-877A-F0CE9DA6E426}}  
 OrdinalPosition: 14  
 Required: False  
 ResultType: 0  
 SourceField: Solid\_Waste\_Service  
 SourceTable: tmpEPA\_PDS\_Project\_Homes  
 TextAlign: General

OM\_Service Yes/No 1

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 DisplayControl: Text Box  
 Format: Yes/No  
 GUID: {guid {9D9950B1-F884-47EF-8FAF-7C3381CE25D7}}  
 OrdinalPosition: 15  
 Required: False  
 ResultType: 0  
 SourceField: OM\_Service  
 SourceTable: tmpEPA\_PDS\_Project\_Homes  
 TextAlign: General

**Table Indexes**

Name	Number of Fields
Community_State_Code	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	Community_State_Code
Primary:	False
Required:	False
Unique:	False

	Fields:	
	Community_State_Code	Ascending
ID		1
	Clustered:	False
	DistinctCount:	0
	Foreign:	False
	IgnoreNulls:	False
	Name:	ID
	Primary:	False
	Required:	False
	Unique:	True
	Fields:	
	ID	Ascending
IDL		1
	Clustered:	False
	DistinctCount:	0
	Foreign:	False
	IgnoreNulls:	False
	Name:	IDL
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	IDL	Ascending
Number_Homes		1
	Clustered:	False
	DistinctCount:	0
	Foreign:	False
	IgnoreNulls:	False
	Name:	Number_Homes
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	Number_Homes	Ascending
PrimaryKey		1
	Clustered:	False
	DistinctCount:	0
	Foreign:	False
	IgnoreNulls:	False
	Name:	PrimaryKey
	Primary:	True
	Required:	True
	Unique:	True
	Fields:	
	ID	Ascending
project_id		1
	Clustered:	False
	DistinctCount:	0
	Foreign:	False
	IgnoreNulls:	False
	Name:	project_id
	Primary:	False

---

Required:	False
Unique:	False
Fields:	
project_id	Ascending

**User Permissions**

admin

**Group Permissions**

Admins

Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,  
Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

AlternateBackShade:	100	AlternateBackThemeColorIn	-1
AlternateBackTint:	100	BackShade:	100
BackTint:	100	DatasheetForeThemeColorIn	-1
DatasheetGridlinesThemeCol	-1	DateCreated:	7/12/2011 6:57:34 PM
DefaultView:	2	DisplayViewsOnSharePointSi	1
FilterOnLoad:	False	GUID:	{guid {A381ECD1-6C66-4EC9-8684-C68D5E5275F3}}
HideNewField:	False	LastUpdated:	10/15/2014 6:47:36 PM
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	0	ThemeFontIndex:	-1
TotalsRow:	False	Updatable:	True

**Columns**

Name	Type	Size
ID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
GUID:	{guid {66520214-E78F-4C33-AA56-1C7EA4931793}}	
OrdinalPosition:	0	
Required:	False	
ResultType:	0	
SourceField:	ID	
SourceTable:	tmpEPA_PDS_Project_Mileston	
TextAlign:	General	
pds_project_number	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2040	
CurrencyLCID:	0	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {BDE6FD57-0588-4322-8BD7-9A835AB34AA3}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	

Required:	False		
ResultType:	0		
SourceField:	pds_project_number		
SourceTable:	tmpEPA_PDS_Project_Mileston		
TextAlign:	General		
UnicodeCompression:	False		
project_id		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
GUID:	{guid {A9002662-0BA3-4B17-8064-8EA744AAD4F9}}		
OrdinalPosition:	2		
Required:	False		
ResultType:	0		
SourceField:	project_id		
SourceTable:	tmpEPA_PDS_Project_Mileston		
TextAlign:	General		
milestone code		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
GUID:	{guid {CD4B5597-AB4F-48F4-BA6B-92E7BAFCE223}}		
OrdinalPosition:	3		
Required:	False		
ResultType:	0		
SourceField:	milestone code		
SourceTable:	tmpEPA_PDS_Project_Mileston		
TextAlign:	General		
milestone_name		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		



ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
CurrencyLCID: 0  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {E00AB19E-92ED-4AFA-8D73-73F477BE615D}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 4  
Required: False  
ResultType: 0  
SourceField: milestone\_name  
SourceTable: tmpEPA\_PDS\_Project\_Mileston  
TextAlign: General  
UnicodeCompression: False

proposed\_date Date With Time 8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Fixed Size  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
CurrencyLCID: 0  
DataUpdatable: False  
Format: Short Date  
GUID: {guid {D1FC12C2-5299-4E09-9479-BD4A5D81D7F6}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 5  
Required: False  
ResultType: 0  
ShowDatePicker: For dates  
SourceField: proposed\_date  
SourceTable: tmpEPA\_PDS\_Project\_Mileston  
TextAlign: General

estimated\_date Date With Time 8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Fixed Size  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: 2100  
CurrencyLCID: 0  
DataUpdatable: False  
Format: Short Date  
GUID: {guid {904B7CE5-680E-4682-8F7D-830F1A0B36E4}}  
IMEMode: 0  
IMESentenceMode: 3

OrdinalPosition: 6  
 Required: False  
 ResultType: 0  
 ShowDatePicker: For dates  
 SourceField: estimated\_date  
 SourceTable: tmpEPA\_PDS\_Project\_Mileston  
 TextAlign: General

actual\_date Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 Format: Short Date  
 GUID: {guid {5F169EC1-67A0-4975-8BF2-6EA361A8563B}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 7  
 Required: False  
 ResultType: 0  
 ShowDatePicker: For dates  
 SourceField: actual\_date  
 SourceTable: tmpEPA\_PDS\_Project\_Mileston  
 TextAlign: General

is\_na Yes/No 1

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 CurrencyLCID: 0  
 DataUpdatable: False  
 DisplayControl: Text Box  
 Format: Yes/No  
 GUID: {guid {3038B776-D5D8-4E74-803A-91A18EA8B39F}}  
 OrdinalPosition: 8  
 Required: False  
 ResultType: 0  
 SourceField: is\_na  
 SourceTable: tmpEPA\_PDS\_Project\_Mileston  
 TextAlign: General

**Table Indexes**

Name	Number of Fields
------	------------------

---

ID	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	ID
Primary:	True
Required:	True
Unique:	True
Fields:	
ID	Ascending

**User Permissions**

admin

**Group Permissions**

Admins

Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,  
Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

DateCreated:	2/29/2012 6:23:13 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {EF791CF5-83A2-45DB-BD13-B7212F1AC62D}}	HideNewField:	False
LastUpdated:	2/21/2013 4:19:39 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	0
TotalsRow:	False	Updatable:	True

**Columns**

Name	Type	Size
EPA Region	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
Format:	@	
GUID:	{guid {13D0AEBA-82DF-4F36-88C8-26C8E74EEE2A}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	0	
Required:	False	
SourceField:	EPA Region	
SourceTable:	tmpETImportxls	
TextAlign:	General	
UnicodeCompression:	False	
State	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
Format:	@	
GUID:	{guid {C54650C5-23D3-43AA-9780-B59423BB86E5}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	

SourceField: SourceTable: TextAlign: UnicodeCompression:	State tmpETTImportxls General False		
PWSID		Short Text	255
AggregateType: AllowZeroLength: AppendOnly: Attributes: CollatingOrder: ColumnHidden: ColumnOrder: ColumnWidth: DataUpdatable: DisplayControl: Format: GUID: IMEMode: IMESentenceMode: OrdinalPosition: Required: SourceField: SourceTable: TextAlign: UnicodeCompression:	-1 True False Variable Length General False Default Default False Text Box @ {guid {4ED38B3C-886B-43EB-BD47-A18FEC151A71}} 0 3 2 False PWSID tmpETTImportxls General False		
PWSName		Short Text	255
AggregateType: AllowZeroLength: AppendOnly: Attributes: CollatingOrder: ColumnHidden: ColumnOrder: ColumnWidth: DataUpdatable: DisplayControl: Format: GUID: IMEMode: IMESentenceMode: OrdinalPosition: Required: SourceField: SourceTable: TextAlign: UnicodeCompression:	-1 True False Variable Length General False Default Default False Text Box @ {guid {A37DBFCD-AA6B-4F86-954F-13E766B2AF95}} 0 3 3 False PWSName tmpETTImportxls General False		
ETT Score		Double	8
AggregateType: AllowZeroLength: AppendOnly: Attributes: CollatingOrder:	-1 False False Variable Length General		

ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
Format:	General Number		
GUID:	{guid {8736E278-F237-4CCD-AFD3-E437D5101215}}		
OrdinalPosition:	4		
Required:	False		
SourceField:	ETT Score		
SourceTable:	tmpETTImportxls		
TextAlign:	General		
Sum(S*T*P) +n Alternative		Double	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
Format:	General Number		
GUID:	{guid {3D5C05BA-F114-484B-A13F-97CA44984396}}		
OrdinalPosition:	5		
Required:	False		
SourceField:	Sum(S*T*P) +n Alternative		
SourceTable:	tmpETTImportxls		
TextAlign:	General		
# SNCs last 5 yrs		Double	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
GUID:	{guid {6EB09635-B4D9-4CB6-83E3-1F4B6E1CB4B1}}		
OrdinalPosition:	6		
Required:	False		
SourceField:	# SNCs last 5 yrs		
SourceTable:	tmpETTImportxls		
TextAlign:	General		
Sys has Tier 1 viols?		Short Text	255
AggregateType:	-1		

AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 Format: @  
 GUID: {guid {EBD9D34A-5A9F-46F1-9743-249CCFD82C3A}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 7  
 Required: False  
 SourceField: Sys has Tier 1 viols?  
 SourceTable: tmpETTImportxls  
 TextAlign: General  
 UnicodeCompression: False

PWS Type Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 Format: @  
 GUID: {guid {1DF84AD0-42C6-42AB-AD98-B504A6C48BFB}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 8  
 Required: False  
 SourceField: PWS Type  
 SourceTable: tmpETTImportxls  
 TextAlign: General  
 UnicodeCompression: False

Pop Srvd Double 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 Format: General Number

GUID: OrdinalPosition: Required: SourceField: SourceTable: TextAlign:	{guid {12BCB3C4-8931-4C65-A9BC-5985BDE66A81}} 9 False Pop Srvd tmpETTImportxls General		
Date 1st Significant (>=11)		Date With Time	8
AggregateType: AllowZeroLength: AppendOnly: Attributes: CollatingOrder: ColumnHidden: ColumnOrder: ColumnWidth: DataUpdatable: Description: Format: GUID: IMEMode: IMESentenceMode: OrdinalPosition: Required: ShowDatePicker: SourceField: SourceTable: TextAlign:	-1 False False Variable Length General False Default Default False used to be Priority System Since m/d/yyyy {guid {FCFB9147-18F1-411E-8DC5-8B6579A3F9F3}} 0 3 10 False For dates Date 1st Significant (>=11) tmpETTImportxls General		
Repeat Violator Tool		Double	8
AggregateType: AllowZeroLength: AppendOnly: Attributes: CollatingOrder: ColumnHidden: ColumnOrder: ColumnWidth: DataUpdatable: DecimalPlaces: DisplayControl: Format: GUID: OrdinalPosition: Required: SourceField: SourceTable: TextAlign:	-1 False False Variable Length General False Default Default False Auto Text Box General Number {guid {6BB9D74D-4F9A-44CF-BBE3-C0768A3311D9}} 11 False Repeat Violator Tool tmpETTImportxls General		
Total RTCd Pts		Double	8
AggregateType: AllowZeroLength: AppendOnly: Attributes: CollatingOrder:	-1 False False Variable Length General		



ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 Format: General Number  
 GUID: {guid {0929ECEE-B54D-4046-8ABF-25502AFE9A00}}  
 OrdinalPosition: 12  
 Required: False  
 SourceField: Total RTCd Pts  
 SourceTable: tmpETTImportxls  
 TextAlign: General

On Path to Compliance? Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 Format: @  
 GUID: {guid {718DDF27-3068-4C09-BA34-B7EA89FD7B81}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 13  
 Required: False  
 SourceField: On Path to Compliance?  
 SourceTable: tmpETTImportxls  
 TextAlign: General  
 UnicodeCompression: False

School or Childcare Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {D5F53A39-5229-4791-8A5B-BE86828E182B}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 14  
 Required: False  
 SourceField: School or Childcare  
 SourceTable: tmpETTImportxls  
 TextAlign: General

UnicodeCompression: True

**Table Indexes**

<u>Name</u>	<u>Number of Fields</u>
PWSID	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	PWSID
Primary:	False
Required:	False
Unique:	False
Fields:	
PWSID	Ascending

**User Permissions**

admin

**Group Permissions**

Admins  
Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,  
Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

Attributes:	Linked	Connect:	;DATABASE=C:\USERS\KBANK S\DI NEX\APPLICATION\DiNex_be.mdb
DateCreated:	10/28/2014 11:09:02 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {80A036FE-D972-495A-9EA6-6BBEE3D9C033}}	HideNewField:	False
LastUpdated:	10/28/2014 11:09:02 PM	NameMap:	Long binary data
OrderBy:	[TribeNames].[PACode], [TribeNames].[TribeCode], [TribeNames].[SDWISTribeName], [TribeNames].[GovernmentName], [TribeNames].[Lastupdate]	OrderByOn:	True
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	-1	SourceTableName:	TribeNames
TotalsRow:	False	Updatable:	False

**Columns**

Name	Type	Size
TribeID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	internal Tribe identifier	
GUID:	{guid {1F75106A-608B-4BD6-B56F-E9C21971F1A6}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	TribeID	
SourceTable:	TribeNames	
TextAlign:	General	
TribeCode	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	A code value that represents an Indian reservation or Alaska remote village, if any, being served by a public water system in whole or in	

part.  
 DisplayControl: Text Box  
 Format: @  
 GUID: {guid {66E0D26B-374D-43C5-87C3-2F6AA0745337}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 1  
 Required: False  
 SourceField: TribeCode  
 SourceTable: TribeNames  
 TextAlign: General  
 UnicodeCompression: False

GovernmentName Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: 7125  
 DataUpdatable: False  
 Description: Official US government Name (what a bureaucrat calls them)  
 DisplayControl: Text Box  
 Format: @  
 GUID: {guid {54E9F004-2527-403E-B272-FAC489234BCD}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 2  
 Required: False  
 SourceField: GovernmentName  
 SourceTable: TribeNames  
 TextAlign: General  
 UnicodeCompression: False

LocalName Short Text 100

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: 4365  
 DataUpdatable: False  
 Description: Local Government Name (what they call themselves)  
 DisplayControl: Text Box  
 GUID: {guid {9D52697E-F0F3-416D-9409-8F35BE708D63}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 3  
 Required: False  
 SourceField: LocalName  
 SourceTable: TribeNames

TextAlign:	General		
UnicodeCompression:	True		
<b>SDWISTribeCode</b>		<b>Short Text</b>	<b>3</b>
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {223EB0FD-9EA0-400C-8283-65A0393C8404}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	4		
Required:	False		
SourceField:	SDWISTribeCode		
SourceTable:	TribeNames		
TextAlign:	General		
UnicodeCompression:	True		
<b>SDWISTribeName</b>		<b>Short Text</b>	<b>255</b>
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	5640		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {AFF38A0E-7529-46E0-920C-21558AB1CC8B}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	5		
Required:	False		
SourceField:	SDWISTribeName		
SourceTable:	TribeNames		
TextAlign:	General		
UnicodeCompression:	True		
<b>STATESERVED</b>		<b>Short Text</b>	<b>2</b>
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		

Description: A coded value that represents the U.S. Postal Service (USPS) State abbreviation in which the city served by a Water system is located.  
 by a Water System is located.

DisplayControl: Text Box

GUID: {guid {BCF17F1A-359F-404E-A057-90A9A17AA817}}

IMEMode: 0

IMESentenceMode: 3

OrdinalPosition: 6

Required: False

SourceField: STATESERVED

SourceTable: TribeNames

TextAlign: General

UnicodeCompression: False

CITYSERVED Short Text 40

AggregateType: -1

AllowZeroLength: False

AppendOnly: False

Attributes: Variable Length

CollatingOrder: General

ColumnHidden: False

ColumnOrder: Default

ColumnWidth: Default

DataUpdatable: False

Description: The city served by the water system.

DisplayControl: Text Box

GUID: {guid {2DB3A6A9-725F-4380-8304-7266761431FE}}

IMEMode: 0

IMESentenceMode: 3

OrdinalPosition: 7

Required: False

SourceField: CITYSERVED

SourceTable: TribeNames

TextAlign: General

UnicodeCompression: False

FIPSCOUNTY Short Text 5

AggregateType: -1

AllowZeroLength: False

AppendOnly: False

Attributes: Variable Length

CollatingOrder: General

ColumnHidden: False

ColumnOrder: Default

ColumnWidth: Default

DataUpdatable: False

Description: The county served by the water system.

DisplayControl: Text Box

GUID: {guid {8408C26C-9DD9-422D-AA5B-5015335A3506}}

IMEMode: 0

IMESentenceMode: 3

OrdinalPosition: 8

Required: False

SourceField: FIPSCOUNTY

SourceTable: TextAlign: UnicodeCompression:	TribeNames General False		
ZIPSERVED		Short Text	5
AggregateType: AllowZeroLength: AppendOnly: Attributes: CollatingOrder: ColumnHidden: ColumnOrder: ColumnWidth: DataUpdatable: Description: DisplayControl: GUID: IMEMode: IMESentenceMode: OrdinalPosition: Required: SourceField: SourceTable: TextAlign: UnicodeCompression:	-1 False False Variable Length General False Default Default False The zip code of the population served by the water system. Text Box {guid {019991A2-7672-4D40-AB4F-E1952F2F8E67}} 0 3 9 False ZIPSERVED TribeNames General False		
PACode		Short Text	2
AggregateType: AllowZeroLength: AppendOnly: Attributes: CollatingOrder: ColumnHidden: ColumnOrder: ColumnWidth: DataUpdatable: Description: DisplayControl: GUID: IMEMode: IMESentenceMode: OrdinalPosition: Required: SourceField: SourceTable: TextAlign: UnicodeCompression:	-1 False False Variable Length General False Default Default False internal Primacy Agency Code Text Box {guid {764B627B-8ED1-4432-8D01-3F42DAAC1855}} 0 3 10 False PACode TribeNames General True		
Lastupdate		Date With Time	8
AggregateType: AllowZeroLength: AppendOnly: Attributes: CollatingOrder: ColumnHidden:	-1 False False Fixed Size General False		

ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Date of Last Update  
 Format: General Date  
 GUID: {guid {B2B404D4-4B91-4951-BA40-159BC09A67A7}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 11  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: Lastupdate  
 SourceTable: TribeNames  
 TextAlign: General

CurrentUpdateUser Short Text 50

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Current User At Time of Update  
 DisplayControl: Text Box  
 GUID: {guid {CF310B57-F9FB-4549-8D4F-6156C235BC78}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 12  
 Required: False  
 SourceField: CurrentUpdateUser  
 SourceTable: TribeNames  
 TextAlign: General  
 UnicodeCompression: True

DateCreated Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Date that record was created.  
 Format: Short Date  
 GUID: {guid {E95DF70E-FCC5-4DCA-8DB9-2425621BB3B2}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 13  
 Required: False  
 ShowDatePicker: For dates



SourceField:	DateCreated		
SourceTable:	TribeNames		
TextAlign:	General		
CreatedBy		Short Text	50
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Created by when the record is created		
DisplayControl:	Text Box		
GUID:	{guid {8A655861-A99F-4F0E-85B9-E37D9103E287}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	14		
Required:	False		
SourceField:	CreatedBy		
SourceTable:	TribeNames		
TextAlign:	General		
UnicodeCompression:	True		
Sequence		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	just to make sure that All stay on top		
DisplayControl:	Text Box		
GUID:	{guid {1B0B211A-9067-4992-B97D-59B531F1B325}}		
OrdinalPosition:	15		
Required:	False		
SourceField:	Sequence		
SourceTable:	TribeNames		
TextAlign:	General		

**Table Indexes**

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	572
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey

Primary:	True
Required:	True
Unique:	True
Fields:	
TribeID	Ascending
SDWISTribeCode	1
Clustered:	False
DistinctCount:	144
Foreign:	False
IgnoreNulls:	False
Name:	SDWISTribeCode
Primary:	False
Required:	False
Unique:	False
Fields:	
SDWISTribeCode	Ascending
TribeCode	1
Clustered:	False
DistinctCount:	565
Foreign:	False
IgnoreNulls:	False
Name:	TribeCode
Primary:	False
Required:	False
Unique:	False
Fields:	
TribeCode	Ascending
TribeID	1
Clustered:	False
DistinctCount:	572
Foreign:	False
IgnoreNulls:	False
Name:	TribeID
Primary:	False
Required:	False
Unique:	True
Fields:	
TribeID	Ascending

**User Permissions**

admin

**Group Permissions**

Admins  
 Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,  
 Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

DateCreated:	7/12/2011 6:57:34 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {DF125531-DB61-4B8D-89E8-80A4B0AD36BE}}	HideNewField:	False
LastUpdated:	7/12/2011 6:57:35 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	167
TotalsRow:	False	Updatable:	True

**Columns**

Name	Type	Size
ID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
GUID:	{guid {09D34F0D-5B5B-493B-8EB7-E4C1CECF2BA7}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	ID	
SourceTable:	TSA_FUNDING_ACTIONS	
TextAlign:	General	
Proj_ID	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
Format:	@	
GUID:	{guid {4C9EDCA4-EE5A-4009-B589-96EC3D7CB155}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	Proj_ID	
SourceTable:	TSA_FUNDING_ACTIONS	
TextAlign:	General	
UnicodeCompression:	False	

Funding_Action		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
Format:	@		
GUID:	{guid {EF1CA0F6-0F0E-4167-80A0-0E9F2CB26C7E}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	2		
Required:	False		
SourceField:	Funding_Action		
SourceTable:	TSA_FUNDING_ACTIONS		
TextAlign:	General		
UnicodeCompression:	False		

Award_Amount		Currency	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Format:	\$\$,##0.00		
GUID:	{guid {8A2480AF-2090-4A29-96A6-D32E2C7AC461}}		
OrdinalPosition:	3		
Required:	False		
SourceField:	Award_Amount		
SourceTable:	TSA_FUNDING_ACTIONS		
TextAlign:	General		

Award_Date		Date With Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Format:	m/d/yyyy		
GUID:	{guid {962BB65B-F733-42D5-8AC7-1967B274BF20}}		
IMEMode:	0		
IMESentenceMode:	3		

OrdinalPosition:	4		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	Award_Date		
SourceTable:	TSA_FUNDING_ACTIONS		
TextAlign:	General		
FundingFiscalYear		Double	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
Format:	0		
GUID:	{guid {0237277E-4120-4B53-9BB0-EF43B792C195}}		
OrdinalPosition:	5		
Required:	False		
SourceField:	FundingFiscalYear		
SourceTable:	TSA_FUNDING_ACTIONS		
TextAlign:	General		

**Table Indexes**

<u>Name</u>	<u>Number of Fields</u>
ID	1
Clustered:	False
DistinctCount:	167
Foreign:	False
IgnoreNulls:	False
Name:	ID
Primary:	True
Required:	True
Unique:	True
Fields:	
ID	Ascending
Proj_ID	1
Clustered:	False
DistinctCount:	145
Foreign:	False
IgnoreNulls:	False
Name:	Proj_ID
Primary:	False
Required:	False
Unique:	False
Fields:	
Proj_ID	Ascending

**User Permissions**

admin

**Group Permissions**

Admins

Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,  
Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

DateCreated:	7/12/2011 6:57:34 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {E24B998B-A81C-408A-9075-44D1F64BC1E7}}	HideNewField:	False
LastUpdated:	7/12/2011 6:57:35 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	56
TotalsRow:	False	Updatable:	True

**Columns**

Name	Type	Size
ID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
GUID:	{guid {4E24F34C-5D67-45EA-B396-4F145EAF9786}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	ID	
SourceTable:	TSA_FUNDING_Beneficiaries	
TextAlign:	General	
9-digit ID#	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {7460A500-CD34-4303-BDA3-28BE4C4473C7}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	9-digit ID#	
SourceTable:	TSA_FUNDING_Beneficiaries	
TextAlign:	General	
UnicodeCompression:	False	
Proj_ID	Short Text	255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 Format: @  
 GUID: {guid {E55836E6-E6F0-4C7B-A4EE-C354535E292F}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 2  
 Required: False  
 SourceField: Proj\_ID  
 SourceTable: TSA\_FUNDING\_Beneficiaries  
 TextAlign: General  
 UnicodeCompression: False

PWS ID# Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {7D4C366E-8919-46C3-AA2A-51B8B8935413}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 3  
 Required: False  
 SourceField: PWS ID#  
 SourceTable: TSA\_FUNDING\_Beneficiaries  
 TextAlign: General  
 UnicodeCompression: False

**Table Indexes**

Name	Number of Fields
ID	1
Clustered:	False
DistinctCount:	56
Foreign:	False
IgnoreNulls:	False
Name:	ID
Primary:	True
Required:	True
Unique:	True



---

Fields:	
ID	Ascending
Proj_ID	1
Clustered:	False
DistinctCount:	51
Foreign:	False
IgnoreNulls:	False
Name:	Proj_ID
Primary:	False
Required:	False
Unique:	False
Fields:	
Proj_ID	Ascending

**User Permissions**

admin

**Group Permissions**

Admins  
Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,  
Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

DateCreated:	7/12/2011 6:57:34 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {8C6AD869-F05D-4406-BEC5-92321A0FCE9E}}	HideNewField:	False
LastUpdated:	7/12/2011 6:57:35 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	145
TotalsRow:	False	Updatable:	True

**Columns**

Name	Type	Size
IHS_Proj_ID	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
Format:	@	
GUID:	{guid {B5DAD864-D6C9-4EF9-AFF6-60D6B4CE8FB0}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	0	
Required:	False	
SourceField:	IHS_Proj_ID	
SourceTable:	TSA_PROJ	
TextAlign:	General	
UnicodeCompression:	False	
 Proj_ID	 Short Text	 255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
Format:	@	
GUID:	{guid {463CC044-DB84-4D81-9287-E51C170D48DB}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	

SourceField: Proj\_ID  
SourceTable: TSA\_PROJ  
TextAlign: General  
UnicodeCompression: False

IAG\_Number Short Text 255

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: 1890  
DataUpdatable: False  
DisplayControl: Text Box  
Format: @  
GUID: {guid {8C10E550-3347-4A41-8052-330629DC73CC}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 2  
Required: False  
SourceField: IAG\_Number  
SourceTable: TSA\_PROJ  
TextAlign: General  
UnicodeCompression: False

Proj\_Desc Short Text 255

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
Format: @  
GUID: {guid {FE6E3109-E100-44E3-A614-31E31A80129E}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 3  
Required: False  
SourceField: Proj\_Desc  
SourceTable: TSA\_PROJ  
TextAlign: General  
UnicodeCompression: False

Fund\_Recipient Short Text 255

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General

ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
Format: @  
GUID: {guid {76995EC8-D2C1-4241-957B-FC19390996C1}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 4  
Required: False  
SourceField: Fund\_Recipient  
SourceTable: TSA\_PROJ  
TextAlign: General  
UnicodeCompression: False

Proj\_Officer Short Text 255

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
Format: @  
GUID: {guid {008BECEF-6D2F-4F18-8DC8-4A2410871381}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 5  
Required: False  
SourceField: Proj\_Officer  
SourceTable: TSA\_PROJ  
TextAlign: General  
UnicodeCompression: False

Other\_Funding\_Source Short Text 255

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
Format: @  
GUID: {guid {80BAD315-9A24-40FE-B590-230C5A7B5B68}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 6  
Required: False

SourceField: Other\_Funding\_Source  
SourceTable: TSA\_PROJ  
TextAlign: General  
UnicodeCompression: False

Tribe\_Benefit Short Text 255

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
Format: @  
GUID: {guid {E193220F-4659-47A3-B32E-361459F8B0F0}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 7  
Required: False  
SourceField: Tribe\_Benefit  
SourceTable: TSA\_PROJ  
TextAlign: General  
UnicodeCompression: False

PWS\_ID Short Text 255

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
Format: @  
GUID: {guid {7C03F702-667C-455F-9AEF-E5D1C75BB4D0}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 8  
Required: False  
SourceField: PWS\_ID  
SourceTable: TSA\_PROJ  
TextAlign: General  
UnicodeCompression: False

PWS\_Name Short Text 255

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General

ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
Format: @  
GUID: {guid {135B7465-798A-401A-9998-7168CC179E21}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 9  
Required: False  
SourceField: PWS\_Name  
SourceTable: TSA\_PROJ  
TextAlign: General  
UnicodeCompression: False

Access\_Goals Short Text 255

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
Format: @  
GUID: {guid {0742DFDC-1010-43AF-A2E0-D34B4CFF763D}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 10  
Required: False  
SourceField: Access\_Goals  
SourceTable: TSA\_PROJ  
TextAlign: General  
UnicodeCompression: False

Reservation Short Text 255

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
Format: @  
GUID: {guid {9C78219D-CB81-4E38-AB97-94E21A913A70}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 11  
Required: False

SourceField: Reservation  
SourceTable: TSA\_PROJ  
TextAlign: General  
UnicodeCompression: False

Households Short Text 255

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
Format: @  
GUID: {guid {50EAF6D7-1F05-4D5E-B98E-13BF569A33CA}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 12  
Required: False  
SourceField: Households  
SourceTable: TSA\_PROJ  
TextAlign: General  
UnicodeCompression: False

Other\_Purpose Short Text 255

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
Format: @  
GUID: {guid {E864180D-4227-4F7F-83E0-2BAE821AB7C1}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 13  
Required: False  
SourceField: Other\_Purpose  
SourceTable: TSA\_PROJ  
TextAlign: General  
UnicodeCompression: False

Proj\_Purpose Short Text 255

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General

ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 Format: @  
 GUID: {guid {BE91783B-2584-4EA0-A432-1B8A69AC437F}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 14  
 Required: False  
 SourceField: Proj\_Purpose  
 SourceTable: TSA\_PROJ  
 TextAlign: General  
 UnicodeCompression: False

Other\_Type Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 Format: @  
 GUID: {guid {DB25F7E7-6802-4C9B-AB86-768DEE597302}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 15  
 Required: False  
 SourceField: Other\_Type  
 SourceTable: TSA\_PROJ  
 TextAlign: General  
 UnicodeCompression: False

Upgrade\_Type Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 Format: \$#,##0.00;(\$#,##0.00)  
 GUID: {guid {42C858E3-CC14-4AA1-8822-50A0B93D313D}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 16  
 Required: False



SourceField: Upgrade\_Type  
SourceTable: TSA\_PROJ  
TextAlign: General  
UnicodeCompression: False

Cert\_Operator Short Text 255

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
Format: @  
GUID: {guid {D199B9C6-DAEC-431B-987D-5CF27D84A908}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 17  
Required: False  
SourceField: Cert\_Operator  
SourceTable: TSA\_PROJ  
TextAlign: General  
UnicodeCompression: False

Cert\_Level Short Text 255

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
Format: @  
GUID: {guid {C8DC3371-14AA-453B-8A79-C008E2D09E03}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 18  
Required: False  
SourceField: Cert\_Level  
SourceTable: TSA\_PROJ  
TextAlign: General  
UnicodeCompression: False

Cert\_Operator\_No Short Text 255

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General

ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
Format: @  
GUID: {guid {964FE951-EC60-4E6B-B9A6-519A43294B9C}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 19  
Required: False  
SourceField: Cert\_Operator\_No  
SourceTable: TSA\_PROJ  
TextAlign: General  
UnicodeCompression: False

Cert\_Org Short Text 255

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
Format: @  
GUID: {guid {857B0DC6-2C51-4880-896F-8BA9D440237C}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 20  
Required: False  
SourceField: Cert\_Org  
SourceTable: TSA\_PROJ  
TextAlign: General  
UnicodeCompression: False

Issues\_Addressed Short Text 255

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
Format: @  
GUID: {guid {566A8A63-EC5B-40AE-8D07-2EE2D40FDD06}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 21  
Required: False

SourceField: Issues\_Addressed  
SourceTable: TSA\_PROJ  
TextAlign: General  
UnicodeCompression: False

Proj\_Status Short Text 255

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
Format: @  
GUID: {guid {ED3DF642-8CC0-48A7-8F31-6F998C48AF9C}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 22  
Required: False  
SourceField: Proj\_Status  
SourceTable: TSA\_PROJ  
TextAlign: General  
UnicodeCompression: False

Comments Short Text 255

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
Format: @  
GUID: {guid {7079B480-D6C1-4A67-AC8C-5A0B0F50B2A8}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 23  
Required: False  
SourceField: Comments  
SourceTable: TSA\_PROJ  
TextAlign: General  
UnicodeCompression: False

Target\_Comp\_Date Short Text 255

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General

ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
Format: @  
GUID: {guid {C0192984-295D-4F1F-9988-7F27573A9E42}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 24  
Required: False  
SourceField: Target\_Comp\_Date  
SourceTable: TSA\_PROJ  
TextAlign: General  
UnicodeCompression: False

Recipient Tribe Short Text 255

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
Format: @  
GUID: {guid {9C994505-6A39-4F5D-9EAA-6E60A1F3F90D}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 25  
Required: False  
SourceField: Recipient Tribe  
SourceTable: TSA\_PROJ  
TextAlign: General  
UnicodeCompression: False

Solicitation Year Short Text 255

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
Format: @  
GUID: {guid {4292BADc-41C6-4A05-9576-1D0FE5AACB9D}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 26  
Required: False

	SourceField:	Solicitation Year		
	SourceTable:	TSA_PROJ		
	TextAlign:	General		
	UnicodeCompression:	False		
Homes Served			Double	8
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	DisplayControl:	Text Box		
	Format:	General Number		
	GUID:	{guid {D7B8882C-ED5F-4C9D-8975-320F16D24D59}}		
	OrdinalPosition:	27		
	Required:	False		
	SourceField:	Homes Served		
	SourceTable:	TSA_PROJ		
	TextAlign:	General		
Recipient IHS			Short Text	255
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	Format:	@		
	GUID:	{guid {2D38F74D-C80B-4EFE-B0AC-7BA50EC7EECC}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	28		
	Required:	False		
	SourceField:	Recipient IHS		
	SourceTable:	TSA_PROJ		
	TextAlign:	General		
	UnicodeCompression:	False		
A			Date With Time	8
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		

ColumnWidth: Default  
DataUpdatable: False  
Format: m/d/yyyy  
GUID: {guid {23CE5204-CE6E-47A6-8825-FA8DDA7AD36F}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 29  
Required: False  
ShowDatePicker: For dates  
SourceField: A  
SourceTable: TSA\_PROJ  
TextAlign: General

B Short Text 255

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
Format: @  
GUID: {guid {BE9FE624-EB2A-4727-8E04-FFA8EBD84C13}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 30  
Required: False  
SourceField: B  
SourceTable: TSA\_PROJ  
TextAlign: General  
UnicodeCompression: False

C Short Text 255

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
Format: @  
GUID: {guid {3CCB2C98-A4A6-46C2-BF56-121B079D5AA4}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 31  
Required: False  
SourceField: C  
SourceTable: TSA\_PROJ  
TextAlign: General

	UnicodeCompression:	False		
D			Short Text	255
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	Format:	@		
	GUID:	{guid {33C5A33C-9504-4C4B-ADC9-964AA27BFAB8}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	32		
	Required:	False		
	SourceField:	D		
	SourceTable:	TSA_PROJ		
	TextAlign:	General		
	UnicodeCompression:	False		
E			Short Text	255
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	Format:	@		
	GUID:	{guid {E22F48B8-F52B-47B2-BD79-96F9ABA698D9}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	33		
	Required:	False		
	SourceField:	E		
	SourceTable:	TSA_PROJ		
	TextAlign:	General		
	UnicodeCompression:	False		
F1			Short Text	255
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		

DataUpdatable: False  
DisplayControl: Text Box  
Format: @  
GUID: {guid {C7512553-E69B-428F-AF8E-170E589A8F8F}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 34  
Required: False  
SourceField: F1  
SourceTable: TSA\_PROJ  
TextAlign: General  
UnicodeCompression: False

F2 Short Text 255

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
Format: @  
GUID: {guid {74172159-FE06-4829-8D56-064AB828398E}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 35  
Required: False  
SourceField: F2  
SourceTable: TSA\_PROJ  
TextAlign: General  
UnicodeCompression: False

F3 Short Text 255

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
Format: @  
GUID: {guid {9759D516-4815-4E43-BC09-1713A8561D8B}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 36  
Required: False  
SourceField: F3  
SourceTable: TSA\_PROJ  
TextAlign: General



	UnicodeCompression:	False		
G			Short Text	255
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	Format:	@		
	GUID:	{guid {671165B4-35A5-4780-8BC3-95F1E4177770}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	37		
	Required:	False		
	SourceField:	G		
	SourceTable:	TSA_PROJ		
	TextAlign:	General		
	UnicodeCompression:	False		
H			Short Text	255
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	Format:	@		
	GUID:	{guid {3ECF3554-0F2E-4664-8C8F-FC7AFF2C888B}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	38		
	Required:	False		
	SourceField:	H		
	SourceTable:	TSA_PROJ		
	TextAlign:	General		
	UnicodeCompression:	False		
I			Short Text	255
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		

DataUpdatable: False  
DisplayControl: Text Box  
Format: @  
GUID: {guid {7F1DE722-4DF9-428D-BB9B-B15933F23DC4}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 39  
Required: False  
SourceField: I  
SourceTable: TSA\_PROJ  
TextAlign: General  
UnicodeCompression: False

J Short Text 255

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
Format: @  
GUID: {guid {843F0C33-EEFB-47AD-A9AE-66530487DD7D}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 40  
Required: False  
SourceField: J  
SourceTable: TSA\_PROJ  
TextAlign: General  
UnicodeCompression: False

K Short Text 255

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
Format: @  
GUID: {guid {8B7C1549-CFCF-4C5E-9956-80C6EEEE8549}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 41  
Required: False  
SourceField: K  
SourceTable: TSA\_PROJ  
TextAlign: General

	UnicodeCompression:	False		
	Addresses Compliance Issue?		Short Text	255
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	Format:	@		
	GUID:	{guid {74FAFB94-1BD9-45C5-BE82-5D64DC51F4D6}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	42		
	Required:	False		
	SourceField:	Addresses Compliance Issue?		
	SourceTable:	TSA_PROJ		
	TextAlign:	General		
	UnicodeCompression:	False		
L			Short Text	255
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	Format:	@		
	GUID:	{guid {8E5EC4B8-25AF-491C-8875-D799F4A7AF91}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	43		
	Required:	False		
	SourceField:	L		
	SourceTable:	TSA_PROJ		
	TextAlign:	General		
	UnicodeCompression:	False		
	Access Project?		Short Text	255
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		

DataUpdatable: False  
 DisplayControl: Text Box  
 Format: @  
 GUID: {guid {64A07EFA-C4FC-407D-937E-D294F4CC8D85}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 44  
 Required: False  
 SourceField: Access Project?  
 SourceTable: TSA\_PROJ  
 TextAlign: General  
 UnicodeCompression: False

if yes, describe Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 Format: @  
 GUID: {guid {75071BA1-E3BD-45C4-A3FE-5E0415F335BE}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 45  
 Required: False  
 SourceField: if yes, describe  
 SourceTable: TSA\_PROJ  
 TextAlign: General  
 UnicodeCompression: False

# of Homes Provided Access Double 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 GUID: {guid {6793383A-2057-4E64-B905-EC81547D0853}}  
 OrdinalPosition: 46  
 Required: False  
 SourceField: # of Homes Provided Access  
 SourceTable: TSA\_PROJ  
 TextAlign: General

Balances of completed projects Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 Format: @  
 GUID: {guid {E4410AF5-3B81-4F6D-81FD-171349F98367}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 47  
 Required: False  
 SourceField: Balances of completed projects  
 SourceTable: TSA\_PROJ  
 TextAlign: General  
 UnicodeCompression: False

Proj\_Status\_Cancelled Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 Format: @  
 GUID: {guid {06D831DC-49B8-4530-84E7-B06724BD9C5B}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 48  
 Required: False  
 SourceField: Proj\_Status\_Cancelled  
 SourceTable: TSA\_PROJ  
 TextAlign: General  
 UnicodeCompression: False

ID Long Integer 4

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length, Auto-Increment  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 GUID: {guid {D2747537-6D48-4EB5-B858-823BCF71557C}}  
 OrdinalPosition: 49

Required: False  
 SourceField: ID  
 SourceTable: TSA\_PROJ  
 TextAlign: General

Valid Options		Short Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
Format:	@		
GUID:	{guid {15A0F50B-01A4-4098-A70D-0CDA8F925BEA}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	50		
Required:	False		
SourceField:	Valid Options		
SourceTable:	TSA_PROJ		
TextAlign:	General		
UnicodeCompression:	False		

**Table Indexes**

Name	Number of Fields
ID	1
Clustered:	False
DistinctCount:	145
Foreign:	False
IgnoreNulls:	False
Name:	ID
Primary:	True
Required:	True
Unique:	True
Fields:	
ID	Ascending
IHS_Proj_ID	1
Clustered:	False
DistinctCount:	124
Foreign:	False
IgnoreNulls:	False
Name:	IHS_Proj_ID
Primary:	False
Required:	False
Unique:	False
Fields:	
IHS_Proj_ID	Ascending
Proj_ID	1
Clustered:	False

	DistinctCount:	145
	Foreign:	False
	IgnoreNulls:	False
	Name:	Proj_ID
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	Proj_ID	Ascending
PWS_ID		1
	Clustered:	False
	DistinctCount:	128
	Foreign:	False
	IgnoreNulls:	False
	Name:	PWS_ID
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	PWS_ID	Ascending

**User Permissions**

admin

**Group Permissions**

Admins

Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

Attributes:	Linked	Connect:	;DATABASE=C:\USERS\KBANK S\DI NEX\APPLICATION\DiNex_be.mdb
DateCreated:	10/28/2014 11:09:03 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {F83CBF58-B9B8-4891-BEEF-440EB148F28D}}	HideNewField:	False
LastUpdated:	10/28/2014 11:09:03 PM	NameMap:	Long binary data
OrderBy:	[UserColorPreferences].[UserID ]	OrderByOn:	True
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	-1	SourceTableName:	UserColorPreferences
TotalsRow:	False	Updatable:	False

**Columns**

Name	Type	Size
ColorID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	Default	
DataUpdatable:	False	
GUID:	{guid {A44E07F1-3B29-44D7-AC78-29049889546E}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	ColorID	
SourceTable:	UserColorPreferences	
TextAlign:	General	
UserID	Short Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	FK linked to Logins	
DisplayControl:	Text Box	
GUID:	{guid {4F1B092A-DD73-42EB-8C38-9BE82C63938A}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	



SourceField:	UserID		
SourceTable:	UserColorPreferences		
TextAlign:	General		
UnicodeCompression:	True		
ReqtxtClrBack		Decimal	16
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	18		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	text box back color		
DisplayControl:	Text Box		
GUID:	{guid {1A4F8D0D-001E-4860-AEF2-AFEAA02AA864}}		
OrdinalPosition:	2		
Required:	False		
SourceField:	ReqtxtClrBack		
SourceTable:	UserColorPreferences		
TextAlign:	General		
ReqtxtClrFore		Decimal	16
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	18		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	text box font color		
DisplayControl:	Text Box		
GUID:	{guid {0BC47480-3447-4DF3-B6EA-40CCC48A19A2}}		
OrdinalPosition:	3		
Required:	False		
SourceField:	ReqtxtClrFore		
SourceTable:	UserColorPreferences		
TextAlign:	General		
ReqLblFore		Double	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	18		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		

DecimalPlaces: Description: DisplayControl: GUID: OrdinalPosition: Required: SourceField: SourceTable: TextAlign:	Auto label font color Text Box {guid {D5B44C16-6113-47F9-B9FF-9018F55D9D32}} 4 False ReqLblFore UserColorPreferences General		
OpttxtClrBack		Double	8
AggregateType: AllowZeroLength: AppendOnly: Attributes: CollatingOrder: ColumnHidden: ColumnOrder: ColumnWidth: DataUpdatable: DecimalPlaces: Description: DisplayControl: GUID: OrdinalPosition: Required: SourceField: SourceTable: TextAlign:	-1 False False Fixed Size 18 False Default Default False Auto Optional text box fore color Text Box {guid {6D72C17C-8D65-4155-8464-73CF711861D2}} 5 False OpttxtClrBack UserColorPreferences General		
OptlblClrFore		Decimal	16
AggregateType: AllowZeroLength: AppendOnly: Attributes: CollatingOrder: ColumnHidden: ColumnOrder: ColumnWidth: DataUpdatable: DecimalPlaces: Description: DisplayControl: GUID: OrdinalPosition: Required: SourceField: SourceTable: TextAlign:	-1 False False Variable Length 18 False Default Default False Auto Option label fore color Text Box {guid {6ECEE7F-0812-4541-9616-EDB9DB55C660}} 6 False OptlblClrFore UserColorPreferences General		
CalctxtClrFore		Double	8
AggregateType: AllowZeroLength: AppendOnly: Attributes:	-1 False False Fixed Size		

CollatingOrder:	18
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Calculated text box fore color
DisplayControl:	Text Box
GUID:	{guid {4B0FAFE2-9EC4-4DC2-9389-D4BC2246DDE0}}
OrdinalPosition:	7
Required:	False
SourceField:	CalctxtClrFore
SourceTable:	UserColorPreferences
TextAlign:	General

CalclblClrFore	Decimal	16
----------------	---------	----

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	18
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Calculated label fore color
DisplayControl:	Text Box
GUID:	{guid {BA449DF5-E89A-4E1D-A784-3AF58A0E81AC}}
OrdinalPosition:	8
Required:	False
SourceField:	CalclblClrFore
SourceTable:	UserColorPreferences
TextAlign:	General

InstrlblClrFore	Long Integer	4
-----------------	--------------	---

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	18
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Instruction label fore color
DisplayControl:	Text Box
GUID:	{guid {52996C4F-1E52-44FA-8B9F-F84D381E3570}}
OrdinalPosition:	9
Required:	False
SourceField:	InstrlblClrFore
SourceTable:	UserColorPreferences
TextAlign:	General

<b>ButtonForeClr</b>		<b>Decimal</b>	<b>16</b>
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	18		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	command font color		
DisplayControl:	Text Box		
GUID:	{guid {75E0B8F7-64CF-4208-BF42-5883C51A42A1}}		
OrdinalPosition:	10		
Required:	False		
SourceField:	ButtonForeClr		
SourceTable:	UserColorPreferences		
TextAlign:	General		
<b>DateCreated</b>		<b>Date With Time</b>	<b>8</b>
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	18		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Date record was created		
Format:	Short Date		
GUID:	{7CBDFFA5-E981-44D0-B2C6-5508E60F2EDD}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	11		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	DateCreated		
SourceTable:	UserColorPreferences		
TextAlign:	General		
<b>CreatedByUser</b>		<b>Short Text</b>	<b>255</b>
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	User who created record		
DisplayControl:	Text Box		
GUID:	{guid {2986F8BB-C055-496B-8AD8-5DE2731A695E}}		

IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 12  
 Required: False  
 SourceField: CreatedByUser  
 SourceTable: UserColorPreferences  
 TextAlign: General  
 UnicodeCompression: True

DateUpdated Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: 18  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Date record was updated  
 Format: Short Date  
 GUID: {guid {DCAD0EAF-914F-4A39-A5C2-FBDC05B60EFA}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 13  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: DateUpdated  
 SourceTable: UserColorPreferences  
 TextAlign: General

UpdatedbyUser Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: User who updated record  
 DisplayControl: Text Box  
 GUID: {guid {0656F11A-AE6F-4BDA-B6E6-1791307CFB24}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 14  
 Required: False  
 SourceField: UpdatedbyUser  
 SourceTable: UserColorPreferences  
 TextAlign: General  
 UnicodeCompression: True

<u>Name</u>	<u>Number of Fields</u>
PrimaryKey	1
Clustered:	False
DistinctCount:	59
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
ColorID	Ascending
UserID	1
Clustered:	False
DistinctCount:	59
Foreign:	False
IgnoreNulls:	False
Name:	UserID
Primary:	False
Required:	False
Unique:	True
Fields:	
UserID	Ascending

**User Permissions**

admin

**Group Permissions**

Admins

Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

Attributes:	Linked	Connect:	;DATABASE=C:\USERS\KBANK S\DI NEX\APPLICATION\DiNex_be.mdb
DateCreated:	10/28/2014 11:09:03 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {9C01150C-B82E-41FC-832B-5996A66BCE46}}	HideNewField:	False
LastUpdated:	10/28/2014 11:09:03 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	UserFundingPreference	TotalsRow:	False
Updatable:	False		

**Columns**

Name	Type	Size
UserFundigProgramId	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
GUID:	{guid {6865B243-AB25-487B-9D77-00F4ABB9187E}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	UserFundigProgramId	
SourceTable:	UserFundingPreference	
TextAlign:	General	
FundingProgramId	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	linked to funding program	
DisplayControl:	Text Box	
GUID:	{guid {0A6372C1-F9C7-4AE4-8053-3A3A0ABE4C57}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	FundingProgramId	
SourceTable:	UserFundingPreference	

	TextAlign:	General	
UserID			Short Text 10
	AggregateType:	-1	
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Linked to logins	
	DisplayControl:	Text Box	
	GUID:	{guid {E8208DE4-7BD1-4A95-BB2A-4230E7429EA3}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	2	
	Required:	False	
	SourceField:	UserID	
	SourceTable:	UserFundingPreference	
	TextAlign:	General	
	UnicodeCompression:	False	
DateCreated			Date With Time 8
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Format:	Short Date	
	GUID:	{guid {734CD526-0B13-4B8F-9EF8-04489DC9E284}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	3	
	Required:	False	
	ShowDatePicker:	For dates	
	SourceField:	DateCreated	
	SourceTable:	UserFundingPreference	
	TextAlign:	General	

**Table Indexes**

<u>Name</u>	<u>Number of Fields</u>
PrimaryKey	2
Clustered:	False
DistinctCount:	52
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True



---

Required:	True
Unique:	True
Fields:	
FundingProgramId	Ascending
UserID	Ascending
UserFundigProgramId	1
Clustered:	False
DistinctCount:	57
Foreign:	False
IgnoreNulls:	False
Name:	UserFundigProgramId
Primary:	False
Required:	False
Unique:	True
Fields:	
UserFundigProgramId	Ascending

**User Permissions**

admin

**Group Permissions**

Admins

Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

Attributes:	Linked	Connect:	;DATABASE=C:\USERS\KBANK S\DI NEX\APPLICATION\DiNex_be.mdb
DateCreated:	10/28/2014 11:09:03 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{guid {56B7A4C1-C438-44A0-B530-9E1F875C8CA2}}	HideNewField:	False
LastUpdated:	10/28/2014 11:09:03 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	UserPACodePref	TotalsRow:	False
Updatable:	False		

**Columns**

Name	Type	Size
UserPACodeId	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
GUID:	{guid {0BFA29C7-8F91-4271-A053-6CE9FDA2BC60}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	UserPACodeId	
SourceTable:	UserPACodePref	
TextAlign:	General	
UserID	Short Text	10
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {DD8C2612-EB93-4C92-9284-F335EDB5E968}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	UserID	
SourceTable:	UserPACodePref	

TextAlign:	General		
UnicodeCompression:	False		
<b>PACode</b>		<b>Short Text</b>	<b>10</b>
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	linked to lkpPrimacyAgencies		
DisplayControl:	Text Box		
GUID:	{guid {658F3001-23C9-4C46-B56D-0F38377396D3}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	2		
Required:	False		
SourceField:	PACode		
SourceTable:	UserPACodePref		
TextAlign:	General		
UnicodeCompression:	True		
<b>DateCreated</b>		<b>Date With Time</b>	<b>8</b>
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Format:	Short Date		
GUID:	{guid {F1C8F79C-0C32-46FD-8EC5-E54A35DE662E}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	3		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	DateCreated		
SourceTable:	UserPACodePref		
TextAlign:	General		

**Table Indexes**

<u>Name</u>	<u>Number of Fields</u>
PrimaryKey	2
Clustered:	False
DistinctCount:	49
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey

Primary:	True
Required:	True
Unique:	True
Fields:	
UserID	Ascending
PACode	Ascending
UserPACodeId	1
Clustered:	False
DistinctCount:	52
Foreign:	False
IgnoreNulls:	False
Name:	UserPACodeId
Primary:	False
Required:	False
Unique:	True
Fields:	
UserPACodeId	Ascending

**User Permissions**

admin

**Group Permissions**

Admins  
Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,  
Write Definition, Read Data, Insert Data, Update Data, Delete Data

**Properties**

Attributes:	Linked	Connect:	;DATABASE=C:\USERS\KBANK S\DI NEX\APPLICATION\DiNex_be.mdb
DateCreated:	10/28/2014 11:09:03 PM	DefaultView:	2
DisplayViewsOnSharePointSi	1	FilterOnLoad:	False
GUID:	{9ACA28D0-CCFE-4A9C-91A7-103E1D3A665B}}	HideNewField:	False
LastUpdated:	10/28/2014 11:09:03 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	-1
SourceTableName:	UserPreference	TotalsRow:	False
Updatable:	False		

**Columns**

Name	Type	Size
PreferenceId	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
GUID:	{F38DA88C-4B5D-4E63-AB6A-AFAEA71CC744}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	PreferenceId	
SourceTable:	UserPreference	
TextAlign:	General	
UserId	Short Text	10
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{386C8816-7317-4D8B-B181-441A87824D21}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	UserId	
SourceTable:	UserPreference	

TextAlign:	General		
UnicodeCompression:	True		
<b>AwardStartDate</b>		<b>Date With Time</b>	<b>8</b>
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
GUID:	{guid {AD1D543C-000F-429B-B6B7-5A7DB06D52EE}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	2		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	AwardStartDate		
SourceTable:	UserPreference		
TextAlign:	General		
<b>AwardEndDate</b>		<b>Date With Time</b>	<b>8</b>
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
GUID:	{guid {949808E3-4665-4A57-9E5D-92F17C539209}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	3		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	AwardEndDate		
SourceTable:	UserPreference		
TextAlign:	General		
<b>ProjStatus</b>		<b>Short Text</b>	<b>255</b>
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {46943654-CD97-4C09-89A3-D67491EF4DCB}}		

IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 4  
 Required: False  
 SourceField: ProjStatus  
 SourceTable: UserPreference  
 TextAlign: General  
 UnicodeCompression: True

ProjType Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {0FFCF4E0-566B-4313-9588-5CB461628412}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 5  
 Required: False  
 SourceField: ProjType  
 SourceTable: UserPreference  
 TextAlign: General  
 UnicodeCompression: True

DateCreated Date With Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Format: Short Date  
 GUID: {guid {E96042FF-1349-41B1-AAE5-C743C8A7B406}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 6  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: DateCreated  
 SourceTable: UserPreference  
 TextAlign: General

Region Short Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False

Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {A5262B86-B3C5-4AED-BEBA-609DC019BD76}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	7
Required:	False
SourceField:	Region
SourceTable:	UserPreference
TextAlign:	General
UnicodeCompression:	True

FiscalYrBegin	Long Integer	4
---------------	--------------	---

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
GUID:	{guid {007CF817-BDB1-4BFE-84F5-E4FD4E07D09E}}
OrdinalPosition:	8
Required:	False
SourceField:	FiscalYrBegin
SourceTable:	UserPreference
TextAlign:	General

FiscalYrEnd	Long Integer	4
-------------	--------------	---

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
GUID:	{guid {C4AEFDEC-DD9F-4807-8932-41E8D74BD0DE}}
OrdinalPosition:	9
Required:	False
SourceField:	FiscalYrEnd
SourceTable:	UserPreference
TextAlign:	General



FundingProgram AggregateType: -1 AllowZeroLength: True AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: 2880 DataUpdatable: False DisplayControl: Text Box GUID: {guid {89D71D24-E4A7-408D-815C-AAE67758666A}} IMEMode: 0 IMESentenceMode: 3 OrdinalPosition: 10 Required: False SourceField: FundingProgram SourceTable: UserPreference TextAlign: General UnicodeCompression: True	Short Text	255
TribeId AggregateType: -1 AllowZeroLength: False AppendOnly: False Attributes: Fixed Size CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False DecimalPlaces: Auto DisplayControl: Text Box OrdinalPosition: 11 Required: False SourceField: TribeId SourceTable: UserPreference TextAlign: General	Long Integer	4

**Table Indexes**

Name	Number of Fields
PreferenceId	1
Clustered:	False
DistinctCount:	40
Foreign:	False
IgnoreNulls:	False
Name:	PreferenceId
Primary:	False
Required:	False
Unique:	False
Fields:	
PreferenceId	Ascending
PrimaryKey	1

	Clustered:	False
	DistinctCount:	40
	Foreign:	False
	IgnoreNulls:	False
	Name:	PrimaryKey
	Primary:	True
	Required:	True
	Unique:	True
	Fields:	
	PreferenceId	Ascending
UserId		1
	Clustered:	False
	DistinctCount:	40
	Foreign:	False
	IgnoreNulls:	False
	Name:	UserId
	Primary:	False
	Required:	False
	Unique:	True
	Fields:	
	UserId	Ascending

**User Permissions**

admin

**Group Permissions**

Admins

Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data